

From: [REDACTED]
To: [Aquind Interconnector](#)
Subject: Re: EN020022 - AQUIND Interconnector
Date: 30 November 2020 23:20:56

Hello,

I understand that I am able to provide bullet points only for detail of what I will be saying next Monday at the hearing which I provide below.

Therefore, I will be talking about the following issues:

1. The disruption caused by horizontal drilling to Southsea Leisure Park and beach users (and potentially any construction work at Fraser Range) while it is taking place to bring the cable ashore.
2. The lack of clarity as to whether the drilling will originate on dry land or under the sea and the lack of detail as to what the drilling rig will look like and the impact it will have on the local environment (including the extracted material).
3. The impact of a majority of the car park being taken out of action at Fort Cumberland Road for the duration of the construction of the cable.
4. The lack of possible mitigation for both the occupation of the car park during the construction and permanent loss of part of the car park in perpetuity due to structures being constructed.
5. The detrimental impact of the construction of structures in Fort Cumberland Road car park.
6. The severe impact of the disruption of the Henderson Road/Ferry Road/Fort Cumberland Road junction on amenity to the whole of the area of Eastney to the east of this point, including public transport and emergency services access, general ingress/egress for residents and the Sense Plus learning disability day service adjacent to the junction.

Could I also ask if you could confirm what time you will be calling me to speak next Monday.

Regards,

Matthew

Cllr Matthew Winnington
Liberal Democrat
Eastney and Craneswater
Cabinet Member for Health, Wellbeing & Social Care
Portsmouth City Council
Working Hard All Year Round

[REDACTED]

Matthew Winnington and/or the Portsmouth Liberal Democrats and its elected representatives may contact you using the address, phone number/s and email address details given - some of these contacts may be automated. If you would prefer not to be contacted, please contact me.

On Friday, 20 November 2020, 11:03:36 GMT, Aquind Interconnector

<aquind@planninginspectorate.gov.uk> wrote:

Dear Sir/ Madam

The Planning Act 2008, Section 89, and The Infrastructure Planning (Examination Procedure) Rules 2010, Rule 8(3)

Application by AQUIND Limited for an Order Granting Development Consent for the AQUIND Interconnector Project

Your reference: 20025223

Please find below a link to the Examining Authority's Rule 8(3) letter, giving details of the changes to the Examination Timetable and providing a corrected list of persons that have become Interested Parties:

<http://infrastructure.planninginspectorate.gov.uk/document/EN020022-002910>

If this link does not open automatically, please cut and paste it into your browser. Alternatively, they have been published to the 'documents' tab on the project page of our website:

<https://infrastructure.planninginspectorate.gov.uk/projects/south-east/aquind-interconnector/?ipcsection=docs>.

Yours faithfully

AQUIND Interconnector Case Team
National Infrastructure Planning
The Planning Inspectorate

Temple Quay House

2 The Square

Bristol


BS1 6PN

Helpline: 0303 444 5000

Email: aquind@planninginspectorate.gov.uk

Web: infrastructure.planninginspectorate.gov.uk (National Infrastructure Planning)

Twitter: @PINSgov



Please note that the contents of this email and any attachments are privileged and/or confidential and

intended solely for the use of the intended recipient. If you are not the intended recipient of this email and its attachments, you must take no action based upon them, nor must you copy or show them to anyone. Please contact the sender if you believe you have received this email in error and then delete this email from your system.

Recipients should note that e-mail traffic on Planning Inspectorate systems is subject to monitoring, recording and auditing to secure the effective operation of the system and for other lawful purposes. The Planning Inspectorate has taken steps to keep this e-mail and any attachments free from viruses. It accepts no liability for any loss or damage caused as a result of any virus being passed on. It is the responsibility of the recipient to perform all necessary checks.

The statements expressed in this e-mail are personal and do not necessarily reflect the opinions or policies of the Inspectorate.

DPC:76616c646f72

