



AQUIND Limited

AQUIND INTERCONNECTOR

Additional Viewpoint Location Plan and Additional Viewpoints Part C Figure 15.62 - 15.63

The Planning Act 2008

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009
Regulation 8(1)(c)

Document Ref: 7.7.16

PINS Ref.: EN020022

AQUIND Limited

AQUIND INTERCONNECTOR

Additional Viewpoint Location Plan and Additional
Viewpoints Part C Figures 15.62 - 15.63

PINS REF.: EN020022

DOCUMENT: 7.7.16

DATE: 23 DECEMBER 2020

WSP

WSP House

70 Chancery Lane

London

WC2A 1AF

+44 20 7314 5000

www.wsp.com

\\uk.wspgroup.com\central_data\Projects\62100\62100\62100616 - Aquind VO No.3\A\DCOD_EIA\5 - WP\4 - Landscape and Visual (LVA)\Visualisations\Design\A1_00degrees_HFDV_sheets_VP1 - VP17



Baseline Panorama

This image provides landscape and visual context only

© WSP UK Ltd
Viewpoint location: (E) 467658 (N) 113125
See Figure 15.57 for Viewpoint Location Plan
Horizontal field of view: 90° (cylindrical projection)

Date and time of photography: 19th November 2020, 11:31 am
Camera & lens: Canon 6D, 50mm f1.4 prime lens
Distance from camera to Option B(ii): 0.16 km, bearing 49°

Infrastructure Planning (Applications: Prescribed Forms and Procedure)
Regulations 2009 - Regulation 5 (2)(a)
This figure is to be printed at A1 width x A4 height: 841 x 297 mm



\\uk.wspgroup.com\central\data\Projects\62100xxx\62100616 - Aquind VO No.3\A.DC.O.D. EIA\5. WIP\4. Landscape and Visual (LVA)\Visualisations\InDesign\A3_40degree_HFOV_sheets_r2 - Summer_VP18 - VP22



Viewpoint location: (E) 467658 (N) 113125
Date and time of photography: 19th November 2020, 11:31 am
Camera & lens: Canon 6D, 50mm f1.4 prime lens
Horizontal field of view: 40°
Print at A3 or view full frame on a 24" monitor

Distance from camera to Option B(ii): 0.16km, bearing 49°
For Viewpoint Location Plan See Figure 15.57

Infrastructure Planning (Applications:
Prescribed Forms and Procedure)
Regulations 2009 - Regulation 5 (2)(a)

Drawn: RT Checked MB Approved: AF
Date 16/12/2020
Dwg No: EN 020022-ES-15.62B



**AQUIND Interconnector
Additional Viewpoint 3b:
Baseline Winter
Figure 15.62B**

\\uk.wspgroup.com\central\data\Projects\62100xxx\62100616 - Aquind VO No.3\A.DC.O.D. EIA\5. WIP\4. Landscape and Visual (LVA)\Visualisations\InDesign\A3_27degree_HFOV_sheets_VPA & VPB Photomontages



Viewpoint location: (E) 467658 (N) 113125
Date and time of photography: 19th November 2020, 11:31 am
Camera & lens: Canon 6D, 50mm f1.4 prime lens
Horizontal field of view: 27°
Print at A3 or view full frame on a 24" monitor

Distance from camera to Option B(ii): 0.16km, bearing 49°
For Viewpoint Location Plan See Figure 15.57

Infrastructure Planning (Applications:
Prescribed Forms and Procedure)
Regulations 2009 - Regulation 5 (2)(a)

Drawn: RT Checked MB Approved: AF
Date 16/12/2020
Dwg No: EN 020022-ES-15.62C

WSP AQUIND

**AQUIND Interconnector
Additional Viewpoint 3b:
Baseline Winter
Figure 15.62C**

\\uk.wspgroup.com\central_data\Projects\62100\62100616 - Aquind VO No.3\A\DCOD_EIA5_WIP4_Landscape and Visual (LVA)\Visualisations\Design\A1_30degree_HFDV_sheets_VP1_VP17



Baseline Panorama

This image provides landscape and visual context only

Viewpoint location: (E) 467766 (N) 113119
See Figure 15.57 for Viewpoint Location Plan
Horizontal field of view: 90° (cylindrical projection)

Date and time of photography: 19th November 2020, 11:51 am
Camera & lens: Canon 6D, 50mm f1.4 prime lens
Distance from camera to Option B(ii): 0.11km, bearing 15°

Infrastructure Planning (Applications: Prescribed Forms and Procedure)
Regulations 2009 - Regulation 5 (2)(a)
This figure is to be printed at A1 width x A4 height: 841 x 297 mm



\\uk.wspgroup.com\central\data\Projects\62100xxx\62100616 - Aquind VO No.3\A.DC.O.D. EIA\5. WIP4. Landscape and Visual (LVA)\Visualisations\InDesign\A3_40degree_HFOV_sheets_r2 - Summer_VP16 - VP22



Viewpoint location: (E) 467766 (N) 113119
Date and time of photography: 19th November 2020, 11:51 am
Camera & lens: Canon 6D, 50mm f1.4 prime lens
Horizontal field of view: 40°
Print at A3 or view full frame on a 24" monitor

Distance from camera to Option B(ii): 0.11km, bearing 15°
For Viewpoint Location Plan See Figure 15.57

Infrastructure Planning (Applications:
Prescribed Forms and Procedure)
Regulations 2009 - Regulation 5 (2)(a)

Drawn: RT Checked MB Approved: AF
Date 16/12/2020
Dwg No: EN 020022-ES-15.63B



**AQUIND Interconnector
Additional Viewpoint 3c:
Baseline Winter
Figure 15.63B**

\\uk.wspgroup.com\central\data\Projects\62100xxx\62100616 - Aquind VO No.3\A.DC.O.D. EIA\5. WIP\4. Landscape and Visual (LVA)\Visualisations\InDesign\A3_27degree_HFOV_sheets_VPA & VPB Photomontages



Viewpoint location: (E) 467766 (N) 113119
Date and time of photography: 19th November 2020, 11:51 am
Camera & lens: Canon 6D, 50mm f1.4 prime lens
Horizontal field of view: 27° (cylindrical projection)
Print at A3 or view full frame on a 24" monitor

Distance from camera to Option B(ii): 0.11km, bearing 15°
For Viewpoint Location Plan See Figure 15.57

Infrastructure Planning (Applications:
Prescribed Forms and Procedure)
Regulations 2009 - Regulation 5 (2)(a)

Drawn: RT Checked MB Approved: AF
Date 16/12/2020
Dwg No: EN 020022-ES-15.63C

WSP AQUIND

**AQUIND Interconnector
Additional Viewpoint 3c:
Baseline Winter
Figure 15.63C**