

AQUIND Limited

AQUIND INTERCONNECTOR

Applicant's Post Hearing Notes – Appendix 2 Cross-section of the typical highway land construction corridor

The Planning Act 2008

Infrastructure Planning (Examination Procedure) Rules 2010, Rule 8(c)

Document Ref: 7.9.22.2

PINS Ref.: EN020022



DOCUMENT

Document	7.9.22.2 – Cross-section of the typical highway land construction corridor
Revision	001
Document Owner	WSP UK Limited
Prepared By	O. Bulch
Date	18 December 2020
Approved By	I. Robson
Date	18 December 2020

0

500


500

1000

ORIGINAL SCALE 1:20

1500

2000mm



NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETRES
- 2. IN SOME LOCATIONS, THE SAFETY DISTANCE MAY IMPINGE UPON THE FOOTWAY
- CONSTRUCTION VEHICLES WOULD OPERATE ALONG THE LINE OF THE CABLE TRENCH, BUT AHEAD OF THE EVACUATION.

LEGEND						
Native Soil Backfill						
Concrete duct surround						
Below Ground						
Ground level						
——— Warning Tape						
Cable Marker Tiles						
DC Cable						
O DC Cable Duct						
 Fibre Optic Cable Duct 						

Infrastructure Planning (Applications: Prescribed Forms & Procedure) Regulations 2009 - Regulation 5(2)(o)

REV	DATE	BY	DESCRIPTION	CHK	APP
00	30/11/2020	Ŧ	FIRST ISSUE	OB	R

DRAWING STATUS:

FINAL



2 London Square, Cross Roads, Guildford, Surrey, GU1 1UN, UK T+ 44 (0) 1483 528 400, F+ 44 (0) 1483 528 989 wsp.com

LIENT:



PROJECT:

AQUIND Interconnector

APPENDIX 2 - CROSS-SECTION OF THE TYPICAL HIGHWAY LAND CONSTRUCTION CORRIDOR

SCALE AT A3:	CHECKED:		APPROVED:	
1:20	OB		IR	
PROJECT NO:	DESIGNED:	DRAWN:	DATE:	
EN020022	SPS	HH	30/11/2020	
DRAWING NO:	REV:			
EN02002	01			

© WSP UK Ltd

