

From: [REDACTED]
To: [Aquinid Interconnector](#)
Subject: Re: Objection to the Aquinid Interconnector - Vast amounts of Asbestos in the area
Date: 07 January 2021 09:42:37
Attachments: [image001.png](#)

Dear Hefin

I'm sending my screen shots again as no idea why they were missing from previous email.

The areas in pink of the maps, are where asbestos was dumped over a period of 25 years by Portsmouth dockyard.

I have many newspaper clippings of illness in the area over the years when the asbestos has been disturbed.

This area is very fragile and should be taken very seriously indeed.

Kind regards

Paula



Table 3.3 *UK Incidents and Contaminated Land Sites*

<i>Site</i>	<i>Date of Incident</i>	<i>Description of problem</i>	<i>Costs / Implications</i>
Clarke Avenue, Loscoe, Derbyshire	March 1986	Explosion due to landfill gas migration demolished bungalow, badly injuring the occupants	£325–375k; continued difficulties with mortgage lending and insurance
Ilford, Essex	Late 1980s	Low level radioactivity found on former chemical site being redeveloped for housing	£10m; extensive remediation and delays to site development
Lumsden Road, Portsmouth, Hampshire	1991	120 families rehoused after Ministry of Defence development of 1950s/1960s constructed on former Royal Navy waste site found contaminated with asbestos and heavy metals	£6.12m; including rehousing, medical screening, demolition, remediation and rebuilding

On Thu, 7 Jan 2021 at 09:18, Aquind Interconnector <aquind@planninginspectorate.gov.uk> wrote:

Dear Ms Savage,

Thank you for your e-mail below.

I note that you intended to attach screen shots, however, none were attached. As such, if you wish to re-send your e-mail with those attached, I will bring them to the Examining Authority's attention.

However, as you will be aware, it is entirely at the Examining Authority's discretion as to whether it accepts submissions from parties that have not previously registered as Interested Parties.

Kind regards,

Hefin

Hefin Jones
 Rheolwr Achos / Case Manager
 Cynllunio Seilwaith Cenedlaethol / National Infrastructure Planning
 Llinell Uniongyrchol / Direct Line: 0303 444 5944 / XXXXXXXXXX
 Llinell Gymorth / Helpline: 0303 444 5000
 E-Bost / Email: hefin.jones@planninginspectorate.gov.uk

Wê / Web: <https://infrastructure.planninginspectorate.gov.uk>

Twitter: [@PINSgov](https://twitter.com/PINSgov)

Nid yw'r cyfartherbiad hwn yn gyfystyr â chyngor cyfreithiol / This

communication does not constitute legal advice.

Edrychwch ar ein [Hysbysiad Preifatrwydd](#) cyn anfon gwybodaeth at yr Arolygiaeth Gynllunio / Please view our [Privacy Notice](#) before sending information to the Planning Inspectorate.



From: Paula Ann Savage <[REDACTED]>
Sent: 03 January 2021 20:49
To: Jones, Hefin <HEFIN.JONES@planninginspectorate.gov.uk>
Subject: Objection to the Aquind Interconnector - Vast amounts of Asbestos in the area

Dear Mr Jones

I have composed some screen shots for you to compare with regards to the area of Eastney and Milton where the land fall and trenching of the proposed cable will disturb toxic waste and asbestos.


I am confident that you will agree, that the area designated for the cable, is indeed not suitable for this proposed project.

If you take into account how damaging and deadly asbestos is when disturbed. Parts of Eastney were a dumping ground for a number of decades by Portsmouth dockyard, South of Ferry Road being one of the renowned areas for toxic waste and contains a vast amount of asbestos.

There are many accounts of the area causing illness to children when a development took place in early 1990. 120 people were evacuated because of asbestos dust being disturbed.

The route chosen by Aquind, trails all the way through many other areas of concern that are renowned areas of historical landfill that also contain toxic waste and asbestos.

Please find attached screen shots that justify my concerns.



Please note that the contents of this email and any attachments are privileged and/or confidential and intended solely for the use of the intended recipient. If you are not the intended recipient of this email and its attachments, you must take no action based upon them, nor must you copy or show them to anyone. Please contact the sender if you believe you have received this email in error and then delete this email from your system.

Recipients should note that e-mail traffic on Planning Inspectorate systems is subject to monitoring, recording and auditing to secure the effective operation of the system and for other lawful purposes. The Planning Inspectorate has taken steps to keep this e-mail and any attachments free from viruses.

It accepts no liability for any loss or damage caused as a result of any virus being passed on. It is the responsibility of the recipient to perform all necessary checks.

The statements expressed in this e-mail are personal and do not necessarily reflect the opinions or policies of the Inspectorate.

DPC:76616c646f72

