



MORGAN AND MORECAMBE OFFSHORE WIND FARMS: TRANSMISSION ASSETS

Environmental Statement

Volume 3, Annex 5.6: Interim trial trenching report



Date: September 2024
Rev: For Issue

MOR001-FLO-CON-ENV-RPT-0090
MRCNS-J3303-RPS-10134

PINS Reference: EN020028
APFP Regulations: 5(2)(a)
Document reference: F3.5.6

| Document status | | | | | |
|-----------------|---------------------|-------------|----------------|-------------|----------------|
| Version | Purpose of document | Approved by | Date | Approved by | Date |
| ES | For issue | AS | September 2024 | IM | September 2024 |

The report has been prepared for the exclusive use and benefit of the Applicants and solely for the purpose for which it is provided. Unless otherwise agreed in writing by RPS Group Plc, any of its subsidiaries, or a related entity (collectively 'RPS') no part of this report should be reproduced, distributed or communicated to any third party. RPS does not accept any liability if this report is used for an alternative purpose from which it is intended, nor to any third party in respect of this report. The report does not account for any changes relating to the subject matter of the report, or any legislative or regulatory changes that have occurred since the report was produced and that may affect the report.

The report has been prepared using the information provided to RPS by its client, or others on behalf of its client. To the fullest extent permitted by law, RPS shall not be liable for any loss or damage suffered by the client arising from fraud, misrepresentation, withholding of information material relevant to the report or required by RPS, or other default relating to such information, whether on the client's part or that of the other information sources, unless such fraud, misrepresentation, withholding or such other default is evident to RPS without further enquiry. It is expressly stated that no independent verification of any documents or information supplied by the client or others on behalf of the client has been made. The report shall be used for general information only.

Prepared by:

RPS

Prepared for:

**Morgan Offshore Wind Limited,
Morecambe Offshore Windfarm Ltd**

Contents

| | | |
|----------|---|----------|
| 1 | INTERIM TRIAL TRENCHING REPORT | 1 |
| 1.1 | Introduction | 1 |
| 1.1.2 | Scope of work | 1 |
| 1.1.3 | Location, topography and geology | 2 |
| 1.1.4 | Archaeological and historical background | 2 |
| 1.2 | Aims and methodology | 4 |
| 1.2.1 | Aims | 4 |
| 1.2.2 | Methodology | 4 |
| 1.3 | Results | 8 |
| 1.3.1 | Introduction and presentation of results | 8 |
| 1.3.2 | General soils and ground conditions | 8 |
| 1.3.3 | General distribution of archaeological deposits | 8 |
| 1.3.4 | Trenches 28 to 38 | 8 |
| 1.3.5 | Trenches 39 to 44 | 10 |
| 1.3.6 | Trenches 45 to 58 | 13 |
| 1.3.7 | Trenches 79 to 99 | 16 |
| 1.3.8 | Trenches 100 to 108 | 16 |
| 1.3.9 | Trenches 109 to 118 | 18 |
| 1.3.10 | Trenches 125 to 128 | 20 |
| 1.3.11 | Trenches 129 to 138 | 20 |
| 1.3.12 | Trenches 139 to 144 | 25 |
| 1.3.13 | Trenches 145 to 160 | 25 |
| 1.3.14 | Trenches 161 to 168 | 28 |
| 1.3.15 | Trench 169 to 175 | 29 |
| 1.3.16 | Trenches 176 to 182 | 31 |
| 1.3.17 | Trenches 190 to 201 | 32 |
| 1.4 | Discussion | 55 |
| 1.4.1 | Reliability of field investigation | 55 |
| 1.4.2 | Evaluation objectives and results | 55 |
| 1.4.3 | Interpretation | 56 |
| 1.4.4 | Significance | 56 |
| 1.5 | Summary | 56 |
| 1.6 | References | 57 |

Tables

| | | |
|------------|---|---|
| Table 1.1: | Distribution of trenches excavated across the Transmission Assets to date | 5 |
|------------|---|---|

Plates

| | | |
|----------|--|----|
| Plate 1: | Trench 34, scales 1m and 2m | 9 |
| Plate 2: | Ditch 3505 in Trench 35 looking north, scale 1m | 9 |
| Plate 3: | Trench 40 looking south east with palaeochannel 4006 in foreground | 11 |
| Plate 4: | Trench 39 sondage with alluvial deposits beneath topsoil, scale 2m | 12 |
| Plate 5: | Ditch 4406 in Trench 44 looking east, scale 1m | 12 |
| Plate 6: | Sondage in Trench 52 showing alluvial deposits, scale 2m | 13 |
| Plate 7: | Palaeochannel 4803 in Trench 48, looking north. | 14 |
| Plate 8: | Ditch 4607 in Trench 46, scale 1 m | 15 |
| Plate 9: | Ditch 5206 in Trench 52, scale 0.5 m | 15 |

| | | |
|-----------|---|----|
| Plate 10: | Ditches 8402 and 8404 looking south-west, scale 0.5m..... | 16 |
| Plate 11: | Sondage in Trench 105 showing peat and alluvial deposits, scale 2 m | 17 |
| Plate 12: | Ditch 10108 looking south-west, scale 0.5m..... | 18 |
| Plate 13: | South west-facing section of boundary ditch 11002, scale 1 m..... | 19 |
| Plate 14: | Pit 11304 in Trench 113, scale 0.5 m | 19 |
| Plate 15: | Ditch 12604 in Trench 126, scale 1 m | 20 |
| Plate 16: | Trench 129 looking south east, scales 2 m and 1 m | 21 |
| Plate 17: | South west-facing section of gully 12905, scale 0.2 m | 22 |
| Plate 18: | South west-facing section of gully 13303, scale 0.2 m | 23 |
| Plate 19: | North west-facing section of ditches 13305 and 13307, scale 0.5 m | 23 |
| Plate 20: | Trench 134 looking north-west, scales 1 m and 2 m | 24 |
| Plate 21: | Discrete features in Trench 135 looking north, scale 2 m..... | 24 |
| Plate 22: | Pit 13903 in Trench 139, 0.5m scale | 25 |
| Plate 23: | Ditch 14403 in Trench 144, 0.5m scale | 25 |
| Plate 24: | Ditch 15302 in Trench 153 looking south-east, scale 1 m..... | 26 |
| Plate 25: | Ditches 15411 and 15414 looking north-east, scale 2 m..... | 27 |
| Plate 26: | Curvilinear 15807 in Trench 158 looking south-west, scale 0.5 m | 28 |
| Plate 27: | Ditch 16105 in Trench 161 looking north-east, scale 0.5 m..... | 29 |
| Plate 28: | Ditch terminus 17303 looking south-east, scale 0.5 m | 30 |
| Plate 29: | Ditch 17503 in Trench 175 looking north, scale 2 m..... | 31 |
| Plate 30: | Trench 179, scales 1m and 2m..... | 32 |
| Plate 31: | Trench 196, scales 1m and 2m..... | 33 |

Figures

| | | |
|------------|---|----|
| Figure 1: | Site location..... | 3 |
| Figure 2: | Location of interim evaluation trench figures | 7 |
| Figure 3: | Evaluation trenches TR28 to TR38..... | 34 |
| Figure 4: | Evaluation trenches - TR39 to TR47..... | 35 |
| Figure 5: | Evaluation trenches - TR45 to TR53..... | 36 |
| Figure 6: | Evaluation trenches - TR 53 to TR 58..... | 37 |
| Figure 7: | Evaluation trenches TR79 to TR86..... | 38 |
| Figure 8: | Evaluation trenches TR87 to TR99..... | 39 |
| Figure 9: | Evaluation trenches TR100 to TR110..... | 40 |
| Figure 10: | Evaluation trenches – TR110 to TR118..... | 41 |
| Figure 11: | Evaluation trenches – TR125 to TR 128..... | 42 |
| Figure 12: | Evaluation trenches – TR128 to TR 137..... | 43 |
| Figure 13: | Evaluation trenches – TR136 to TR 141..... | 44 |
| Figure 14: | Evaluation trenches – TR142 to TR148..... | 45 |
| Figure 15: | Evaluation trenches – TR150 to TR154..... | 46 |
| Figure 16: | Evaluation trenches – TR155 to TR159..... | 47 |
| Figure 17: | Evaluation trenches - TR160 to TR162..... | 48 |
| Figure 18: | Evaluation trenches – TR163 to TR167..... | 49 |
| Figure 19: | Evaluation trenches – TR169 to TR172..... | 50 |
| Figure 20: | Evaluation trenches – TR173 to TR175..... | 51 |
| Figure 21: | Evaluation trenches TR176 to TR182..... | 52 |
| Figure 22: | Evaluation trenches TR190 to TR192..... | 53 |
| Figure 23: | Evaluation trenches TR195 to TR201..... | 54 |

Appendices

Appendix A : Trench descriptions and context inventory

Glossary

| Term | Meaning |
|---------------------------------------|--|
| 400 kV grid connection cable corridor | The corridor within which the 400 kV grid connection cables will be located. |
| Applicants | Morgan Offshore Wind Limited (Morgan OWL) and Morecambe Offshore Windfarm Ltd (Morecambe OWL). |
| Alluvium | A deposit formed by flowing water. |
| Augering | Boring a hole utilising a tool with a helical shaft to remove a core of soil |
| Colluvium | A deposit formed at the foot of a slope, generally material washed down the slope. |
| Development Consent Order | An order made under the Planning Act 2008, as amended, granting development consent |
| Environmental Impact Assessment | The process of identifying and assessing the significant effects likely to arise from a project. This requires consideration of the likely changes to the environment, where these arise as a consequence of a project, through comparison with the existing and projected future baseline conditions. |
| Environmental Statement | The document presenting the results of the Environmental Impact Assessment process. |
| Geophysical Anomaly | Identified by the geophysical survey as a deviation from the expected or average geophysical field or value. Indicating variations in the physical properties of the ground, such as density, magnetism or conductivity. |
| Impact | Change that is caused by an action/proposed development, e.g., land clearing (action) during construction which results in habitat loss (impact). |
| Landfall | The area in which the offshore export cables make landfall (come on shore) and the transitional area between the offshore cabling and the onshore cabling. This term applies to the entire landfall area at Lytham St. Annes between Mean Low Water Springs and the transition joint bay inclusive of all construction works, including the offshore and onshore cable routes, intertidal working area and landfall compound(s). |
| Linear features | Linear features are archaeological remains which are linear in nature, for instance ditches or gullies |
| Local Planning Authority | The local government body (e.g., Borough Council, District Council, etc.) responsible for determining planning applications within a specific area. |
| Morecambe OWL | Morecambe Offshore Windfarm Limited is a joint venture between Zero-E Offshore Wind S.L.U. (Spain) (a Cobra group company) (Cobra) and Flotation Energy Ltd. |

| Term | Meaning |
|---|---|
| Morgan and Morecambe Offshore Wind Farms: Transmission Assets | <p>The offshore and onshore infrastructure connecting the Morgan Offshore Wind Project and the Morecambe Offshore Windfarm to the national grid. This includes the offshore export cables, landfall site, onshore export cables, onshore substations, 400 kV grid connection cables and associated grid connection infrastructure such as circuit breaker compounds.</p> <p>Also referred to in this report as the Transmission Assets, for ease of reading.</p> |
| Morgan OWL | Morgan Offshore Wind Limited is a joint venture between bp Alternative Energy investments Ltd. and Energie Baden-Württemberg AG (EnBW). |
| Onshore export cable corridor | The corridor within which the onshore export cables will be located. |
| Onshore export cables | The cables which would bring electricity from the landfall to the onshore substations. |
| Onshore Infrastructure Area | <p>The area within the Transmission Assets Order Limits landward of Mean High Water Springs. Comprising the offshore export cables from Mean High Water Springs to the transition joint bays, onshore export cables, onshore substations and 400 kV grid connection cables , and associated temporary and permanent infrastructure including temporary and permanent compound areas and accesses. Those parts of the Transmission Assets Order Limits proposed only for ecological mitigation/biodiversity benefit are excluded from this area.</p> |
| Onshore substations | <p>The onshore substations will include a substation for the Morgan Offshore Wind Project: Transmission Assets and a substation for the Morecambe Offshore Windfarm: Transmission Assets. These will each comprise a compound containing the electrical components for transforming the power supplied from the generation assets to 400 kV and to adjust the power quality and power factor, as required to meet the UK Grid Code for supply to the National Grid.</p> |
| Sondages | A deep trench within the evaluation trenches excavated to test the stratigraphy. |
| Transmission Assets | See Morgan and Morecambe Offshore Wind Farms: Transmission Assets (above). |
| Transmission Assets Order Limits | The area within which all components of the Transmission Assets will be located, including areas required on a temporary basis during construction and/or decommissioning. |
| Tree Throw | The archaeological remains of a trees root system following the tree either being blown over by the wind or pulled over. A bowl-shaped cavity created in the subsoil, then filled by a mixture of soils. |

Acronyms

| Acronym | Meaning |
|---------|-------------------------------------|
| BGS | British Geological Survey |
| CIfA | Chartered Institute for Archaeology |
| EIA | Environmental Impact Assessment |
| ES | Environmental Statement |
| NGR | National Grid Reference |
| OA | Oxford Archaeology |
| WSI | Written Scheme of Investigation |

Units

| Unit | Description |
|-----------------|--------------------|
| % | Percentage |
| km ² | Kilometres Squared |
| m ² | Square Metre |
| m | Metre |

1 Interim trial trenching report

1.1 Introduction

1.1.1.1 This document forms Volume 3, Annex 5.6 of the Environmental Statement prepared for the Morgan and Morecambe Offshore Wind Farms: Transmission Assets (referred to hereafter as ‘the Transmission Assets’). The Environmental Statement presents the findings of the Environmental Impact Assessment (EIA) process for the Transmission Assets.

1.1.1.2 This document provides the interim results of the archaeological trial trench evaluation that is being undertaken within the Onshore Infrastructure Area of the Transmission Assets.

1.1.2 Scope of work

1.1.2.1 Oxford Archaeology (OA) was commissioned by Morgan Offshore Wind Limited (Morgan OWL) and Morecambe Offshore Windfarm Ltd (Morecambe OWL) (the Applicants) to undertake a trial trench evaluation within the Onshore Infrastructure Area. This is an area within the Transmission Assets Order Limits which will comprise the onshore export cables, onshore substations, 400 kV grid connection cables, and associated temporary and permanent infrastructure between landfall at Lytham St. Annes and Penwortham, Lancashire. In total, 222 trenches have been proposed across the Onshore Infrastructure Area, targeted upon geophysical anomalies and areas suspected to be devoid of archaeological remains, as identified by a preceding geophysical survey (see Volume 3, Annex 5.2: Onshore archaeological geophysical survey report of the ES). As of August 2024, 139 trenches have been investigated. Further trial trenching and geoarchaeological investigation will be undertaken post-consent and prior to construction, with trench locations guided by the results of the geophysical survey where appropriate.

1.1.2.2 The work was undertaken to contribute to Volume 3, Chapter 5: Historic environment of the ES, which accompanies an application for a Development Consent Order. Although the Local Planning Authorities had not set a brief for the work, discussions between the Applicants and the Planning Officer (Archaeology) at Lancashire County Council’s Historic Environment Team established the scope of work required, which was set out within a written scheme of investigation (WSI) produced by RPS (2024). This document outlines how OA implemented the specified requirements.

1.1.2.3 All work was carried out in accordance with The Chartered Institute for Archaeologists’ *Code of Conduct (2022)*, *Standard for archaeological field evaluation (2023a)* and *Universal guidance for archaeological field evaluation (2023b)*.

1.1.3 Location, topography and geology

- 1.1.3.1 The onshore elements of the Transmission Assets are located within the administrative areas of Fylde Council, Blackpool Council, South Ribble Borough Council and Preston City Council (and Lancashire County Council at the County level).
- 1.1.3.2 The Onshore Infrastructure Area follows a roughly linear route from the coast between Lytham St Annes and Blackpool (NGR: SD 30677 30914), heading east towards Preston (NGR: SD 49392 29569), and then heading south beneath the River Ribble to Penwortham (SD 50517 27264; **Figure 1**).
- 1.1.3.3 The solid geology gradually changes across the Onshore Infrastructure Area from mudstone of the Singleton Mudstone Member in the west, with two bands of mudstone and halite-stone of the Mythop Halite Member running north/south, changing to mudstone of the Kirkham Mudstone Member around Higher Ballam. Changing to mudstone of the Breckells Mudstone Member, west of Bryning and then to sandstone of the Sherwood Sandstone Group, in the eastern part of the Onshore Infrastructure Area (BGS, 2024) (refer to Volume 3, Annex 1.1: Phase 1 Geo-Environmental Preliminary Risk Assessment, Figure 1.1).
- 1.1.3.4 The superficial geology consists of wind-blown sands to the west of the Onshore Infrastructure Area, between Lytham St. Anne's and Blackpool, before becoming Tidal Flat Deposits of clay and silt, and Peat Deposits around Higher Ballam. As the route progresses eastward, the superficial geology changes to Devensian Till, Head Deposits, or Alluvium, with areas of Storm Beach Deposits. The geology then changes at the very eastern end of the route going back to Tidal Flat Deposits, east of Freckleton, with an area of Tidal River or Creek Deposits, south-east of Clifton, and an area of River Terrace Deposits, Head Deposits and Devensian Till west of Penwortham (ibid) (refer to Volume 3, Annex 1.1: Phase 1 Geo-Environmental Preliminary Risk Assessment, Figure 1.2).

1.1.4 Archaeological and historical background

- 1.1.4.1 The archaeological and historical background of the Onshore Infrastructure Area is detailed within Volume 3, Annex 5.1: Historic environment desk-based assessment of the ES, whilst the geoarchaeological background is discussed within Volume 3, Annex 5.4: Geoarchaeological desk-based assessment of the ES. The background has also been discussed in the WSI (RPS, 2024).




Figure 1: Site location

1.2 Aims and methodology

1.2.1 Aims

1.2.1.1 The main aim of the trial trenching, which is still ongoing with 139 out of the 222 trenches investigated as of August 2024, is to establish whether any archaeological evidence survives within the proposed area of impact. As stated in the WSI (RPS, 2024), the overall aim of the combined programme of archaeological trial trenching and geoarchaeological investigation is to provide additional information regarding the potential location and nature of archaeological remains and subsurface sediments within the land required to be used for the construction, operational and maintenance, and decommissioning phases of the Transmission Assets.

1.2.1.2 The specific project aims and objectives were as follows.

1. To identify the nature, character, extent and possible date of any archaeological sites and/or features within the land required for the construction, operation and maintenance, and decommissioning of the Transmission Assets.
2. To assess the survival, quality, condition and significance of any archaeological remains.
3. To ensure the preservation by record of all archaeological remains revealed during the programme of archaeological trial trenching.
4. To prepare an appropriate archaeological archive including the treatment and preservation of any artefacts.
5. To recover information regarding the subsurface deposit sequences in the areas subject to trial trenching, through the investigation of subsurface deposits by augering and test pitting, and potential recovery of intact sequences for further assessment and analysis. Contributing to the production of a deposit model.

1.2.1.3 If significant archaeological remains are identified, reference will be made to the North West Archaeological Research Framework (Research Frameworks, 2024), so that the remains can, if possible, be placed within their local and regional context.

1.2.2 Methodology

1.2.2.1 To date, the evaluation has comprised the excavation of 73 of the 222 trenches proposed for the Transmission Assets (**Table 1.1**; **Figure 2**). The trenches all measured 50 m by 1.8 m, with the trenches positioned in order to establish the reliability of the geophysical survey results. The vast majority of the trenches were located in accordance with the WSI (RPS, 2024), however, some trenches were required to be partially moved to avoid overhead cables or other constraints as shown on Figures 1.3 to 1.23. Where the trenches were required to be moved, it was ensured that they still targeted the geophysical anomalies they were intended to. All work was undertaken in accordance with the Chartered Institute for Archaeologists' (CIfA) Code of Conduct (2022)

and relevant Standards and Guidance (2020a, 2020b, 2023a and 2023b) and local and national planning policies.

Table 1.1: Distribution of trenches excavated across the Transmission Assets to date

| Figure No | Excavated trench no | Centre on NGR |
|---------------|--|----------------|
| 3 | 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38 | SD 35824 30656 |
| 4 | 39, 40, 41, 42, 43, 44 | SD 36086 30638 |
| 4, 5 and 6 | 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58 | SD 36214 30504 |
| 7 and 8 | 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99 | SD 37173 29733 |
| 9 | 100, 101, 103, 104, 105, 106, 108 | SD 38332 29490 |
| 10 | 109, 110, 111, 112, 113, 114, 117, 118 | SD 38604 29494 |
| 11 | 125, 126, 127, 128 | SD 40012 29556 |
| 12 and 13 | 129, 132, 133, 134, 135, 136, 137, 138 | SD 40164 29790 |
| 12 | 131 | SD 40217 29571 |
| 13 and 14 | 139, 140, 141, 142, 143, 144 | SD 40663 29750 |
| 14, 15 and 16 | 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159 | SD 41489 29938 |
| 17 | 160 | SD 41864 30078 |
| 17 and 18 | 161, 162, 163, 166, 167, 168 | SD 42279 29920 |
| 18 | 164, 165 | SD 42304 30030 |
| 19 and 20 | 169, 170, 171, 172, 173, 174, 175 | SD 43554 30925 |
| 21 | 176, 177, 178, 179, 180, 181, 182 | SD 43683 30097 |
| 22 and 23 | 190, 191, 192, 195, 196, 197, 198, 199, 200, 201 | SD 45775 30232 |

1.2.2.2 The trenches were laid out using by a real-time kinematic global navigation satellite system with sub-15 mm accuracy. The trenches were excavated using a tracked mechanical excavator fitted with a toothless bucket under direct archaeological supervision. Spoil was stored adjacent to, but at a safe distance approximately 1.8m from the trench edges. Machining continued in even spits, no more than 0.20 m thick, down to the top of the undisturbed natural geological deposits or the first archaeological horizon, whichever was encountered first. Sondages were machine-excavated in several trenches to test the character of the natural deposits exposed at the base of the trenches.

1.2.2.3 The exposed surfaces were sufficiently cleaned to establish the presence/absence of archaeological remains. As outlined in the WSI (*ibid*), a sample of each feature or deposit type, for example pits, postholes, and ditches, was excavated and recorded to resolve the principal aims of the evaluation.

- 1.2.2.4 All features and deposits were issued with unique context numbers, and context recording was completed in accordance with established best practice environmental soil samples were allocated unique numbers. Finds, where present, were retrieved and collated by context.
- 1.2.2.5 Spoil produced from machine excavation, the surface or archaeological features, and spoil from hand excavation was scanned by a metal detector to enhance finds retrieval. Bulk soil samples were collected from deposits judged in the field to have potential for the recovery of environmental remains (e.g., carbonised or waterlogged plant macrofossils) and/or small artefacts and faunal remains.
- 1.2.2.6 Sections of features were drawn at a scale of 1:20 and 1 m-wide sample sections of stratigraphy were drawn at a scale of 1:10. All section drawings were located on the plan. A full photographic record comprising digital photos was taken and all archaeological features, deposits and trenches were photographed. In addition, a number of photographs representative of the general work on site were taken.
- 1.2.2.7 Upon completion of the works and in agreement with the Planning Officer (Archaeology) for Lancashire County Council, the trenches were backfilled with the arisings in reverse order of excavation.




Figure 2: Location of interim evaluation trench figures

1.3 Results

1.3.1 Introduction and presentation of results

1.3.1.1 The interim results of the evaluation are presented below, and include a stratigraphic description of the trenches that contained archaeological remains. The full details of all trenches with dimensions and depths of all deposits can be found in **Appendix A**.

1.3.2 General soils and ground conditions

1.3.2.1 The soil sequence in the trenches was fairly uniform. The trenches around Higher Ballam, Trenches 39 to 58 (**Figure 4** to **Figure 6**), contained a number of alluvial deposits overlying natural geology, to a depth of approximately 2 m below ground level. These alluvial deposits were found to a lesser extent in the parcels to the east of these two parcels. With natural geology generally being encountered at a depth of approximately 0.5 to 0.7 m, being overlain by an alluvial subsoil, which was, in turn, overlain by topsoil. Peat deposits were encountered in Trenches 39, 40, 56, 57, 58, 105, 106, 108 and 111, these were generally located immediately beneath the modern topsoil, there was further evidence for peat being sealed below alluvial deposits, principally Trenches 105 to 108 (**Figure 10**).

1.3.2.2 Ground conditions throughout the evaluation were generally good, although slightly difficult in Trenches 39 to 58, due to them having been recently ploughed. Spells of wet weather did not inhibit the identification of archaeological remains or geoarchaeological deposits. Features, where present, were generally readily identified against the underlying deposits.

1.3.3 General distribution of archaeological deposits

1.3.3.1 Archaeological features were present in 80 of the 139 excavated evaluation trenches. The features present comprised linear ditches and gullies (linear features), with few pits and postholes, and natural features, such as tree throws. Field drains were also observed crossing the majority of the trenches. There was a general low density and low inter-cut complexity of features, with no obvious concentrations.

1.3.4 Trenches 28 to 38

1.3.4.1 Trenches 28 – 38 were evenly distributed across the field (**Figure 3**) and were positioned to investigate a series of geophysical anomalies principally interpreted as natural and drainage features, but also undetermined (strong) and archaeology possible (weak). All of the anomalies interpreted as natural and drainage features appeared to be confirmed. A gully was identified in Trench 34 (**Plate 1**), **3404**, had not been identified as a geophysical anomaly, although it was a shallow, peat-filled, feature. Trench 35 also contained a ditched feature, **3505**

(Plate 1), which appeared to correlate well with the geophysical anomaly identified as Undetermined (Strong).



Plate 1: Trench 34, scales 1m and 2m



Plate 2: Ditch 3505 in Trench 35 looking north, scale 1m

1.3.5 Trenches 39 to 44

- 1.3.5.1 Trenches 39-44 were evenly distributed across the field (**Figure 4**). They were positioned to investigate a series of geophysical anomalies principally interpreted as natural, but also undetermined (weak) or drainage features. All the anomalies interpreted as natural did appear to be so, likely peat-filled palaeochannels (**Plate 3**), and were found to cut a sequence of two or three alluvial deposits (**Plate 4**). A shallow ditch, **4406 (Plate 5)**, was identified towards the north east end of Trench 44, measuring approximately 1.1 m wide and surviving to a depth of 0.11 m, and filled by a single mid-dark brown silt clay deposit, **4407**.



Plate 3: Trench 40 looking south east with palaeochannel 4006 in foreground



Plate 4: Trench 39 sondage with alluvial deposits beneath topsoil, scale 2m



Plate 5: Ditch 4406 in Trench 44 looking east, scale 1m

1.3.6 Trenches 45 to 58

- 1.3.6.1 Trenches 45 to 58 were evenly spaced across (**Figure 5** and **Figure 6**). Similarly to Trenches 39 to 44, the trenches were positioned to target geophysical anomalies principally interpreted as natural, although there were also some targeting anomalies interpreted as agricultural in origin. Nearly all of the trenches contained alluvial deposits similar to Trenches 39 to 44, at least two to three deposits were identified (**Plate 6**). The anomalies interpreted as natural appeared to be palaeochannels (**Plate 7**).



Plate 6: Sondage in Trench 52 showing alluvial deposits, scale 2m



Plate 7: Palaeochannel 4803 in Trench 48, looking north.

1.3.6.2 The anomalies targeted as undetermined in Trench 46, appeared to be a potential curvilinear ditch **4607 (Plate 8)**. The anomalies identified as agricultural by the geophysical survey appeared to be former post-medieval field boundaries. Where encountered in Trenches 49, 50, 52, 53, 55 and 56, they appeared to correspond fairly well with the geophysical survey (**Plate 9**).



Plate 8: Ditch 4607 in Trench 46, scale 1 m



Plate 9: Ditch 5206 in Trench 52, scale 0.5 m

1.3.7 Trenches 79 to 99

- 1.3.7.1 Trenches 79 to 99 were positioned to target anomalies interpreted as natural, agricultural, drainage or undetermined on the geophysical survey (**Figure 7 and 8**). The trenches broadly confirmed the natural and agricultural features identified on the geophysical survey, with archaeological features comprising ditches being identified in Trench 84 86, where anomalies had been interpreted as Undetermined.
- 1.3.7.2 Trench 79 contained two ditches on an east/west alignment which correspond well with the geophysical anomalies, ditches **7904** and **7906**. Trench 85 had one ditch which corresponded to the geophysical anomaly interpreted as agricultural (strong). Ditch **8502** which was also likely to be the same ditch as **8404** in Trench 84 (**Plate 10**).



Plate 10: Ditches **8402** and **8404** looking south-west, scale 0.5m

1.3.8 Trenches 100 to 108

- 1.3.8.1 Trenches 100, 101, and 103 to 108 were positioned to target anomalies interpreted as natural or agricultural on the geophysical survey (**Figure 10**). Alluvial and peat deposits were identified in all three trenches, up to a depth of 1.8 m below ground level (**Plate 11**).



Plate 11: Sondage in Trench 105 showing peat and alluvial deposits, scale 2 m

1.3.8.2 Archaeological remains were only identified in Trench 105 as a pit, **10502**, and ditch, **10504**. Both were shallow features, with the pit surviving to a depth of 0.16 m and the ditch to 0.08 m. Neither of these contained any dating evidence, but appeared to cut the latest peat deposits. The remaining features recorded related to the agricultural anomalies and principally drainage ditches which appeared to be cut from the subsoil (**Plate 12**).



Plate 12: Ditch *10108* looking south-west, scale 0.5m

1.3.9 Trenches 109 to 118

1.3.9.1 Trenches 109 – 111, 113, 114, 117 and 118 were positioned to target anomalies interpreted as archaeology possible or agricultural (**Figure 10**). Only a thin alluvial layer was identified as surviving beneath the modern topsoil, which was cut by features in Trenches 110, 113 and 114. The ditches identified in Trenches 110 and 114, **11002** and **11402** respectively, appeared to correspond well with the linear anomalies interpreted as agricultural and appearing to be former field boundary ditches (**Plate 13**).



Plate 13: South west-facing section of boundary ditch 11002, scale 1 m

1.3.9.2 Trench 113 contained two discrete features, natural feature **11302**, likely a tree throw, and pit **11304**. The pit was 0.9 m in diameter and survived to a depth of 0.25 m, being filled by two deposits, although no finds were recovered from either of those deposits (**Plate 14**).



Plate 14: Pit 11304 in Trench 113, scale 0.5 m

1.3.10 Trenches 125 to 128

1.3.10.1 Trenches 125 to 128 were positioned to target anomalies interpreted as natural (weak), magnetic disturbance, agricultural (strong) and undetermined (strong and weak) (**Figure 11**). Natural geology was encountered in all four trenches. Ditches were identified cutting the natural geology in Trenches 126 and 127 (**12604** and **12703** respectively). Neither of these features appeared to correspond well with the geophysical anomalies, although ditch **12604** appears to be on a similar alignment to an anomaly identified to the south and was likely a former field boundary (**Plate 15**).



Plate 15: Ditch 12604 in Trench 126, scale 1 m

1.3.11 Trenches 129 to 138

1.3.11.1 Trenches 129 - 138 targeted anomalies interpreted as undetermined on the geophysical survey (**Figure 12** and **Figure 13**), although Trench 130 was not excavated at this stage due to there being no access to that particular field. These trenches contained colluvial deposits overlying the natural geology, with the colluvium masking the archaeological features which were encountered in the majority of trenches. Only Trenches 132, 136 and 138 were devoid of archaeology, with the remaining trenches in the location containing archaeological remains which corresponded well with the anomalies interpreted as undetermined on the geophysical survey.



Plate 16: Trench 129 looking south east, scales 2 m and 1 m

1.3.11.2 Trench 129 contained a natural feature, **12903**, likely rooting or a tree throw, and a narrow linear feature, **12905**, likely a gully surviving to a width of 0.4 m and a depth of 0.22 m (**Plate 16**). The gully was filled by a single deposit, which contained no finds.



Plate 17: South west-facing section of gully 12905, scale 0.2 m

1.3.11.3 Trench 133 contained three linear features, which appeared to correspond well with the 'undetermined' geophysical anomalies. Three ditches were identified, although shallow, up to 0.18 m deep, and therefore heavily truncated, appeared to be archaeological in nature. However, no finds were recovered from any of the deposits.



Plate 18: South west-facing section of gully 13303, scale 0.2 m



Plate 19: North west-facing section of ditches 13305 and 13307, scale 0.5 m

1.3.11.4 Trenches 133, 134 and 135 contained a significant number of archaeological features. Some of these appeared to relate to ridge and furrow picked up by the geophysical survey, with several of the features relating to 'undetermined' anomalies, however, a number of features were revealed that had not been identified by the geophysical survey.

Although there was no dating evidence recovered from the features, their form and the appearance of their fills were suggestive of prehistoric features, potentially relating to enclosures or round-houses.



Plate 20: Trench 134 looking north-west, scales 1 m and 2 m



Plate 21: Discrete features in Trench 135 looking north, scale 2 m

1.3.12 Trenches 139 to 144

- 1.3.12.1 Trenches 139 – 144 were spread evenly across the fields (**Figures 13 and 14**). Whilst geophysics was carried out for the area it does not appear to have revealed much data due to magnetic disturbance. Trench 139 revealed a single circular pit **13903** (**Plate 22**), whilst Trench 144 contained two ditches, **14403** and **14405** (**Plate 23**).



Plate 22: Pit **13903** in Trench 139, 0.5m scale



Plate 23: Ditch **14403** in Trench 144, 0.5m scale

1.3.13 Trenches 145 to 160

- 1.3.13.1 Trenches 145 to 160 targeted anomalies interpreted as undetermined (strong and weak), natural (spread and weak), agricultural (trend) and

magnetic disturbance (**Figure 14 to Figure 17**). Archaeological remains were identified in Trenches 146, 147, 152, 153, 154, 156, 157, 158, 159 and 160. The remains appeared to confirm that the anomalies interpreted as undetermined related to archaeological remains, potentially prehistoric or Romano-British in date, although no dating evidence was recovered from the features. However, several of the linear features (i.e. ditches and gullies) appeared to be more recent former field boundaries.



Plate 24: Ditch *15302* in Trench 153 looking south-east, scale 1 m



Plate 25: Ditches 15411 and 15414 looking north-east, scale 2 m



Plate 26: Curvilinear *15807* in Trench 158 looking south-west, scale 0.5 m

1.3.14 Trenches 161 to 168

- 1.3.14.1 Trenches 161 to 168 targeted anomalies interpreted as agricultural (trend), drainage features and undetermined (weak) (**Figure 17** and **Figure 18**). Archaeological remains were encountered in Trenches 161, 163 and 165, with the other trenches being devoid of archaeology. The linear feature identified in Trenches 161 appeared to correspond well with the agricultural (trend) anomalies that they were targeting and likely related to post-medieval field boundaries (**Plate 27**). The features in Trenches 163 and 165 appeared to be natural tree throws.



Plate 27: Ditch 16105 in Trench 161 looking north-east, scale 0.5 m

1.3.15 Trench 169 to 175

1.3.15.1 Trenches 169 to 175 targeted anomalies interpreted as agricultural (trend), undetermined (weak) and drainage features (**Figure 19** and **Figure 20**). Archaeological features were identified in all trenches but 174. The features to the north of the parcel appeared to be natural in origin, being palaeochannels or tree throws. This northern part of the parcel appeared to have good potential for geoarchaeological sampling, as such, a number of sondages were excavated in these trenches. The features in Trenches 173 and 175 appeared to be ditches (**Plate 28** and **Plate 29**).



Plate 28: Ditch terminus 17303 looking south-east, scale 0.5 m



Plate 29: Ditch *17503* in Trench 175 looking north, scale 2 m

1.3.16 Trenches 176 to 182

- 1.3.16.1 Trenches 176 to 182 were evenly distributed across several fields (**Figure 21**). They were positioned to investigate several geophysical anomalies, largely interpreted as agricultural or drainage features, as well as magnetic disturbance. The archaeological results appeared to confirm this, with evidence of ridge of furrow in the majority of the trenches and the linear agricultural features being identified as drainage ditches.



Plate 30: Trench 179, scales 1m and 2m

1.3.17 Trenches 190 to 201

- 1.3.17.1 Trenches 190 – 192 and 195 - 201 were evenly distributed across several fields (**Figure 22** and **Figure 23**). They were positioned to investigate several geophysical anomalies, largely interpreted as agricultural or drainage features as well as natural features. Most of the anomalies were identified during the evaluation and were interpreted as agricultural, with ridge and furrow being identified in these trenches. Trench 196 contained a drainage ditch which was not identified in the geophysical survey, ditch **19606**.



Plate 31: Trench 196, scales 1m and 2m




Figure 3: Evaluation trenches TR28 to TR38



Figure 4: Evaluation trenches - TR39 to TR47




Figure 5: Evaluation trenches - TR45 to TR53




Figure 6: Evaluation trenches - TR 53 to TR 58




Figure 7: Evaluation trenches TR79 to TR86




Figure 8: Evaluation trenches TR87 to TR99




Figure 9: Evaluation trenches TR100 to TR110




Figure 10: Evaluation trenches – TR110 to TR118



Figure 11: Evaluation trenches – TR125 to TR 128




Figure 12: Evaluation trenches – TR128 to TR 137




Figure 13: Evaluation trenches – TR136 to TR 141




Figure 14: Evaluation trenches – TR142 to TR148




Figure 15: Evaluation trenches – TR150 to TR154




Figure 16: Evaluation trenches – TR155 to TR159




Figure 17: Evaluation trenches - TR160 to TR162



Figure 18: Evaluation trenches – TR163 to TR167




Figure 19: Evaluation trenches – TR169 to TR172




Figure 20: Evaluation trenches – TR173 to TR175




Figure 21: Evaluation trenches TR176 to TR182



Figure 22: Evaluation trenches TR190 to TR192



Figure 23: Evaluation trenches TR195 to TR201

1.4 Discussion

1.4.1 Reliability of field investigation

- 1.4.1.1 The trenches provided a good coverage of the investigated site and were located to maximise the potential for exposing archaeological remains. The ground and site conditions were largely good throughout the evaluation. The machining was generally carried out cleanly, providing good visibility of features and deposits in the excavated evaluation trenches. Spells of wet and dry weather did not inhibit the evaluation or the identification of archaeological remains.
- 1.4.1.2 The evaluation results to date demonstrate the presence of a generally low density of archaeological remains, though there appears to be concentrations of features present in Trenches 129 to 138 and Trenches 145 to 159. The interim results of the evaluation completed so far are considered to reflect the archaeological potential of the site as highlighted by the background and the geophysical survey.
- 1.4.1.3 The evaluation of the 139 excavated trenches generally confirmed the reliability of the geophysical survey results. Most of the trenches were targeted upon geophysical anomalies, many of which were of undetermined or natural origin. The investigations established the archaeological or natural origin of several of the anomalies.

1.4.2 Evaluation objectives and results

- 1.4.2.1 The trial trenching is considered to have achieved the general aims of the project for the investigated areas (**section 1.2.1**). The evaluation so far has established and recorded the presence and extent of archaeological features and deposits in 80 of the 139 excavated trenches. A generally low density and low inter-cut complexity of features was recorded, largely comprising linear ditches, gullies, with few pits and postholes, and several natural features. The majority of linear features are likely to relate to post-medieval field boundaries, however, the features identified, so far, in Trenches 129 to 138 are suggestive of potentially prehistoric features. There has also been a very limited finds assemblage produced, principally a few fragments of flint from the topsoil in Trenches 39 to 44, currently unassessed. The environmental samples are currently being processed and the data from those will be provided in a further report.
- 1.4.2.2 The excavated trenches have also established the reliability of the geophysical survey results. The trenches were positioned to investigate and verify the results of the survey, which had identified a range of anomalies of possible archaeological, undetermined and natural origin. In addition, several anomalies were identified and interpreted as former field boundaries of later post-medieval date. The geophysical survey results had a moderately good correlation with the archaeological remains record within the excavated evaluation trenches.

1.4.3 Interpretation

- 1.4.3.1 Archaeological remains encountered within the excavated trenches comprised a relatively low density of ditches, gullies, pits, postholes and natural features, such as tree throws and palaeochannels. The finds and environmental remains have yet to be assessed, although once those results are available, they will be incorporated into a report, and so the majority of features and deposits currently remain undated. Nevertheless, several of the recorded features can be dated on the basis of cartographic evidence.
- 1.4.3.2 **Natural and geology:** the anomalies identified as natural features on the geophysical survey appeared to be palaeochannels. These appeared to be relatively late, cutting through the alluvial deposits in the respective parcels. Several test pits were excavated in areas where alluvial deposits were identified, with the aim of characterising these deposits and potentially recovering material which could be dated.
- 1.4.3.3 **Possible prehistoric:** the trenches in the western part of Trenches 129 to 138 and throughout Trenches 145 to 159 contained archaeological remains, although truncated and covered by colluvial deposits, were characteristic of later prehistoric features. However, at this stage, that cannot be proved as the environmental samples recovered from these features have yet to be assessed.
- 1.4.3.4 **Post-medieval:** many of the linear features interpreted as agricultural anomalies, on the geophysical survey, appeared to represent the remains of former field boundaries depicted on nineteenth-century OS mapping.

1.4.4 Significance

- 1.4.4.1 The evaluation to date has identified archaeological remains suggestive of land management and agricultural activity. The limited finds assemblage and environmental samples have yet to be assessed, and at this stage cannot provide further evidence. Nevertheless, particularly in Trenches 129 to 138 and Trenches 145 to 159, the archaeological features may provide evidence of activity within the landscape during the prehistoric period. The evaluation results are likely to be of local significance and may relate to a wider focus of activity within the landscape.

1.5 Summary

- 1.5.1.1 OA are currently undertaking a first phase of archaeological trial trench evaluation within the Onshore Infrastructure Area between Lytham St Annes and Penwortham, Lancashire, as part of the Transmission Assets. The fieldwork was commissioned by the Applicants which was undertaken in May and June 2024.
- 1.5.1.2 A preceding geophysical survey of the Transmission Assets Order Limits had previously been undertaken which detected a range of anomalies. As such 222 trenches have been proposed to test these

anomalies and areas to be suspected as devoid of archaeological remains.

1.5.1.3 A total of 139 trenches have been excavated to date, with archaeology being encountered in 80 of those trenches. The archaeological remains, to date, comprise linear ditches and gullies, pits, postholes and natural features. A moderately good correlation between the results of the geophysical survey and the excavated evaluation trenches was demonstrated.

1.5.1.4 The limited finds assemblage and environmental bulk samples have yet to be assessed. Once the assessment has been completed, it will most likely be able to refine the dates or date ranges of the features identified. The majority of the linear features encountered, to date, appear to relate to former post-medieval field boundaries, however, there are a number of possible prehistoric features as identified in Trenches 129 to 138 and Trenches 145 to 159.

1.6 References

British Geological Survey (BGS), 2024 BGS geology viewer [Online] available at: <https://www.bgs.ac.uk/map-viewers/bgs-geology-viewer/> (accessed 04 June 2024)

Chartered Institute for Archaeologists (CIfA), 2020a Standard and guidance for the collection, documentation, conservation and research of archaeological materials, Reading

CIfA, 2020b Standard and guidance for creation, compilation, transfer and deposition of archaeological archives, Reading

CIfA, 2022 Code of conduct: professional ethics in archaeology, Reading

CIfA, 2023a Standard for archaeological field evaluation, Reading

CIfA, 2023b Universal guidance for archaeological field evaluation, Reading

Research Frameworks, 2024 The North West England Regional Research Framework [Online] available at: <https://researchframeworks.org/nwrf/> (accessed 04 June 2024)

RPS, 2024, Morgan and Morecambe Offshore Wind Farms: Transmission Assets: Written scheme of investigation, programme of archaeological trial trenching and geoarchaeological investigation, unpubl rep

Appendix A: Trench descriptions and context inventory

| Trench 28 | | | | | | |
|--|-------|-----------|-----------|------------------------------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Two sequential alluvial layers were cut by a peat filled channel. This was sealed by topsoil. No archaeology was observed. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 2800 | Layer | - | 0 | Topsoil. 0.25 m thick. | - | - |
| 2801 | Layer | - | 0.25 | Alluvial layer. 1.05m thick | - | - |
| 2802 | Layer | - | 1.3 | Alluvial Layer. | - | - |
| 2803 | Layer | - | - | Palaeochannel. Peat filled channel | - | - |

| Trench 29 | | | | | | |
|---|---------|-----------|-----------|-------------------------------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| An alluvial layer was overlain by a later alluvial layer, which in turn was cut by two ditches. These were sealed by topsoil. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 2900 | Layer | - | 0 | Topsoil. 0.26m thick | - | - |
| 2901 | Layer | - | 0.26 | Alluvial Layer. 1.74m thick. | - | - |
| 2902 | Layer | - | 2 | Alluvial Layer | - | - |
| 2903 | Cut | - | - | Ditch. Unexcavated | - | - |
| 2904 | Deposit | - | - | Secondary Fill of ditch 2903 | - | - |
| 2905 | Cut | 1.21 | 0.27 | Ditch | - | - |
| 2906 | Deposit | 1.21 | 0.12 | Secondary Fill of ditch 2905 | - | - |
| 2907 | Void | - | - | Void | - | - |
| 2908 | Void | - | - | Void | - | - |
| 2909 | Deposit | 1 | 0.18 | Secondary Fill of ditch 2905 | - | - |

| Trench 30 | | | | | | |
|--|-------------|------------------|------------------|-----------------------------------|-----------------------|-------------|
| General description | | | | | Orientation | WNW/ESE |
| Two alluvial layers were observed to be cut by two peat filled channels. These were sealed by another alluvial deposit, which was overlain by topsoil. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.2 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 3000 | Layer | - | 0 | Topsoil. Thickness - 0.20m | - | - |
| 3001 | Layer | - | 0.2 | Alluvial Layer. Thickness - 0.45m | - | - |
| 3002 | Layer | - | 0.65 | Alluvial Layer. Thickness - 0.65m | - | - |
| 3003 | Layer | - | 1.3 | Alluvial Layer | - | - |
| 3004 | Cut | - | - | Palaeochannel. unexcavated | - | - |
| 3005 | Cut | - | - | Palaeochannel. unexcavated | - | - |

| Trench 31 | | | | | | |
|--|-------------|------------------|------------------|---|-----------------------|-------------|
| General description | | | | | Orientation | NW/SE |
| Three layers of alluvium were observed, the later of which was cut by two ditches. These were sealed by topsoil. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.25 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 3100 | Layer | - | 0 | Topsoil. 0.25m thick | - | - |
| 3101 | Layer | - | 0.25 | Alluvial Layer. 0.75m thick | - | - |
| 3102 | Layer | - | 1 | Alluvial Layer. 0.9m thick | - | - |
| 3103 | Layer | - | 1.9 | Alluvial Layer | - | - |
| 3104 | Cut | 1.47 | 0.33 | Ditch | - | - |
| 3105 | Fill | 1.47 | 0.33 | Secondary Fill of ditch 3105 | - | - |
| 3106 | Cut | - | - | Ditch. Unexcavated | - | - |
| 3107 | Fill | - | - | Secondary Fill of ditch 3107 . Unexcavated | - | - |

| Trench 32 | | | | | | |
|---|-------------|------------------|------------------|---|-----------------------|----------------|
| General description | | | | | Orientation | NNE/SSW |
| A sequence of three layers of alluvium were observed, the later of which was cut by five postholes and a ditch. These were sealed by topsoil. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.45 |
| Context No. | Type | Width (m) | Depth (m) | Description | Findings | Date |
| 3200 | Layer | - | 0 | Topsoil. 0.3m thick | - | - |
| 3201 | Layer | - | 0.3 | Alluvial Layer. 0.8m thick | - | - |
| 3202 | Layer | - | 1.1 | Alluvial Layer. 0.5m thick | - | - |
| 3203 | Layer | - | 1.6 | Alluvial Layer | - | - |
| 3204 | Cut | 1.14 | 0.17 | Ditch | - | - |
| 3205 | Fill | - | 0.17 | Secondary Fill of ditch 3204 | - | - |
| 3206 | Cut | 0.27 | 0.1 | Posthole | - | - |
| 3207 | Fill | 0.27 | 0.1 | Secondary Fill of posthole 3206 | - | - |
| 3208 | Cut | - | - | Posthole. Modern unexcavated | - | - |
| 3209 | Fill | - | - | Secondary Fill of posthole 3209 . Modern unexcavated | - | - |
| 3210 | Cut | 0.3 | 0.08 | Posthole | - | - |
| 3211 | Fill | 0.3 | 0.08 | Secondary Fill of posthole 3210 | - | - |
| 3212 | Cut | - | - | Posthole. Unexcavated | - | - |
| 3213 | Fill | - | - | Secondary Fill of posthole 3212 . Unexcavated | - | - |
| 3214 | Cut | - | - | Posthole. Unexcavated | - | - |
| 3215 | Fill | - | 0 | Secondary Fill of posthole 3215 . Unexcavated | - | - |

| Trench 33 | | | | | | |
|---|-------------|------------------|------------------|-----------------------------|-----------------------|-------------|
| General description | | | | | Orientation | E/W |
| Three layers of alluvium were sealed by a peaty layer. This was sealed by topsoil. No archaeology was observed. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 3300 | Layer | - | 0 | Topsoil. 0.25m thick | - | - |
| 3301 | Layer | - | 0.25 | Alluvial Layer. 0.1m thick | - | - |
| 3302 | Layer | - | 0.35 | Alluvial Layer. 0.55m thick | - | - |
| 3303 | Layer | - | 0.9 | Alluvial Layer. 0.6m thick | - | - |
| 3304 | Layer | - | 1.5 | Alluvial Layer | - | - |

| Trench 34 | | | | | | |
|--|-------------|------------------|------------------|---|-----------------------|-------------|
| General description | | | | | Orientation | N/S |
| Alluvial layers were cut by a curvilinear gully and a peat filled channel. These were sealed by topsoil. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 3400 | Layer | - | 0 | Topsoil. 0.25m thick | - | - |
| 3401 | Layer | - | 0.25 | Alluvial Layer. 0.95m thick | - | - |
| 3402 | Layer | - | 1.2 | Alluvial Layer | - | - |
| 3403 | Cut | 0.44 | 0.05 | Gully | - | - |
| 3404 | Fill | 0.44 | 0.05 | Secondary Fill of gully 3403 | - | - |
| 3405 | Cut | 3.9 | 0.5 | Palaeochannel | - | - |
| 3406 | Fill | - | 0.5 | Secondary Fill of palaeochannel 3405 | - | - |
| 3407 | Fill | - | 0.1 | Secondary Fill of palaeochannel 3405 | - | - |

| Trench 35 | | | | | | |
|--|-------------|------------------|------------------|-------------------------------------|-----------------------|-------------|
| General description | | | | | Orientation | E/W |
| Two layers of alluvium were recorded, the latest of which was cut by a peat filled channel. Further along the trench a third alluvial deposit was observed, which had been cut by a ditch. The channel and the ditch were sealed by topsoil. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 3500 | Layer | - | 0 | Topsoil. 0.27m thick | - | - |
| 3501 | Layer | - | 0.27 | Alluvial Layer. 0.07m thick | - | - |
| 3502 | Layer | - | 0.34 | Alluvial Layer. 0.46m thick | - | - |
| 3503 | Layer | - | 0.7 | Alluvial Layer. 1.1m thick | - | - |
| 3504 | Layer | - | 1.8 | Alluvial Layer | - | - |
| 3505 | Cut | - | - | Palaeochannel. peat filled channel | - | - |
| 3506 | Cut | 0.35 | 0.25 | Ditch | - | - |
| 3507 | Fill | - | 0.25 | Secondary Fill of ditch 3507 | - | - |
| 3508 | Cut | 1.02 | 0.5 | Ditch | - | - |
| 3509 | Fill | - | 0.5 | Secondary Fill of ditch 3509 | - | - |

| Trench 36 | | | | | | |
|--|-------------|------------------|------------------|----------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Two alluvial layers were overlain by a peaty deposit which was sealed by topsoil. No archaeology was observed. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 3600 | Layer | - | 0 | Topsoil. 0.2m thick | - | - |
| 3601 | Layer | - | 0.2 | Alluvial Layer. 0.1m thick | - | - |
| 3602 | Layer | - | 0.3 | Alluvial Layer. 0.6m thick | - | - |
| 3603 | Layer | - | 0.9 | Alluvial Layer | - | - |

| Trench 37 | | | | | | |
|---|-------------|------------------|------------------|-------------------------------------|-----------------------|----------------|
| General description | | | | | Orientation | ENE/WSW |
| Two alluvial deposits were recorded, the upper of which was cut by two ditches. These were sealed by topsoil. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 3700 | Layer | | 0 | Topsoil. 0.23m thick | - | - |
| 3701 | Layer | | 0.23 | Peat. 0.15m thick | - | - |
| 3702 | Layer | | 0.38 | Alluvial Layer. 0.32m thick | - | - |
| 3703 | Layer | | 0.7 | Alluvial Layer | - | - |
| 3704 | Cut | 1.68 | 0.33 | Ditch | - | - |
| 3705 | Fill | 1.19 | 0.07 | Secondary Fill of ditch 3704 | - | - |
| 3706 | Fill | 1.68 | 0.12 | Secondary Fill of ditch 3704 | - | - |
| 3707 | Fill | 0.84 | 0.13 | Secondary Fill of ditch 3704 | - | - |
| 3708 | Cut | 0.95 | 0.47 | Ditch | - | - |
| 3709 | Fill | | 0.47 | Secondary Fill of ditch 3708 | - | - |

| Trench 38 | | | | | | |
|--|-------------|------------------|------------------|----------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Alluvium was overlain by a peaty layer, which was sealed by another alluvium. Above this, a second peaty layer was sealed by the topsoil. No archaeology was observed. | | | | | Length (m) | 35.6 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 3800 | Layer | - | 0 | Topsoil. 0.25m thick | - | - |
| 3801 | Layer | - | 0.25 | Peat. 0.3m thick | - | - |
| 3802 | Layer | - | 0.3 | Alluvial Layer | - | - |
| 3803 | Layer | - | 0.9 | Peat. 0.05m thick | - | - |
| 3804 | Layer | | 0.95 | Alluvial Layer | - | - |

Trench 39

| General description | | | | | Orientation | E/W |
|--|-------|-----------|-----------|------------------------------|----------------|------|
| Trench devoid of archaeology. Topsoil overlay peat, which sealed three alluvial deposits. These alluvial deposits overlay natural glacial till geology at a depth of 1.6 m below ground level. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 3900 | Layer | - | 0 | Topsoil. 0.4 m thick. | - | - |
| 3901 | Layer | - | 0.4 | Peat. 0.1 m thick. | - | - |
| 3902 | Layer | - | 0.5 | Alluvial Layer. 0.2 m thick. | - | - |
| 3903 | Layer | - | 0.7 | Alluvial Layer. 0.6 m thick. | - | - |
| 3904 | Layer | - | 1.3 | Alluvial Layer. 0.3 m thick. | - | - |
| 3905 | Layer | - | 1.6 | Natural | - | - |

Trench 40

| General description | | | | | Orientation | NW-SE |
|--|-------|-----------|-----------|--|----------------|-------|
| Trench devoid of archaeology. Topsoil overlay peat, which sealed three alluvial deposits. These alluvial deposits overlay natural glacial till geology at a depth of 1.6 m below ground level. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 4000 | Layer | - | | Topsoil | - | - |
| 4001 | Layer | - | 0.3 | Alluvial Layer | - | - |
| 4002 | Layer | - | 0.7 | Alluvial Layer. Blue grey | - | - |
| 4003 | Layer | - | | Alluvial Layer. Yellow brown | - | - |
| 4004 | Layer | - | 1.3 | Alluvial Layer. Grey blue | - | - |
| 4005 | Layer | - | 1.8 | Natural | - | - |
| 4006 | Layer | - | 0.3 | Peat. Different part of trench to (4001) which is also depth 0.3 m | - | - |

| Trench 41 | | | | | | |
|--|-------------|------------------|------------------|-------------------------------|-----------------------|-------------|
| General description | | | | | Orientation | NW-SE |
| Trench devoid of archaeology. Topsoil overlay peat, which sealed three alluvial deposits. These alluvial deposits overlay natural glacial till geology at a depth of 1.6 m below ground level. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 4100 | Void | - | - | Void | - | - |
| 4101 | Layer | - | 0 | Topsoil. 0.4 m thick. | - | - |
| 4102 | Layer | - | 0.4 | Peat. 0.1 m thick | - | - |
| 4103 | Layer | - | 0.5 | Alluvial Layer. 0.7 m thick. | - | - |
| 4104 | Layer | - | 1.2 | Alluvial Layer. 0.3 m thick. | - | - |
| 4105 | Layer | - | 1.5 | Alluvial Layer. 1.5 m thick. | - | - |
| 4106 | Cut | 0.55 | 0.06 | Posthole | - | - |
| 4107 | Fill | 0.55 | 0.06 | Secondary Fill of 4106 | - | - |
| 4108 | Void | - | - | Void | - | - |
| 4109 | Void | - | - | Void | - | - |
| 4110 | Cut | 1.5 | 0.35 | Palaeochannel | - | - |
| 4111 | Fill | 1.5 | 0.35 | Secondary Fill of 4110 | - | - |

| Trench 42 | | | | | | |
|--|-------------|------------------|------------------|--------------------|-----------------------|-------------|
| General description | | | | | Orientation | NE-SW |
| Trench devoid of archaeology. Topsoil overlay peat, which sealed three alluvial deposits. These alluvial deposits overlay natural glacial till geology at a depth of 1.6 m below ground level. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 4200 | Layer | - | | Topsoil | - | - |
| 4201 | Layer | - | 0.3 | Alluvial Layer | - | - |
| 4202 | Layer | - | 1.4 | Alluvial Layer | - | - |
| 4203 | Layer | - | 1.4 | Alluvial Layer | - | - |
| 4204 | Layer | - | | Alluvial Layer | - | - |

| Trench 43 | | | | | | |
|--|-------------|------------------|------------------|--------------------|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlay a north east/south west aligned ditch which cut a shallow peat deposit. This peat sealed an alluvial layer that was observed to a depth of 1.8 m below ground level. | | | | | Length (m) | 32 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.45 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 4200 | Layer | - | | Topsoil | - | - |
| 4201 | Layer | - | 0.3 | Alluvial Layer | - | - |
| 4202 | Layer | - | 1.4 | Alluvial Layer | - | - |
| 4203 | Layer | - | 1.4 | Alluvial Layer | - | - |
| 4204 | Layer | - | | Alluvial Layer | - | - |

| Trench 44 | | | | | | |
|---|-------------|------------------|------------------|-------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| At the north east end of the trench, topsoil overlay alluvium which sealed a north east/south west curvilinear ditch. The ditch cut natural glacial till geology. Toward the south west end of the trench, topsoil overlay peat which sealed 3 alluvial deposits. These deposits overlay natural geology observed at a depth of 1.4 m below ground level. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 4400 | Layer | - | 0 | Topsoil. 0.35 m thick. | - | - |
| 4401 | Layer | - | 0.35 | Alluvial Layer. 0.05 m thick. | - | - |
| 4402 | Layer | - | 1.4 | Natural | - | - |
| 4403 | Layer | - | 0.35 | Peat. 0.35 m thick. | - | - |
| 4404 | Layer | - | 0.7 | Alluvial Layer. 0.2 m thick. | - | - |
| 4405 | Layer | - | 0.9 | Alluvial Layer. 0.5 m thick | - | - |
| 4406 | Cut | 1.1 | 0.11 | Ditch | - | - |
| 4407 | Fill | 1.1 | 0.11 | Secondary Fill | - | - |
| 4408 | Void | - | - | Void | - | - |
| 4409 | Layer | - | 0.62 | Alluvial Layer. 0.05 m thick. | - | - |

Trench 45

| General description | | | | | Orientation | NE/SW |
|--|-------|-----------|-----------|---|----------------|-------|
| No archaeology observed. Topsoil overlay subsoil which sealed two alluvial deposits observed down to a depth of 1.9 m at the south west trench extent. Natural glacial till geology was observed at a depth of 0.9 m below ground level at the north east end of the trench. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 4500 | Layer | - | 0 | Topsoil. 0.4 m thick. | - | - |
| 4501 | Layer | - | 0.4 | Subsoil. 0.1 m thick. | - | - |
| 4502 | Layer | - | 0.5 | Alluvial Layer. 0.9 m thick. | - | - |
| 4503 | Layer | - | 1.4 | Alluvial Layer. 0.5 m thick. | - | - |
| 4504 | Layer | - | 0.9 | Natural. Observed in NE extent of trench. | - | - |

Trench 46

| General description | | | | | Orientation | NE/SW |
|--|-------|-----------|-----------|-------------------------------------|----------------|-------|
| No archaeology observed. Topsoil overlay subsoil which sealed two alluvial deposits observed down to a depth of 1.9 m at the south west trench extent. Natural glacial till geology was observed at a depth of 0.9 m below ground level at the north east end of the trench. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 4600 | Layer | - | 0 | Topsoil. 0.4 m thick | - | - |
| 4601 | Layer | - | 0.4 | Alluvial Layer. 0.1 m thick | - | - |
| 4602 | Layer | - | 0.5 | Alluvial Layer. 0.1 m thick | - | - |
| 4603 | Layer | - | 0.6 | Alluvial Layer. 0.1 m thick | - | - |
| 4604 | Layer | - | 0.7 | Alluvial Layer. 0.6 m thick | - | - |
| 4605 | Layer | - | 1.3 | Alluvial Layer. 0.1 m thick | - | - |
| 4606 | Layer | - | 1.4 | Alluvial Layer. 0.6 m thick | - | - |
| 4607 | Cut | 1.24 | 0.28 | Ditch | - | - |
| 4608 | Fill | 1.24 | 0.28 | Secondary Fill of ditch 4608 | - | - |

Trench 47

| General description | | | | | Orientation | NW/SE |
|---|-------|-----------|-----------|-------------------------------|-----------------------|-------|
| Topsoil sealed a north east/south west aligned ditch which cut an alluvial deposit. This alluvium overlay two further alluvial deposits observed down to a depth of 2 m below ground level. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 4700 | Layer | - | 0 | Topsoil. 0.4 m thick. | - | - |
| 4701 | Layer | - | 0.4 | Alluvial Layer. 0.7 m thick. | - | - |
| 4702 | Layer | - | 1.1 | Alluvial Layer. 0.9 m thick. | - | - |
| 4703 | Layer | - | 1.7 | Alluvial Layer. 0.2 m+ thick. | - | - |
| 4704 | Cut | 1.94 | 0.39 | Palaeochannel | - | - |
| 4705 | Fill | 1.94 | 0.39 | Secondary Fill of 4704 | - | - |

Trench 48

| General description | | | | | Orientation | NE/SW |
|--|-------|-----------|-----------|---|-----------------------|-------|
| Topsoil sealed a north/south aligned ditch which cut an alluvial deposit. This overlay a further alluvial deposit observed to a depth of 2 m below ground level. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 4800 | Layer | | 0 | Topsoil. 0.4 m thick. | - | - |
| 4801 | Layer | | 0.4 | Alluvial Layer. 1.3 m thick. | - | - |
| 4802 | Layer | | 1.7 | Alluvial Layer | - | - |
| 4803 | Cut | 4.17 | 0.6 | Palaeochannel | - | - |
| 4804 | Fill | 2.95 | 0.28 | Secondary Fill of 4803 | - | - |
| 4805 | Fill | 3.7 | 0.02 | Secondary Fill of 4803 . Organic fill | - | - |
| 4806 | Fill | 4.15 | 0.2 | Secondary Fill of 4803 | - | - |
| 4807 | Fill | 1.3 | 0.05 | Secondary Fill of 4803 . Organic fill | - | - |
| 4808 | Fill | 1.17 | 0.1 | Secondary Fill of 4803 | - | - |
| 4809 | Fill | 3.18 | 0.03 | Secondary Fill of 4803 | - | - |

Trench 49

| General description | | | | | Orientation | N/S |
|---|-------|-----------|-----------|-------------------------------|----------------|------|
| Topsoil sealed two east/west aligned ditches which cut an alluvial deposit. This overlay two further alluvial deposits observed to a depth of 1.9 m below ground level. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 4900 | Layer | - | 0 | Topsoil. 0.4 m thick. | - | - |
| 4901 | Layer | - | 0.4 | Alluvial Layer. 0.6 m thick. | - | - |
| 4902 | Layer | - | 1 | Alluvial Layer. 0.9 m thick. | - | - |
| 4903 | Layer | - | 1.9 | Alluvial Layer | - | - |
| 4904 | Cut | 1.68 | 0.23 | Ditch | - | - |
| 4905 | Fill | 1.68 | 0.23 | Secondary Fill of 4904 | - | - |

Trench 50

| General description | | | | | Orientation | NE/SW |
|---|-------|-----------|-----------|-------------------------------|----------------|-------|
| Topsoil overlay two north west/south east aligned ditches that cut an alluvial deposit. This sealed a further alluvial deposit that was observed down to a depth of 2 m below ground level. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 5000 | Layer | | 0 | Topsoil. 0.4 m thick. | - | - |
| 5001 | Layer | | 0.4 | Alluvial Layer. 0.3 m thick. | - | - |
| 5002 | Layer | | 0.7 | Alluvial Layer. 1.3 m+ thick. | - | - |
| 5003 | Cut | 0.67 | 0.28 | Ditch | - | - |
| 5004 | Fill | 0.67 | 0.28 | Secondary Fill of 5003 | - | - |
| 5005 | Cut | 1.58 | 0.27 | Ditch | - | - |
| 5006 | Fill | 1.17 | 0.16 | Secondary Fill of 5005 | - | - |
| 5007 | Fill | 1.58 | 0.14 | Secondary Fill of 5005 | - | - |

| Trench 51 | | | | | | |
|---|-------------|------------------|------------------|-------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlaid one ditch which cut into a layer of alluvium. This overlaid three more layers of alluvium. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 5100 | Layer | | 0 | Ploughsoil | - | - |
| 5101 | Layer | | 0.5 | Alluvial Layer | - | - |
| 5102 | Layer | | 0.7 | Alluvial Layer | - | - |
| 5103 | Layer | | 1.4 | Alluvial Layer | - | - |
| 5104 | Layer | | 2 | Alluvial Layer | - | - |
| 5105 | Cut | 0.6 | 0.3 | Ditch | - | - |
| 5106 | Fill | 0.6 | 0.3 | Secondary Fill of 5105 | - | - |

| Trench 52 | | | | | | |
|--|-------------|------------------|------------------|-------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlay three ditches . These cut into a layer of alluvial. This in turn overlay three layers of alluvium. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 5200 | Layer | | 0 | Ploughsoil | - | - |
| 5201 | Layer | | 0.25 | Alluvial Layer | - | - |
| 5202 | Layer | | 0.95 | Alluvial Layer | - | - |
| 5203 | Layer | | 1.9 | Alluvial Layer | - | - |
| 5204 | Cut | 0.5 | 0.4 | Ditch | - | - |
| 5205 | Fill | 0.5 | 0.4 | Secondary Fill of 5204 | - | - |
| 5206 | Cut | 1.3 | 0.2 | Ditch | - | - |
| 5207 | Fill | | | Secondary Fill | - | - |
| 5208 | Fill | | | Secondary Fill | - | - |
| 5209 | Layer | | | Alluvial Layer | - | - |
| 5210 | Cut | | | Ditch | - | - |
| 5211 | Fill | | 0 | Secondary Fill | - | - |

| Trench 53 | | | | | | |
|--|-------------|------------------|------------------|---------------------------------|-----------------------|-------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed two north west/south east aligned ditches that were cut into an alluvial deposit. Two further alluvial deposits were observed to a depth of 2 m below ground level. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Findings | Date |
| 5300 | Layer | | 0 | Topsoil. 0.34 m | - | - |
| 5301 | Layer | | 0.34 | Alluvial Layer. 1.36 m thickest | - | - |
| 5302 | Layer | | 0.36 | Alluvial Layer. 1.2 m thick. | - | - |
| 5303 | Layer | | 1.7 | Alluvial Layer | - | - |
| 5304 | Cut | 0.94 | 0.26 | Ditch | - | - |
| 5305 | Fill | 0.94 | 0.16 | Secondary Fill of 5304 | - | - |
| 5306 | Fill | 0.5 | 0.1 | Secondary Fill of 5304 | - | - |
| 5307 | Cut | 1.87 | 0.33 | Ditch | - | - |
| 5308 | Fill | 1.87 | 0.33 | Secondary Fill of 5307 | - | - |
| 5309 | Cut | 2.4 | 0.53 | Ditch | - | - |
| 5310 | Fill | 2.4 | 0.53 | Secondary Fill of 5309 | - | - |

| Trench 54 | | | | | | |
|---|-------------|------------------|------------------|------------------------|-----------------------|-------------|
| General description | | | | | Orientation | E/W |
| No archaeology observed. Topsoil overlay three alluvial deposits observed to a depth of 2.1 m below ground level. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Findings | Date |
| 5400 | Layer | | 0.15 | Topsoil | - | - |
| 5401 | Layer | | 0.1 | Alluvial Layer | - | - |
| 5402 | Layer | | 0.8 | Alluvial Layer | - | - |
| 5403 | Layer | | 0.3 | Alluvial Layer | - | - |
| 5404 | Cut | 1.1 | 0.1 | Other Cut | - | - |
| 5405 | Fill | 1.1 | 0.1 | Secondary Fill | - | - |
| 5406 | Cut | 0.62 | 0.15 | Other Cut. Plough scar | - | - |
| 5407 | Fill | 0.38 | 0.08 | Secondary Fill | - | - |
| 5408 | Fill | 0.62 | 0.15 | Secondary Fill | - | - |

| Trench 55 | | | | | | |
|--|-------------|------------------|------------------|-------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil and subsoil sealed two ditches, both of which cut an alluvial deposit. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 5500 | Layer | | | Topsoil | - | - |
| 5501 | Layer | | | Alluvial Layer | - | - |
| 5502 | Layer | | | Other Layer | - | - |
| 5503 | Cut | 0.5 | 0.1 | Ditch | - | - |
| 5504 | Fill | 0.5 | 0.1 | Secondary Fill | - | - |
| 5505 | Cut | 3.15 | 0.6 | Ditch | - | - |
| 5506 | Fill | 3.15 | 0.27 | Secondary Fill of 5505 | - | - |
| 5507 | Cut | 1.8 | 0.16 | Ditch | - | - |
| 5508 | Fill | 0.36 | 0.9 | Secondary Fill of 5507 | - | - |
| 5509 | Fill | 1.8 | 0.16 | Secondary Fill of 5507 | - | - |
| 5510 | Fill | 1.58 | 0.18 | Secondary Fill of 5505 | - | - |

| Trench 56 | | | | | | |
|--|-------------|------------------|------------------|-------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Archaeology present cutting alluvial layer at 0.3 m bgl. Topsoil sealed two NE/SW aligned ditches and one E/W ditch. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 5600 | Layer | | 0 | Topsoil | - | - |
| 5601 | Layer | | 0.28 | Peat | - | - |
| 5602 | Layer | | 0.66 | Alluvial Layer | - | - |
| 5603 | Cut | 2.25 | 0.33 | Ditch | - | - |
| 5604 | Fill | 2.25 | 0.33 | Secondary Fill of 5603 | - | - |
| 5605 | Cut | 1.33 | 0.26 | Ditch | - | - |
| 5606 | Fill | 0.76 | 0.03 | Primary Fill of 5605 | - | - |
| 5607 | Void | 1.33 | 0.23 | | - | - |
| 5608 | Cut | 2 | 0.6 | Ditch | - | - |
| 5609 | Fill | 2 | 0.6 | Secondary Fill of 5608 | - | - |

| Trench 57 | | | | | | |
|---|-------------|------------------|------------------|-------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Archaeology present. Topsoil sealed two ditches on NW/SE alignments. The ditches cut an alluvial layer at 0.35 m bgl. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 5700 | Layer | | 0 | Topsoil | - | - |
| 5701 | Layer | | 0.3 | Peat | - | - |
| 5702 | Layer | | 0.62 | Alluvial Layer | - | - |
| 5703 | Layer | | | Alluvial Layer | - | - |
| 5704 | Cut | 4.3 | 0.42 | Ditch | - | - |
| 5705 | Fill | 4.3 | 0.42 | Secondary Fill of 5704 | - | - |

| Trench 58 | | | | | | |
|---|-------|-----------|-----------|-------------------------------|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed subsoil, peat and alluvial deposits. The alluvial deposits were cut by a single ditch. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 5800 | Layer | | | Topsoil | - | - |
| 5801 | Layer | | | Other Layer | - | - |
| 5802 | Layer | | | Other Layer | - | - |
| 5803 | Layer | | | Peat | - | - |
| 5804 | Layer | | | Alluvial Layer | - | - |
| 5805 | Layer | | | Other Layer | - | - |
| 5806 | Cut | 1.42 | 0.32 | Ditch | - | - |
| 5807 | Fill | 0.6 | 0.05 | Primary Fill of 5806 | - | - |
| 5808 | Fill | 1.42 | 0.27 | Secondary Fill of 5806 | - | - |

| Trench 79 | | | | | | |
|---|-------|-----------|-----------|-------------------------------------|----------------|------|
| General description | | | | | Orientation | N/S |
| Topsoil overlay two ditches which cut alluvium. This in turn overlay two more layers of alluvium. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 7900 | Layer | | 0 | Topsoil. 0.25m thick | - | - |
| 7901 | Layer | | 0.25 | Alluvial Layer. 1.55m thick | - | - |
| 7902 | Layer | | 1.8 | Alluvial Layer | - | - |
| 7903 | Layer | | 0.3 | Alluvial Layer | - | - |
| 7904 | Cut | | | Ditch | - | - |
| 7905 | Fill | | | Secondary Fill of ditch 7904 | - | - |
| 7906 | Cut | 1.6 | 0.34 | Ditch | - | - |
| 7907 | Fill | 1.6 | 0.34 | Secondary Fill of ditch 7906 | - | - |

| Trench 80 | | | | | | |
|--|-------|-----------|-----------|--|----------------|------|
| General description | | | | | Orientation | E/W |
| Topsoil overlay one ditch which cut alluvial. This in turn overlay two more alluvial layers. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 8000 | Layer | | 0 | Topsoil. 0.25m thick | - | - |
| 8001 | Layer | | 0.25 | Alluvial Layer. 0.25m thick | - | - |
| 8002 | Layer | | 0.5 | Alluvial Layer. 1.5m thick | - | - |
| 8003 | Layer | | 2 | Alluvial Layer | - | - |
| 8004 | Cut | 1.95 | 0.46 | Ditch | - | - |
| 8005 | Fill | 0.4 | 0.11 | Secondary Fill of ditch 8004 | - | - |
| 8006 | Fill | 1.15 | 0.1 | Deliberate Backfill of ditch 8004 | - | - |
| 8007 | Fill | 1.95 | 0.25 | Secondary Fill of ditch 8004 | - | - |

| Trench 81 | | | | | | |
|--|-------|-----------|-----------|---|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlay one ditch which cut alluvial. This in turn overlay two more alluvial layers. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 8100 | Layer | - | 0 | Topsoil. 0.2 | - | - |
| 8101 | Layer | - | 0.3 | Alluvial Layer. Yellowish brown silty alluvial layer. 1m+ thickness | - | - |
| 8102 | Layer | - | 1.9 | Alluvial Layer | - | - |
| 8103 | Layer | - | 0.6 | Alluvial Layer | - | - |
| 8104 | Cut | 1.73 | 0.42 | Ditch | - | - |
| 8105 | Fill | - | 0.12 | Secondary Fill of ditch 8104 | - | - |
| 8106 | Fill | - | 0.29 | Secondary Fill of ditch 8104 | - | - |

| Trench 82 | | | | | | |
|-------------------------------------|-------------|------------------|------------------|----------------------|-----------------------|-------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlay two alluvial layers | | | | | Length (m) | 68 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 8200 | Layer | - | 0 | Topsoil | - | - |
| 8201 | Layer | - | 0.3 | Alluvial Layer. 0.65 | - | - |
| 8202 | Layer | - | 0.6 | Alluvial Layer | - | - |
| 8203 | Void | - | - | Void | - | - |

| Trench 83 | | | | | | |
|----------------------------|-------------|------------------|------------------|---------------------|-----------------------|-------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlay alluvium | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 8300 | Layer | - | 0 | Topsoil. 0.2m thick | - | - |
| 8301 | Layer | - | 0.2 | Alluvial Layer. | - | - |

| Trench 84 | | | | | | |
|---|-------------|------------------|------------------|----------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlay Two ditches which cut into the alluvium. This in turn overlay two layers of alluvium. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 8400 | Layer | - | 0 | Topsoil. 0.2m thick | - | - |
| 8401 | Layer | - | 0.2 | Alluvial Layer. 0.4m thick | - | - |
| 8402 | Cut | 2.2 | 0.46 | Ditch | - | - |
| 8403 | Fill | 1.96 | 0.3 | Secondary Fill | - | - |
| 8404 | Cut | 0.8 | 0.34 | Ditch | - | - |
| 8405 | Fill | 0.8 | 0.34 | Secondary Fill | - | - |
| 8406 | Fill | 2.2 | 0.16 | Secondary Fill | - | - |
| 8407 | Layer | - | 0.6 | Alluvial Layer. 1.4m thick | - | - |
| 8408 | Layer | - | 2 | Alluvial Layer | - | - |

| Trench 85 | | | | | | |
|---|-------------|------------------|------------------|---|-----------------------|-------------|
| General description | | | | | Orientation | E/W |
| Topsoil overlying an alluvial silt cut by multiple palaeochannels, and one ditch. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 8500 | Layer | - | 0 | Topsoil. 0.2m thick | - | - |
| 8501 | Layer | - | 0.3 | Alluvial Layer. 0.3m thick | - | - |
| 8502 | Cut | 1.52 | - | Ditch | - | - |
| 8503 | Fill | - | - | Primary Fill | - | - |
| 8504 | Fill | - | - | Deliberate Backfill | - | - |
| 8505 | Layer | - | 0.5 | Alluvial Layer. Yellow-white clay-sand. 1.4m thick. | - | - |
| 8506 | Layer | - | 1.9 | Alluvial Layer. Mid blue clay-sand. No charcoal. | - | - |

| Trench 86 | | | | | | |
|---|-------------|------------------|------------------|--|-----------------------|-------------|
| General description | | | | | Orientation | E/W |
| Topsoil overlying a yellow-grey alluvium cut by multiple paleochannels. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 8600 | Layer | - | 0 | Topsoil | - | - |
| 8601 | Layer | - | 0.3 | Alluvial Layer. Light yellow-grey alluvial silt. | - | - |
| 8602 | Layer | - | 1.5 | Alluvial Layer. Light brown clay. 0.55m thick. | - | - |
| 8603 | Layer | - | 2.05 | Alluvial Layer. Blue alluvium | - | - |

| Trench 87 | | | | | | |
|--|-------------|------------------|------------------|----------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlaying a white alluvial layer, which overlays a blue alluvial sand layer, which overlays a blue alluvial clay layer first seen at a depth of 1.90m. Multiple modern drainage channels and modern field drains throughout trench. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 8700 | Layer | - | | Topsoil. 0.30m thickness | - | - |
| 8701 | Layer | - | 0.3 | Alluvial Layer. Thickness - 1.6m | - | - |
| 8702 | Layer | - | 1.9 | Alluvial Layer | - | - |
| 8703 | Layer | - | - | Alluvial Layer | - | - |
| 8704 | Cut | - | - | Other Cut. Channel | - | - |
| 8705 | Fill | - | - | Secondary Fill of 8704 | - | - |
| 8706 | Cut | - | - | Other Cut. Channel | - | - |
| 8707 | Fill | - | - | Secondary Fill of 8706 | - | - |
| 8708 | Cut | - | - | Other Cut. Channel | - | - |
| 8709 | Fill | - | - | Secondary Fill of 8708 | - | - |
| 8710 | Cut | - | - | Other Cut. Channel | - | - |
| 8711 | Fill | - | - | Secondary Fill of 8710 | - | - |

| Trench 88 | | | | | | |
|--|-------|-----------|-----------|--|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlay four drainage ditches and a paleochannel. These cut an alluvial layer which in turn overlay two more alluvial layers | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.25 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 8800 | Layer | - | 0 | Topsoil. 0.2m thick. | - | - |
| 8801 | Layer | - | 0.2 | Alluvial Layer. 0.4m thick | - | - |
| 8802 | Layer | - | 0.6 | Alluvial Layer. 1.1m thick. | - | - |
| 8803 | Layer | - | 1.7 | Alluvial Layer | - | - |
| 8804 | Cut | 0.5 | 0.57 | Modern | - | - |
| 8805 | Fill | 0.5 | 0.56 | Deliberate Backfill of Modern cut 8804 | - | - |
| 8806 | Cut | 1.02 | 0.13 | Palaeochannel | - | - |
| 8807 | Fill | 1.05 | 0.13 | Secondary Fill of palaeochannel 8806 | - | - |
| 8808 | Cut | 0.49 | 0.46 | Ditch | - | - |
| 8809 | Fill | 0.49 | 0.46 | Secondary Fill of ditch 8808 . Primarily black silt with patches of redeposited brown silt-clay natural. Likely a deliberate backfilling of the drainage ditch. | - | - |

| Trench 89 | | | | | | |
|--|-------------|------------------|------------------|------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlay 3 paleochannels which cut an alluvial layer. This is turn overlay three more alluvial layers | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Findings | Date |
| 8900 | Layer | - | | Topsoil. 0.25m thick | - | - |
| 8901 | Layer | - | 0.25 | Alluvial Layer. 0.25m thick. | - | - |
| 8902 | Layer | - | 0.5 | Alluvial Layer. 0.6m thick | - | - |
| 8903 | Layer | - | 1.1 | Alluvial Layer. 0.6m thick. | - | - |
| 8904 | Layer | - | 1.7 | Alluvial Layer | - | - |
| 8905 | Layer | - | 0.25 | Alluvial Layer | - | - |
| 8906 | Cut | - | | Palaeochannel | - | - |
| 8907 | Fill | 2.08 | 0.23 | Secondary Fill | - | - |
| 8908 | Fill | 0.71 | 0.07 | Secondary Fill | - | - |
| 8909 | Cut | 1.55 | 0.2 | Palaeochannel | - | - |
| 8910 | Fill | 1.55 | 0.2 | Secondary Fill | - | - |
| 8911 | Fill | 0.39 | 0.02 | Secondary Fill | - | - |
| 8912 | Cut | 0.8 | 0.2 | Palaeochannel | - | - |
| 8913 | Fill | 0.8 | 0.08 | Secondary Fill | - | - |
| 8914 | Fill | 1.5 | 0.29 | Secondary Fill. 0.14m thick | - | - |
| 8915 | Layer | - | | Alluvial Layer | - | - |

| Trench 90 | | | | | | |
|---|-------------|------------------|------------------|---|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlaid two channels and a ditch. These cut into a layer of alluvium which in turn overlay another alluvial layer. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 9000 | Layer | - | 0 | Topsoil. 0.25m thick | - | - |
| 9001 | Layer | - | 0.25 | Alluvial Layer. 1.6m thick | - | - |
| 9002 | Layer | - | 1.85 | Alluvial Layer | - | - |
| 9003 | Cut | - | - | Palaeochannel. unexcavated | - | - |
| 9004 | Cut | - | - | Palaeochannel. unexcavated | - | - |
| 9005 | Cut | 1.1 | 0.25 | Palaeochannel | - | - |
| 9006 | Fill | 1.1 | - | Secondary Fill of palaeochannel 9005 . 0.25m thick | - | - |
| 9007 | Fill | - | 0.07 | Secondary Fill of palaeochannel 9005 | - | - |

| Trench 91 | | | | | | |
|---|-------|-----------|-----------|--|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlays mottled bluish-grey/yellowish brown alluvium, a lite orangish brown alluvium and a greyish blue sandy clay alluvium. Drainage slots and channels located in trench. Two ditches located in middle of trench. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 9100 | Layer | - | 0 | Topsoil. 0.30m thickness | - | - |
| 9101 | Layer | - | 0.3 | Alluvial Layer. 0.20m thickness | - | - |
| 9102 | Layer | - | 0.5 | Alluvial Layer. 1.35m thickness | - | - |
| 9103 | Layer | - | 1.85 | Alluvial Layer | - | - |
| 9104 | Void | - | - | Void | - | - |
| 9105 | Cut | 0.67 | 0.53 | Other Cut. Drainage channel. | - | - |
| 9106 | Fill | 0.67 | 0.53 | Secondary Fill of drainage channel 9105 | - | - |
| 9107 | Cut | 1.15 | 0.21 | Other Cut. Drainage channel. 0.21m thickness | - | - |
| 9108 | Fill | 1.15 | 0.21 | Secondary Fill of drainage channel 9107 | - | - |
| 9109 | Cut | 0.55 | 0.6 | Other Cut. Drainage slot. 0.60m thick | - | - |
| 9110 | Fill | 0.56 | 0.6 | Secondary Fill of drainage channel 9109 | - | - |
| 9112 | Cut | - | - | Ditch | - | - |
| 9113 | Fill | - | - | Secondary Fill of 9112 | - | - |
| 9114 | Fill | - | - | Secondary Fill of 9112 | - | - |
| 9115 | Fill | - | - | Secondary Fill of 9112 | - | - |
| 9116 | Cut | - | - | Ditch | - | - |
| 9117 | Fill | - | - | Secondary Fill of 9117 | - | - |
| 9118 | Fill | - | - | Secondary Fill of 9117 | - | - |

| Trench 92 | | | | | | |
|---|-------------|------------------|------------------|---|-----------------------|-------------|
| General description | | | | | Orientation | N/S |
| Topsoil overlays whitish grey alluvium layer, which overlays a blue grey alluvium clay layer. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 9200 | Layer | - | 0 | Topsoil. Thickness - 0.35m | - | - |
| 9201 | Layer | - | 0.35 | Alluvial Layer. Thickness - 1.7m | - | - |
| 9202 | Layer | - | 2.05 | Alluvial Layer | - | - |
| 9203 | Cut | 1.33 | 0.17 | Palaeochannel | - | - |
| 9204 | Fill | 1.33 | 0.17 | Secondary Fill of palaeochannel 9203 | - | - |
| 9205 | Fill | 0.49 | 0.06 | Secondary Fill of palaeochannel 9203 | - | - |
| 9206 | Layer | - | 0.3 | Alluvial Layer. 0.25m thick | - | - |
| 9207 | Layer | - | 0.3 | Alluvial Layer | - | - |

| Trench 93 | | | | | | |
|---|-------|-----------|-----------|-------------------------------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlays yellowish brown alluvium, whitish grey alluvium and blue grey alluvium. Trench contains a peat filled channel and a ditch. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 9300 | Layer | | 0 | Topsoil. Thickness: 0.30m | - | - |
| 9301 | Layer | | 0.3 | Alluvial Layer. Thickness: 0.20m | - | - |
| 9302 | Layer | | 0.5 | Alluvial Layer. Thickness: 1.2m | - | - |
| 9303 | Layer | | 1.7 | Alluvial Layer | - | - |
| 9304 | Cut | | | Palaeochannel | - | - |
| 9305 | Cut | 1.65 | 0.3 | Ditch | - | - |
| 9306 | Fill | 1.65 | 0.3 | Secondary Fill of ditch 9306 | - | - |
| 9307 | Void | | | Void | - | - |

| Trench 94 | | | | | | |
|---|-------|-----------|-----------|--|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil onto yellowish grey alluvium, darker yellow alluvium 1.25m, collapse stops excavation | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 9400 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 9401 | Layer | | 0.3 | Alluvial Layer. 0.95m thick | - | - |
| 9402 | Layer | | 1.25 | Alluvial Layer | - | - |
| 9403 | Cut | 1.76 | 0.53 | Ditch | - | - |
| 9404 | Fill | | 0.53 | Deliberate Backfill of ditch 9403 | - | - |

| Trench 95 | | | | | | |
|---|-------|-----------|-----------|-------------------------------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Field boundary ditch and drainage ditch. Multiple natural channels. Topsoil, alluvium, yellow and light grey, hit land drain and stopped sondage. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 9500 | Layer | | | Topsoil | - | - |
| 9501 | Layer | | 0.35 | Alluvial Layer | - | - |
| 9502 | Cut | 1.8 | 0.56 | Ditch | - | - |
| 9503 | Fill | | 0.15 | Secondary Fill of ditch 9502 | - | - |
| 9504 | Fill | | 0.08 | Secondary Fill of ditch 9502 | - | - |
| 9505 | Fill | | 0.33 | Secondary Fill of ditch 9502 | - | - |

| Trench 96 | | | | | | |
|--|-------|-----------|-----------|---|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Alluvium, cut by palaeochannels, sealed by topsoil Blue alluvium at 1.5, peat at 1.9 brighter Blue 2.1 Eastern end Western end channel alluvium with peat channel, fine organic silt at 1.25, very organic dak grey silt 1.35, peat 1.6, Blue waterlogged to 2m water stopped excavation | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 9600 | Layer | - | | Topsoil. 0.3m thick | - | - |
| 9601 | Layer | - | 0.3 | Alluvial Layer | - | - |
| 9602 | Layer | | | Alluvial Layer | - | - |
| 9603 | Cut | 1.16 | 0.38 | Palaeochannel | - | - |
| 9604 | Fill | - | 0.38 | Secondary Fill of palaeochannel 9603 | - | - |

| Trench 97 | | | | | | |
|---|-------|-----------|-----------|--|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlays mottled bluish-grey/yellowish brown alluvium, a lite orangish brown alluvium and a greyish blue sandy clay alluvium. Drainage slots and channels located in trench. Two ditches located in middle of trench. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 9700 | Layer | - | | Topsoil | - | - |
| 9701 | Layer | - | | Alluvial Layer. Alluvial fill of channel | - | - |
| 9702 | Layer | - | | Alluvial Layer | - | - |
| 9703 | Cut | 1.31 | 0.41 | Ditch | - | - |
| 9704 | Fill | 0.95 | 0.05 | Primary Fill of ditch 9703 | - | - |
| 9705 | Fill | 1.31 | 0.37 | Secondary Fill of ditch 9703 | - | - |
| 9706 | Cut | 0.64 | 0.24 | Ditch | - | - |
| 9707 | Fill | 0.64 | 0.18 | Secondary Fill of ditch 9706 | - | - |
| 9708 | Fill | 0.47 | 0.07 | Secondary Fill of ditch 9706 | - | - |
| 9709 | Layer | - | 1.7 | Alluvial Layer. Blue-grey alluvial silt. 0.1m thick. | - | - |
| 9710 | Layer | - | 1.8 | Peat. Black peat. 0.2m thick. | - | - |
| 9711 | Layer | - | 2 | Alluvial Layer. Blue-grey alluvium, bluer than (9709). | - | - |

| Trench 98 | | | | | | |
|---|-------|-----------|-----------|-------------------------|----------------|------|
| General description | | | | | Orientation | E/W |
| Topsoil, blueish alluvium, mid blue alluvium, 2m peaty organic, dark blue organic alluvium. 2.85m | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 9800 | Layer | - | | Topsoil | - | - |
| 9801 | Layer | - | 0.3 | Alluvial Layer | - | - |
| 9802 | Layer | | | Alluvial Layer. Sampled | - | - |
| 9803 | Layer | 1.16 | 0.38 | Peat. Sampled | - | - |
| 9804 | Layer | - | 0.38 | Alluvial Layer. Sampled | - | - |

| Trench 99 | | | | | | |
|--|-------------|------------------|------------------|---|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Blue alluvial silt was overlaid by a thin layer of peat. This was sealed by a lighter blue silt, which in turn was sealed by a yellowish brown silt. This upper silt was cut by palaeochannels and a boundary ditch. These were sealed by topsoil. | | | | | Length (m) | 45 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 9900 | Layer | | 0 | Topsoil | - | - |
| 9901 | Layer | | 0.25 | Alluvial Layer. Brownish yellow sand-silt alluvium. | - | - |
| 9902 | Cut | 1.95 | 0.38 | Ditch | - | - |
| 9903 | Fill | 1.95 | 0.18 | Secondary Fill | - | - |
| 9904 | Fill | 1.91 | 0.32 | Secondary Fill | - | - |
| 9905 | Layer | | | Peat. Sampled | - | - |

| Trench 100 | | | | | | |
|--|-------------|------------------|------------------|--------------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlay subsoil which overlaid a ditch and a pit. These cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 10000 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 10001 | Layer | | 0.3 | Subsoil. 0.3m thick | - | - |
| 10002 | Layer | | 0.3 | Natural | - | - |
| 10003 | Cut | 1 | 0.15 | Pit | - | - |
| 10004 | Fill | 1 | 0.15 | Secondary Fill of pit 10003 | - | - |
| 10005 | Cut | 1.9 | 0.5 | Ditch | - | - |
| 10006 | Fill | | 0.5 | Secondary Fill of ditch 10005 | - | - |
| 10007 | Cut | 2.2 | 0.25 | Ditch | - | - |
| 10008 | Fill | | 0.25 | Secondary Fill of ditch 10007 | - | - |

| Trench 101 | | | | | | |
|---|-------------|------------------|------------------|---|-----------------------|-------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlay subsoil which overlay a ditch and a pit. These cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 10100 | Layer | | | Topsoil. 0.30m thick | - | - |
| 10101 | Layer | | 0.3 | Peat. 0.20m thick | - | - |
| 10102 | Layer | | 0.5 | Alluvial Layer. 0.60m thick | - | - |
| 10103 | Layer | | 1.1 | Alluvial Layer | - | - |
| 10104 | Cut | 1.15 | 0.1 | Pit | - | - |
| 10105 | Fill | | 0.1 | Secondary Fill of pit 10104 | - | - |
| 10106 | Cut | 1.3 | 0.09 | Tree Throw | - | - |
| 10107 | Fill | | 0.09 | Secondary Fill of tree throw 10106 | - | - |
| 10108 | Cut | 1.9 | 0.56 | Ditch | - | - |
| 10109 | Fill | | 0.56 | Deliberate Backfill of ditch 10108 | - | - |

| Trench 102 | | | | | | |
|------------------------------|-------------|------------------|------------------|---------------------------|-----------------------|-------------|
| General description | | | | | Orientation | NW/SE |
| Trench devoid of archaeology | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 10200 | Layer | | | Topsoil. Thickness: 0.30m | - | - |
| 10201 | Layer | | 0.3 | Subsoil. Thickness: 0.20m | - | - |
| 10202 | Layer | | 0.5 | Natural | - | - |

| Trench 103 | | | | | | |
|---|-------------|------------------|------------------|--|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Natural glacial till cut by a posthole, a gully, and a ditch, all sealed by thin alluvial band, overlaid by topsoil | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Findings | Date |
| 10300 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 10301 | Layer | | 0.3 | Alluvial Layer. 0.1m thick | - | - |
| 10302 | Layer | | 0.4 | Natural. 1.25m thick in sondage before excavation ceased | - | - |
| 10303 | Layer | 0.73 | 0.27 | Gully. Cut of irregular gully, no evidence of maintenance or re-cuts, high charcoal fill in base | - | - |
| 10304 | Cut | 0.73 | 0.19 | Secondary Fill. Upper fill of gully 10303 | - | - |
| 10305 | Fill | 0.45 | 0.08 | Secondary Fill. Lower high charcoal fill of gully 10303 | - | - |
| 10306 | Cut | 0.3 | 0.08 | Posthole. Cut of posthole, no evidence of maintenance or re-cuts | - | - |
| 10307 | Fill | 0.3 | 0.08 | Secondary Fill. Sole fill of posthole 10306 | - | - |
| 10308 | Cut | 2.25 | 0.77 | Ditch. Linear Ditch, no evidence of maintenance or re-cuts, truncated by modern field drain | - | - |
| 10309 | Fill | 2.25 | 0.77 | Secondary Fill. Sole fill of linear Ditch 10308 contained Iron object | - | - |

Trench 104

| General description | | | | | Orientation | NW/SE |
|------------------------------|-------|-----------|-----------|---------------------|----------------|-------|
| Trench devoid of archaeology | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 10400 | Layer | | | Topsoil. 0.3m thick | - | - |
| 10401 | Layer | | 0.3 | Subsoil. 0.1m | - | - |
| 10402 | Layer | | 0.4 | Natural | - | - |

Trench 105

| General description | | | | | Orientation | NE/SW |
|--|-------|-----------|-----------|--|----------------|-------|
| Topsoil sealed peat which overlay a sequence of peat and alluvial deposits. A single shallow ditch cut the sequence of peat and alluvial deposits. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 2 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 10500 | Layer | | 0 | Topsoil | - | - |
| 10501 | Layer | | 0.26 | Peat | - | - |
| 10502 | Cut | 0.8 | 0.16 | Pit | - | - |
| 10503 | Fill | 0.8 | 0.16 | Secondary Fill of 10502 | - | - |
| 10504 | Cut | | | Ditch | - | - |
| 10505 | Fill | 0.26 | 0.08 | Secondary Fill of 10504 | - | - |
| 10506 | Layer | | 0.88 | Peat. Brown grey peat few woody inclusions. | - | - |
| 10507 | Layer | | 1.4 | Alluvial Layer. Light blue grey soft frequent organic inclusions | - | - |
| 10508 | Layer | | 1.8 | Peat. Mid brown grey peat frequent organic inclusions. | - | - |
| 10509 | Layer | | 2 | Alluvial Layer. Dark blue soft clay | - | - |

| Trench 106 | | | | | | |
|---|-------------|------------------|------------------|--------------------|-----------------------|-------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlay two layers of peat which overlay an alluvial layer. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.31 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 10600 | Layer | | 0 | Topsoil | - | - |
| 10601 | Layer | | 0.3 | Peat | - | - |
| 10602 | Layer | | 0.9 | Alluvial Layer | - | - |
| 10603 | Layer | | 0.67 | Peat | - | - |

| Trench 107 | | | | | | |
|---|-------------|------------------|------------------|--------------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlays a peat layer which overlays an alluvial layer, which seals the natural layer at a depth of 0.55m | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 10700 | Layer | - | 0 | Topsoil. Thickness 0.30m | - | - |
| 10701 | Layer | - | 0.3 | Peat. 0.10m thickness | - | - |
| 10702 | Layer | - | 0.4 | Alluvial Layer. 0.15m thickness | - | - |
| 10703 | Layer | - | 0.55 | Natural. Glacial till | - | - |
| 10704 | Cut | 1.12 | 0.36 | Ditch | - | - |
| 10705 | Fill | 0.34 | 0.26 | Secondary Fill of ditch 10705 | - | - |
| 10706 | Fill | 0.9 | 0.34 | Secondary Fill of ditch 10705 | - | - |

| Trench 108 | | | | | | |
|---|-------------|------------------|------------------|--------------------|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlaid two layers of peat which overlaid two layers of alluvial. The alluvial layers overlay the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 10800 | Layer | | 0 | Topsoil | - | - |
| 10801 | Layer | | 0.3 | Peat | - | - |
| 10802 | Layer | | 0.8 | Alluvial Layer | - | - |
| 10803 | Layer | | 1.2 | Alluvial Layer | - | - |
| 10804 | Layer | | 1.9 | Natural | - | - |
| 10805 | Layer | | 0.5 | Peat | - | - |

Trench 109

| General description | | | | | Orientation | NW/SE |
|---|-------|-----------|-----------|--|----------------|-------|
| Topsoil overlay peaty subsoil which overlay alluvium. This in turn overlay the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 10900 | Layer | | 0 | Topsoil. 0.3 m thick Light-mid buff brown, firm, clayey silt, no inclusions | - | - |
| 10901 | Layer | | 0.3 | Subsoil. Organic subsoil. 0.1 m thick Dark brown silt, soft, rare inclusions (<10%) | - | - |
| 10902 | Layer | | 0.4 | Alluvial Layer. Mottled pale and mid grey with pale yellow, silty clay, firm, inclusions of manganese, chist, ocre and charcoal (as seen on interface while machining) | - | - |
| 10903 | Layer | | 0.46 | Natural. Pale pinkish taupe, firm clay, infrequent stone inclusions (<20%) | - | - |

Trench 110

| General description | | | | | Orientation | NW/SE |
|--|-------|-----------|-----------|--------------------------------|----------------|-------|
| Topsoil overlay alluvium which overlay a ditch in the south east end. These cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 11000 | Layer | | 0 | Topsoil. 0.4 m thick | - | - |
| 11001 | Layer | | 0.5 | Natural | - | - |
| 11002 | Cut | 1.51 | 0.45 | Ditch | - | - |
| 11003 | Fill | 1.51 | 0.45 | Secondary Fill of 11002 | - | - |
| 11004 | Layer | | 0.4 | Alluvial Layer | - | - |

Trench 111

| General description | | | | | Orientation | NE/SW |
|--|-------|-----------|-----------|-----------------------------|----------------|-------|
| Topsoil overlay peat which overlay alluvial. This in turn overlay the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 11100 | Layer | | 0 | Topsoil. 0.3 m thick | - | - |
| 11101 | Layer | | 0.3 | Peat. 0.5 m thick | - | - |
| 11102 | Layer | | 0.8 | Alluvial Layer. 0.7 m thick | - | - |
| 11103 | Layer | | 1.5 | Natural | - | - |

Trench 112

| General description | | | | | Orientation | NE/SW |
|--|-------|-----------|-----------|-------------|----------------|-------|
| Topsoil overlaid subsoil which overlaid the natural. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 11200 | Layer | - | 0 | Topsoil | - | - |
| 11201 | Layer | - | 0.3 | Subsoil | - | - |
| 11202 | Layer | - | 0.14 | Natural | - | - |

| Trench 113 | | | | | | |
|--|-------------|------------------|------------------|--------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed a pit and a natural feature, which were cut into the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.45 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 11300 | Layer | | 0 | Topsoil | - | - |
| 11301 | Layer | | 0.3 | Natural | - | - |
| 11302 | Cut | 0.44 | 0.14 | Natural Feature | - | - |
| 11303 | Fill | 0.44 | 0.14 | Secondary Fill of 11302 | - | - |
| 11304 | Cut | 0.9 | 0.25 | Pit | - | - |
| 11305 | Fill | 0.9 | 0.5 | Secondary Fill of 11304 | - | - |
| 11306 | Fill | 0.8 | 0.2 | Secondary Fill of 11304 | - | - |

| Trench 114 | | | | | | |
|---|-------------|------------------|------------------|--------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil contained a boundary ditch and a tree throw. These cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 11400 | Layer | | 0 | Topsoil. 0.4 m thick | - | - |
| 11401 | Layer | | 0.4 | Natural | - | - |
| 11402 | Cut | | | Ditch. Unexcavated | - | - |
| 11403 | Fill | | | Secondary Fill of 11402 | - | - |
| 11404 | Layer | | 0.4 | Alluvial Layer | - | - |
| 11405 | Cut | 0.4 | 0.34 | Natural Feature | - | - |
| 11406 | Fill | 0.4 | 0.4 | Secondary Fill of 11405 | - | - |

| Trench 117 | | | | | | |
|---|-------|-----------|-----------|--|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlaid alluvial layer which overlaid the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 11700 | Layer | | 0 | Topsoil. 0.3 m thick Mid grey brown clay silt friable | - | - |
| 11701 | Layer | | 0.3 | Alluvial Layer. Light blue grey silty clay moderate rounded stones. Patchy on top of the nat.0.1 m thick | - | - |
| 11702 | Layer | | 0.4 | Natural. Light grey pink clay soft moderate rounded stone inclusions. | - | - |

| Trench 118 | | | | | | |
|--|-------|-----------|-----------|---------------------------|----------------|------|
| General description | | | | | Orientation | E/W |
| Topsoil overlays subsoil/interface layer which seals the natural geology (glacial till later) at a depth of 0.55m. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 11800 | Layer | | 0 | Topsoil. Thickness: 0.30m | - | - |
| 11801 | Layer | | 0.3 | Subsoil. Thickness: 0.25m | - | - |
| 11802 | Layer | | 0.55 | Natural | - | - |

Trench 125

| General description | | | | | Orientation | NW/SE |
|---|-------|-----------|-----------|----------------|----------------|-------|
| Topsoil overlaid an alluvial deposit which sealed a layer of peat which overlaid alluvium, which sealed another peat deposit, which overlaid an alluvial layer. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 12500 | Layer | | 0 | Topsoil | - | - |
| 12501 | Layer | | | Alluvial Layer | - | - |
| 12502 | Layer | | | Peat | - | - |
| 12503 | Layer | | | Alluvial Layer | - | - |
| 12504 | Layer | | | Peat | - | - |
| 12505 | Layer | | | Alluvial Layer | - | - |

Trench 126

| General description | | | | | Orientation | NE/SW |
|---|-------|-----------|-----------|--------------------------------------|----------------|---------------|
| Topsoil sealed a post-medieval field boundary, which cut alluvial deposits overlying the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 12600 | Layer | | 0 | Topsoil | - | - |
| 12601 | Layer | | | Alluvial Layer | - | - |
| 12602 | Layer | | | Alluvial Layer | - | - |
| 12603 | Layer | | | Natural | - | - |
| 12604 | Cut | 1.42 | 0.51 | Ditch | - | Post-medieval |
| 12605 | Fill | 1.42 | 0.51 | Secondary fill of ditch 12604 | - | Post-medieval |

| Trench 127 | | | | | | |
|---|-------|-----------|-----------|--------------------------------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlaid subsoil. This sealed a series of furrows and a ditch. These cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.45 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 12700 | Layer | | 0 | Topsoil | - | - |
| 12701 | Layer | | 0.2 | Subsoil | - | - |
| 12702 | Layer | | 0.45 | Natural | - | - |
| 12703 | Cut | 1.09 | 0.15 | Ditch | - | - |
| 12704 | Fill | 1.09 | 0.15 | Secondary fill of ditch 12703 | - | - |

| Trench 128 | | | | | | |
|--|-------|-----------|-----------|-------------|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlaid subsoil which sealed the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 12800 | Layer | | 0 | Topsoil | - | - |
| 12801 | Layer | | 0.3 | Subsoil | - | - |
| 12802 | Layer | | 0.5 | Natural | - | - |

| Trench 129 | | | | | | |
|---|-------------|------------------|------------------|----------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlay colluvium which overlaid the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.7 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 12900 | Layer | | 0 | Topsoil | - | - |
| 12901 | Layer | | 0.3 | Colluvial Layer | - | - |
| 12902 | Layer | | 0.5 | Natural | - | - |
| 12903 | Cut | 1.1 | 0.14 | Tree Throw | - | - |
| 12904 | Fill | | 0.14 | Secondary Fill of 12903 . | - | - |
| 12905 | Cut | 0.4 | 0.22 | Gully | - | - |
| 12906 | Fill | 0.4 | 0.22 | Secondary Fill of 12905 | - | - |

| Trench 131 | | | | | | |
|---|-------|-----------|-----------|----------------------------------|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlaid colluvium, which sealed a posthole and a natural feature, which were cut into the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 13100 | Layer | | 0 | Topsoil | - | - |
| 13101 | Layer | | 0.3 | Colluvial Layer | - | - |
| 13102 | Layer | | 0.5 | Natural | - | - |
| 13103 | Cut | 0.25 | 0.07 | Posthole | - | - |
| 13104 | Fill | 0.25 | 0.07 | Secondary Fill of 13103 . | - | - |
| 13105 | Cut | 0.46 | 0.34 | Pit | - | - |
| 13106 | Fill | 0.46 | 0.34 | Secondary Fill of 13105 | - | - |

| Trench 132 | | | | | | |
|--|-------|-----------|-----------|------------------------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlaid colluvium which overlaid the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.7 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 13200 | Layer | | 0 | Topsoil. 0.25 m thick | - | - |
| 13201 | Layer | | 0.25 | Colluvial Layer. 0.3 m thick | - | - |
| 13202 | Layer | | 0.55 | Natural | - | - |

| Trench 133 | | | | | | |
|---|-------------|------------------|------------------|---|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed colluvium which in turn sealed three ditches. These cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.55 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 13300 | Layer | | 0 | Topsoil. 0.25 m thick | - | - |
| 13301 | Layer | | 0.25 | Colluvial Layer | - | - |
| 13302 | Layer | | 0.5 | Colluvial Layer | - | - |
| 13303 | Cut | 0.34 | 0.09 | Ditch | - | - |
| 13304 | Fill | 0.34 | 0.09 | Secondary Fill of 13303 | - | - |
| 13305 | Cut | 0.45 | 0.08 | Ditch | - | - |
| 13306 | Fill | 0.45 | 0.08 | Secondary Fill of 13305 | - | - |
| 13307 | Cut | 0.6 | 0.7 | Ditch | - | - |
| 13308 | Fill | 0.6 | 0.07 | Secondary Fill of 13307 | - | - |
| 13309 | Cut | 1.46 | 0.14 | Ditch | - | - |
| 13310 | Fill | 1.46 | 0.14 | Secondary Fill of 13309 . Medium charcoal | - | - |

Trench 134

| General description | | | | | Orientation | N/S |
|---|-------|-----------|-----------|--------------------------------|-----------------------|------|
| Topsoil overlaid subsoil which seals several ditches and two discretets. These cut natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.45 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 13400 | Layer | | 0 | Topsoil. | - | - |
| 13401 | Layer | | 0.2 | Subsoil | - | - |
| 13402 | Layer | | 0.45 | Natural | - | - |
| 13403 | Cut | 0.76 | 0.25 | Pit | - | - |
| 13404 | Fill | 0.76 | 0.25 | Secondary Fill of 13403 | - | - |
| 13405 | Cut | 0.59 | 0.2 | Ditch | - | - |
| 13406 | Fill | 0.59 | 0.2 | Secondary Fill of 13405 | - | - |
| 13407 | Cut | 0.85 | 0.12 | Ditch | - | - |
| 13408 | Fill | 0.85 | 0.12 | Secondary Fill of 13407 | - | - |
| 13409 | Cut | 0.83 | 0.16 | Ditch | - | - |
| 13410 | Fill | 0.83 | 0.16 | Secondary Fill of 13409 | - | - |
| 13411 | Cut | 0.6 | 0.16 | Ditch | - | - |
| 13412 | Fill | 0.6 | 0.16 | Secondary Fill of 13411 | - | - |
| 13413 | Cut | | | Posthole | - | - |
| 13414 | Fill | | | Secondary Fill of 13413 | - | - |
| 13415 | Cut | 0.8 | 0.36 | Ditch | - | - |
| 13416 | Fill | 0.8 | 0.36 | Secondary Fill of 13415 | - | - |
| 13417 | Cut | 0.79 | 0.4 | Ditch | - | - |
| 13418 | Fill | 0.79 | 0.4 | Secondary Fill of 13418 | - | - |

Trench 135

| General description | | | | | Orientation | NE/SW |
|---|-------|-----------|-----------|--------------------------------|-----------------------|-------|
| Topsoil overlaid subsoil which seals several ditches and two discretets. These cut natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.7 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 13500 | Layer | | 0 | Topsoil. | - | - |
| 13501 | Layer | | 0.35 | Natural | - | - |
| 13502 | Cut | 1.57 | 0.17 | Curvilinear ditch | - | - |
| 13503 | Fill | 1.57 | 0.17 | Secondary Fill of 13502 | - | - |
| 13504 | Cut | 0.6 | 0.06 | Posthole | - | - |
| 13505 | Cut | 0.36 | 0.06 | Secondary Fill of 13504 | - | - |
| 13506 | Fill | 0.35 | 0.1 | Posthole | - | - |
| 13507 | Cut | 0.35 | 0.1 | Secondary Fill of 13506 | - | - |
| 13508 | Fill | 0.6 | 0.13 | Ditch | - | - |
| 13509 | Cut | 0.6 | 0.13 | Secondary Fill of 13508 | - | - |
| 13510 | Fill | 0.47 | 0.17 | Posthole | - | - |
| 13511 | Cut | 0.47 | 0.17 | Secondary Fill of 13510 | - | - |
| 13512 | Fill | 0.32 | 0.18 | Posthole | - | - |
| 13513 | Cut | 0.32 | 0.18 | Secondary Fill of 13512 | - | - |
| 13514 | Fill | 0.74 | 0.28 | Ditch | - | - |
| 13515 | Cut | 0.74 | 0.28 | Secondary Fill of 13514 | - | - |
| 13516 | Fill | 0.4 | 0.11 | Ditch | - | - |
| 13517 | Cut | 0.4 | 0.11 | Secondary Fill of 13516 | - | - |

Trench 136

| General description | | | | | Orientation | NE/SW |
|--|-------|-----------|-----------|------------------|-----------------------|-------|
| Topsoil covered colluvium, which sealed the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.7 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 13600 | Layer | | | Topsoil. | - | - |
| 13601 | Layer | | | Colluvial Layer. | - | - |
| 13602 | Layer | | | Natural | - | - |

Trench 137

| General description | | | | | Orientation | NE/SW |
|--|-------|-----------|-----------|--------------------------------|-----------------------|-------|
| Topsoil covered colluvium, which sealed the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.7 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 13700 | Layer | | 0 | Topsoil. | - | - |
| 13701 | Layer | | 0.3 | Colluvial Layer. | - | - |
| 13702 | Layer | | 0.55 | Natural | - | - |
| 13703 | Cut | 1.7 | 0.55 | Tree Throw | - | - |
| 13704 | Fill | 1.3 | 0.31 | Secondary Fill of 13703 | - | - |
| 13705 | Fill | 1.7 | 0.43 | Secondary Fill of 13703 | - | - |
| 13706 | Fill | 1.46 | 0.28 | Secondary Fill of 13703 | - | - |

| Trench 138 | | | | | | |
|---|-------------|------------------|------------------|--------------------|-----------------------|-------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlaid two alluvial layers, which sealed the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 13800 | Layer | | 0 | Topsoil. | - | - |
| 13801 | Layer | | 0.3 | Alluvial Layer. | - | - |
| 13802 | Layer | | 0.45 | Alluvial Layer | - | - |
| 13803 | Layer | | 1.2 | Natural | | |

| Trench 139 | | | | | | |
|--|-------------|------------------|------------------|----------------------|-----------------------|-------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlays subsoil which seals small pit cut into the natural layer (glacial till) at a depth of 0.50m | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.55 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 13900 | Layer | | 0 | Topsoil. 0.30m thick | - | - |
| 13901 | Layer | | 0.3 | Subsoil. 0.20m thick | - | - |
| 13902 | Layer | | 0.5 | Natural | - | - |
| 13903 | Cut | 0.55 | 0.13 | Pit | - | - |
| 13904 | Fill | 0.55 | 0.13 | Secondary Fill | - | - |

| Trench 140 | | | | | | |
|---|-------------|------------------|------------------|----------------------|-----------------------|-------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlays subsoil which seals the natural geology (glacial till) at a depth of 0.48m | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.55 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 14000 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 14001 | Layer | | 0.3 | Subsoil. 0.18m thick | - | - |
| 14002 | Layer | | 0.48 | Natural | - | - |

| Trench 141 | | | | | | |
|--|-------|-----------|-----------|-----------------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlays subsoil which seals the natural layer (glacial till) at a depth of 0.50m. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 14100 | Layer | - | 0 | Topsoil. 0.28m thick | - | - |
| 14101 | Layer | - | 0.28 | Subsoil. 0.17m thick | - | - |
| 14102 | Layer | - | 0.45 | Natural. Glacial till | - | - |

| Trench 142 | | | | | | |
|---|-------|-----------|-----------|--|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlays colluvial layer which seals the natural geology (glacial till) at a depth of 0.50m | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 14200 | Layer | - | | Topsoil. 0.30m thickness | - | - |
| 14201 | Layer | - | 0.3 | Natural | - | - |
| 14202 | Layer | - | 0.3 | Colluvial Layer. 0.50m max thickness observed at LoE | - | - |

| Trench 143 | | | | | | |
|--|-------|-----------|-----------|-----------------------|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlays subsoil which seals the natural geology (glacial till). | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.55 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 14300 | Layer | - | 0 | Topsoil. 0.3m thick | - | - |
| 14301 | Layer | - | 0.3 | Subsoil. 0.2m thick | - | - |
| 14302 | Layer | - | 0.5 | Natural. Glacial till | - | - |

| Trench 144 | | | | | | |
|--|-------|-----------|-----------|--------------------------------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlays subsoil which seals 2 ditches cutting the natural layer (glacial till) at a depth of 0.50m. | | | | | Length (m) | 38 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 14400 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 14401 | Layer | | 0.3 | Subsoil. 0.2m thick | - | - |
| 14402 | Layer | | 0.5 | Natural. Glacial till | - | - |
| 14403 | Cut | 1 | 0.36 | Ditch | - | - |
| 14404 | Fill | 1 | 0.36 | Secondary Fill of ditch 14404 | - | - |
| 14405 | Cut | 0.8 | 0.51 | Ditch | - | - |
| 14406 | Fill | 0.8 | 0.51 | Secondary Fill of ditch 14406 | - | - |

| Trench 145 | | | | | | |
|-------------------------------------|-------|-----------|-----------|-------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil sealing natural clay layer. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 14500 | Layer | | 0 | Topsoil. | - | - |
| 14501 | Layer | | 0.25 | Natural | - | - |

Trench 146

| General description | | | | | Orientation | NE/SW |
|--|-------|-----------|-----------|--------------------------------|----------------|-------|
| Topsoil overlaid colluvium which sealed a ditch cutting the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.6 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 14600 | Layer | | 0.3 | Topsoil. | - | - |
| 14601 | Layer | | 0.54 | Colluvial Layer. | - | - |
| 14602 | Layer | | | Natural | - | - |
| 14603 | Cut | 1.32 | 0.13 | Ditch | | |
| 14604 | Fill | 1.32 | 0.13 | Secondary Fill of 14603 | | |

Trench 147

| General description | | | | | Orientation | NW/SE |
|--|-------|-----------|-----------|--------------------------------|----------------|-------|
| Topsoil overlaid colluvium which sealed a ditch cutting the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.66 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 14700 | Layer | | 0.28 | Topsoil. | - | - |
| 14701 | Layer | | 0.58 | Alluvial Layer. | - | - |
| 14702 | Layer | | | Natural | - | - |
| 14703 | Cut | 0.94 | 0.15 | Ditch | | |
| 14704 | Fill | 0.94 | 0.15 | Secondary Fill of 14703 | | |

| Trench 148 | | | | | | |
|--|-------|-----------|-----------|-------------|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed subsoil, which overlaid a series of furrows cut into the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.36 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 14800 | Layer | | 0.25 | Topsoil. | - | - |
| 14801 | Layer | | 0.36 | Subsoil | - | - |
| 14802 | Layer | | | Natural | - | - |

| Trench 149 | | | | | | |
|---------------------------------|-------|-----------|-----------|-------------|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 14900 | Layer | | 0.32 | Topsoil. | - | - |
| 14901 | Layer | | | Natural | - | - |

| Trench 150 | | | | | | |
|--|-------|-----------|-----------|-------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil sealed a series of furrows on N/S alignments. The furrows cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 15000 | Layer | | 0.35 | Topsoil. | - | - |
| 15001 | Layer | | | Natural | - | - |

| Trench 151 | | | | | | |
|--|-------------|------------------|------------------|--------------------|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlaying Subsoil and then natural. No archaeology present. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 15100 | Layer | | 0.3 | Topsoil. | - | - |
| 15101 | Layer | | 0.5 | Subsoil | - | - |
| 15102 | Layer | | | Natural | - | - |

| Trench 152 | | | | | | |
|--|-------------|------------------|------------------|---|-----------------------|-------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed subsoil which in turn overlaid a series of ditches and a pit. All the features cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 15200 | Layer | | 0.3 | Topsoil. | - | - |
| 15201 | Layer | | 0.48 | Subsoil | - | - |
| 15202 | Layer | | | Natural | - | - |
| 15203 | Cut | 0.53 | 0.17 | Ditch | - | - |
| 15204 | Fill | 0.53 | 0.17 | Secondary Fill of 15203 | - | - |
| 15205 | Cut | 0.37 | 0.08 | Ditch | - | - |
| 15206 | Fill | 0.37 | 0.08 | Secondary Fill of 15205 | - | - |
| 15207 | Cut | 0.95 | 0.39 | Pit | - | - |
| 15208 | Fill | 0.95 | 0.39 | Secondary Fill of 15207 | - | - |
| 15209 | Cut | 1.04 | 0.29 | Ditch. | - | - |
| 15210 | Fill | 1.04 | 0.29 | Secondary Fill of 15209 | - | - |
| 15211 | Cut | 0.19 | 0.1 | Gully | - | - |
| 15212 | Fill | 0.19 | 0.1 | Secondary Fill of 15211 . Medium charcoal content | - | - |
| 15213 | Cut | 0.53 | 0.11 | Ditch. Same as ditch 15203 | - | - |
| 15214 | Fill | 0.53 | 0.11 | Secondary Fill of 15214 | - | - |

| Trench 153 | | | | | | |
|---|-------------|------------------|------------------|--------------------------------|-----------------------|-------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed a NW/SE-aligned ditch cutting the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.43 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 15300 | Layer | | 0.36 | Topsoil. | - | - |
| 15301 | Layer | | | Natural | - | - |
| 15302 | Cut | 1.4 | 0.32 | Ditch | - | - |
| 15303 | Fill | 1.4 | 0.32 | Secondary Fill of 15302 | - | - |

| Trench 154 | | | | | | |
|---|-------|-----------|-----------|--------------------------------|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed four ditches, two pits and furrows cut into the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 15400 | Layer | | 0.4 | Topsoil. | - | - |
| 15401 | Layer | | | Natural | - | - |
| 15402 | Cut | 0.87 | 0.27 | Ditch | - | - |
| 15403 | Fill | 0.87 | 0.12 | Secondary Fill of 15402 | - | - |
| 15404 | Cut | 0.73 | 0.12 | Plough Furrow | - | - |
| 15405 | Fill | 0.73 | 0.12 | Secondary Fill of 15404 | - | - |
| 15406 | Cut | 0.6 | 0.15 | Pit | - | - |
| 15407 | Fill | 0.6 | 0.15 | Secondary Fill of 15406 | - | - |
| 15408 | Void | | | | - | - |
| 15409 | Cut | 0.72 | 0.15 | Ditch | - | - |
| 15410 | Fill | 0.72 | 0.15 | Secondary Fill of 15409 | - | - |
| 15411 | Cut | 0.88 | 0.27 | Ditch | - | - |
| 15412 | Fill | 0.42 | 0.11 | Secondary Fill of 15411 | - | - |
| 15413 | Fill | 0.88 | 0.2 | Secondary Fill of 15411 | - | - |
| 15414 | Cut | 0.99 | 0.31 | Ditch | - | - |
| 15415 | Fill | 1.09 | 0.12 | Secondary Fill of 15414 | - | - |
| 15416 | Fill | 0.97 | 0.22 | Secondary Fill of 15414 | - | - |

| Trench 155 | | | | | | |
|---------------------------------|-------|-----------|-----------|-------------|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed natural geology. | | | | | Length (m) | 40 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.36 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 15500 | Layer | | 0.15 | Topsoil. | - | - |
| 15501 | Layer | | 0.36 | Subsoil | - | - |
| 15502 | Layer | | | Natural | - | - |

| Trench 156 | | | | | | |
|--|-------------|------------------|------------------|----------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed an alluvial channel, four ditches (three which intercut) and a series of furrows which all cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 1 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 15600 | Layer | | 0.35 | Topsoil. | - | - |
| 15601 | Layer | | 0.65 | Alluvial layer | - | - |
| 15602 | Layer | | | Natural | - | - |
| 15603 | Cut | 1 | 0.4 | Ditch. Cut by ditch 15605 | - | - |
| 15604 | Fill | 1 | 0.4 | Secondary Fill of 15603 | - | - |
| 15605 | Cut | 1.56 | 0.5 | Ditch. Cut by ditch 15607 | - | - |
| 15606 | Fill | 1.56 | 0.5 | Secondary Fill of 15605 | - | - |
| 15607 | Cut | 1.14 | 0.32 | Ditch. | - | - |
| 15608 | Fill | 1.14 | 0.32 | Secondary Fill of 15607 | - | - |

| Trench 157 | | | | | | |
|--|-------------|------------------|------------------|--------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil sealed a SW/NE aligned ditch cut into the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 15700 | Layer | | 0.3 | Topsoil. | - | - |
| 15701 | Layer | | | Natural | - | - |
| 15702 | Cut | 0.68 | 0.18 | Ditch | - | - |
| 15703 | Fill | 0.68 | 0.18 | Secondary Fill of 15702 | - | - |
| 15704 | Cut | 0.65 | 0.25 | Pit | - | - |
| 15705 | Fill | 0.45 | 0.23 | Secondary Fill of 15704 | - | - |
| 15706 | Fill | 0.39 | 0.22 | Secondary Fill of 15704 | - | - |
| 15707 | Cut | 0.68 | 0.4 | Ditch | - | - |
| 15708 | Fill | 0.68 | 0.4 | Secondary Fill of 15707 | - | - |

Trench 158

| General description | | | | | Orientation | NW/SE |
|---|-------|-----------|-----------|--------------------------------|----------------|-------|
| Topsoil sealed two ring ditches and a pit, which cut natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 15800 | Layer | | 0.35 | Topsoil. | - | - |
| 15801 | Layer | | | Natural | - | - |
| 15802 | Void | 0.68 | 0.18 | | - | - |
| 15803 | Void | 0.68 | 0.18 | | - | - |
| 15804 | Cut | 0.71 | 0.16 | Pit | - | - |
| 15805 | Fill | 0.71 | 0.16 | Secondary Fill of 15804 | - | - |
| 15806 | Void | | | | - | - |
| 15807 | Cut | 0.52 | 0.14 | Ring Ditch | - | - |
| 15808 | Fill | 0.52 | 0.14 | Secondary Fill of 15807 | - | - |
| 15809 | Cut | 0.58 | 0.16 | Ring Gully | - | - |
| 15810 | Fill | 0.58 | 0.16 | Secondary Fill of 15809 | - | - |

Trench 159

| General description | | | | | Orientation | E/W |
|---|-------|-----------|-----------|-----------------|----------------|------|
| Topsoil sealed natural features which cut into the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.35 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 15900 | Layer | | 0.15 | Topsoil. | - | - |
| 15901 | Layer | | 0.20 | Subsoil | - | - |
| 15902 | Layer | | | Natural | - | - |
| 15903 | Cut | | | Natural Feature | - | - |
| 15904 | Cut | | | Natural Feature | - | - |
| 15905 | Fill | | | Secondary Fill | - | - |
| 15906 | Fill | | | Secondary Fill | - | - |

| Trench 160 | | | | | | |
|--|-------|-----------|-----------|--------------------------------|----------------|------|
| General description | | | | | Orientation | N/S |
| Topsoil overlaid subsoil which sealed a ditch. This cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 16000 | Layer | | 0.35 | Topsoil. | - | - |
| 16001 | Layer | | 0.1 | Subsoil | - | - |
| 16002 | Layer | | | Natural | - | - |
| 16003 | Cut | 2 | 0.6 | Ditch | - | - |
| 16004 | Fill | 2 | 0.6 | Secondary Fill of 16004 | - | - |

| Trench 161 | | | | | | |
|--|-------|-----------|-----------|--------------------------------|----------------|------|
| General description | | | | | Orientation | N/S |
| Topsoil overlaid subsoil which sealed a ditch. This cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.57 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 16100 | Layer | | 0.3 | Topsoil. | - | - |
| 16101 | Layer | | 0.2 | Subsoil | - | - |
| 16102 | Layer | | | Natural | - | - |
| 16103 | Cut | 0.25 | 0.09 | Pit | - | - |
| 16104 | Fill | 0.25 | 0.09 | Secondary Fill of 16103 | - | - |
| 16105 | Cut | 1.86 | 0.58 | Ditch | - | - |
| 16106 | Fill | 1.5 | 0.58 | Secondary Fill of 16105 | - | - |
| 16107 | Fill | 1.65 | 0.4 | Secondary Fill of 16105 | - | - |

| Trench 162 | | | | | | |
|---|-------|-----------|-----------|----------------|----------------|------|
| General description | | | | | Orientation | N/S |
| Topsoil overlaid alluvial which sealed the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 16200 | Layer | | 0.35 | Topsoil. | - | - |
| 16201 | Layer | | 0.15 | Alluvial layer | - | - |
| 16202 | Layer | | | Natural | - | - |

| Trench 163 | | | | | | |
|---|-------|-----------|-----------|-------------------------|----------------|------|
| General description | | | | | Orientation | N/S |
| Topsoil overlaid subsoil which sealed a tree throw. This cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.65 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 16300 | Layer | | 0.35 | Topsoil. | - | - |
| 16301 | Layer | | 0.15 | Subsoil | - | - |
| 16302 | Layer | | | Natural | - | - |
| 16303 | Cut | | | Tree throw | - | - |
| 16304 | Fill | | | Secondary fill of 16303 | - | - |

| Trench 164 | | | | | | |
|--|-------|-----------|-----------|-------------|----------------|------|
| General description | | | | | Orientation | N/S |
| Topsoil overlaid subsoil which sealed the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.62 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 16400 | Layer | | 0.32 | Topsoil. | - | - |
| 16401 | Layer | | 0.3 | Subsoil | - | - |
| 16402 | Layer | | | Natural | - | - |

| Trench 165 | | | | | | |
|---|-------|-----------|-----------|-------------------------|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlaid subsoil which sealed a tree throw. This cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.6 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 16500 | Layer | | 0.35 | Topsoil. | - | - |
| 16501 | Layer | | 0.1 | Subsoil | - | - |
| 16502 | Layer | | | Natural | - | - |
| 16503 | Cut | | | Tree throw | - | - |
| 16504 | Fill | | | Secondary fill of 16503 | - | - |

| Trench 166 | | | | | | |
|--|-------|-----------|-----------|-------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlaid subsoil which overlaid the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.55 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 16600 | Layer | | 0.3 | Topsoil. | - | - |
| 16601 | Layer | | 0.25 | Subsoil | - | - |
| 16602 | Layer | | | Natural | - | - |

| Trench 167 | | | | | | |
|--|-------|-----------|-----------|-------------|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlaid subsoil which overlaid the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.55 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 16700 | Layer | | 0.3 | Topsoil. | - | - |
| 16701 | Layer | | 0.25 | Subsoil | - | - |
| 16702 | Layer | | | Natural | - | - |

| Trench 168 | | | | | | |
|--|-------|-----------|-----------|-------------|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlaid subsoil which overlaid the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.6 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 16800 | Layer | | 0.3 | Topsoil. | - | - |
| 16801 | Layer | | 0.3 | Subsoil | - | - |
| 16802 | Layer | | | Natural | - | - |

| Trench 169 | | | | | | |
|--|-------|-----------|-----------|----------------------------|----------------|------|
| General description | | | | | Orientation | N/S |
| Topsoil overlaid colluvium, which sealed the natural geology. Natural feature? | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 16900 | Layer | | 0.2 | Topsoil | - | - |
| 16901 | Layer | | 0.3 | Alluvial Layer. 0.2m thick | - | - |
| 16902 | Layer | | 0.5 | Alluvial Layer. 0.4m thick | - | - |
| 16903 | Layer | | 0.3 | Natural | - | - |
| 16904 | Layer | | 0.3 | Alluvial Layer | - | - |
| 16905 | Cut | | | Tree Throw | - | - |
| 16906 | Fill | | 0.2 | Secondary Fill of 16906 | - | - |

Trench 170

| General description | | | | | Orientation | E/W |
|--|-------|-----------|-----------|--|-----------------------|------|
| Topsoil overlaid a palaeochannel, filled with silt, overlaying a peaty organic layer, and waterlogged silt. To the east of this a pit and a ditch was observed. These cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 17000 | Layer | | 0 | Topsoil. 0.4m thick | - | - |
| 17001 | Layer | | 0.4 | Alluvial Layer. 0.5m thick | - | - |
| 17002 | Layer | | 0.9 | Peat. Organic rather than peat? 0.2m thick | - | - |
| 17003 | Layer | | 1.1 | Alluvial Layer. 0.5m thick | - | - |
| 17004 | Layer | | 1.6 | Natural | - | - |
| 17005 | Cut | | | Natural Feature. | - | - |
| 17006 | Fill | | | Secondary Fill of 17005 | - | - |
| 17007 | Fill | | | Secondary Fill of 17005 | - | - |
| 17008 | Fill | | | Secondary Fill of 17005 | - | - |

Trench 171

| General description | | | | | Orientation | NE/SW |
|--|-------|-----------|-----------|------------------------------------|-----------------------|-------|
| Topsoil overlaid subsoil, which sealed a palaeochannel consisting of two silty clay aluvium layers down to 2.2m bgl. The subsoil also sealed a small channel if two with sands deposits. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 17100 | Layer | | 0.26 | Topsoil | - | - |
| 17101 | Layer | | 0.4 | Subsoil. | - | - |
| 17102 | Layer | | 0.2 | Alluvial Layer. | - | - |
| 17103 | Layer | | 0.5 | Natural. | - | - |
| 17104 | Cut | 1.26 | 0.26 | Natural Feature. Linear | - | - |
| 17105 | Fill | | 0.2 | Secondary Fill of 17104 | - | - |
| 17106 | Fill | | 0.15 | Secondary Fill of 17104 | - | - |
| 17107 | Layer | | 1.6 | Alluvial Layer. 0.6m thick minimum | - | - |

| Trench 172 | | | | | | |
|--|-------------|------------------|------------------|--------------------------------|-----------------------|-------------|
| General description | | | | | Orientation | N/S |
| Topsoil sealed an east/west aligned ditch which cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.45 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 17200 | Layer | | 0.4 | Topsoil. 0.4m thick | - | - |
| 17201 | Layer | | | Natural | - | - |
| 17202 | Cut | 1.8 | 0.52 | Ditch | - | - |
| 17203 | Fill | 1.8 | 0.21 | Secondary Fill of 17202 | - | - |
| 17204 | Fill | 1.8 | 0.31 | Secondary Fill of 17202 | - | - |

| Trench 173 | | | | | | |
|---|-------------|------------------|------------------|--------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed an east/west-aligned ditch terminus which cut the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.3 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 17300 | Layer | | 0.3 | Topsoil. | - | - |
| 17301 | Void | | | | - | - |
| 17302 | Layer | | | Natural | - | - |
| 17303 | Cut | 0.54 | 0.24 | Ditch | - | - |
| 17304 | Fill | | 0.22 | Secondary Fill of 17303 | - | - |
| 17305 | Fill | | 0.24 | Secondary Fill of 17303 | | |

| Trench 174 | | | | | | |
|--|-------|-----------|-----------|-------------|----------------|------|
| General description | | | | | Orientation | E/W |
| No archaeology observed. Topsoil overlay natural glacial till. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 17400 | Layer | | 0.4 | Topsoil | - | - |
| 17401 | Layer | | | Natural | - | - |

| Trench 175 | | | | | | |
|--|-------|-----------|-----------|-------------------------|----------------|------|
| General description | | | | | Orientation | N/S |
| Topsoil overlaid subsoil a ditch cut into the natural geology. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.45 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 17500 | Layer | | 0 | Topsoil | - | - |
| 17501 | Layer | | 0.3 | Subsoil | - | - |
| 17502 | Layer | | 0.45 | Natural | - | - |
| 17503 | Cut | | | Ditch | - | - |
| 17504 | Fill | | | Secondary Fill of 17503 | - | - |

Trench 176

| General description | | | | | Orientation | NW/SE |
|---|-------|-----------|-----------|--------------------------------------|----------------|-------|
| Topsoil overlaid subsoil which in turn sealed a thin alluvial layer which sealed a south-west/north-east-aligned ditch and a large pit. Both features cut the natural geology at 0.56m bgl. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.56 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 17600 | Layer | - | 0 | Topsoil. 0.25m thick | - | - |
| 17601 | Layer | - | 0.25 | Subsoil. 0.15m thick | - | - |
| 17602 | Layer | - | 0.56 | Natural | - | - |
| 17603 | Layer | - | 0.4 | Alluvial Layer. 0.15m thick | - | - |
| 17604 | Cut | 1.3 | 0.42 | Ditch | - | - |
| 17605 | Fill | 1.11 | 0.26 | Secondary Fill of ditch 17604 | - | - |
| 17606 | Fill | 1.3 | 0.2 | Secondary Fill of ditch 17604 | - | - |
| 17607 | Cut | 0.7 | 0.31 | Pit | - | - |
| 17608 | Fill | 0.3 | 0.2 | Secondary Fill of pit 17608 | - | - |
| 17609 | Fill | 0.7 | 0.2 | Secondary Fill of pit 17608 | - | - |

Trench 177

| General description | | | | | Orientation | N/S |
|--|-------|-----------|-----------|------------------------------------|----------------|------|
| Topsoil overlaid subsoil which sealed a colluvial layer. This in turn sealed three pits cut into the natural geology | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 17700 | Layer | - | | Topsoil. 0.25m thick | - | - |
| 17701 | Layer | - | 0.25 | Subsoil. 0.25m thick | - | - |
| 17702 | Layer | - | 0.5 | Colluvial Layer. 0.15m thick | - | - |
| 17703 | Layer | - | 0.65 | Natural | - | - |
| 17704 | Cut | 0.6 | 0.38 | Pit | - | - |
| 17705 | Fill | 0.6 | 0.38 | Secondary Fill of pit 17705 | - | - |
| 17706 | Cut | - | - | Pit | - | - |
| 17707 | Fill | - | - | Secondary Fill of pit 17706 | - | - |

| Trench 178 | | | | | | |
|--|-------|-----------|-----------|---|----------------|------|
| General description | | | | | Orientation | N/S |
| Topsoil sealed several archaeological features and a channel running north-east south-west across the centre of the trench. The channel consisted of a sequence of silty clay alluvial layer which sealed the natural geology at 2.3m bgl. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Findings | Date |
| 17800 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 17801 | Layer | | 0.3 | Alluvial Layer. 0.3m thick | - | - |
| 17802 | Layer | | 0.6 | Alluvial Layer. 0.3m thick | - | - |
| 17803 | Layer | | 0.9 | Alluvial Layer. 0.25m thick | - | - |
| 17804 | Layer | | 1.15 | Alluvial Layer. 1.15m thick | - | - |
| 17805 | Layer | | 0.4 | Natural. 2.3m bgl below channel | - | - |
| 17806 | Cut | 0.54 | 0.09 | Pit | - | - |
| 17807 | Fill | 0.54 | 0.09 | Secondary Fill of pit 17806 | - | - |
| 17808 | Cut | 1.54 | 0.24 | Tree Throw. Irregular tree throw, contains evidence of burning activity | - | - |
| 17809 | Fill | 1.54 | 0.13 | Secondary Fill. Upper middle fill of tree throw 17808 | - | - |
| 17810 | Fill | 0.95 | 0.03 | Secondary Fill. High charcoal band in tree throw 17808 | - | - |
| 17811 | Fill | 0.3 | 0.1 | Secondary Fill. Basal fill of tree throw 17808 | - | - |
| 17812 | Fill | 0.65 | 0.06 | Secondary Fill. High charcoal deposit, likely place of fire activity in tree throw 17808 | - | - |
| 17813 | Cut | 1.2 | 0.47 | Pit. Sub-circular pit | - | - |
| 17814 | Fill | 1.05 | 0.14 | Secondary Fill. Basal fill of pit 17813 | - | - |
| 17815 | Fill | 1.2 | 0.37 | Secondary Fill. Upper fill of pit 17813 | - | - |
| 17816 | Cut | 1.23 | | Pit. Unexcavated pit | - | - |
| 17817 | Fill | 1.23 | | Secondary Fill of pit 17816 . Unexcavated fill of pit | - | - |

Trench 179

| General description | | | | | Orientation | N/S |
|---|-------|-----------|-----------|---------------------------------------|----------------|------|
| Topsoil overlaid a colluvial layer, which sealed two ditches cut into the natural geology | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 17900 | Layer | | 0 | Topsoil | - | - |
| 17901 | Layer | | 0.38 | Colluvial Layer | - | - |
| 17902 | Layer | | 0.38 | Natural | - | - |
| 17903 | Cut | 1.25 | 0.38 | Ditch | - | - |
| 17904 | Fill | 1.25 | 0.38 | Secondary Fill of ditch 17903 | - | - |
| 17905 | Cut | 1.37 | 0.23 | Ditch. NE/SW Aligned ditch | - | - |
| 17906 | Fill | 1.37 | 0.23 | Secondary Fill of ditch 17905 | - | - |
| 17907 | Cut | 1.35 | 0.1 | Plough Furrow | - | - |
| 17908 | Fill | 1.35 | 0.1 | Secondary Fill of furrow 17908 | - | - |

Trench 180

| General description | | | | | Orientation | N/S |
|---|-------|-----------|-----------|-----------------------------|----------------|------|
| Topsoil sealed colluvium which in turn sealed two pits and a series of east/west-aligned furrows cutting into the natural geology | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.55 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 18000 | Layer | | 0 | Topsoil. 0.35m thick | - | - |
| 18001 | Layer | | 0.35 | Colluvial Layer. 0.2m thick | - | - |
| 18002 | Layer | | 0.55 | Natural | - | - |

Trench 181

| General description | | | | | Orientation | N/S |
|--|-------|-----------|-----------|--|-----------------------|------|
| Topsoil sealed colluvial layer which overlaid a channel and three ditches cut into the natural geology at 0.45m bgl. The channel consisted of a 0.22m thick charcoal rich alluvial layer, overlaying a silty clay alluvial layer which in turn sealed the natural geology at 1.2m bgl. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.45 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 18100 | Layer | | 0 | Topsoil. 0.25m thick | - | - |
| 18101 | Layer | | 0.25 | Colluvial Layer. 0.2m thick | - | - |
| 18102 | Layer | | 0.45 | Natural. 1.3m bgl below channel | - | - |
| 18103 | Layer | | 0.45 | Alluvial Layer. Charcoal rich, 0.22m thick | - | - |
| 18104 | Layer | | 0.67 | Alluvial Layer. 0.53m thick | - | - |
| 18105 | Layer | | 1.2 | Natural | - | - |
| 18106 | Cut | 3.2 | 0.77 | Ditch | - | - |
| 18107 | Fill | 3.2 | 0.77 | Secondary Fill of ditch 18106 | - | - |

Trench 182

| General description | | | | | Orientation | NW/SE |
|---|-------|-----------|-----------|---|-----------------------|-------|
| Topsoil overlaid colluvium which sealed a series of east/west-aligned furrows cutting the natural geology | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.53 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 18200 | Layer | | 0 | Topsoil. 0.4m thick | - | - |
| 18201 | Layer | | 0.4 | Colluvial Layer. 0.2m thick | - | - |
| 18202 | Layer | | 0.6 | Natural | - | - |
| 18203 | Cut | 0.42 | 0.2 | Pit. Ovoid waste pit | - | - |
| 18204 | Fill | 0.42 | 0.2 | Secondary Fill. Sole fill of pit 18203 | - | - |
| 18205 | Cut | 0.45 | 0.2 | Pit | - | - |
| 18206 | Fill | | 0.05 | Secondary Fill of pit 18206 | - | - |
| 18207 | Fill | 0.45 | 0.15 | Secondary Fill of pit 18206 | - | - |
| 18208 | Void | - | - | Void | - | - |

| Trench 183 | | | | | | |
|--|-------|-----------|-----------|--|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlay a field boundary which cut a paleochanel. This overlay three further layers of alluvium. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.45 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 18300 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 18301 | Layer | | 0.3 | Alluvial Layer. 0.6m | - | - |
| 18302 | Layer | | 0.9 | Alluvial Layer. 1m thick | - | - |
| 18303 | Cut | | 1.9 | Alluvial Layer | - | - |
| 18304 | Fill | | 0.3 | Alluvial Layer. 0.4m thick | - | - |
| 18305 | Cut | | | Ditch. Unexcavated field boundary | - | - |
| 18306 | Fill | | | Secondary Fill of ditch 18305. Unexcavated | - | - |

| Trench 184 | | | | | | |
|--|-------|-----------|-----------|----------------------------|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil overlay two channels which overlay three further layers of alluvium. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.45 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 18400 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 18401 | Layer | | 0.3 | Alluvial Layer. 0.5m thick | - | - |
| 18402 | Layer | | 0.8 | Alluvial Layer. 0.6m thick | - | - |
| 18403 | Layer | | 1.4 | Alluvial Layer | - | - |
| 18404 | Layer | | 0.3 | Alluvial Layer | - | - |
| 18405 | Layer | | 0.3 | Alluvial Layer. 0.3m thick | - | - |

| Trench 185 | | | | | | |
|--|-------------|------------------|------------------|-----------------------------|-----------------------|-------------|
| General description | | | | | Orientation | N/S |
| Topsoil overlay two channels which overlay two further layers of alluvium. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 18500 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 18501 | Layer | | 0.3 | Alluvial Layer. 0.45m thick | - | - |
| 18502 | Layer | | 0.75 | Alluvial Layer. 105m thick | - | - |
| 18503 | Layer | | 1.8 | Alluvial Layer | - | - |
| 18504 | Layer | | 0.4 | Alluvial Layer | - | - |
| 18505 | Layer | | 0.4 | Alluvial Layer | - | - |

| Trench 190 | | | | | | |
|--|-------------|------------------|------------------|---|-----------------------|-------------|
| General description | | | | | Orientation | N/S |
| Topsoil sealed two clay alluvial layers which in turn sealed a sequence of three sandy alluvial layers at 1.15m bgl. The sandy alluvial layers were excavated to a depth of 2.5m where excavation ceased. The natural geology was not reached. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 19000 | Layer | | 0 | Topsoil. 0.2m thick | - | - |
| 19001 | Layer | | 0.2 | Alluvial Layer. 0.17m thick | - | - |
| 19002 | Layer | | 0.37 | Alluvial Layer. 0.78m thick | - | - |
| 19003 | Layer | | 1.15 | Alluvial Layer. 0.3m thick | - | - |
| 19004 | Layer | | 1.45 | Alluvial Layer. 0.55m thick | - | - |
| 19005 | Layer | | 2 | Alluvial Layer. 0.5m thick before excavation ceased | - | - |

| Trench 191 | | | | | | |
|--|-------------|------------------|------------------|-----------------------------|-----------------------|-------------|
| General description | | | | | Orientation | E/W |
| Topsoil sealed a sequence of two clay alluvium layers at 0.3m bgl. Which in turn overlaid a sequence of three sandy alluvial layers at 1.4m bgl. The sandy alluvial layers were excavated to a depth of 2m where excavation ceased. Natural geology was not reached. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 19100 | Layer | | 0 | Topsoil. 0.4m thick | - | - |
| 19101 | Layer | | 0.4 | Alluvial Layer. 0.65m thick | - | - |
| 19102 | Layer | | 1.05 | Alluvial Layer. 0.35m thick | - | - |
| 19103 | Layer | | 1.4 | Alluvial Layer. 0.2m thick | - | - |
| 19104 | Layer | | 1.6 | Alluvial Layer. 0.2m thick | - | - |
| 19105 | Layer | | 1.8 | Alluvial Layer. 0.2m thick | - | - |
| 19106 | | | 2 | Alluvial Layer | - | - |

| Trench 192 | | | | | | |
|---|-------------|------------------|------------------|---|-----------------------|-------------|
| General description | | | | | Orientation | E/W |
| Topsoil sealed two clay alluvial layers which in turn sealed a sequence of three sandy alluvial layers at 1m bgl. The lowest alluvial layer (located at 2.2m bgl) contained charcoal flecks and shells inclusions. This deposit was excavated to a depth of 2.5m where excavation ceased. The natural geology was not reached | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 19200 | Layer | | 0 | Topsoil. 0.45m thick | - | - |
| 19201 | Layer | | 0.45 | Alluvial Layer. 0.55m thick | - | - |
| 19202 | Layer | | 1 | Alluvial Layer. 0.6m thick | - | - |
| 19203 | Layer | | 1.6 | Alluvial Layer. 0.6m thick | - | - |
| 19204 | Layer | | 2.2 | Alluvial Layer. 0.3m thick before excavation ceased | - | - |

| Trench 195 | | | | | | |
|--|-------|-----------|-----------|---|----------------|-------|
| General description | | | | | Orientation | NE/SW |
| Topsoil sealed 0.5m thick clay alluvial layer which in turn overlaid a sequence of three sandy alluvial layers at 0.85m bgl. The sandy alluvial layers were excavated to 2.1m bgl where excavation ceased due to unstable sides. The natural geology was not reached | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 19500 | Layer | | 0 | Topsoil. 0.33m thick | - | - |
| 19501 | Layer | | 0.33 | Alluvial Layer. 0.52m thick | - | - |
| 19502 | Layer | | 0.85 | Alluvial Layer. 0.55m thick | - | - |
| 19503 | Layer | | 1.4 | Alluvial Layer. 0.2m thick | - | - |
| 19504 | Layer | | 1.6 | Alluvial Layer. 0.3m thick | - | - |
| 19505 | Layer | | 1.9 | Alluvial Layer. 0.6m thick before excavation ceased | - | - |

| Trench 196 | | | | | | |
|--|-------|-----------|-----------|---|----------------|-------|
| General description | | | | | Orientation | NW/SE |
| Topsoil consisting of north/south-aligned ridge and furrow, sealed a north/south-aligned ditch cut into a clay alluvial layer. This in turn sealed another clay alluvial which overlaid a sequence of sandy alluvial layers at 1.3m bgl. The sandy alluvials were excavated to a 2.4m bgl where the water table was reached. The natural geology was not reached | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.55 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 19600 | Layer | | 0 | Topsoil. 0.32m thick | - | - |
| 19601 | Layer | | 0.32 | Alluvial Layer. 0.18m thick | - | - |
| 19602 | Layer | | 0.5 | Alluvial Layer. 0.8m thick | - | - |
| 19603 | Layer | | 1.3 | Alluvial Layer. 0.35m thick | - | - |
| 19604 | Layer | | 1.65 | Alluvial Layer. 0.45m thick | - | - |
| 19605 | Layer | | 2.1 | Alluvial Layer. 0.3m thick before excavation ceased | - | - |
| 19606 | Cut | 1.9 | 0.6 | Ditch | - | - |
| 19607 | Fill | 1.9 | 0.6 | Secondary Fill | - | - |
| 19608 | Cut | 1.9 | 0.4 | Plough Furrow. Plough furrow associated with ridge 19609 | - | - |
| 19609 | Layer | 2.1 | 0.51 | Other Layer. Plough ridge, associated with furrow 19608 | - | - |

Trench 197

| General description | | | | | Orientation | NW/SE |
|--|-------|-----------|-----------|--------------------------------|-----------------------|-------|
| Topsoil sealed a north/south-aligned ditch cutting a clay alluvial layer at 0.3m bgl. This in turn sealed another clay alluvial at 0.7m bgl. This overlaid a sequence of three sandy alluvial layers excavated to 2.2m bgl where excavation ceased. The natural geology was not reached. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 19700 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 19701 | Layer | | 0.3 | Alluvial Layer. 0.2m thick | - | - |
| 19702 | Layer | | 0.5 | Alluvial Layer. 0.5m thick | - | - |
| 19703 | Layer | | 1 | Alluvial Layer. 0.6m thick | - | - |
| 19704 | Layer | | 1.6 | Alluvial Layer. 0.4m thick | - | - |
| 19705 | Layer | | 2 | Alluvial Layer. 0.2m excavated | - | - |
| 19706 | Cut | 2 | 0.8 | Ditch | - | - |
| 19707 | Fill | 2 | 0.8 | Secondary Fill | - | - |

Trench 198

| General description | | | | | Orientation | N/S |
|---|-------|-----------|-----------|--|-----------------------|------|
| Topsoil sealed a sequence of four clay alluvial layers which then overlaid a sandy alluvial layers at 2m bgl. This layer was excavated to a depth of 2.5m before excavation ceased. The natural geology was not reached | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.4 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 19800 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 19801 | Layer | | 0.3 | Alluvial Layer. 0.15m thick | - | - |
| 19802 | Layer | | 0.45 | Alluvial Layer. 0.35m thick | - | - |
| 19803 | Layer | | 0.8 | Alluvial Layer. 0.7m thick | - | - |
| 19804 | Layer | | 1.5 | Alluvial Layer. 0.5m thick | - | - |
| 19805 | Layer | | 2 | Alluvial Layer. 0.5m seen before excavation ceased | - | - |

| Trench 199 | | | | | | |
|--|-------------|------------------|------------------|--|-----------------------|--------------|
| General description | | | | | Orientation | NW/SE |
| Topsoil sealed a ditch, which cut a sequence of three clay alluvial layers, these in turn overlaid a sandy alluvial at 1.5m bgl, which was excavated to a depth of 1.8m bgl before excavation ceased. The natural geology was not reached. | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.5 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 19900 | Layer | | 0 | Topsoil. 0.3m thick | - | - |
| 19901 | Layer | | 0.3 | Alluvial Layer. 0.3m thick | - | - |
| 19902 | Layer | | 0.6 | Alluvial Layer. 0.34m thick | - | - |
| 19903 | Layer | | 0.94 | Alluvial Layer. 0.56m thick | - | - |
| 19904 | Layer | | 1.5 | Alluvial Layer. 0.3m seen before excavation ceased | - | - |
| 19905 | Cut | 2.13 | 0.71 | Ditch | - | - |
| 19906 | Fill | 2.13 | 0.71 | Secondary Fill of ditch 19906 | - | - |

| Trench 200 | | | | | | |
|---|-------------|------------------|------------------|--|-----------------------|-------------|
| General description | | | | | Orientation | N/S |
| Topsoil with evidence of ridge and furrow sealed a sequence of two clay alluvial layers which in turn overlaid a sandy alluvium excavated down to 1.8m bgl where excavation ceased. The natural geology was not reached | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.45 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 20000 | Layer | | 0 | Topsoil. 0.3m thick, cut by furrow [20004] | - | - |
| 20001 | Layer | | 0.3 | Alluvial Layer. 0.2m thick | - | - |
| 20002 | Layer | | 0.5 | Alluvial Layer. 0.5m thick | - | - |
| 20003 | Layer | | 1 | Alluvial Layer. 0.8m thickness seen before excavation ceased | - | - |
| 20004 | Cut | 3 | 0.05 | Plough Furrow. 0.05m deep, 3.00m wide plough furrow, very obvious from surface | - | - |
| 20005 | Layer | 5 | 0 | Other Layer. Ridge deposit, 0.16m thick | - | - |

| Trench 201 | | | | | | |
|---|-------------|------------------|------------------|--------------------------------|-----------------------|--------------|
| General description | | | | | Orientation | NE/SW |
| Topsoil overlaid sandy alluvium which sealed a sequence of two clay alluvial layers at 0.7m bgl. These in turn sealed a sandy alluvial layer at 1.4m bgl. This deposit was excavated to 2m bgl where excavation ceased. The natural geology was not reached | | | | | Length (m) | 50 |
| | | | | | Width (m) | 1.8 |
| | | | | | Avg. depth (m) | 0.55 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 20100 | Layer | | 0 | Topsoil. 0.4m thick | - | - |
| 20101 | Layer | | 0.4 | Alluvial Layer. 0.3m thick | - | - |
| 20102 | Layer | | 0.7 | Alluvial Layer. 0.3m thick | - | - |
| 20103 | Layer | | 1 | Alluvial Layer. 0.4m thick | - | - |
| 20104 | Layer | | 1.4 | Alluvial Layer. 0.6m excavated | - | - |