

**From:** [Edward Smith](#)  
**To:** [YorksHumberCCSPipeline](#)  
**Subject:** Written Representation regarding Application by National Grid Carbon Limited for an Order Granting Development Consent for the Yorkshire and Humber Carbon Capture Transportation and Storage (CCS) Cross Country Pipeline  
**Date:** 18 December 2014 13:24:59  
**Attachments:** [ehs1880.docx](#)

---

Reference Number EN070001

Unique Reference Number 10029852

Dear Sir/Madam

Please find attached a Written Representation regarding the above made on behalf of Mr R Hall.

Mr Hall does not wish to be heard at an open floor hearing and does not wish to make oral representations at a compulsory acquisition hearing.

Mr Hall does not wish to attend the site inspection.

Yours faithfully

Edward Smith

E H Smith BSc MRICS FAAV  
R Hornsey & Sons  
Tel 01430 872551

This email was scanned by the Government Secure Intranet anti-virus service supplied by Vodafone in partnership with Symantec. (CCTM Certificate Number 2009/09/0052.) In case of problems, please call your organisations IT Helpdesk. Communications via the GSi may be automatically logged, monitored and/or recorded for legal purposes.

**Written Representation regarding Application by National Grid Carbon Limited for an Order Granting Development Consent for the Yorkshire and Humber Carbon Capture Transportation and Storage (CCS) Cross Country Pipeline.**

Written Representation made by: Edward Henry Smith BSc MRICS FAAV  
R Hornsey & Sons  
33 High Street  
Market Weighton  
York  
YO43 3AQ  
Tel: 01430 872551  
email: esmith.hornseys@btconnect.com

Written Representation made on behalf of: Mr R Hall



Reference Number: EN070001  
Unique Reference Number: 10029852

Date of Written Representation: 18<sup>th</sup> December 2014

This representation is made with specific regard to land referred to in the Book of Reference (Document 4.3) and the Land Plans (Document Reference 2.1) as Plot Numbers 945 to 949 in the ownership of Mr R Hall which is proposed to be affected by the scheme. It is requested that the Examining Authority take into consideration the following points:

- 1) The construction of the proposed pipeline should be carried out so as to cause the minimum amount of disturbance to agricultural operations.
- 2) Prior to the commencement of any work, the existence of any field underdrainage systems should be established and a scheme of underdrainage rectification/ reinstatement should be agreed to the satisfaction of the affected party.

- 3) Any works relating to the proposed scheme should only be carried out when ground conditions are suitable.
- 4) Topsoil should be stored separately at the side of the pipeline during construction and should be replaced to the satisfaction of the affected party.