

Southampton to London Pipeline Project

Deadline 7

Turf Hill Tree Survey

Application Document: 8.97

Planning Inspectorate Reference Number: EN070005

Revision No. 1.0

April 2020



Southampton to London
Pipeline Project

1 Turf Hill Tree Survey

Key (Table 1)

Life Stage	Description
NP	Newly planted
Y (Young)	An establishing tree that could be easily transplanted.
SM (Semi Mature)	An established tree still to reach its ultimate height and spread and with considerable growth potential.
EM (Early Mature)	A tree reaching its ultimate height and whose growth is slowing however it will still increase considerably in stem diameter and crown spread.
M (Mature)	A tree with limited potential for further significant increase in size although likely to have a considerable safe useful life expectancy.
OM (Over Mature)	A senescent or moribund tree with a limited useful life expectancy.
V (Veteran)	A tree older than typical for the species and of great ecological, cultural or aesthetic value.

Abbreviations	Description
Stem Ø (mm) at 1.5m	Diameter of stem in millimetres at 1.5m above ground level for single-stemmed trees or in accordance with Annex C of BS 5837 for multi-stemmed trees or trees with low forks or irregular stems.
Stems	Numbers of stems or M/S = Multi-Stemmed.
Height of (FSB)	Height of First Significant Branch above ground level.
Crown Spread	Crown spread at the four points, North, South, East and West.
NSEW	
Condition	Condition of the tree observed at the time of surveying G = Good; F = Fair; P = Poor; D = dead
Est Remaining Contribution (Years)	Estimated Remaining Contribution in Years (<10, 10+, 20+, 40+)

BS Category	Description
A	High quality and value (non-fiscal) with at least 40 years remaining life expectancy.
B	Moderate quality and value with at least 20 years remaining life expectancy.
C	Low quality and value with at least 10 years remaining life expectancy, or young trees with a stem diameter below 150 mm.
U	Unsuitable for retention. The existing condition is such that the tree/ trees cannot be realistically retained as in the context of the current land use for longer than 10 years. Note, category U trees can have existing or potential conservation value which it might be desirable to preserve.
RPA Radius (m)	Root Protection Radius in metres based on stem diameter.
RPA Area (m ²)	Root Protection Area. A layout design tool indicating the minimum area surrounding the tree that contains sufficient rooting volume to maintain the tree's viability, and where the protection of the roots and soil structure is treated as a priority. Assessed according to the recommendations set out in clause 4.6 of BS 5837. It is calculated by multiplying the radius squared by 3.142. Clause 4.6.2 of BS 5837 states that the RPA may be changed in shape, taking into account local site factors, species tolerance, condition and root morphology.

Table 1: Turf Hill Tree Survey Schedule

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T1	Pinus sylvestris (Scots Pine)	SM	290	12(3)		3	4	3.5	3	Good	Minor dead wood.	20+	B2	3.5	38
T2	Pinus sylvestris (Scots Pine)	SM	300	18(9)		3	2	3	3	Good	Unable to fully inspect - ivy.	20+	B2	3.6	41
T3	Pinus sylvestris (Scots Pine)	SM	350	19(10)		3	3	3	2	Good	Unable to fully inspect - ivy. Grown as a pair with T2.	20+	B2	4.2	55
T4	Pinus sylvestris (Scots Pine)	SM	350	20(10)		3	2	4	2	Good	Minor dead wood.	20+	B2	4.2	55
T5	Pinus sylvestris (Scots Pine)	SM	280	20(12)		3	3	3	3	Good	Minor dead wood.	20+	B2	3.4	35
T6	Pinus sylvestris (Scots Pine)	SM	280	20(12)		3	3	3	3	Good	Minor dead wood.	20+	B2	3.4	35
T7	Pinus sylvestris (Scots Pine)	SM	320	17(8)		4	4	4	4	Good	Unable to fully inspect - fence. Stem diameter estimated. Branch pruning wounds.	20+	B2	3.8	46
T8	Pinus sylvestris	SM	360	20(9)		5	5	4	5	Good	Unable to fully inspect - fence. Stem diameter estimated.	20+	B2	4.3	59

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T9	Pinus sylvestris (Scots Pine)	EM	550	23(12)		6	6	4	6	Good	Unable to fully inspect - fence. Stem diameter estimated. Branch pruning wounds.	20+	B2	6.6	137
T10	Pinus sylvestris (Scots Pine)	D	500	18(9)		5	5	5	5	Dead	Unable to fully inspect - ivy. Unable to fully inspect - fence.	<10	U	6.0	113
G11	Betula pendula (Silver Birch),x Cupressocyparis leylandii (Leyland Cypress)	EM	250	17(0)		2	2	2	2	Fair	Unable to fully inspect - vegetation. Unable to fully inspect - fence.	10+	C2	3.0	28
T12	Pinus sylvestris (Scots Pine)	M	490	19(6)		3	3	2	3	Good	Minor dead wood.	20+	B2	5.9	109
T13	Betula pendula (Silver Birch)	M	410	18(4)		5	5	5	5	Poor	Major dead wood. Sparse crown.	10+	C1	4.9	76
T14	Pinus sylvestris (Scots Pine)	M	680	21(6)		5	5	5	5	Good	Minor dead wood.	20+	B2	8.2	209
T15	Pinus sylvestris	M	640	21(6)		4	6	6	6	Good	Minor dead wood.	20+	B2	7.7	185

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T16	Pinus nigra ssp. laricio (Corsican Pine)	M	630	21(10)		6	6	8	6	Fair	Unable to fully inspect - vegetation. Minor dead wood. Sparse crown.	10+	C2	7.6	180
T17	Cryptomeria japonica (Japanese Red Cedar)	SM	340	17(3)		2	2	2	2	Fair	Minor dead wood. Stem exudation.	10+	C2	4.1	52
T18	Cryptomeria japonica (Japanese Red Cedar)	SM	330	14(1)		3	3	3	3	Fair	Unable to fully inspect - vegetation. Minor dead wood.	10+	C2	4.0	49
T19	Betula pendula (Silver Birch)	EM	180	14(2)		3	3	3	3	Fair	Suppressed form.	10+	C2	2.2	15
G20	Quercus robur (Common Oak), Fagus sylvatica (Common Beech), Cryptomeria japonica (Japanese Red Cedar)	SM	260	15(3)		3	3	3	3	Good	Mixed boundary screening.	20+	B2	3.1	31

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T21	Quercus robur (Common Oak)	SM	370	17(5)		3	5	7	5	Fair	Branch stubs. Large stem wound at base.	10+	C2	4.4	62
T22	Quercus robur (Common Oak)	SM	390	17(3)		7	7	4	4	Fair	Minor dead wood.	10+	C2	4.7	69
T23	Betula pendula (Silver Birch)	EM	265	15(5)		5	2	5	5	Fair	Minor dead wood.	10+	C2	3.2	32
T24	Pinus sylvestris (Scots Pine)	M	465	18(4)		3	4	5	5	Fair		20+	B2	5.6	98
T25	Pinus sylvestris (Scots Pine)	M	520	19(5)		3	3	7	4	Fair	Minor dead wood.	20+	B2	6.2	122
T26	Quercus robur (Common Oak)	SM	290	14(5)		6	2	4	6	Fair	Situated on embankment with eroded root zone.	10+	C2	3.5	38
T27	Pinus sylvestris (Scots Pine)	SM	380	17(10)		5	5	5	5	Fair		10+	C2	4.6	65
T28	Pinus sylvestris (Scots Pine)	SM	380	15		5	5	5	5	Fair	Unable to fully inspect - vegetation. Minor dead wood.	10+	C2	4.6	65

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T29	Quercus robur (Common Oak)	SM	320	12		5	5	5	5	Fair	Unable to fully inspect - vegetation.	10+	C2	3.8	46
T30	Pinus sylvestris (Scots Pine)	D	500	18		4	4	4	4	Dead	Unable to fully inspect - vegetation. Potential bat roost features.	<10	U	6.0	113
T31	Pinus sylvestris (Scots Pine)	SM	420	18(5)		7	3	3	7	Fair		10+	C2	5.0	80
T32	Pinus sylvestris (Scots Pine)	SM	380	18(4)		3	3	3	3	Fair		10+	C2	4.6	65
T33	Pinus sylvestris (Scots Pine)	M	550	13(6)		7	4	7	4	Fair	Minor dead wood.	10+	C2	6.6	137
T34	Quercus robur (Common Oak)	SM	250	8(4)		4	4	4	4	Fair	Minor dead wood.	10+	C2	3.0	28
T35	Pinus sylvestris (Scots Pine)	M	640	16(6)		5	5	5	5	Fair		20+	B2	7.7	185
G36	Betula pendula (Silver Birch)	EM	566	14(3)		3	3	3	3	Fair	Two trees.	10+	C2	6.8	145

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T37	Pinus nigra ssp. laricio (Corsican Pine)	M	660	20(7)		6	6	6	6	Fair	Minor dead wood. Sparse crown.	10+	C2	7.9	197
T38	Quercus robur (Common Oak)	SM	250	14		4	4	4	4	Fair		10+	C2	3.0	28
T39	Pinus sylvestris (Scots Pine)	M	720	20(5)		5	5	5	5	Good	Minor dead wood.	20+	B2	8.6	235
T40	Pinus sylvestris (Scots Pine)	SM	370	21		4	4	4	4	Fair	Minor dead wood.	10+	C2	4.4	62
T41	Pinus sylvestris (Scots Pine)	SM	330	21		4	4	4	4	Fair	Minor dead wood.	10+	C2	4.0	49
T42	Pinus sylvestris (Scots Pine)	SM	470	22		5	4	4	4	Fair	Minor dead wood.	10+	C2	5.6	100
T43	Pinus sylvestris (Scots Pine)	SM	400	22		4	4	4	4	Fair	Minor dead wood.	10+	C2	4.8	72
T44	Pinus sylvestris (Scots Pine)	M	460	20		5	5	5	5	Good	Minor dead wood.	20+	B2	5.5	96

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T45	Pinus sylvestris (Scots Pine)	M	660	21		8	8	8	8	Good	Minor dead wood. Hangers in crown.	20+	B2	7.9	197
T46	Pinus sylvestris (Scots Pine)	M	400	20(5)		5	5	5	5	Good	Unable to fully inspect - vegetation. Minor dead wood.	20+	B2	4.8	72
T47	Pinus sylvestris (Scots Pine)	M	350	20		4	4	4	1	Good	Unable to fully inspect - vegetation.	20+	B2	4.2	55
T48	Betula pendula (Silver Birch)	SM	290	18(6)		1	2	4	4	Good	Suppressed form.	10+	C1	3.5	38
T49	Pinus sylvestris (Scots Pine)	M	390	20		5	5	5	5	Fair	Minor dead wood.	10+	C2	4.7	69
T50	Betula pendula (Silver Birch)	SM	300	16(4)		3.5	3.5	3.5	3.5	Fair		10+	C2	3.6	41
T51	Pinus sylvestris (Scots Pine)	M	500	16(7)		6	6	6	6	Good	Unable to fully inspect - fence.	20+	B2	6.0	113
T52	Pinus sylvestris (Scots Pine)	M	500	16(8)		3	2	5	3	Good	Unable to fully inspect - fence.	20+	B2	6.0	113

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T53	Pinus sylvestris (Scots Pine)	M	480	16(8)		4	4	4	4	Fair	Unable to fully inspect - fence.	20+	B2	5.8	104
T54	Pinus sylvestris (Scots Pine)	M	500	18		6	6	6	6	Good	Unable to fully inspect - fence.	20+	B2	6.0	113
T55	Betula pendula (Silver Birch)	SM	230	9(1)		3	3	3	3	Fair		10+	C1	2.8	24
T56	Pinus sylvestris (Scots Pine)	M	450	22(6)		4	4	4	4	Good	Unable to fully inspect - fence. Branch pruning wounds.	20+	B2	5.4	92
G57	Betula pendula (Silver Birch)	SM	400	16(1)		4	4	4	4	Fair	Unable to fully inspect - vegetation.	10+	C2	4.8	72
T58	Betula pendula (Silver Birch)	SM	290	16(2)		4	4	4	4	Good	Visible root damage.	20+	B2	3.5	38
T59	Pinus sylvestris (Scots Pine)	M	640	23(5)		5	5	5	5	Good		20+	B2	7.7	185
T60	Betula pendula (Silver Birch)	SM	331	14		5	5	5	5	Good		10+	C2	4.0	50

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T61	Pinus sylvestris (Scots Pine)	M	490	20(8)		3	2	4	4	Good	Minor dead wood.	20+	B2	5.9	109
T62	Pinus sylvestris (Scots Pine)	M	430	18(6)		4	3	3	2	Fair	Minor dead wood. Sparse crown.	10+	C2	5.2	84
T63	Betula pendula (Silver Birch)	M	460	14(4)		5	5	5	5	Fair	Unable to fully inspect - vegetation.	10+	C2	5.5	96
T64	Quercus robur (Common Oak)	SM	280	12(5)		5	3	2	3	Fair		10+	C2	3.4	35
T65	Pinus sylvestris (Scots Pine)	M	480	22(6)		4	4	4	4	Good	Unable to fully inspect - fence.	20+	B2	5.8	104
T66	Betula pendula (Silver Birch)	SM	350	16(3)		4	4	4	4	Fair	Unable to fully inspect - vegetation.	10+	C2	4.2	55
T67	Pinus sylvestris (Scots Pine)	M	620	22(10)		7	7	7	7	Good		20+	B2	7.4	174
T68	Pinus sylvestris (Scots Pine)	M	540	18(6)		7	5	6	6	Good	Minor dead wood.	20+	B2	6.5	132

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T69	Pinus sylvestris (Scots Pine)	M	470	19(7)		4	4	4	4	Good		20+	B2	5.6	100
G70	Betula pendula (Silver Birch), Quercus robur (Common Oak)	SM	400	15(2)		5	5	5	5	Fair		10+	C2	4.8	72
T71	Betula pendula (Silver Birch)	M	320	17(2)		6	6	6	6	Fair		10+	C2	3.8	46
T72	Fagus sylvatica (Common Beech)	M	560	24(9)		8	8	8	8	Good	Branch pruning wounds. Form suggests crown reduction.	20+	B2	6.7	142
T73	Fagus sylvatica (Common Beech)	M	570	25(10)		8	8	8	8	Good	Branch pruning wounds. Historic crown reduction.	20+	B2	6.8	147
T74	Pinus sylvestris (Scots Pine)	M	700	20(8)		7	7	7	7	Good	Unable to fully inspect - fence. Minor dead wood.	20+	B2	8.4	222
T75	Castanea sativa (Sweet Chestnut)	SM	310	15(2)		5	5	5	5	Good		20+	B2	3.7	43
T76	Pinus sylvestris	SM	430	18(10)		5	5	5	5	Good		20+	B2	5.2	84

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T77	Pinus sylvestris (Scots Pine)	SM	340	17(10)		3	3	3	3	Fair	Sparse crown.	10+	C2	4.1	52
T78	Pinus sylvestris (Scots Pine)	M	480	20(11)		6	6	6	6	Good	Major dead wood. Branch pruning wounds.	20+	B2	5.8	104
T79	Pinus sylvestris (Scots Pine)	M	565	17(5)		5	5	5	5	Fair	Minor dead wood. Multi-stemmed from base. Sparse crown.	10+	C2	6.8	144
T80	Pinus sylvestris (Scots Pine)	M	490	23(15)		5	5	5	5	Good	Minor dead wood.	20+	B2	5.9	109
T81	Fagus sylvatica (Common Beech)	SM	344	16(7)		7	7	7	7	Fair	Tight weak fork between stems with included bark. Wire embedded in stem.	10+	C2	4.1	54
T82	Fagus sylvatica (Common Beech)	SM	310	16(7)		7	7	7	7	Good		20+	B2	3.7	43
T83	Pinus sylvestris (Scots Pine)	SM	360	20(9)		4	4	4	4	Fair	Unable to fully inspect - vegetation. Minor dead wood. Sparse crown.	10+	C2	4.3	59

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T84	Pinus sylvestris (Scots Pine)	SM	320	20(9)		4	4	4	4	Fair	Unable to fully inspect - vegetation. Minor dead wood. Sparse crown.	10+	C2	3.8	46
T85	Fagus sylvatica (Common Beech)	M	630	22(6)		8	8	8	8	Good	Stem bifurcates at 1.4m Included bark. Wire in stem.	20+	B2	7.6	180
T86	Pinus sylvestris (Scots Pine)	SM	500	23(10)		5	5	5	5	Good	Unable to fully inspect - fence.	20+	B2	6.0	113
T87	Pinus sylvestris (Scots Pine)	SM	400	18(8)		5	5	5	5	Good	Minor dead wood.	20+	B2	4.8	72
T88	Pinus sylvestris (Scots Pine)	M	520	22(10)		6	6	6	6	Good	Unable to fully inspect - fence.	20+	B2	6.2	122
T89	Pinus sylvestris (Scots Pine)	M	450	20(12)		3	3	4	4	Good	Unable to fully inspect - fence.	20+	B2	5.4	92
T90	Pinus sylvestris (Scots Pine)	SM	410	22(12)		6	6	6	6	Good		20+	B2	4.9	76
T91	Pinus sylvestris (Scots Pine)	M	550	21(15)		5	5	5	5	Good	Unable to fully inspect - fence. Branch pruning wounds.	20+	B2	6.6	137

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T92	Quercus robur (Common Oak)	SM	350	18(2)		5	5	5	5	Fair	Unable to fully inspect - fence. Minor dead wood. Sparse crown.	10+	C2	4.2	55
T93	Betula pendula (Silver Birch)	SM	260	18(3)		4	4	4	4	Good	Unable to fully inspect - vegetation.	20+	B2	3.1	31
T94	Pinus sylvestris (Scots Pine)	M	600	18(10)		5	5	6	5	Good	Unable to fully inspect - fence. Minor dead wood.	20+	B2	7.2	163
T95	Pinus sylvestris (Scots Pine)	SM	460	21(12)		4	4	4	4	Good	Unable to fully inspect - fence. Minor dead wood.	20+	B2	5.5	96
T96	Quercus robur (Common Oak)	SM	480	16(3)		4	7	3	3	Good	Unable to fully inspect - fence. Suppressed form.	10+	C2	5.8	104
T97	Pinus sylvestris (Scots Pine)	M	950	24(6)		5	5	8	8	Good	Major dead wood. Stem wounds. Stem bifurcates at 1.5m with included bark.	20+	B2	11.4	408
T98	Quercus robur (Common Oak)	SM	340	17(3)		5	5	5	5	Fair		10+	C2	4.1	52
T99	Quercus robur (Common Oak)	SM	270	10		3	2	4	4	Poor	Unable to fully inspect - fence. In terminal decline. Bird box on stem.	<10	U	3.2	33

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T100	Pinus sylvestris (Scots Pine)	M	550	26(12)		8	8	8	8	Good		20+	B2	6.6	137
T101	Pinus sylvestris (Scots Pine)	M	800	26(8)		8	8	8	8	Good	Unable to fully inspect - vegetation.	20+	B2	9.6	290
T102	Pinus sylvestris (Scots Pine)	SM	420	26(10)		5	5	5	5	Good	Minor dead wood.	20+	B2	5.0	80
T103	Quercus robur (Common Oak)	M	540	24(10)		7	7	7	7	Good	Unable to fully inspect - ivy.	20+	B2	6.5	132
T104	Quercus robur (Common Oak)	SM	290	20(5)		5	5	5	5	Good		20+	B2	3.5	38
T105	Quercus robur (Common Oak)	M	700	24(8)		9	5	9	9	Good	Unable to fully inspect - fence.	20+	B2	8.4	222
T106	Pinus sylvestris (Scots Pine)	M	600	18		4	4	4	4	Poor	Unable to fully inspect - fence. In terminal decline. Extensive crown dieback.	<10	U	7.2	163
T107	Quercus robur (Common Oak)	SM	360	18(8)		3	3	5	2	Fair		10+	C2	4.3	59

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T108	Quercus robur (Common Oak)	SM	390	18(4)		6	6	6	6	Fair		10+	C2	4.7	69
T109	Quercus robur (Common Oak)	M	590	22(3)		6	7	7	8	Good		20+	B2	7.1	158
T110	Betula pendula (Silver Birch)	M	320	18(4)		5	5	5	5	Good		20+	B2	3.8	46
T111	Quercus robur (Common Oak)	M	763	16(5)		7	7	7	7	Fair	Unable to fully inspect - vegetation. Multi-stemmed from base. Branch pruning wounds. Structurally poor. Fused limbs.	10+	C2	9.2	264
T112	Pinus sylvestris (Scots Pine)	SM	485	24(12)		6	6	6	6	Good	Minor dead wood.	20+	B2	5.8	106
T113	Pinus sylvestris (Scots Pine)	M	510	23(8)		7	7	5	5	Fair	Minor dead wood.	20+	B2	6.1	118
T114	Quercus robur (Common Oak)	M	750	18(9)		9	9	9	9	Good	Unable to fully inspect - vegetation. Stem bifurcates at 3m.	20+	B2	9.0	255
T115	Quercus robur	M	620	22(7)		10	10	10	10	Good		20+	B2	7.4	174

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Common Oak)														
T116	Quercus robur (Common Oak)	M	650	20		6	6	6	6	Fair	Unable to fully inspect - ivy. Stem diameter estimated. Sparse crown.	10+	C2	7.8	191
T117	Pinus sylvestris (Scots Pine)	SM	350	24(6)		4	4	4	4	Fair		10+	C2	4.2	55
T118	Pinus sylvestris (Scots Pine)	M	430	24(4)		5	5	5	5	Fair	Unable to fully inspect - ivy. Minor dead wood.	10+	C2	5.2	84
T119	Pinus sylvestris (Scots Pine)	M	450	21		4	5	3	3	Fair	Stem diameter estimated. Potential bat roost features. Large stem wound and cavity.	10+	C2	5.4	92
T120	Pinus sylvestris (Scots Pine)	M	520	22(7)		4	4	4	4	Good		20+	B2	6.2	122
T121	Pinus sylvestris (Scots Pine)	M	600	24(13)		8	8	8	8	Good	Unable to fully inspect - fence. Stem diameter estimated. Minor dead wood. Branch pruning wounds.	20+	B2	7.2	163
T122	Pinus sylvestris (Scots Pine)	M	590	20(10)		5	5	5	5	Fair	Minor dead wood.	10+	C2	7.1	158
T123	Quercus robur	SM	390	24(8)		7	7	7	7	Good		20+	B2	4.7	69

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Common Oak)														
T124	Pinus sylvestris (Scots Pine)	M	670	22(11)		8	8	8	8	Good	Minor dead wood.	20+	B2	8.0	203
T125	Quercus robur (Common Oak)	M	580	22(3)		10	10	10	10	Good	Unable to fully inspect - fence. Stem diameter estimated.	20+	B2	7.0	152
T126	Pinus sylvestris (Scots Pine)	M	560	22(8)		7	7	7	7	Good	Minor dead wood.	20+	B2	6.7	142
T127	Pinus sylvestris (Scots Pine)	M	500	20(8)		3.5	3.5	3.5	3.5	Fair	Unable to fully inspect - fence.	10+	C2	6.0	113
T128	Pseudotsuga menziesii (Douglas Fir)	M	600	26(8)		8	8	8	8	Good	Unable to fully inspect - fence.	20+	B2	7.2	163
T129	Pinus sylvestris (Scots Pine)	M	570	20(11)		4	4	4	4	Good		20+	B2	6.8	147
T130	Quercus robur (Common Oak)	M	600	24(5)		10	10	10	10	Good	Unable to fully inspect - vegetation. Stem diameter estimated.	20+	B2	7.2	163

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T131	Pinus sylvestris (Scots Pine)	M	470	21(12)		3	3	3	3	Poor	Major dead wood. Soil compaction. Sparse crown.	<10	U	5.6	100
T132	Pinus sylvestris (Scots Pine)	M	500	23(8)		6	6	6	6	Good	Unable to fully inspect - vegetation. Stem diameter estimated.	20+	B2	6.0	113
T133	Pinus sylvestris (Scots Pine)	M	530	20(8)		7	7	7	7	Fair	Minor dead wood. Soil compaction. Sparse crown.	10+	C2	6.4	127
T134	Quercus robur (Common Oak)	M	710	18(6)	3S	8	5	8	7	Good	Minor dead wood. Potential bat roost features.	20+	B2	8.5	228
T135	Betula pendula (Silver Birch)	EM	290	14(4)	2S	2	2	4	3	Fair	Historic crown lift. Branch socket cavities.	10+	C1	3.5	38
T136	Betula pendula (Silver Birch)	SM	200	14(10)	8S	2	2	2	3	Good		20+	B2	2.4	18
G137	Betula pendula (Silver Birch)	SM	160	14(6)	6N	4	3	1	3	Fair	Three trees. Largest stem diameter recorded. Stem wounds.	10+	C2	1.9	12
T138	Quercus robur (Common Oak)	EM	410	15(5)	4S	5	4	5	6	Good	Minor dead wood.	20+	B2	4.9	76

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T139	Betula pendula (Silver Birch)	EM	210	13(9)	7S	2	0	2	1	Fair	Scattered dieback in crown.	10+	C1	2.5	20
T140	Pinus sylvestris (Scots Pine)	SM	144	8(1)	2S	1	2	2	2	Fair	Suppressed form.	10+	C1	1.7	9
T141	Quercus robur (Common Oak)	EM	600	17(8)	4S	8	5	7	8	Good	Minor dead wood.	20+	B2	7.2	163
T142	Quercus robur (Common Oak)	EM	460	18(14)	7SW	5	1	7	5	Good	Minor dead wood. Historic crown lift.	20+	B2	5.5	96
T143	Quercus robur (Common Oak)	EM	590	20(12)	9S	7	5	8	5	Fair	Minor dead wood. Broken branches in crown.	20+	B2	7.1	158
T144	Betula pendula (Silver Birch)	EM	213	10(5.5)	5N	5	3	2	3	Fair	Multi-stemmed from base. Stem wounds.	10+	C1	2.6	21
T145	Quercus robur (Common Oak)	SM	192	12(7.5)	7N	5	0	3	3	Good	Multi-stemmed from base. Stem wounds.	10+	C1	2.3	17
T146	Betula pendula (Silver Birch)	EM	210	13(8)	7N	4	3	2	4	Good	Multi-stemmed from base.	20+	B2	2.5	20

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T147	Betula pendula (Silver Birch)	SM	139	11(7)	7	2	1	2	2	Good	Multi-stemmed from base.	10+	C1	1.7	9
G148	Populus canescens (Grey Poplar), Betula pendula (Silver Birch)	EM	350	20(6)	10N	7	5	3	6	Good	26 trees: poplar x 11, birch x 15. Largest stem diameter recorded. Historic crown lift. One tree originally twin-stemmed, smaller stem now felled leaving 500mm high stump.	20+	B2	4.2	55
T149	Populus canescens (Grey Poplar)	EM	290	20(14)	17N	6	2	1	2	Good		20+	B2	3.5	38
T150	Populus canescens (Grey Poplar)	EM	376	20(10)	17	4	3	0	2	Good	Multi-stemmed from base.	20+	B2	4.5	64
T151	Betula pendula (Silver Birch)	EM	290	15(10)	7E	0	3	4	1	Fair	Minor dead wood. Suppressed form.	10+	C1	3.5	38
T152	Populus canescens (Grey Poplar)	EM	369	20(10)	18N	5	3	0	3	Good	Unable to fully inspect - ivy. Multi-stemmed from base.	20+	B2	4.4	62
G153	Populus canescens (Grey Poplar)	EM	260	20(12)	12	5	6	3	1.5	Good	Sixteen trees. Unable to fully inspect - ivy. Largest stem diameter recorded.	20+	B2	3.1	31

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T154	Populus canescens (Grey Poplar)	M	474	6(12)		5	4	7	2	Fair	Originally three stems, one felled, leaving stump with exposed surface.	10+	C1	5.7	102
T155	Pinus sylvestris (Scots Pine)	M	580	20(14)	14	5	3	6	6	Fair	Sparse crown. Stem close to adjacent pine, unclear if twin-stemmed.	10+	C1	7.0	152
T156	Pinus sylvestris (Scots Pine)	M	500	20(7)	8N	8	6	3	0.5	Fair	Sparse crown. Stem close to adjacent pine, unclear if twin-stemmed.	10+	C1	6.0	113
G157	Betula pendula (Silver Birch)	SM	180	18(6)	12N	3	2	3	1.5	Good	Fifteen trees.	10+	C2	2.2	15
T158	Betula pendula (Silver Birch)	EM	280	18(12)	7S	5	4	3	4	Good	Minor dead wood.	20+	B2	3.4	35
T159	Betula pendula (Silver Birch)	EM	310	20(15)	10W	3	3.5	5	4.5	Good	Minor dead wood.	20+	B2	3.7	43
T160	Sorbus aucuparia (Rowan)	SM	150	14(3)	7S	2	3	4	2	Good		10+	C1	1.8	10
T161	Betula pendula (Silver Birch)	EM	350	18(12)	9SW	4	3	0	3	Good	Minor dead wood.	20+	B2	4.2	55

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T162	Quercus robur (Common Oak)	SM	150	14(9)	9W	2	3	2	0	Good	Suppressed form.	10+	C1	1.8	10
T163	Betula pendula (Silver Birch)	EM	360	18(12)	9S	4	4	4	5	Good	Minor dead wood. Branch stubs.	20+	B2	4.3	59
T164	Quercus robur (Common Oak)	SM	200	11(6)	7N	4	4	0	2	Fair	Suppressed form.	10+	C1	2.4	18
T165	Quercus robur (Common Oak)	SM	170	13(6)	7E	6	3	0.5	4	Fair	Suppressed form.	10+	C1	2.0	13
T166	Pinus sylvestris (Scots Pine)	M	540	18(12)	12	4	4	3	3	Good		20+	B2	6.5	132
T167	Betula pendula (Silver Birch)	EM	290	20(12)	10NW	4	3	3	3	Good	Minor dead wood. Branch stubs.	20+	B2	3.5	38
G168	Betula pendula (Silver Birch), Quercus robur (Common Oak)	SM	140	15(5)	8SW	3	2	4.5	2	Good	Seventeen trees: oak x 8, birch x 9.	10+	C2	1.7	9
T169	Betula pendula	EM	244	18(9)	8S	2	3	3	2	Good		10+	C2	2.9	27

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Silver Birch)														
T170	Quercus robur (Common Oak)	SM	220	18(14)	12S	4	4	1	1	Fair	Minor dead wood. Established basal sucker growth, forming secondary stems.	10+	C1	2.6	22
T171	Quercus robur (Common Oak)	SM	210	15(8)	8N	5	5	2	2	Good	Minor dead wood. Suppressed form.	10+	C1	2.5	20
T172	Betula pendula (Silver Birch)	EM	434	18(12)	8N	4	2	5	5	Good	Multi-stemmed from base.	20+	B2	5.2	85
T173	Quercus robur (Common Oak)	SM	310	18(5)	5N	6	3	5	5	Good	Minor dead wood.	20+	B2	3.7	43
T174	Quercus robur (Common Oak)	EM	458	18(8)	8N	7	3	5	2	Good	Multi-stemmed from base.	20+	B2	5.5	95
T175	Quercus robur (Common Oak)	SM	320	18(6)	6NE	8	7	5	1	Good	Larger of two trees growing close to each other.	20+	B2	3.8	46
G176	Betula pendula (Silver Birch), Quercus robur (Common Oak)	SM	234	15(5)	4.5S	2	2	5	1	Fair	Fifteen trees: birch x 9, oak x 6. Largest stem diameter recorded.	10+	C2	2.8	25

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T177	Betula pendula (Silver Birch)	EM	330	18(15)	10S	5	3	3	2.5	Good	Minor dead wood.	20+	B2	4.0	49
T178	Betula pendula (Silver Birch)	EM	260	18(7)	5S	3	5	2	2	Good	Suppressed form.	10+	C1	3.1	31
T179	Betula pendula (Silver Birch)	EM	288	16(9)	7S	4	2	3	3	Good	Multi-stemmed from base.	20+	B2	3.5	38
T180	Betula pendula (Silver Birch)	EM	404	20(14)	10SE	5	5	3	3	Good	Multi-stemmed from base.	20+	B2	4.9	74
T181	Betula pendula (Silver Birch)	SM	240	16(13)	10SE	4	4	4	3	Good		20+	B2	2.9	26
T182	Pinus sylvestris (Scots Pine)	SM	330	19(14)	14SE	4	4	4	3	Good	Typical crown form with no major defects.	20+	B2	4.0	49
G183	Betula pendula (Silver Birch), Quercus robur (Common Oak)	SM	170	14(3)	2SW	2	3	4	2	Good	Ten trees: oak x 5, birch x 5. Largest stem diameter recorded.	10+	C2	2.0	13

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T184	Pinus sylvestris (Scots Pine)	EM	520	19(13)	13SW	5	5	4	4	Good	Typical crown form with no major defects.	20+	B2	6.2	122
T185	Quercus robur (Common Oak)	SM	240	16(10)	8NE	6	2	1	1	Good		20+	C1	2.9	26
T186	Quercus robur (Common Oak)	EM	530	18(7)	5S	7	7	8	7	Good	Minor dead wood. Potential bat roost features.	20+	B2	6.4	127
T187	Betula pendula (Silver Birch)	EM	240	20(6)	5SW	3	2	3	4	Good		20+	B2	2.9	26
T188	Betula pendula (Silver Birch)	SM	170	19(14)	15SW	2	2	2	2	Good		20+	B2	2.0	13
T189	Betula pendula (Silver Birch)	EM	274	20(13)	8SW	2	2	1	3	Good	Multi-stemmed from base.	20+	B2	3.3	34
T190	Quercus robur (Common Oak)	SM	370	19(6)	4N	7	7	3	3	Good	Minor dead wood. Stem pruning wounds. Historic crown lift.	20+	B2	4.4	62
G191	Betula pendula (Silver Birch)	M	511	20(15)	2S	3	3	5	4	Fair	Minor dead wood. Stem wounds. Stem cavity.	10+	C1	6.1	118

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T192	Quercus robur (Common Oak)	SM	332	18(7)	5.5N	5	5	4	2	Good	Multi-stemmed from base. Tight forks between stems. Lateral branches fused at 5m.	20+	B2	4.0	50
T193	Quercus robur (Common Oak)	SM	350	20(8)	8SE	5	4	4	4	Good	Minor dead wood.	20+	B2	4.2	55
T194	Quercus robur (Common Oak)	SM	340	19(12)	11NW	5	5	4	4	Good	Minor dead wood.	20+	B2	4.1	52
G195	Betula pendula (Silver Birch), Quercus robur (Common Oak), Fagus sylvatica (Common Beech), Pinus sylvestris (Scots Pine)	SM	269	18(5)	5S	3	3	4	3	Good	Sixty three trees: birch x 39, oak x 17, pine x 5, beech x 2. Largest stem diameter recorded.	10+	C2	3.2	33
T196	Pinus sylvestris (Scots Pine)	EM	350	20(15)	15	3	4	4	4	Good		20+	B3	4.2	55
T197	Betula pendula	M	390	22(16)	15	4	5	4	4	Good		20+	B2	4.7	69

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Silver Birch)														
T198	Pinus sylvestris (Scots Pine)	EM	360	22(16)	15	3	3	3	3	Good		20+	B2	4.3	59
T199	Pinus sylvestris (Scots Pine)	EM	340	20(8)	8S	2	3	4	2	Good		20+	B2	4.1	52
G200	Betula pendula (Silver Birch), Pinus sylvestris (Scots Pine), Quercus robur (Common Oak), Ilex aquifolium (Common Holly)	SM	210	17(2.5)	2	2	3	5	2	Good	Twenty nine trees: pine x 18, oak x 6, holly x 3, birch x 2. Largest stem diameter recorded.	10+	C2	2.5	20
G201	Pinus sylvestris (Scots Pine)	EM	350	20(15)	15	3.5	3	4	3	Good	Largest stem diameter recorded. Three single stem trees close together.	20+	B2	4.2	55
T202	Betula pendula (Silver Birch)	EM	290	15(12)	10	3	4	2	2	Fair	Suppressed form.	10+	C1	3.5	38
T203	Pinus sylvestris	EM	430	18(10)	10S	3.5	4.5	3	3	Good		20+	B2	5.2	84

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T204	Quercus robur (Common Oak)	SM	320	14(4)	3.5SW	3	4	5	3	Good		20+	B2	3.8	46
T205	Pinus sylvestris (Scots Pine)	EM	420	13(7)	7S	4	4	4	4	Good		20+	B2	5.0	80
T206	Pinus sylvestris (Scots Pine)	EM	350	13(8)	9	3	3	3	3	Good		20+	B2	4.2	55
G207	Betula pendula (Silver Birch), Quercus robur (Common Oak), Salix caprea (Goat Willow), Pinus sylvestris (Scots Pine), Fagus sylvatica (Common Beech)	SM	100	12(2)	1	2	3	3	2	Good	Forty eight trees: birch x 29, pine x 10, oak x 6, beech x 2, willow x 1. Largest stem diameter recorded.	10+	C2	1.2	5
T208	Quercus robur	SM	300	15(5)	4.5SE	4	5	2	4	Good		20+	B2	3.6	41

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Common Oak)														
T209	Betula pendula (Silver Birch)	SM	260	15(9)	8SE	3	5	2.5	1	Good		20+	B2	3.1	31
T210	Betula pendula (Silver Birch)	SM	198	15(9)	9E	2	3	2	2	Good	Multi-stemmed from base.	10+	C1	2.4	18
T211	Pinus sylvestris (Scots Pine)	EM	340	18(12)	12	3	5	3	2.5	Fair	Sparse crown.	10+	C1	4.1	52
G212	Betula pendula (Silver Birch), Quercus robur (Common Oak), Salix caprea (Goat Willow), Pinus sylvestris (Scots Pine)	SM	160	15(3)		2	3	2	2	Good	Seventeen trees: birch x 7, oak x 5, pine x 4, willow x 1. Largest stem diameter recorded.	10+	C2	1.9	12
G213	Pinus sylvestris (Scots Pine), Quercus robur	SM	240	14(3)	3SW	3	3	3	3	Good	Thirty four trees: pine x 32, oak x 2. Largest stem diameter recorded.	20+	B2	2.9	26

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Common Oak)														
T214	Pinus sylvestris (Scots Pine)	SM	280	10(1)	2.5E	3	3	2.5	2	Good		20+	B1, B2	3.4	35
T215	Pinus sylvestris (Scots Pine)	SM	260	10(3)	2.5SE	3	2	3	2	Good		20+	B2	3.1	31
T216	Pinus sylvestris (Scots Pine)	SM	310	11(1)	2.5S	2	3	2	3.5	Good		20+	B2	3.7	43
T217	Pinus sylvestris (Scots Pine)	SM	210	6.5(1)	1W	1	3.5	2.5	0	Fair	Suppressed form.	10+	C1	2.5	20
T218	Pinus sylvestris (Scots Pine)	EM	510	14(2.5)	2S	5	4	5	3	Good		20+	B2	6.1	118
T219	Pinus sylvestris (Scots Pine)	EM	470	15(2.5)	4N	4	5	4	3	Good		20+	B2	5.6	100
G220	Pinus sylvestris (Scots Pine)	EM	390	16(7)	7W	5	4	4	3	Good	Largest stem diameter recorded. Two single stemmed trees close together.	20+	B2	4.7	69
T221	Pinus sylvestris	SM	310	18(10)	9W	5	3	3	4	Good		20+	B2	3.7	43

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T222	Pinus sylvestris (Scots Pine)	EM	390	18(14)	10W	2	4	4	4	Good		20+	B2	4.7	69
T223	Pinus sylvestris (Scots Pine)	EM	490	18(9)	11NW	3	5	4	4	Good		20+	B2	5.9	109
T224	Pinus sylvestris (Scots Pine)	EM	350	16(10)	11NW	2	4	3	3	Good		20+	B2	4.2	55
T225	Pinus sylvestris (Scots Pine)	EM	460	16(11)	11N	5	4	3	3	Good		20+	B2	5.5	96
T226	Pinus sylvestris (Scots Pine)	EM	460	20(14)	12N	5	4	4	2	Good		20+	B2	5.5	96
T227	Pinus sylvestris (Scots Pine)	SM	280	18(14)	14SW	2	2	2	2	Good		20+	B2	3.4	35
T228	Pinus sylvestris (Scots Pine)	EM	500	20(15)	15N	5	3	3	5	Good		20+	B2	6.0	113
T229	Pinus sylvestris	EM	410	19(13)	13E	3	3	3	4.5	Good		20+	B2	4.9	76

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T230	Pinus sylvestris (Scots Pine)	EM	450	19(10)	10N	4	3	4	3	Good		20+	B2	5.4	92
T231	Pinus sylvestris (Scots Pine)	EM	310	20(16)	16N	2	1.5	2	2	Good		20+	B2	3.7	43
T232	Pinus sylvestris (Scots Pine)	EM	370	20(14)	14NE	4	3	3	3	Good		20+	B2	4.4	62
T233	Pinus sylvestris (Scots Pine)	EM	440	20(13)	13N	5	4	4	5	Good		20+	B2	5.3	88
T234	Pinus sylvestris (Scots Pine)	EM	430	18(8)	8NW	4	6	3	3	Good		20+	B2	5.2	84
T235	Pinus sylvestris (Scots Pine)	EM	370	18(8)	8N	4	2	4	3	Good		20+	B2	4.4	62
T236	Pinus sylvestris (Scots Pine)	EM	370	20(13)	13NE	4	4	3	4	Good		20+	B2	4.4	62
T237	Pinus sylvestris	M	560	20(8)	8N	6	4	4	4	Good		20+	B2	6.7	142

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T238	Pinus sylvestris (Scots Pine)	EM	330	20(15)	15N	3	3	3	3	Fair	Stem kink.	20+	B2	4.0	49
T239	Pinus sylvestris (Scots Pine)	EM	350	20(14)	14N	2.5	2	2.5	2.5	Good	Codominant leaders.	20+	B2	4.2	55
T240	Pinus sylvestris (Scots Pine)	EM	510	19(12)	12N	6	4	2	3	Good		20+	B2	6.1	118
T241	Pinus sylvestris (Scots Pine)	SM	270	19(12)	12NW	3	2.5	2	2	Good		20+	B2	3.2	33
T242	Pinus sylvestris (Scots Pine)	EM	420	20(11)	11NW	5	3	3	4	Good		20+	B2	5.0	80
T243	Pinus sylvestris (Scots Pine)	EM	450	21(16)	15NW	3	3	3	3	Good		20+	B2	5.4	92
T244	Pinus sylvestris (Scots Pine)	EM	340	20(12)	13N	4	3	3	2	Good		20+	B2	4.1	52
T245	Pinus sylvestris	EM	320	19(9)	9W	5	4	3	3	Good		20+	B2	3.8	46

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T246	Pinus sylvestris (Scots Pine)	EM	310	19(15)	15W	3	3	3	2	Good		20+	B2	3.7	43
T247	Pinus sylvestris (Scots Pine)	EM	350	19(12)	12N	4	2	3	2	Good		20+	B2	4.2	55
T248	Pinus sylvestris (Scots Pine)	EM	350	19(8)	13N	2	2	2	2	Good		20+	B2	4.2	55
T249	Pinus sylvestris (Scots Pine)	M	580	20(11)	11N	5	4	3	6	Good		20+	B2	7.0	152
T250	Quercus robur (Common Oak)	SM	440	16(6)	6N	5	6	6	6	Good	Minor dead wood. Historic crown lift.	20+	B2	5.3	88
T251	Pinus sylvestris (Scots Pine)	EM	370	16(12)	2NW	2	3	3	3	Fair	Sparse crown.	10+	C1	4.4	62
T252	Pinus sylvestris (Scots Pine)	EM	450	19(10)	10N	4	5	3	3	Good		20+	B2	5.4	92
T253	Pinus sylvestris	EM	380	19(13)	13N	3	3	3	3	Good		20+	B2	4.6	65

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T254	Pinus sylvestris (Scots Pine)	EM	420	18(12)	12W	2	2	2	5	Good		20+	B2	5.0	80
T255	Pinus sylvestris (Scots Pine)	EM	430	18(10)	8E	3	4	3	4	Good		20+	B2	5.2	84
T256	Pinus sylvestris (Scots Pine)	EM	420	15(10)	10W	2	0	2	3.5	Fair	Sparse crown.	10+	C1	5.0	80
T257	Betula pendula (Silver Birch)	SM	180	15(10)	9E	1	2.5	2.5	1.5	Good		10+	C1	2.2	15
T258	Betula pendula (Silver Birch)	SM	140	15(12)	11N	2	2	2	2	Good		10+	C1	1.7	9
T259	Quercus robur (Common Oak)	SM	420	15(8)	5NW	5	4	7	3	Good		20+	B2	5.0	80
T260	Pinus sylvestris (Scots Pine)	EM	510	16(7)	7NW	4	3	5	4	Good		20+	B2	6.1	118
T261	Pinus sylvestris	EM	390	16(10)	10N	3	2	3	4	Good		20+	B2	4.7	69

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T262	Pinus sylvestris (Scots Pine)	EM	360	16(12)	12N	2	2	3	3	Good		20+	B2	4.3	59
T263	Salix caprea (Goat Willow)	SM	230	8(2)	2NE	8	2	0	2	Fair	Stem leans to north-west.	10+	C1	2.8	24
T264	Salix caprea (Goat Willow)	SM	270	10(6)	4E	4	2	2	5	Good		10+	C1	3.2	33
T265	Pinus sylvestris (Scots Pine)	EM	350	16(1.5)	3SE	1	4	4	1	Good		20+	B2	4.2	55
T266	Pinus sylvestris (Scots Pine)	EM	330	17(3.5)	5SE	1	2.5	4	0.5	Good		20+	B2	4.0	49
T267	Pinus sylvestris (Scots Pine)	EM	440	19(10)	10N	4	3	3	4	Good		20+	B2	5.3	88
T268	Pinus sylvestris (Scots Pine)	EM	360	19(12)	12SW	2	3	4	4	Good		20+	B2	4.3	59
T269	Pinus sylvestris	EM	350	19(13)	13	3	3	3	3	Good		20+	B2	4.2	55

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T270	Pinus sylvestris (Scots Pine)	EM	370	19(3)	5S	3	4	4	4	Good		20+	B2	4.4	62
T271	Pinus sylvestris (Scots Pine)	EM	340	18(2)	4.5SW	3	4	5	2	Good		20+	B2	4.1	52
T272	Pinus sylvestris (Scots Pine)	EM	500	20(9)	9S	3	4	5	5	Fair	Sparse crown.	10+	C1	6.0	113
T273	Pinus sylvestris (Scots Pine)	EM	530	10(1)	4S	3	3	4	4	Good		20+	B2	6.4	127
T274	Pinus sylvestris (Scots Pine)	EM	480	11(6)	6	5	2	4	3	Poor	Sparse crown.	10+	C1	5.8	104
T275	Pinus sylvestris (Scots Pine)	EM	450	13(2)	3.5E	2	4	4	3	Good		20+	B2	5.4	92
T276	Pinus sylvestris (Scots Pine)	EM	550	13(4)	6W	4	3	5	5	Fair	Sparse crown.	10+	C1	6.6	137
T277	Pinus sylvestris	SM	340	11(1)	3SW	3	3	3.5	3	Good		20+	B2	4.1	52

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T278	Pinus sylvestris (Scots Pine)	EM	430	9(1)	3E	2.5	4	4	4	Good		20+	B2	5.2	84
T279	Pinus sylvestris (Scots Pine)	EM	440	9(1)	2	3	4	4	4	Poor	Sparse crown.	10+	C1	5.3	88
T280	Pinus sylvestris (Scots Pine)	D	290	10(6)	6	3	1	3	3	Dead	Ringbarked around stem base.	<10	U	3.5	38
T281	Pinus sylvestris (Scots Pine)	EM	450	9(0.5)	3W	4	4	4	4	Good		20+	B2	5.4	92
T282	Pinus sylvestris (Scots Pine)	EM	440	11(2)	2S	5	4	4	4	Good		20+	B2	5.3	88
T283	Pinus sylvestris (Scots Pine)	EM	440	12(6)	7	4	3	3	4	Good		20+	B2	5.3	88
T284	Pinus sylvestris (Scots Pine)	EM	470	14(5)	8	4	4	3	4	Fair		20+	C1	5.6	100
T285	Pinus sylvestris	EM	460	13(4)	5W	4	4	4	4	Good		20+	B1, B2	5.5	96

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T286	Pinus sylvestris (Scots Pine)	EM	430	17(6)	6W	4	2	4	4	Poor	Sparse crown.	10+	C1	5.2	84
T287	Pinus sylvestris (Scots Pine)	EM	480	17(6)	6E	4	4	3	1	Poor	Sparse crown.	10+	C1	5.8	104
T288	Pinus sylvestris (Scots Pine)	EM	430	17(10)	10W	3	2	4	4	Good		20+	B2	5.2	84
T289	Pinus sylvestris (Scots Pine)	EM	520	17(5)	7NE	6	5	4	3	Fair		10+	C1	6.2	122
T290	Pinus sylvestris (Scots Pine)	EM	370	17(7)	7E	4	4	2	4	Fair	Sparse crown.	10+	C1	4.4	62
T291	Pinus sylvestris (Scots Pine)	EM	420	15(6)	6S	3	3	4	4	Poor		10+	C1	5.0	80
T292	Pinus sylvestris (Scots Pine)	EM	320	15(6)	6	3	2	4	4	Fair	Sparse crown.	10+	C1	3.8	46
T293	Pinus sylvestris	EM	520	19(3)	8S	4	5	5	5	Fair	Sparse crown.	10+	C1	6.2	122

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T294	Pinus sylvestris (Scots Pine)	EM	450	19(8)	8W	3	4	4	5	Fair	Sparse crown.	10+	C1	5.4	92
T295	Pinus sylvestris (Scots Pine)	EM	420	22(13)	15S	3	3	3	3	Good		20+	B2	5.0	80
T296	Pinus sylvestris (Scots Pine)	EM	320	20(16)	16	1	1	1	1	Good		20+	B2	3.8	46
T297	Pinus sylvestris (Scots Pine)	EM	370	20(17)	17	1	2	2	2	Fair		20+	B2	4.4	62
T298	Pinus sylvestris (Scots Pine)	EM	370	20(17)		3	2	2	2	Good		20+	B2	4.4	62
T299	Pinus sylvestris (Scots Pine)	EM	280	16(2)	3S	2	1	3.5	3	Fair		20+	B2	3.4	35
T300	Pinus sylvestris (Scots Pine)	EM	350	20(13)	13E	2	4	2	2	Fair		20+	C1	4.2	55
T301	Pinus sylvestris	EM	350	20(17)	17S	2	4	3	4	Good		20+	B2	4.2	55

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T302	Pinus sylvestris (Scots Pine)	EM	290	20(15)	16N	3	2	3	3	Good		20+	B2	3.5	38
T303	Pinus sylvestris (Scots Pine)	EM	300	20(16)	16	2	2.5	2	2	Good		20+	B2	3.6	41
T304	Pinus sylvestris (Scots Pine)	EM	330	19(8)	8NE	3	3	2	2	Good		20+	B2	4.0	49
T305	Pinus sylvestris (Scots Pine)	EM	250	22(19)	19	1.5	1.5	1.5	1.5	Fair	Sparse crown.	10+	C1	3.0	28
T306	Pinus sylvestris (Scots Pine)	EM	480	22(17)	17	4	3	3	4	Good		20+	B2	5.8	104
T307	Pinus sylvestris (Scots Pine)	EM	250	22(16)	16SW	2	1	2.5	3	Fair	Sparse crown.	10+	C1	3.0	28
T308	Pinus sylvestris (Scots Pine)	EM	240	17(14)	14	1	1	3	2	Good		20+	B2	2.9	26
T309	Pinus sylvestris	EM	350	17(13)	13	3	3	3	3	Good		20+	B2	4.2	55

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T310	Pinus sylvestris (Scots Pine)	EM	380	22(17)	17E	3	5	3	3	Good		20+	B2	4.6	65
T311	Pinus sylvestris (Scots Pine)	EM	460	22(18)	15SW	3	2	3	3	Good		20+	B2	5.5	96
T312	Pinus sylvestris (Scots Pine)	EM	430	22(17)	17S	4	2	5	3	Fair		20+	B2	5.2	84
T313	Pinus sylvestris (Scots Pine)	EM	400	20(17)	17	2	2	2	2	Good	Codominant leaders.	20+	B2	4.8	72
T314	Pinus sylvestris (Scots Pine)	EM	380	20(18)	18	2	2	2	2	Good		20+	B2	4.6	65
T315	Pinus sylvestris (Scots Pine)	EM	360	20(16)	16	3	2	3	1	Good		20+	B2	4.3	59
T316	Pinus sylvestris (Scots Pine)	EM	330	20(16)	16	1.5	1.5	1.5	1.5	Fair		20+	B2	4.0	49
T317	Pinus sylvestris	EM	340	20(16)	16	3	3	3	3	Good		20+	B2	4.1	52

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T318	Pinus sylvestris (Scots Pine)	EM	360	21(18)	18	2	3	3	3	Good		20+	B2	4.3	59
T319	Pinus sylvestris (Scots Pine)	EM	420	20(16)	16	2	3	4	4	Fair		20+	B2	5.0	80
T320	Quercus robur (Common Oak)	SM	297	12(10)	5	0	2	4	4	Good	Suppressed form.	10+	C1	3.6	40
T321	Pinus sylvestris (Scots Pine)	M	540	18(14)	6SW	1	4	4	6	Good		20+	B2	6.5	132
T322	Pinus sylvestris (Scots Pine)	EM	410	20(15)	17	3	3	3	3	Good		20+	B2	4.9	76
T323	Pinus sylvestris (Scots Pine)	EM	390	21(17)	17N	5	4	4	4	Fair		20+	B2	4.7	69
T324	Pinus sylvestris (Scots Pine)	EM	330	18(14)	14	3	2	3	2	Good		20+	B2	4.0	49
T325	Pinus sylvestris	EM	430	18(14)	13W	2	1	3	4	Good		20+	B2	5.2	84

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Scots Pine)														
T326	Betula pendula (Silver Birch)	SM	192	15(13)	11W	0.5	1.5	3	2	Good	Multi-stemmed from base.	10+	C1	2.3	17
T327	Betula pendula (Silver Birch)	SM	150	15(11)	11	1	2	3	1	Good		10+	C1	1.8	10
T328	Pinus sylvestris (Scots Pine)	EM	440	17(12)	10SW	4	3	5	4	Good	Multi-stemmed silver birch growing next to stem.	20+	B2	5.3	88
T329	Pinus sylvestris (Scots Pine)	SM	230	11(7)	7SW	1	2	3	3.5	Fair		20+	B2	2.8	24
T330	Betula pendula (Silver Birch)	SM	200	12(7)	4S	0	3	3	1	Good		10+	C1	2.4	18
T331	Pinus sylvestris (Scots Pine)	M	550	19(13)	13E	5	4	3	4	Good		20+	B1, B2	6.6	137
G332	Betula pendula (Silver Birch), Quercus robur (Common Oak)	SM	190	15(4)		3	2	2	3	Good	Largest stem diameter recorded.	10+	C2	2.3	16

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T333	Pinus sylvestris (Scots Pine)	SM	260	17(10)		2	2	2	2	Fair		10+	C1	3.1	31
T334	Pinus sylvestris (Scots Pine)	EM	350	19(8)	8S	3	3	3	3	Good		20+	B2	4.2	55
T335	Pinus sylvestris (Scots Pine)	SM	270	18(12)	11S	0.5	1	2	2	Fair		10+	C1	3.2	33
T336	Pinus sylvestris (Scots Pine)	EM	340	22(16)	15NW	4	4	4	4	Good		20+	B2	4.1	52
T337	Pinus sylvestris (Scots Pine)	EM	310	21(13)	8	2	2	2	2	Good		20+	B2	3.7	43
T338	Pinus sylvestris (Scots Pine)	EM	390	21(2)	4	4	5	7	6	Good		20+	B2	4.7	69
T339	Pinus sylvestris (Scots Pine)	EM	320	22(7)	8	3	3	3	4	Fair		10+	C1	3.8	46
T340	Betula pendula (Silver Birch)	SM	110	6(0.5)	1	1	1	1	1	Good		10+	C1	1.3	5

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T341	Quercus robur (Common Oak)	Y	75	4(0.5)	1	2	1	1	1	Good		10+	C1	0.9	3
T342	Betula pendula (Silver Birch)	Y	75	5(2)		1	1	1	1	Good		10+	C1	0.9	3
T343	Betula pendula (Silver Birch)	Y	95	8(2)	2N	1	1	1	1	Good		10+	C1	1.1	4
G344	Betula pendula (Silver Birch), Quercus robur (Common Oak)	SM	120	10(2)		2	2	2	2	Good	Largest stem diameter recorded. Seven trees: birch x 6, oak x 1.	10+	C2	1.4	7
T345	Pinus sylvestris (Scots Pine)	SM	230	19(17)		1	1	1	1	Good		10+	C1	2.8	24
T346	Pinus sylvestris (Scots Pine)	EM	260	22(15)	18	1	1	1	1	Good		10+	C1	3.1	31
T347	Pinus sylvestris (Scots Pine)	EM	290	22(7)	7N	2.5	2.5	2.5	2.5	Good		10+	C2	3.5	38
T348	Betula pendula	Y	80	5(0.5)	0.5	1	1	1	1	Good		10+	C1	1.0	3

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Silver Birch)														
G349	Betula pendula (Silver Birch), Quercus robur (Common Oak)	Y	90	10(3)		2	2	2	2	Good	Largest stem diameter recorded. Eleven trees: birch x 10, oak x 1.	10+	C2	1.1	4
T350	Picea abies (Norway Spruce)	SM	110	14(2)	3	2	2	2	2	Good		10+	C1	1.3	5
T351	Picea abies (Norway Spruce)	Y	75	6(2)		2	2	2	2	Good		10+	C1	0.9	3
T352	Betula pendula (Silver Birch)	Y	80	8(1.5)	1.5	2	2	2	2	Good		10+	C1	1.0	3
T353	Betula pendula (Silver Birch)	Y	75	6(2)	2	1	1	1	1	Good		10+	C1	0.9	3
T354	Betula pendula (Silver Birch)	Y	75	4(0)		1	1	1	1	Good		10+	C1	0.9	3
T355	Betula pendula (Silver Birch)	Y	80	8(2)	2	1	1	1	1	Good		10+	C1	1.0	3

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T356	Pinus sylvestris (Scots Pine)	EM	250	24(21)		2	2	2	2	Fair		10+	C2	3.0	28
T357	Betula pendula (Silver Birch)	Y	92	8(1)	1.5	2	1	1	1	Good		10+	C1	1.1	4
T358	Betula pendula (Silver Birch)	Y	75	5(2)		2	1	1	1	Good		10+	C1	0.9	3
T359	Quercus robur (Common Oak)	SM	140	8(0.5)		3	3	3	3	Good		10+	C1	1.7	9
T360	Pinus sylvestris (Scots Pine)	Y	117	8(2)		1	1	1	1	Good		10+	C1	1.4	6
T361	Betula pendula (Silver Birch)	Y	90	5(2)		2	2	2	2	Good		10+	C1	1.1	4
T362	Betula pendula (Silver Birch)	SM	100	12(3)		2	1	1	1	Good		10+	C1	1.2	5
G363	Betula pendula (Silver Birch), Quercus robur	SM	180	10(2)		2	2	2	2	Good	Largest stem diameter recorded. Twenty trees: birch x 18, oak x 1, pine x 1	10+	C2	2.2	15

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Common Oak), Pinus sylvestris (Scots Pine)														
T364	Betula pendula (Silver Birch)	SM	120	12(2)		4	3	3	3	Good		10+	C1	1.4	7
T365	Ilex aquifolium (Common Holly)	Y	80	6(0)		2	2	2	2	Good		10+	C1	1.0	3
T366	Ilex aquifolium (Common Holly)	Y	75	5(0)		2	2	2	2	Good		10+	C1	0.9	3
T367	Ilex aquifolium (Common Holly)	Y	90	7(0)		3	3	3	3	Good		10+	C1	1.1	4
T368	Betula pendula (Silver Birch)	Y	100	8(6)		3	3	3	3	Good		10+	C1	1.2	5
G369	Aesculus hippocastanum (Horse Chestnut)	Y	80	8(2)		4	2	2	2	Good	Three trees.	10+	C2	1.0	3
T370	Betula pendula	SM	159	18(5)		2	2	2	2	Good		10+	C1	1.9	11

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Silver Birch)														
T371	Betula pendula (Silver Birch)	Y	80	12(2)		2	2	2	2	Good		10+	C1	1.0	3
T372	Betula pendula (Silver Birch)	Y	90	16(12)		2	2	2	2	Good		10+	C1	1.1	4
T373	Betula pendula (Silver Birch)	Y	90	13(8)		1	1	1	1	Good		10+	C1	1.1	4
T374	Betula pendula (Silver Birch)	Y	90	8(3)		2	1	1	1	Good		10+	C1	1.1	4
T375	Betula pendula (Silver Birch)	SM	160	16(6)		5	5	5	5	Good		10+	C1	1.9	12
T376	Quercus robur (Common Oak)	SM	184	14(6)		3	3	2	3	Good		10+	C1	2.2	15
T377	Quercus robur (Common Oak)	SM	152	14(5)		2	2	2	2	Good		10+	C1	1.8	10
T378	Quercus robur	SM	100	14(5)		1	1	1	1	Good		10+	C1	1.2	5

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Common Oak)														
T379	Quercus robur (Common Oak)	SM	170	17(5)		4	4	4	4	Good		10+	C1	2.0	13
T380	Quercus robur (Common Oak)	Y	100	13(7)		2	2	2	2	Good		10+	C1	1.2	5
T381	Betula pendula (Silver Birch)	SM	191	16(4)		2.5	3	5	1	Fair		10+	C1	2.3	16
T382	Quercus robur (Common Oak)	SM	120	17(3.5)		4	0	4	2	Good		10+	C1	1.4	7
T383	Quercus robur (Common Oak)	Y	75	9(6)	2S	0	0	5	2	Good		10+	C1	0.9	3
T384	Betula pendula (Silver Birch)	SM	100	12(2)	2S	0	0	3	3	Good		10+	C1	1.2	5
T385	Betula pendula (Silver Birch)	SM	140	14(2)		0	0	3	6	Good		10+	C1	1.7	9
T386	Quercus robur	SM	205	17(8)		3	3	3	3	Good		10+	C1	2.5	19

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Common Oak)														
T387	Quercus robur (Common Oak)	SM	160	17(6)		6	2	1	4	Good		10+	C1	1.9	12
T388	Castanea sativa (Sweet Chestnut)	Y	100	6(1)		4	1	1	1	Good		10+	C1	1.2	5
T389	Quercus robur (Common Oak)	Y	100	13(6)		4	4	0	3	Good		10+	C1	1.2	5
T390	Betula pendula (Silver Birch)	SM	160	21(12)		3	3	3	3	Good		10+	C1	1.9	12
T391	Betula pendula (Silver Birch)	Y	110	13(2.5)		5	1	0	1	Good		10+	C1	1.3	5
T392	Quercus robur (Common Oak)	Y	110	12(7)		4	4	0	1	Good		10+	C1	1.3	5
T393	Betula pendula (Silver Birch)	Y	90	14(4)		1	1	1	1	Good		10+	C1	1.1	4
T394	Salix caprea	SM	160	8(3)		4	5	2	2	Good		10+	C1	1.9	12

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Goat Willow)														
T395	Salix caprea (Goat Willow)	Y	110	8(1)		5	3	3	3	Good		10+	C1	1.3	5
T396	Quercus robur (Common Oak)	SM	180	14(5)		3	4	1	1	Good		10+	C1	2.2	15
T397	Betula pendula (Silver Birch)	SM	130	20(6)		3	3	3	3	Good		10+	C1	1.6	8
T398	Betula pendula (Silver Birch)	SM	120	16(10)		5	3	3	3	Good		10+	C1	1.4	7
T399	Quercus robur (Common Oak)	SM	160	15(2)		6	3	1	1	Good		10+	C1	1.9	12
T400	Quercus robur (Common Oak)	SM	150	14(3)		6	5	0	3	Good		10+	C1	1.8	10
T401	Betula pendula (Silver Birch)	SM	130	14(6)		2	2	2	2	Good		10+	C1	1.6	8
T402	Quercus robur	Y	100	10(2.5)		3	3	3	3	Good		10+	C1	1.2	5

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Common Oak)														
T403	Salix caprea (Goat Willow)	SM	170	12(0.5)		5	5	0	5	Good		10+	C1	2.0	13
G404	Pinus sylvestris (Scots Pine)	Y	80	11(0)		2	2	2	2	Good		10+	C2	1.0	3
T405	Betula pendula (Silver Birch)	SM	130	21(13)		3	3	3	3	Good		10+	C1	1.6	8
T406	Pinus sylvestris (Scots Pine)	SM	350	20(15)		3	4	3	3	Good		20+	B2	4.2	55
T407	Pinus sylvestris (Scots Pine)	SM	350	18(5)		1	4	5	2	Good		20+	B2	4.2	55
T408	Pinus sylvestris (Scots Pine)	SM	360	20(7)		3	2	4	4	Good		20+	B2	4.3	59
T409	Pinus sylvestris (Scots Pine)	EM	440	22(10)		3	2	4	3	Good		20+	B2	5.3	88
T410	Salix caprea	SM	110	6(1.5)		2	1	0	1	Good		10+	C1	1.3	5

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Goat Willow)														
T411	Pinus sylvestris (Scots Pine)	EM	530	13(6)		5	3	5	4	Good		20+	B2	6.4	127
T412	Betula pendula (Silver Birch)	SM	90	10(6)		2	2	2	2	Good		10+	C1	1.1	4
G413	Betula pendula (Silver Birch)	SM	90	10(5)		2	2	2	2	Good	Largest stem diameter recorded. Four trees, one twin-stemmed.	10+	C2	1.1	4
T414	Betula pendula (Silver Birch)	SM	90	11(7)		2	2	2	2	Good		10+	C1	1.1	4
T415	Pinus sylvestris (Scots Pine)	M	580	20(13)		3	4	6	7	Fair	Sparse crown.	10+	C1	7.0	152
T416	Pinus sylvestris (Scots Pine)	EM	440	18(10)		2	3	5	4	Good		20+	B1, B2	5.3	88
G417	Betula pendula (Silver Birch), Quercus robur (Common Oak), Salix	SM	160	14(7)		1	3	3	3	Good	Largest stem diameter recorded. Eight trees: silver birch x 5, oak x 2, willow x 1.	10+	C2	1.9	12

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	caprea (Goat Willow)														
T418	Pinus sylvestris (Scots Pine)	EM	470	19(15)		3	4	4	4	Fair	Sparse crown.	10+	C1	5.6	100
T419	Betula pendula (Silver Birch)	EM	280	18(9)		1	2	2	1	Good		10+	C2	3.4	35
T420	Pinus sylvestris (Scots Pine)	EM	310	20(14)		2	1	2	4	Fair		10+	C1	3.7	43
T421	Quercus robur (Common Oak)	SM	110	4(2)		2	3	3	4	Good		10+	C1	1.3	5
T422	Betula pendula (Silver Birch)	SM	120	4(2)		3	3	0	3	Fair		10+	C1	1.4	7
T423	Pinus sylvestris (Scots Pine)	SM	380	19(13)		2	2	2	2	Fair		10+	C1	4.6	65
T424	Betula pendula (Silver Birch)	SM	130	8(4)		5	4	0	3	Fair		10+	C1	1.6	8

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T425	Betula pendula (Silver Birch)	SM	100	5(2)		1	1	2	2	Fair		10+	C1	1.2	5
T426	Pinus sylvestris (Scots Pine)	EM	440	18(10)		3	3	3	3	Fair		10+	C1	5.3	88
T427	Betula pendula (Silver Birch)	EM	280	20(10)		4	4	3	3	Good		20+	B2	3.4	35
T428	Sorbus aucuparia (Rowan)	SM	120	5(2)		3	3	2	2	Good		10+	C1	1.4	7
T429	Pinus sylvestris (Scots Pine)	SM	410	22(15)		2	4	4	3	Good		20+	B2	4.9	76
T430	Pinus sylvestris (Scots Pine)	SM	320	20(17)		3	2	4	4	Good		20+	B2	3.8	46
T431	Betula pendula (Silver Birch)	SM	100	10(6)		1	1	2	0	Fair		10+	C1	1.2	5
T432	Betula pendula (Silver Birch)	EM	276	18(7)		4	2	4	4	Good		10+	C1	3.3	34

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
G433	Betula pendula (Silver Birch), Sorbus aucuparia (Rowan)	SM	180	17(15)		2	2	2	2	Good	Largest stem diameter recorded. Twelve trees: silver birch x 10, rowan x 2.	10+	C2	2.2	15
T434	Pinus sylvestris (Scots Pine)	EM	430	20(12)		2	2	5	3	Good		20+	B2	5.2	84
T435	Ilex aquifolium (Common Holly)	SM	149	6(1)		2	4	3	4	Good		10+	C1	1.8	10
T436	Betula pendula (Silver Birch)	SM	90	5(3)		1	2	1	2	Good		10+	C1	1.1	4
G437	Sorbus aucuparia (Rowan)	SM	110	9(2)		4	3	2	3	Good	Largest stem diameter recorded.	10+	C2	1.3	5
T438	Quercus robur (Common Oak)	SM	430	18(3.5)	2S	5	4	5	6	Good		20+	B1	5.2	84
T439	Sorbus aucuparia (Rowan)	SM	100	9(2)		3	2	1	1	Good		10+	C1	1.2	5
T440	Betula pendula	SM	150	12(6)		3	3	3	3	Good		10+	C1	1.8	10

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Silver Birch)														
T441	Pinus sylvestris (Scots Pine)	EM	550	22(15)		2	3	4	4	Good		20+	B2	6.6	137
T442	Pinus sylvestris (Scots Pine)	SM	350	20(14)		2	2	1	3	Good		20+	B2	4.2	55
T443	Betula pendula (Silver Birch)	EM	280	18(10)		3	3	3	4	Good		20+	B2	3.4	35
T444	Quercus robur (Common Oak)	SM	170	8(4)	4NW	2	2	0	4	Good		10+	C1	2.0	13
T445	Sorbus aucuparia (Rowan)	SM	180	10(2)		3	1	2	2	Good		10+	C1	2.2	15
T446	Quercus robur (Common Oak)	SM	240	17(4)	4N	4	3	3	5	Good		10+	C1	2.9	26
T447	Quercus robur (Common Oak)	SM	240	15(10)		3	3	2	3	Good		10+	C1	2.9	26
G448	Betula pendula (Silver Birch)	SM	297	17(1.5)		5	3	2	3	Good	Largest stem diameter recorded.46 trees: silver birch	10+	C2	3.6	40

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	Birch),Salix caprea (Goat Willow),Quercus robur (Common Oak),Sorbus aucuparia (Rowan),Castanea sativa (Sweet Chestnut)										x 38, willow x 3, oak x 3, rowan x 1, sweet chestnut x 1.				
T449	Sorbus aucuparia (Rowan)	SM	80	5(3)		1	2	1	2	Good		10+	C1	1.0	3
T450	Pinus sylvestris (Scots Pine)	EM	420	19(7)		4	3	3	3	Fair	Sparse crown.	10+	C1	5.0	80
T451	Betula pendula (Silver Birch)	SM	220	16(4)	4N	4	2	1	1.5	Good		10+	C1	2.6	22
G452	Betula pendula (Silver Birch),Quercus robur (Common Oak)	SM	220	13(3)		4	2	2	2	Good	Largest stem diameter recorded. Four trees: silver birch x 3, oak x 1.	10+	C2	2.6	22
T453	Betula pendula	SM	230	13(7)		2	2	2	2	Good		10+	C1	2.8	24

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Silver Birch)														
T454	Pinus sylvestris (Scots Pine)	EM	530	18(11)		3	4	4	4	Good		20+	B2	6.4	127
G455	Betula pendula (Silver Birch), Prunus avium (Wild Cherry), Pinus sylvestris (Scots Pine)	SM	210	17(4)		4	4	4	1	Fair	Largest stem diameter recorded. Eleven trees: birch x 9, cherry x 1, pine x 1 (dead).	10+	C2	2.5	20
T456	Pinus sylvestris (Scots Pine)	EM	400	15(7)		3	2	2	4	Fair	Sparse crown.	10+	C1	4.8	72
T457	Pinus sylvestris (Scots Pine)	EM	410	16(8)		2	1	3	5	Good		20+	B2	4.9	76
T458	Pinus sylvestris (Scots Pine)	EM	490	17(10)		3	4	4	2	Good		20+	B2	5.9	109
T459	Pinus sylvestris (Scots Pine)	EM	370	14(9)		2	3	3	3	Good		20+	B2	4.4	62

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T460	Pinus sylvestris (Scots Pine)	EM	420	14(8)		3	4	3	3	Good		20+	B2	5.0	80
T461	Quercus robur (Common Oak)	SM	120	6(1)	1.5N	3	1	2	3	Fair		10+	C1	1.4	7
T462	Quercus robur (Common Oak)	SM	190	9(1)	2N	3	3	4	2	Good		20+	B2	2.3	16
T463	Pinus sylvestris (Scots Pine)	SM	190	11(3.5)		2	1	2	2	Good		20+	B2	2.3	16
T464	Quercus robur (Common Oak)	SM	280	13(1.5)	1.5N	3	3	3	3	Good	Barbed wire embedded in stem.	20+	B2	3.4	35
T465	Betula pendula (Silver Birch)	SM	140	10(6)		1.5	1.5	1.5	1.5	Good		10+	C1	1.7	9
G466	Betula pendula (Silver Birch)	SM	150	14(3)		3	1	2	1	Good	Three trees.	10+	C2	1.8	10
T467	Quercus robur (Common Oak)	SM	120	7(2)		3	1	3	2	Good		10+	C1	1.4	7

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T468	Betula pendula (Silver Birch)	SM	180	15(7)		2	2	2	2	Good		10+	C1	2.2	15
T469	Pinus sylvestris (Scots Pine)	EM	440	15(7)		2	4	4	4	Fair	Sparse crown.	10+	C2	5.3	88
G470	Betula pendula (Silver Birch), Quercus robur (Common Oak)	SM	240	16(2)		5	2	4	4	Good	Nine trees: birch x 8, oak x 1.	10+	C2	2.9	26
T471	Quercus robur (Common Oak)	SM	80	4(2)		0	2	3	1	Fair	Suppressed form.	10+	C1	1.0	3
T472	Betula pendula (Silver Birch)	SM	210	16(7)		3	3	3	3	Good		20+	B2	2.5	20
T473	Betula pendula (Silver Birch)	SM	200	15(6)		2	3	3	2	Good		20+	B2	2.4	18
T474	Betula pendula (Silver Birch)	SM	240	18(7)		2	4	4	3	Good		20+	B2	2.9	26
T475	Betula pendula	SM	266	15(3)		3	2	1	4	Good		20+	B2	3.2	32

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Silver Birch)														
T476	Pinus sylvestris (Scots Pine)	EM	470	19(14)		2	5	3	4	Good		20+	B2	5.6	100
T477	Pinus sylvestris (Scots Pine)	EM	410	19(13)		3	2	2	4	Good		20+	B2	4.9	76
T478	Pinus sylvestris (Scots Pine)	EM	380	18(12)		3	2	3	3	Good		20+	B2	4.6	65
T479	Pinus sylvestris (Scots Pine)	EM	350	18(14)		2	3	2	1	Good		20+	B2	4.2	55
T480	Pinus sylvestris (Scots Pine)	EM	390	19(14)		3	3	4	2	Good		20+	B2	4.7	69
T481	Betula pendula (Silver Birch)	SM	80	6(0.5)		2	2	0	3	Good		10+	C1	1.0	3
T482	Pinus sylvestris (Scots Pine)	SM	350	19(13)		3	3	4	4	Fair	Sparse crown.	10+	C1	4.2	55
T483	Betula pendula	SM	80	6(2)		1.5	1.5	1.5	1.5	Good		10+	C1	1.0	3

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Silver Birch)														
T484	Pinus sylvestris (Scots Pine)	EM	300	13(10)		2	2	2	2	Fair	Sparse crown.	10+	C1	3.6	41
T485	Pinus sylvestris (Scots Pine)	EM	420	17(12)		3	3	3	3	Fair	Sparse crown.	10+	C1	5.0	80
T486	Pinus sylvestris (Scots Pine)	EM	380	16(7)		2	3	4	4	Fair	Sparse crown.	10+	C1	4.6	65
T487	Pinus sylvestris (Scots Pine)	SM	80	8(6)		0	0	3	1	Fair	Sparse crown. Suppressed form.	10+	C1	1.0	3
G488	Betula pendula (Silver Birch), Prunus avium (Wild Cherry), Ilex aquifolium (Common Holly)	SM	130	14(2)		2	2	1	4	Good	Largest stem diameter recorded. Six trees: birch x 2, cherry x 2, holly x 2.	10+	C2	1.6	8
T489	Pinus sylvestris (Scots Pine)	EM	330	19(9)		2	2	4	1	Fair	Sparse crown.	10+	C1	4.0	49

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T490	Quercus robur (Common Oak)	SM	90	8(3)		1	0	0	4	Good		10+	C1	1.1	4
T491	Pinus sylvestris (Scots Pine)	EM	460	16(7)		4	4	4	2	Fair	Sparse crown.	10+	C1	5.5	96
G492	Betula pendula (Silver Birch), Quercus robur (Common Oak)	SM	110	12(5)		2	2	2	2	Good	Largest stem diameter recorded. Seventeen trees: birch x 16, oak x 1.	10+	C2	1.3	5
T493	Betula pendula (Silver Birch)	SM	80	10(1)		1	1	1	1	Good		10+	C1	1.0	3
T494	Betula pendula (Silver Birch)	SM	90	9(7)		1	1	1	1	Good		10+	C1	1.1	4
T495	Betula pendula (Silver Birch)	SM	170	11(3)		2	2	2	2	Good		10+	C1	2.0	13
T496	Betula pendula (Silver Birch)	SM	110	11(7)		2	2	2	2	Good		10+	C1	1.3	5
T497	Betula pendula	SM	80	8(6)		1	1	1	1	Good		10+	C1	1.0	3

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Silver Birch)														
T498	Quercus robur (Common Oak)	SM	160	7(2)	2S	0	2	4	1	Good	Suppressed form.	10+	C1	1.9	12
T499	Quercus robur (Common Oak)	SM	150	8(2)	2W	3	3	3	3	Good		10+	C1	1.8	10
T500	Betula pendula (Silver Birch)	SM	120	9(6)		2	2	1	1	Good		10+	C1	1.4	7
T501	Betula pendula (Silver Birch)	Y	90	8(4)		2	1	1	1	Good		10+	C1	1.1	4
T502	Betula pendula (Silver Birch)	Y	75	7(4)		3	2	0	2	Good		10+	C1	0.9	3
T503	Chamaecy paris lawsoniana (Lawson Cypress)	Y	75	5(0)		2	2	2	2	Good		10+	C1	0.9	3
T504	Quercus robur (Common Oak)	SM	160	14(7)		3	1	1	1.5	Good		10+	C1	1.9	12

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T505	Betula pendula (Silver Birch)	SM	150	10(6)		1	1	2	1	Good		10+	C2	1.8	10
T506	Betula pendula (Silver Birch)	SM	170	9(6)		0	0	2	2	Fair	Stem leans to south-west.	10+	C2	2.0	13
T507	Betula pendula (Silver Birch)	SM	120	5(4)		0	0	1	1	Good		10+	C2	1.4	7
T508	Quercus robur (Common Oak)	SM	311	12(3)	3N	4	3	3	3	Good		10+	B1	3.7	44
T509	Quercus robur (Common Oak)	SM	210	10(4)		1	0	3	4	Good		10+	C1	2.5	20
T510	Quercus robur (Common Oak)	SM	130	7(4)		0	0	3	1	Good		10+	C1	1.6	8
T511	Betula pendula (Silver Birch)	Y	70	6(4)		1	0	0	1	Good		10+	C1	0.8	2
T512	Quercus robur (Common Oak)	SM	170	6(4)		3	5	4	0	Good		10+	C1	2.0	13

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T513	Quercus robur (Common Oak)	SM	120	12(2.5)		5	3	1	1	Good		10+	C1	1.4	7
T514	Betula pendula (Silver Birch)	EM	350	14(6)	5E	5	3	4	5	Good		20+	B1	4.2	55
T515	Betula pendula (Silver Birch)	SM	200	9(4)		4	2	3	3	Good		10+	C2	2.4	18
T516	Betula pendula (Silver Birch)	SM	150	10(4)		4	1	1	3	Good		10+	C2	1.8	10
T517	Betula pendula (Silver Birch)	SM	130	6(3)		0.5	0.5	3	3	Good		10+	C1	1.6	8
G518	Betula pendula (Silver Birch)	SM	170	6(3)		1	2	3	4	Good		10+	C2	2.0	13
T519	Quercus robur (Common Oak)	SM	110	10(3)		2	2	3	4	Good		10+	C1	1.3	5
T520	Quercus robur (Common Oak)	SM	150	9(3.5)		0	3	3	4	Good		10+	C2	1.8	10

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T521	Quercus robur (Common Oak)	SM	150	9(2)	2.5E	2	5	3	2	Good		10+	C2	1.8	10
G522	Betula pendula (Silver Birch), Ilex aquifolium (Common Holly), Chamaecyparis lawsoniana (Lawson Cypress)	SM	250	15(6)		4	3	2	4	Good	Largest stem diameter recorded. Thirteen trees: birch x 10, holly x 2, Lawson cypress x 1.	10+	C2	3.0	28
T523	Pinus sylvestris (Scots Pine)	SM	240	11(5)	6S	2	1	2	6	Good		10+	C1	2.9	26
T524	Quercus robur (Common Oak)	Y	90	4(1.5)	2S	1	1	4	2	Good		10+	C2	1.1	4
T525	Quercus robur (Common Oak)	Y	90	7(2)		0	3	3	2	Good		10+	C2	1.1	4
T526	Quercus robur (Common Oak)	Y	90	6(2)		1	2	3	3	Good		10+	C2	1.1	4

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T527	Quercus robur (Common Oak)	SM	170	4.5(2)	1.5S	2	2	4	3	Good		10+	C1	2.0	13
T528	Betula pendula (Silver Birch)	SM	212	14(6)		3	2	2	2	Good		10+	C1	2.5	20
T529	Quercus robur (Common Oak)	Y	90	5(3)		2	4	2	5	Good		10+	C2	1.1	4
T530	Quercus robur (Common Oak)	Y	110	6(1)		1	4	2	1	Good		10+	C2	1.3	5
T531	Betula pendula (Silver Birch)	SM	256	17(5)		2	3	2	2	Good		10+	C2	3.1	30
T532	Betula pendula (Silver Birch)	SM	250	16(6)		5	4	3	3	Good	Unable to fully inspect - fence. Stem diameter estimated.	10+	C2	3.0	28
T533	Betula pendula (Silver Birch)	Y	100	7(5)		0.5	2	2	2	Good		10+	C1	1.2	5
T534	Betula pendula (Silver Birch)	EM	300	15(10)		1	4	3	2	Good		10+	C2	3.6	41

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
G535	Quercus robur (Common Oak)	SM	160	12(4)		3	2	4	4	Good	Largest stem diameter recorded. Three trees.	10+	C2	1.9	12
T536	Betula pendula (Silver Birch)	SM	250	15(7)		2	1	0	2	Good		10+	C2	3.0	28
T537	Quercus robur (Common Oak)	SM	160	12(5)		3	3	3	2	Good		10+	C2	1.9	12
T538	Quercus robur (Common Oak)	Y	110	5(4)		3	2	0	2	Good		10+	C2	1.3	5
T539	Quercus robur (Common Oak)	SM	211	9(3)		4	2	2	1	Good		10+	C1	2.5	20
G540	Quercus robur (Common Oak), Betula pendula (Silver Birch)	SM	180	7(1.5)		3	4	3	3	Good	Largest stem diameter recorded. Six trees: oak x 5, birch x 1.	10+	C2	2.2	15
T541	Quercus robur (Common Oak)	SM	279	8(2)		4	3	5	2	Good		10+	C2	3.4	35

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
G542	Quercus robur (Common Oak)	SM	180	5(1)		3	2	2	4	Good	Linear group, historically topped.	10+	C2	2.2	15
T543	Betula pendula (Silver Birch)	SM	120	6(5)		3	0	1	3	Good		10+	C1	1.4	7
T544	Quercus robur (Common Oak)	Y	110	5(2)		2	1	4	3	Good		10+	C1	1.3	5
T545	Castanea sativa (Sweet Chestnut)	SM	160	13(6)	6N	2	2	5	1	Good		10+	C1	1.9	12
T546	Quercus robur (Common Oak)	SM	140	15(5)		5	1	4	2	Good		10+	C2	1.7	9
T547	Quercus robur (Common Oak)	SM	220	7(4)		2	4	0	0	Good	Largest stem diameter recorded.	10+	C2	2.6	22
T548	Quercus robur (Common Oak)	SM	200	13(3)		2	3	5	2	Good		10+	C2	2.4	18
T549	Quercus robur (Common Oak)	Y	110	5(2)		0	4	3	3	Fair	Suppressed form.	10+	C1	1.3	5

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
G550	Chamaecy paris lawsoniana (Lawson Cypress)	SM	100	7(4)		1	1	1	1	Good	Unable to fully inspect - fence. Stem diameter estimated. Two trees.	10+	C2	1.2	5
G551	Quercus robur (Common Oak)	SM	170	9(2)		4	2	4	2	Good	Five trees.	10+	C2	2.0	13
T552	Chamaecy paris lawsoniana (Lawson Cypress)	SM	100	6(3)		1.5	1.5	1.5	1.5	Good	Unable to fully inspect - fence. Stem diameter estimated.	10+	C1	1.2	5
T553	Quercus robur (Common Oak)	SM	156	5(2.5)		2	3	4	4	Good		10+	C1	1.9	11
T554	Chamaecy paris lawsoniana (Lawson Cypress)	SM	120	7(2.5)		2	2	2	2	Good	Unable to fully inspect - fence. Stem diameter estimated.	10+	C1	1.4	7
T555	Quercus robur (Common Oak)	SM	270	8(3)		3	4	5	3	Good		10+	C1	3.2	33
T556	Pinus sylvestris (Scots Pine)	EM	410	17(12)		3	3	3	4	Good	Unable to fully inspect - fence. Stem diameter estimated.	20+	B2	4.9	76

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T557	Betula pendula (Silver Birch)	SM	150	13(4)		1	1	1	1.5	Good		10+	C1	1.8	10
T558	Quercus robur (Common Oak)	SM	100	8(4)		2	2	1	3	Good	Unable to fully inspect - vegetation. Stem diameter estimated.	10+	C1	1.2	5
T559	Sorbus aucuparia (Rowan)	Y	120	5(2)		1	2	2	3	Good	Unable to fully inspect - fence. Stem diameter estimated.	10+	C1	1.4	7
T560	Picea abies (Norway Spruce)	Y	100	5(1)		1	2	3	4	Good		10+	C2	1.2	5
T561	Betula pendula (Silver Birch)	SM	130	8(5)		1	0	3	3	Good		10+	C2	1.6	8
T562	Ilex aquifolium (Common Holly)	SM	150	4(2)		1	3	2	3	Good		10+	C2	1.8	10
T563	Pinus sylvestris (Scots Pine)	M	500	19(10)		3	1	3	4	Good		20+	B2	6.0	113
T564	Quercus robur (Common Oak)	SM	300	13(9)		3	3	4	4	Good		10+	C1	3.6	41

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T565	Quercus robur (Common Oak)	SM	320	13(9)		1	3	5	2	Good		10+	C1	3.8	46
T566	Quercus robur (Common Oak)	SM	350	19(8)	5S	1	4	6	3	Good		20+	B2	4.2	55
T567	Quercus robur (Common Oak)	SM	300	18(9)		0	3	4	1	Good		20+	B2	3.6	41
T568	Quercus robur (Common Oak)	SM	180	14(10)		1	0	3	2	Good		10+	C2	2.2	15
T569	Betula pendula (Silver Birch)	SM	130	7(4)		3	1	0	2	Good		10+	C2	1.6	8
G570	Ilex aquifolium (Common Holly)	SM	170	4(0)		2	1	1	2	Good	Two trees.	10+	C2	2.0	13
T571	Quercus robur (Common Oak)	SM	390	19(13)		3	3	4	5	Good		20+	B2	4.7	69
T572	Quercus robur (Common Oak)	SM	452	17(6)		0	2	4	4	Good		20+	B2	5.4	92

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T573	Quercus robur (Common Oak)	SM	280	14(4)		4	3	0	2	Good		20+	B2	3.4	35
T574	Quercus robur (Common Oak)	SM	180	13(11)		1	1	0	1	Good		20+	B2	2.2	15
T575	Quercus robur (Common Oak)	SM	160	9(4)		0	3	4	1	Good		10+	C1	1.9	12
T576	Quercus robur (Common Oak)	SM	340	18(7)		3	5	3	1	Good		20+	B2	4.1	52
T577	Ilex aquifolium (Common Holly)	SM	230	6(5)		1	1	1	1	Fair	Topped.	10+	C1	2.8	24
T578	Quercus robur (Common Oak)	SM	160	5(5)		0	0	0	0	Fair	Topped, no branches or shoots.	10+	C1	1.9	12
T579	Quercus robur (Common Oak)	SM	320	14(7)		3	5	5	4	Good		20+	B2	3.8	46
T580	Ilex aquifolium (Common Holly)	SM	164	6(4)		2	2	2	2	Good	Unable to fully inspect - fence. Stem diameter estimated.	10+	C1	2.0	12


Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T581	Quercus robur (Common Oak)	D	230	4(4)		0	0	0	0	Dead	Stem leans to south.	<10	U	2.8	24
T582	Quercus robur (Common Oak)	SM	390	18(12)		3	4	4	5	Good		20+	B2	4.7	69
G583	Ilex aquifolium (Common Holly)	SM	130	6(4)		1	1	1	1	Fair	Unable to fully inspect - fence. Stem diameter estimated. Largest stem diameter recorded.	10+	C2	1.6	8
T584	Quercus robur (Common Oak)	SM	260	12(10)		0	5	4	1	Good		10+	C1	3.1	31
T585	Ilex aquifolium (Common Holly)	SM	120	5(3)		1	1	1	1	Fair	Topped.	10+	C1	1.4	7
T586	Quercus robur (Common Oak)	SM	220	12(8)		0	3	4	1	Fair	Topped.	10+	C1	2.6	22
T587	Quercus robur (Common Oak)	SM	200	12(8)		0	3	2	1	Good		10+	C1	2.4	18
T588	Ilex aquifolium (Common Holly)	SM	160	4(0)		1	1	1	1	Fair	Topped.	10+	C1	1.9	12

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T589	Quercus robur (Common Oak)	EM	400	16(12)		3	3	3	3	Good		20+	B2	4.8	72
T590	Quercus robur (Common Oak)	SM	200	13(4)		0	3	5	3	Good		20+	B2	2.4	18
T591	Quercus robur (Common Oak)	SM	310	15(5)		0	4	4	1	Good		20+	B2	3.7	43
T592	Ilex aquifolium (Common Holly)	Y	80	5(0)		1	1	1	1	Good		10+	C1	1.0	3
G593	Ilex aquifolium (Common Holly)	SM	170	5(1)		1	1	1	1	Fair	Stem diameter estimated. Largest stem diameter recorded. Seven trees. Topped.	10+	C2	2.0	13
T594	Quercus robur (Common Oak)	EM	550	16(3)	6SW	5	3	4	5	Good	Unable to fully inspect - vegetation. Stem diameter estimated.	20+	B2	6.6	137
G595	Ilex aquifolium (Common Holly)	SM	150	4(0.5)		1	1	1	1	Fair	Topped. 100 trees (approx.).	10+	C2	1.8	10
T596	Betula pendula (Silver Birch)	EM	460	15(4)		5	2	2	5	Good		20+	B2	5.5	96

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
T597	Quercus robur (Common Oak)	EM	500	10(6)		5	6	5	4	Good	Unable to fully inspect - vegetation. Stem diameter estimated.	20+	B2	6.0	113
T598	Pinus sylvestris (Scots Pine)	EM	320	16(7)		3	3	3	3	Good	Unable to fully inspect - vegetation. Stem diameter estimated.	20+	B2	3.8	46
T599	Pinus sylvestris (Scots Pine)	EM	300	12(7)		3	3	1	2	Good	Unable to fully inspect - vegetation. Stem diameter estimated.	20+	B2	3.6	41
T600	Quercus robur (Common Oak)	SM	210	7(3)	3S	2	3	4	3	Good	Small oak to east topped as part of G595.	10+	C1	2.5	20
T601	Quercus robur (Common Oak)	Y	75	6(4)		2	3	1	2	Good		10+	C1	0.9	3
G602	Quercus robur (Common Oak)	SM	110	6(3)		2	2	2	4	Good	Two trees.	10+	C2	1.3	5
G603	Ilex aquifolium (Common Holly), Quercus robur (Common Oak)	SM	230	10(1)		2	2	2	2	Good	Largest stem diameter recorded. Seventy three trees: holly x 68, oak x 5.	10+	C2	2.8	24
T604	Quercus robur	SM	320	18(7)	5W	3	0	2	5	Fair	Unable to fully inspect - ivy.	10+	C1	3.8	46


Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	(Common Oak)														
T605	Pinus sylvestris (Scots Pine)	EM	500	18(11)		4	4	2	4	Good	Unable to fully inspect - fence. Stem diameter estimated.	20+	B1	6.0	113
T606	Pinus sylvestris (Scots Pine)	EM	300	18(15)		2	6	1	0	Good		10+	C1	3.6	41
T607	Quercus robur (Common Oak)	SM	311	12(10)		0	4	4	3	Good		10+	C1	3.7	44
T608	Pinus sylvestris (Scots Pine)	EM	450	12(10)		2	0	4	3	Fair	Unable to fully inspect - vegetation. Stem diameter estimated. Suppressed form.	10+	C1	5.4	92
T609	Quercus robur (Common Oak)	EM	600	20(10)		6	7	4	7	Good	Unable to fully inspect - fence. Stem diameter estimated.	20+	B2	7.2	163
T610	Quercus robur (Common Oak)	SM	400	18(10)		4	7	7	5	Good	Unable to fully inspect - vegetation. Stem diameter estimated.	10+	C1	4.8	72
T611	Pinus nigra ssp. laricio (Corsican Pine)	EM	480	12(10)		1	1	1	1	Fair	Unable to fully inspect - ivy. Extensive ivy around stem and in crown.	10+	C1	5.8	104
T612	x Cupressoc	SM	300	14(6)		3	2	3	3	Good		10+	C1	3.6	41

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA Area (m ²)
						N	E	S	W						
	yparis leylandii (Leyland Cypress)														



KEY

- Existing Tree or Group colour referenced in accordance with BS 5837:2012 as shown below
- Existing hedge or group colour coded as above in accordance with BS 5837.
- Blue - Category B tree of moderate quality and value.
- Grey - Category C tree of low quality and value.
- Red - Category U tree of poor quality and value.
- Blue - Cat B Groups/hedges of moderate quality and value.
- Grey - Cat C Groups/hedges of low quality and value.
- Root Protection Area as calculated in accordance with BS 5837:2012
- Order Limits.
- Limit of Deviation.



GENERAL NOTES
 ALL DIMENSIONS IN MILLIMETRES
 DO NOT SCALE OFF THE DRAWING
 ALL DIMENSIONS TO BE CHECKED ON SITE
 JBLAMES ASSOCIATES LTD 2020



NO.	REVISED BY	DATE	REASON

CLIENT	DATE FILED			
ANDREAS LTD	TREE CONSULTANTS PLAN			
PROJECT LOCATION - GLEBE ROAD, LEICESTER				
POSITION OF SITE				
DESIGNER	SCALE	DATE	DWG NO.	REV.
JBLAMES ASSOCIATES	1:500 (A1)	07/2020	161550N	2

JAMES BLAKE ASSOCIATES
 LANDSCAPE ARCHITECTURE • ARBORICULTURE • ECOLOGY

KEY

- Existing Tree or Group colour referenced in accordance with BS 5837:2012 as shown below
- Existing hedge or group colour coded as above in accordance with BS 5837.
- Blue - Category B tree of moderate quality and value.
- Grey - Category C tree of low quality and value.
- Red - Category U tree of poor quality and value.
- Blue - Cat B Groups/hedges of moderate quality and value.
- Grey - Cat C Groups/hedges of low quality and value.
- Root Protection Area as calculated in accordance with BS 5837:2012
- Order Limits.
- Limit of Deviation.



GENERAL NOTES
 ALL DIMENSIONS IN MILLIMETRES
 DO NOT SCALE OFF THIS DRAWING
 ALL DIMENSIONS TO BE CHECKED ON SITE
 © JAMES BLAKE ASSOCIATES LTD 2020


PROJECT INFORMATION		DRAWING INFORMATION	
CLIENT	APPELLANT	DRAWING TITLE	DRAWING NUMBER
SAP PIPELINE - GLENDOROUGH LIGHTWEIGHT		TREE CONSTRUCTION PLAN	
POSITION OF SITE			
DATE	SCALE	DATE	SCALE
2020	1:1000	2020	1:1000


JAMES BLAKE ASSOCIATES
 LANDSCAPE ARCHITECTURE • ARBORICULTURE • ECOLOGY

Project: GLENDOROUGH LIGHTWEIGHT SAP PIPELINE - GLENDOROUGH LIGHTWEIGHT TREE CONSTRUCTION PLAN
 Date: 2020
 Scale: 1:1000
 Drawing Title: TREE CONSTRUCTION PLAN
 Drawing Number: 1000-01

KEY

- Existing Tree or Group colour referenced in accordance with BS 5837:2012 as shown below
- Existing hedge or group colour coded as above in accordance with BS 5837.
- Blue - Category B tree of moderate quality and value.
- Grey - Category C tree of low quality and value.
- Red - Category U tree of poor quality and value.
- Blue - Cat B Groups/hedges of moderate quality and value.
- Grey - Cat C Groups/hedges of low quality and value.
- Root Protection Area as calculated in accordance with BS 5837:2012
- Order Limits.
- Limit of Deviation.





DATE		SCALE		DATE		DATE	
2024	10/10	1:1000	2024	09/10/2024	2		

JAMES BLAKE ASSOCIATES



LANDSCAPE ARCHITECTURE • ARBORICULTURE • ECOLOGY

GENERAL NOTES:
 - ALL DIMENSIONS IN MILLIMETRES
 - DO NOT SCALE OFF THIS DRAWING
 - ALL DIMENSIONS TO BE CHECKED ON SITE
 - SQUARE BLANK ASSOCIATED LTD 2020

James Blake Associates Ltd, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.

KEY

- Existing Tree or Group colour referenced in accordance with BS 5837:2012 as shown below
- Existing hedge or group colour coded as above in accordance with BS 5837.
- Blue - Category B tree of moderate quality and value.
- Grey - Category C tree of low quality and value.
- Red - Category U tree of poor quality and value.
- Blue - Cat B Groups/hedges of moderate quality and value.
- Grey - Cat C Groups/hedges of low quality and value.
- Root Protection Area as calculated in accordance with BS 5837:2012
- Order Limits.
- Limit of Deviation.





GENERAL NOTES
 ALL DIMENSIONS IN MILLIMETRES
 DO NOT SCALE OFF THIS DRAWING
 ALL DIMENSIONS TO BE CHECKED ON SITE
 JAMES BLAKE ASSOCIATES LTD 2020

PROJECT NO. 2019/001		DATE: 15/07/2019	
CLIENT: ANNELETT	DRWG TITLE: TREE CONSERVATION PLAN	SCALE: 1:100	DATE: 15/07/2019
POSITION OF SITE: SP WYLDEN - GARDEN ROAD, LEICESTER			
DESIGNER: JBL	CHECKED: JBL	APPROVED: JBL	SCALE: 1:100
DATE: 15/07/2019	DATE: 15/07/2019	DATE: 15/07/2019	DATE: 15/07/2019



KEY

- Existing Tree or Group colour referenced in accordance with BS 5837:2012 as shown below
- Existing hedge or group colour coded as above in accordance with BS 5837.
- Blue - Category B tree of moderate quality and value.
- Grey - Category C tree of low quality and value.
- Red - Category U tree of poor quality and value.
- Blue - Cat B Groups/hedges of moderate quality and value.
- Grey - Cat C Groups/hedges of low quality and value.
- Root Protection Area as calculated in accordance with BS 5837:2012
- Order Limits.
- Limit of Deviation.



GENERAL NOTES
 ALL DIMENSIONS IN MILLIMETRES
 DO NOT SCALE OFF THIS DRAWING
 ALL DIMENSIONS TO BE CHECKED ON SITE
 © JAMES BLAKE ASSOCIATES LTD 2020

PROJECT: [REDACTED]		DRAWING TITLE: [REDACTED]	
DATE: [REDACTED]		SCALE: [REDACTED]	
DRAWN BY: [REDACTED]		CHECKED BY: [REDACTED]	
DATE: [REDACTED]		DATE: [REDACTED]	

JAMES BLAKE ASSOCIATES

LANDSCAPE ARCHITECTURE • ARBORICULTURE • ECOLOGY

James Blake Associates Ltd, 150-152, St. Pauls Road, London, E15 2JF. Tel: 020 8570 0000. www.jamesblake.co.uk