

COVER LETTER S51 ADVICE RESPONSE (MARCH 2023)

HyNet Carbon Dioxide Pipeline


Planning Act 2008

Document Reference Number D.7.1.2

Applicant: Liverpool Bay CCS Ltd

PINS Reference: EN070007

English Version



REVISION: A

DATE: March 2023

DOCUMENT OWNER: WSP UK Limited

PUBLIC

Jake Stephens
Case Manager – National Infrastructure
Temple Quay House
Temple Quay
Bristol
BS1 6PN

Registered Office
Liverpool Bay CCS Ltd
Eni House, 10 Ebury Bridge Road
London SW1W 8PZ
Tel: +44 (0) 20 7344 6000
Fax: +44 (0) 20 7344 6044

03 March 2023

Dear Mr Stephens,

EN070007 HyNet Carbon Dioxide Pipeline – Further S51 Response

Please find enclosed the remaining additional information requested in the Section 51 advice from the Planning Inspectorate (the Inspectorate), dated 31 October 2022 [PD-003/PD-004]. This response is in addition to the information provided by the Applicant (Liverpool Bay CCS Ltd) on 11 November 2022 [AS-001 to AS-006].

As previously advised, a number of confirmatory environmental surveys were to be completed following the finalisation of the Environmental Statement as submitted at application. That work has now been completed and an update to the documents prepared. The Applicant respectfully requests that the Examining Authority accept those updates into the Examination at this time in order that Interested Parties who wish to can review the information provided as soon as practicable.

In addition to the above, the Applicant has undertaken a review of documents submitted with the application having regard to the Relevant Representations submitted by Interested Parties and ongoing discussion with them. This has identified a number of points where the Applicant considers it would be helpful to the Examining Authority and Interested Parties for the Applicant to correct minor errors or address points of clarity at this stage.

The documents which have been updated and submitted as part of this response are below:

Application Document Reference	PINS Document Reference (Most up to date submitted version)	Document Details	Comments
D.1.3	AS-002	Application Document Tracker (Rev C) (Clean version)	Updated Application Documents
D.1.3	TBC	Application Document Tracker (Rev C) (Tracked version)	Updated Application Documents
D.2.2	APP-008	Land Plans (Rev B)	Submitted in accordance with Section 51 advice
D.2.3	APP-009	Crown Land Plans (Rev B)	Submitted in accordance with Section 51 advice
D.2.4	APP-010 & APP-011	Works Plans (Rev B)	Submitted in accordance with Section 51 advice. This has been reduced to 1 part from the DCO submission version.
D.2.5	APP-012 & APP-013	Access and Rights of Way Plans (Rev B)	Submitted in accordance with Section 51 advice. This has been reduced to 1 part from the DCO

Application Document Reference	PINS Document Reference (Most up to date submitted version)	Document Details	Comments
			submission version.
D.2.13	APP-021 & APP-022	Important Hedgerow Plans - Part 1 & Part 2 (Rev B)	Submitted in accordance with Section 51 advice
D.3.1	TBC	Draft Development Consent Order (Rev B) (Tracked version)	Submitted in accordance with Section 51 advice
D.3.1	APP-024	Draft Development Consent Order (Rev B) (Clean version)	Submitted in accordance with Section 51 advice Also includes a submitted Word document.
D.3.2	TBC	Explanatory Memorandum (Rev B) (Tracked version)	Updated Application Documents
D.3.2	APP-025	Explanatory Memorandum (Rev B) (Clean version)	Updated Application Documents
D.3.3	TBC	Schedule of Changes to the dDCO	Provided to the ExA to describe changes to the dDCO

Application Document Reference	PINS Document Reference (Most up to date submitted version)	Document Details	Comments
D.4.1	TBC	Statement of Reasons (Rev B) (Tracked version)	Submitted in accordance with Section 51 advice
D.4.1	APP-027	Statement of Reasons (Rev B) (Clean version)	Submitted in accordance with Section 51 advice
D.4.3	TBC	Book of Reference (Rev B) (Tracked version)	Submitted in accordance with Section 51 advice
D.4.3	APP-030	Book of Reference (Rev B) (Clean version)	Submitted in accordance with Section 51 advice
D.6.2.9	APP-061	Environmental Statement - Chapter 9 – Biodiversity (Rev B) (Clean version)	Updated Application Document subsequent to the completion of further surveys
D.6.2.9	TBC	Environmental Statement - Chapter 9 – Biodiversity (Rev B) (Tracked version)	Updated Application Document subsequent to the completion of further surveys

Application Document Reference	PINS Document Reference (Most up to date submitted version)	Document Details	Comments
D.6.3.9.3	APP-098 to APP-101	Environmental Statement - Appendix 9.3 Bat Activity Survey Report - Part 1 & Part 2 (Rev B) (Clean version)	Updated Application Document subsequent to the completion of further surveys. This has been reduced to 2 parts from the DCO submission version.
D.6.3.9.3	TBC	Environmental Statement - Appendix 9.3 Bat Activity Survey Report - Part 1 & Part 2 (Rev B) (Tracked version)	Updated Application Document subsequent to the completion of further surveys. This has been reduced to 2 parts from the DCO submission version.
D.6.3.9.4	APP-102 to APP-105	Environmental Statement - Appendix 9.4 Bats and Hedgerows Assessment - Part 1 to Part 7 (Rev B) (Clean version)	Updated Application Document subsequent to the completion of further surveys.

Application Document Reference	PINS Document Reference (Most up to date submitted version)	Document Details	Comments
			This has been increased to 7 parts from the DCO submission version.
D.6.3.9.4	TBC	Environmental Statement - Appendix 9.4 Bats and Hedgerows Assessment - Part 1 (Rev B) (Tracked version)	Updated Application Document subsequent to the completion of further surveys. Does not include tracked versions of figures.
D.6.3.9.6	APP-107	Environmental Statement - Appendix 9.6 Riparian Mammal Survey Report (Rev B) (Clean version)	Updated Application Document subsequent to completion of further surveys
D.6.3.9.6	TBC	Environmental Statement - Appendix 9.6 Riparian Mammal Survey Report Part 1 to Part 3 (Rev B) (Tracked version)	Updated Application Document subsequent to completion of further surveys.

Application Document Reference	PINS Document Reference (Most up to date submitted version)	Document Details	Comments
D.6.3.11.2	APP-121 to APP-130	Environmental Statement – Appendix 11.2 Coal Mining Risk Assessment – Part 1 to Part 10 (Rev A)	Updated Application Document subsequent to completion of further surveys
D.6.5.1	APP-222	Register of Environmental Actions and Commitments (REAC) (Rev B) (Clean version)	Updated Application Document subsequent to completion of further surveys
D.6.5.1	TBC	Register of Environmental Actions and Commitments (REAC) (Rev B) (Tracked version)	Updated Application Document subsequent to completion of further surveys. Tracked version only contains updated REAC entries.
D.6.5.4	APP-225	Outline Construction Environmental Management Plan (Rev B) (Clean version)	Updated Application Document subsequent to

Application Document Reference	PINS Document Reference (Most up to date submitted version)	Document Details	Comments
			completion of further surveys
D.6.5.4	TBC	Outline Construction Environmental Management Plan (Rev B) (Tracked version)	Updated Application Document subsequent to completion of further surveys

Further minor errors and points of clarity which have been identified as part of these reviews, and not rectified through the documents submitted through this response, are detailed at **Appendix A** of this letter as a Schedule of Updates and Corrections. The Applicant proposes to rectify these errors through revising and submitting updated documents during the examination.

Furthermore, updates to dDCO plans submitted through this response are contained at **Appendix B** of this letter.

Yours sincerely,

Martin Currie
Director, Liverpool Bay CCS Ltd

Appendix A – Schedule of Updates and Corrections

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
Relevant Representations (Canal & River Trust)	APP-008	All relevant documents showing Sheet 8.	Sheet 8 of 37	Land between plots 8-02 and 8-06 which includes the Shropshire Union Canal is not required for the construction or operation of the DCO Proposed Development.	Order limits to be reduced.
Relevant Representations (Cheshire West and Chester Council)	APP-048	Planning Statement	Table B4 in Appendix B	Omission of Neighbourhood Plans as well as the full consideration of a number of Local Plan Policies.	Table B4 in Appendix B to be reviewed and updated.
Applicant Review	APP-055	ES Chapter 3: Description of the DCO Proposed Development	Paragraphs 3.4.10, 3.4.18, 3.4.22	Text for Ince, Northop Hall and Flint AGI's is stated "within the fence line" but the measurements are	Text to be updated to remove the statement "within the fence line".

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
				actually the whole flattened area (outside of fence line too). Stanlow AGI is the only AGI where the “within the fence line” statement is correct.	
Applicant Review	APP-055	ES Chapter 3: Description of the DCO Proposed Development	Paragraph 3.4.22	Dimensions of Flint AGI are incorrectly stated as approximately 80m x 80m. It should be approximately 80m x 90m.	Text will be updated to include the correct dimensions of Flint AGI.
Applicant Review	APP-055	ES Chapter 3: Description of the DCO Proposed Development	Paragraph 3.4.28	Text states the size of the BVS for the full flattened area (including outside of the fence line), is 45m x 40m. All other references within the ES refer to the area within the	Change sentence from: The BVSs are of a uniform size of approximately 45 m x 40 m and typically follow a similar internal arrangement.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
				fence line of 35m x 30m, so this change is required to ensure the reporting is consistent.	To: The BVSs are of a uniform size comprising an area within the fence line of approximately 35m x 30m and typically follow the same internal arrangement.
Applicant Review	APP-055	ES Chapter 3: Description of the DCO	Paragraph 3.3.9	Incorrectly refers to 6 sections of the DCO Proposed Development when there are 7 sections. The text should report that the Newbuild Carbon Dioxide Pipeline is contained within sections 1-6 only.	Update to the text at paragraph 3.3.9.
Applicant Review	APP-055	ES Chapter 3: Description of the DCO	Paragraph 3.6.88 / 3.6.1	Incorrect paragraph numbering.	Paragraph numbers to be corrected.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
		Proposed Development			
Applicant Review	APP-056	ES Chapter 4: Consideration of Alternatives	Table 4-8	Incorrect REAC references.	Correction to Table 4-8: Embedded Mitigation to insert correct REAC references.
Applicant Review	APP-059	ES Chapter 7: Climate Resilience	N/A	Chapter heading numbering is incorrect.	Chapter heading numbers to be corrected.
Relevant Representations (Natural Resources Wales)	APP-059	Chapter 7: Climate Resilience	N/A	No mention of the Welsh Climate Change Adaptation Plan – Climate Conscious Wales.	Climate Change Adaptation Plan – Climate Conscious Wales to be included.
Relevant Representations (Natural Resources Wales)	APP-061	Chapter 9: Biodiversity	Table 9.6	River and sea lamprey are Annex II qualifying features of the Dee Estuary SAC, and	Missing qualifying features to be included.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
				European smelt, river and sea lamprey are features of the Dee Estuary SSSI but have not been referenced.	
Relevant Representations (Flintshire County Council)	APP-063	Chapter 11: Land and Soils	N/A	Guidance and legislation referred to in the chapter relate to England only.	Reference to the 'Contaminated Land (Wales) Regulations 2006' is to be added.
Applicant Review	APP-068	ES Chapter 16: Population and Human Health	Paragraph 16.10.3	REAC entry D-PH-002 not referenced correctly within the PHH chapter.	REAC entry reference to be corrected.
Relevant Representations (Natural Resources Wales)	APP-070	Chapter 18: Water Resources and Flood Risk	Paragraph 18.8.4	States that "all centralised compounds are located outside the fluvial and coastal floodplain". This is incorrect as the centralised compounds "Wood Farm	Text to be corrected.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
				Centralised Compound” and “River Dee Centralised Compound” are both located within the floodplain of the Tidal River Dee.	
Relevant Representations (Natural Resources Wales)	APP-070	Chapter 18 – Water Resources and Flood Risk	Table 6.1	Table 6.1 should include ordinary watercourses as it refers to a water discharge activity, not a flood risk activity.	Text to be updated to include ordinary watercourses.
Relevant Representations (Natural Resources Wales)	APP-070	Chapter 18 – Water Resources and Flood Risk	Table 6.1	Table 6.1 currently only refers to the EA and should also reference NRW.	Text to be updated to reference NRW.
Relevant Representations (Natural Resources Wales)	APP-070	Chapter 18 – Water Resources and Flood Risk	Table 6.15	Table 6.15: Dewatering activities in Wales may require a water resources permit from NRW. The table	Text to be updated to reference NRW.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
				currently only refers to the EA and should also reference NRW.	
Relevant Representations (Natural England)	APP-099	D.6.3.9.3 - Appendix 9.3 Bat Activity Survey Report Part 2	Paragraph 2.5.10	It is considered by Natural England to be beneficial to provide detailed statistics on the IR Camera's used (Resolution, Frames per Second etc...).	Additional information regarding the Infra-red camera specification to be provided in the next revision.
Relevant Representations (Natural England)	APP-099	D.6.3.9.3 - Appendix 9.3 Bat Activity Survey Report Part 2	Annex F - Table 8 and 9	Natural England consider Annex F – Table 8 and 9, should also contain timings of the surveys and the time of sunset/sunrise included.	Information to be provided in the next revision.
Applicant Review	APP-117 APP-118	Appendix 11.1: Phase 1 Preliminary Assessment (Baseline	Figure 11.1.3 (Sheet 1 of 7, Part 1), Figure 11.1.3	INNS information missing from figures and Phase 1 Preliminary Assessment	Phase 1 figures and appendix to be updated to include INNS data.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
		Report) (Parts 1 & 2)	(Sheets 2 to 7, Part 2)	(Baseline Report) Appendix.	
Relevant Representations (Natural Resources Wales)	APP-165	Water Framework Directive assessment	Section 1.2	NRW consider the England / Wales split of WFD Regs 2017 waterbodies is slightly misleading.	Clarification regarding England / Wales split will be provided.
Relevant Representations (Natural Resources Wales)	APP-165	Water Framework Directive assessment	N/A	NRW consider not all protected areas have been identified.	Additional information regarding protected areas will be provided.
Relevant Representations (Natural Resources Wales)	APP-165	Water Framework Directive assessment	Paragraph 5.6.2	In Wales, the Nitrate Pollution Prevention (Wales) Regulations (2013) have been revoked and replaced by the Water Resources (Control of Agricultural Pollution) (Wales) Regulations 2021. This	Update to paragraph 5.6.2 to reflect the changes in regulations.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
				has not been reflected in the submission document.	
Relevant Representations (Natural Resources Wales)	APP-165	Water Framework Directive assessment	Table 5.12 and Table 5.13	Different versions of the River Basin Management Plans (RBMPs) were used. The 2015 plan for Western Wales and draft 2021 RBMP for the River Dee.	Updated data and information regarding the 2021 RBMP (published in July 2022) to be provided as appropriate.
Applicant Review	APP-172	ES Appendix 19-1: Inter-Project Effects Assessment	Table 2, 1g.	Stated distance of '0.1km' from the DCO Proposed Development is incorrect.	Text to be corrected to state 'adjacent'
Relevant Representations (Natural Resources Wales)	APP-176	Figure 3.2 – DCO Proposed Development	Sheet 4	NRW have requested a plan showing the location of the Cathodic Protection cabinet north of the River Dee.	Figure to be updated to include the approximate location of the CP cabinet.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
Applicant Review	APP-204	Landscape Character Plan (National Character Areas)	Figure 12.2	Labels from Sheet 2 have been incorrectly carried across to Sheets 3 and 4. Sheet 4 is missing the Local Landscape Character Areas.	Labels to be updated. Local Landscape Character areas to be added.
Applicant Review	APP-061 APP-222	Chapter 09 – Biodiversity Register of Environmental Actions and Commitments	Table 9.12 of Chapter 09 D-BD-067 of REAC	A portion of text to be deleted at D-BD-067 of the REAC to better reflect the Applicant’s position regarding updates to the HRA.	Text to be deleted at D-BD-067 of the REAC: “If the assessment or conclusions within the HRA change, the Construction Contractor will produce an updated HRA for review and agreement with the statutory regulator(s)”

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
Relevant Representations (Natural Resources Wales)	APP-070 APP-225 APP-222	Chapter 18 – Water Resources and Flood Risk Outline Construction Environmental Management Plan (OCEMP) REAC	Paragraph 18.8.4 of Chapter 18 Table 6.6 of OCEMP D-WR-001 of REAC	Lack of information for what would happen to any arisings resulting from the installation of the pipeline.	Reference D-WR-001 of the REAC [APP-222] states that material stockpiles are located outside of the flood zone where practicable. The text to be updated to state 'stockpiles and arisings'.
Relevant Representations (Natural Resources Wales)	APP-061 APP-225 APP-222	Chapter 09 – Biodiversity OCEMP REAC	Table 9.10 of Chapter 09 Table 6.6 of OCEMP D-BD-019 of REAC	The documentation currently states that all entry and exit pits will be 16m away from any tidal watercourses. NRW suggest to ensure that associated flood defence structures are also considered and safeguarded, D-BD-019 should be updated to	Reference D-BD-019 of the REAC [APP-222] will be updated to state “All entry and exit pits for all trenchless crossings will be sited a minimum of 8m away from any main river bank top (and/or flood defence), and 16m away from any

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
				include any flood defence structures on that watercourse.	transitional (tidal) waters (and/or flood defence).”
Applicant Review	APP-227	Outline Soil Management Plan	Paragraph 3.3.2	Incorrect depth of trenchless crossings.	Trenchless crossing depth to be corrected to “assumed reasonable average depth of 9.5m” in paragraph 3.3.2.
Applicant Review	APP-228	Outline Peat Management Plan	Paragraph 3.4.3	Incorrect depth of trenchless crossings.	Trenchless crossing depth to be corrected to “assumed reasonable average depth of 9.5m” in paragraph 3.4.3.
Relevant Representations (Natural England)	APP-231	Biodiversity Net Gain Report	Figures 1 and 2	Figures 1 and 2 are referenced throughout the document but not labelled appropriately in the report.	Figures 1 and 2 are to be labelled.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
Relevant Representations (Natural England)	APP-231	Biodiversity Net Gain Report	Paragraph 1.2.1	Hedgerows omitted from the list.	Whilst the list provided is not intended to be exhaustive, hedgerows are to be included.
Relevant Representations (Natural England)	APP-231	Biodiversity Net Gain Report	Table 2.1	Footnote 3 regarding 'relevant local strategy' is missing.	Footnote to be included.
Applicant Review	APP-224 APP-222	Outline Traffic Management Plan (OCTMP) REAC	N/A	Inclusion of a new REAC commitment to be addressed in the OCTMP. This is in addition to the removal of residential properties from the Order Limits that were erroneously included.	<i>“Construction of the DCO Proposed Development will maintain vehicular and pedestrian access to residential properties and commercial businesses (although some traffic management measures may be required on those accesses). Access to agricultural land will</i>

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
					<i>be maintained where safe and practicable, and an alternative to the current access arrangements will be provided by the Applicant where the current access cannot be maintained during construction.”</i>
Applicant Review	APP-068 APP-069	ES Chapter 16: Population and Human Health ES Chapter 17: Traffic and Transport	N/A	Public Right of Way (PRoW) south of Stanlow missed from assessments.	PRoW to be included in future iterations.
Applicant Review	APP-071	Chapter 19: Combined and Cumulative Effects	Table 19.2, Paragraph 19.8.2, Table 19.8, Paragraph 19.8.5,	Cultural Heritage was incorrectly scoped into the inter-project effects Operation Stage and	Cultural Heritage scoping for the inter-project effects assessment has scoped

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
			Paragraph 19.8.7 and Table 19.9	<p>scoped out of the Construction Stage.</p> <p>Population and Human Health was incorrectly included in the Inter-Project Effects Operation Stage Summary.</p>	<p>out Operation Stage and scoped in Construction Stage.</p> <p>Cultural Heritage to be removed from the Inter-Project Effects: Operation Stage residual effects and added to the Inter-Project Effects: Construction Stage.</p> <p>Population and Human Health to be removed from Inter-Project Effects: Operation Stage summary.</p> <p>Development 1b and 1eii will be added to the Inter-Project Effects:</p>

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
					<p>Construction Stage summary table.</p> <p>Corrected distances for developments 1b and 1eii have scoped these developments into the assessment, which will be carried out and summarised.</p>
Applicant Review	APP-172	Appendix 19.1: Inter-Project Effects Assessment	Table 2-7	<p>Developments 1b, 1eii and 1g 'Distances from the DCO Proposed Development' incorrectly measured. Adjusted distances require additional topics to be scoped into the assessment.</p> <p>Development 125 was previously incorrectly omitted.</p>	<p>Development 1eii distance from the DCO Proposed Development to be adjusted to <0.1km. Cultural Heritage, Landscape and Visual, Land and Soils, Noise and Vibration and Population and Human Health to be scoped into and assessed in the construction stage.</p>

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
				<p>Cultural Heritage was incorrectly scoped into the inter-project effects Operation Stage and scoped out of the Construction Stage.</p>	<p>Landscape and Visual to be scoped into and assessed in the operation stage.</p> <p>Development 1b distance from the DCO Proposed Development to be adjusted to 'Adjacent'. Biodiversity and Materials and Waste to be scoped into and assessed for the construction stage.</p> <p>Development 1g distance from the DCO Proposed Development to be adjusted to 'Adjacent'. Climate Resilience to be scoped into and assessed for the operation stage.</p>

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
					Development 125 to be added to Table 2 and Table 3. Cultural Heritage to be removed from Operation Stage assessment and added to Construction Stage assessment.
Applicant Review	APP-172	Appendix 19.1: Inter-Project Effects Assessment	Table 2 & 3	Development description for 1b to be updated and Development 1i to be removed (Development's 1j&k relabelled as 1i&1j)	Updated development information to be provided for consistency.
Applicant Review	APP-172	Appendix 19.1: Inter-Project Effects Assessment	Table 2	Updated Planning References of Development 90.	Updating for consistency.
Applicant Review	APP-211	Figure 19.1: Inter-Project	N/A	Incorrect figure labels and addition of new	Development 82 label to be deleted;

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
		Effects Assessment		development 125 to inter-project effects assessment (incorrectly omitted).	Development 125 label to be replaced with 82; New Development to be added, labelled 125.
Applicant Review	APP-061	Chapter 09 – Biodiversity	Paragraph 9.6.21	Incorrectly state that aquatic habitat walkover assessments were completed from March 2021 to June 2022, they were completed during April 2021 to December 2022 as detailed within Appendix 9.9 – Aquatic Ecology (Watercourses) Survey Report (APP – 113).	Update text within Chapter 09 – Biodiversity to state “Aquatic habitat walkover assessments were completed from April 2021 to December 2022”.
Applicant Review	APP-211	Figure 19.1: Inter-Project Effects Assessment	N/A	Incorrect figure labels	1b&1i to be replaced with 1b; 1a-1k labels to be adjusted to 1a-1j;

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
					Development 15 RLB to be replaced.
Applicant Review	APP-091	Appendix 9.1 Habitats and Designated Sites Survey Report Part 1	Table 4 Table 5 Paragraph 3.2.19 Paragraph 3.2.35 Paragraph 3.2.46 Paragraph 3.2.50 - 3.2.51 and Table 11	Missing information relating to specific habitats or designated sites	Inclusion of Old River Dee Escarpment LWS into Table 4. Inclusion of Aston Wetland WS and Warred Wood WS into Table 5. Inclusion of Unimproved Neutral Grassland description within paragraph 3.2.19 Inclusion of Ephemeral / short perennial habitat description within paragraph 3.2.35. Inclusion of Earth bank habitat description within paragraph 3.2.46.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
					Inclusion of Invasive Species section
Applicant Review	APP-113	Appendix 9.9 Aquatic Ecology (Watercourses) Survey Report	Paragraph 2.4.1 Table 6	Incorrect number of watercourses cited, aquatic surveys were undertaken on 19 watercourse between spring 2021 and summer 2022, rather than 20 as specified in APP-113. Sandycroft Drain and Little Lead Brook incorrectly scoped out	Text to be updated from 20 to 19. Sandycroft Drain will be scoped into future revisions.
Applicant Review	APP-176	Figure 3.2 – DCO Proposed Development	Sheet 1	Missing trenchless crossing compound location south of Hapsford Railway Line	Updated revision will include missing trenchless crossing compound.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
Relevant Representation (Coal Authority)	APP-121 to APP-130	Appendix 11.2 - Coal Mining Risk Assessment	Appendix B	The Report makes reference to Coal Mining Report ref: 51002948750001, however this specific Report in Appendix B was missing.	An incomplete version of the CMRA was submitted in error. An updated version with Appendix B will be submitted.
Applicant Review	APP-071 APP-172 APP-072	Chapter 19: Combined and Cumulative Effects Appendix 19.1: Inter-Project Chapter 20: Summary of significant effects	Paragraph 19.8.3, Table 19.8 and Table 19.9 Tables 3-7	Development 14 (A55 red route) incorrectly scoped into assessment. This was scoped out of other topics based on an agreement with NMWTRA that construction of the DCO Proposed Development would be completed ahead of the A55 construction.	A55 Red Route to be removed from cumulative short list, which also removes the significant effect within Chapter 20.

Source of Errata	Application reference no.	Document Name	Section/Paragraph/ Table/ Figure	Nature of Erratum	Correction (to be rectified during examination)
Applicant Review	APP-164	Appendix 18.2 – Summary of Effects	Table 2.1	Missing text from assumption related to trench pit depths. Current text states: “...a typical depth of 9.5 m for the entry and exit pits has been assumed for the calculations.”	“...a typical depth of 9.5 m for the entry and exit pits has been assumed for the calculations. In the case of a deeper than 9.5m depth, the pit would likely be constructed as a sealed shaft (or similar) which limit water ingress.”

Appendix B – Changes to dDCO Plans

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
APP-008	Land Plans	Sheet 1	Addition of label for plot 1-18	Post-Acceptance Errata
		Sheet 6	Addition of inset (2a) on sheet 6	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		Sheet 5	Addition of plot number 5-05 on inset 4 (sheet 5)	Post-Acceptance Errata
		Sheet 6	Tidied plot labelling on sheet 6 to remove duplication of plot number 6-21 and make 6-20 visible	Post- Acceptance s51 advice
		Sheet 6	Addition of insets 5,6,7,8,9 and 10 on sheet number 6	Post-Acceptance Errata
		Sheet 8	Amended acquisition powers for plot 8-14 from Permanent acquisition of rights to Temporary possession of land and updated inset 11 to reflect this.	Post-Acceptance Errata
		Sheet 9	Amended the inset visible on sheet number 9 (inset 13) referring to plots 9-18, 9-19 and 9-14.	Post-Acceptance Errata
		Sheet 10	Removed the additional label for plot number 10-02	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		Sheet 10	Removed the white space to the north of plot number 10-06 by reducing the order limits to ensure that the property is not impacted by the DCO.	Post-Acceptance Errata
		Sheet 16	Amended the inset visible on sheet 16 (inset 27) referring to plot number 6-07 & 6-08.	Post-Acceptance Errata
		Sheet 21	Addition of label for plot 21-06 on sheet number 21.	Post-Acceptance Errata
		Sheet 22	Amended inset (inset 34) on sheet number 22 has been updated to reference plot 22-08 rather than 22-09.	Post-Acceptance Errata
		Sheet 25	Addition of label for plot 25-03	Post-Acceptance Errata
		Sheet 25	Removed white space to the east of plot 25-01 by reducing the order	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
			limits to ensure that this land is no longer impacted by the DCO	
		Sheet 27	Amended plot areas have changed for 27-02 and 27-03 to match the works plans.	Post-Acceptance Errata
APP-009	Crown Land Plans	Sheet 1	Removed plot 1-04 from Crown Land plan	Post-Acceptance Errata
		Sheet 1	Removed plot 1-05 from Crown Land plan	Post-Acceptance Errata
		Sheet 1	Removed plot 1-08 from Crown Land plan	Post-Acceptance Errata
		Sheet 1	Removed plot 1-09 from Crown Land plan	Post-Acceptance Errata
		Sheet 1	Removed plot 1-10 from Crown Land plan	Post-Acceptance Errata
		Sheet 1	Removed plot 1-11 from Crown Land plan	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		Sheet 1	Removed plot 1-12 from Crown Land plan	Post-Acceptance Errata
		Sheet 1	Removed plot 1-13 from Crown Land plan	Post-Acceptance Errata
		Sheet 1	Removed plot 1-14 from Crown Land plan	Post-Acceptance Errata
		Sheet 1	Removed plot 1-15 from Crown Land plan	Post-Acceptance Errata
		Sheet 1	Removed plot 1-16 from Crown Land plan	Post-Acceptance Errata
		Sheet 1	Removed plot 1-17 from Crown Land plan	Post-Acceptance Errata
		Sheet 1	Removed plot 1-18 from Crown Land plan	Post-Acceptance Errata
APP-010/APP-011	Works Plans	All relevant sheets	'Temporary Construction Areas' have been updated to 'Temporary Working Areas'.	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		All relevant sheets	'Centralised Construction Compound' and 'Construction Compound' have been updated to 'Temporary Logistics and Construction Compound'.	Post-Acceptance Errata
		Sheet 1	Addition of 'Pipeline Commencement' point on Sheet 1 contained within Work No. 1.	Post-Acceptance Errata
		Sheet 1	Amended the colour of Work No. 2 slightly to distinguish from Work No. 3.	Post-Acceptance Errata
		Sheet 5	Addition of red line boundary around the white space visible on sheet number 5 which is a residential property (The Spinney) to make it clear that this area will not be impacted by the DCO	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		Sheet 7	Addition of Work No. 17A and 17B to highlight new permanent access points	Post-Acceptance Errata
		Sheet 8	Work No. 19C changed from Permanent Access to Temporary Access	Post-Acceptance Errata
		Sheet 9	Hatching for Work No. 24A reduced to fall within order limits to correct digitisation issue	Post-Acceptance Errata
		Sheet 10	Work No. 25A changed from Temporary Access to Permanent Access	Post-Acceptance Errata
		Sheet 10	Removal of white space to the north of Work No. 25 (sheet 10) by reducing the order limits to ensure that the property is not impacted by the DCO.	Post-Acceptance Errata
		Sheet 12	Addition of English/Welsh border in the key of sheet number 12.	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		Sheet 12	Work No. 30B changed from Temporary Access to Permanent Access	Post-Acceptance Errata
		Sheet 16	Reduced total area of Work No. 35A and Work No. 40 while increasing the extent of Work No. 35 to match the Land Plans.	Post-Acceptance Errata
		Sheet 17	Addition of Work No. 40C as a new permanent access off Church Lane.	Post-Acceptance Errata
		Sheet 18	Addition of Work No. 42A (permanent access).	Post-Acceptance Errata
		Sheet 25	Removed white space to the east of Work No. 52 by reducing the order limits to ensure that this land is no longer impacted by the DCO	Post-Acceptance Errata
		Sheet 19	Amended the colour of Work No. 43 to help distinguish the extent of Work No. 57J as this isn't clear	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
			when the plans are printed. Also, added Work No. 57J to the labels for Work Nos. 43B and 43A.	
		Sheet 37	Addition of 'Pipeline Termination' point.	Post-Acceptance Errata
APP-012/ APP-013	Access and Rights of Way Plans	Sheet 1	Amended the arrow for 1-I to reflect the access point and the direction (right angle).	Post-Acceptance Errata
		Sheet 2	Points 2-G to 2-H added with street works line added between these points.	Post-Acceptance Errata
		Sheet 2	Points 2-I to 2-J added with street works line added between these points.	Post-Acceptance Errata
		All relevant plans	All PROW diversions removed from plans.	Post-Acceptance Errata
		Sheet 3	Point 3-F moved west to align with existing access point.	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		Sheet 3	Points 3-G to 3-H added with street works line added between these points.	Post-Acceptance Errata
		Sheet 4	Points 4-I to 4-H added and PROW stopped up between these points	Post-Acceptance Errata
		Sheet 4	Points 4-K to -4-J added and PROW stopped up between these points	Post-Acceptance Errata
		Sheet 5	Addition of red line boundary around the white space visible on sheet number 5 which is a residential property (The Spinney) to make it clear that this area will not be impacted by the DCO	Post-Acceptance Errata
		Sheet 6	Removed arrow from 6-I and repositioned the label to the start of the access track	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		Sheet 7	Points 7-D to 7-E added with street works line added between these points.	Post-Acceptance Errata
		Sheet 8	Points 8-N to 8-O added with street works line added between these points.	Post-Acceptance Errata
		Sheet 9	Points 9-BB to 9-AA added with street works line added between these points.	Post-Acceptance Errata
		Sheet 10	Points 10-AA to 10-BB added with street works line added between these points.	Post-Acceptance Errata
		Sheet 12	Points 12-E to 12-F added with street works line added between these points.	Post-Acceptance Errata
		Sheet 12	Point 12-DD added with street works line added along Deeside Lane.	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		Sheet 14	14-I to 14-J added with street works line added between these points.	Post-Acceptance Errata
		Sheet 16	16-BB relocated to mark street works between points 16-AA and 16-BB	Post-Acceptance Errata
		Sheet 16	16-CC added, and 16-BB replaced by 16-DD to mark street works between 16-CC and 16-DD	Post-Acceptance Errata
		Sheet 16	16-KK added to mark access off Colliery Lane	Post-Acceptance Errata
		Sheet 16	Points 16-M to 16-N added with street works line added between these points.	Post-Acceptance Errata
		Sheet 17	Points 17-AA to 17-BB added and PROW stopped up between these points.	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		Sheet 17	Points 17-FF – 17-EE added with street works line added between these points.	Post-Acceptance Errata
		Sheet 17	Point 17-MM added and PRWO stopped up between points 1-7N and 17-MM	Post-Acceptance Errata
		Sheet 17	17-S relocated to mark the end of street works along Church Lane	Post-Acceptance Errata
		Sheet 18	18-D relocated to mark revised access point	Post-Acceptance Errata
		Sheet 18	18KK– 18-JJ added with street works line added between these points.	Post-Acceptance Errata
		Sheet 18	Point 18-T added and 18-J relocated with PRWO stopped up between points 18-J and 18-T	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		Sheet 18	Point 18-L added and PRWO stopped up between 18-K and 18-L	Post-Acceptance Errata
		Sheet 22	Point 22-M added to mark additional access off Alt-Goch Lane.	Post-Acceptance Errata
		Sheet 23	Point 22-I added on sheet 23 to replaced 22-K and 22-J added with PROW stopped up between these points.	Post-Acceptance Errata
		Sheet 25	Reduced order limits to the east of point 25-D to ensure that this land is no longer impacted by the DCO	Post-Acceptance Errata
		Sheet 25	Arrow removed that intersected with the access track marked between points 25-A and 25-B	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		Sheet 28	Arrow removed that intersected with the access track marked between points 28-A and 28-B	Post-Acceptance Errata
		Sheet 27	Points 28-C and 28-D added with street works line added between these points on sheet 27.	Post-Acceptance Errata
		Sheet 28	Points 28-A and 28-C interchanged	Post-Acceptance Errata
		Sheet 28	Arrow removed that intersected with the access track marked between points 28-A and 28-B	Post-Acceptance Errata
		Sheet 30	Points 29-C and 29-D added on sheet number 30	Post-Acceptance Errata
APP-021 - APP-022	Important Hedgerow Plans	All relevant sheets	Removal of redundant indicator points.	Post-Acceptance Errata
		All relevant sheets	Movement of indicator points to improve the accuracy of the plans.	Post-Acceptance Errata

Application reference no.	Document Name	Sheet no.	Nature of Change	Reason For Change
		All relevant sheets	Other changes to improve the legibility and accuracy of the plans.	Post-Acceptance Errata