# **HyNet North West**

# DRAFT STATEMENT OF COMMON GROUND WITH CADENT GAS


HyNet Carbon Dioxide Pipeline DCO

Planning Act 2008

The Infrastructure Planning (Examination Procedure) Rules 2010 - Rule 8(1)(c)

Document Reference Number D.7.2.12

Applicant: Liverpool Bay CCS Limited
Inspectorate Reference: EN070007



**REVISION: B** 


DATE: June 2023

**DOCUMENT OWNER: WSP UK Ltd** 

**PUBLIC** 

# **QUALITY CONTROL**

Document Reference	D.7.2.12				
Document Owner	WSP				
Revision	Date	Comments	Author	Check	Approver
A	April 2023	Deadline 1 updates	СР	AV	AH
В	June 2023	Deadline 4 updates	СР	AV	АН



#### STATEMENT OF COMMON GROUND

This Statement of Common Ground has been prepared and agreed by (1) Liverpool Bay CCS Limited and (2) Cadent Gas

Signed	
[NAME]	
[POSITION]	
on behalf of Liverpool Bay CCS Limited	
Date: [DATE]	
Signed	
[NAME]	
[POSITION]	
on behalf of Cadent Gas	
Date: [DATE]	

# **TABLE OF CONTENTS**

1.	INTF	RODUCTION	2
	1.1.	Purpose of this document	2
	1.2.	The DCO Proposed Development	2
	1.3.	Terminology	3
2.	REC	ORD OF ENGAGEMENT	4
3.	ISSU	JES	7
TA	BLE	S	
Tal	ole 2-1	- Record of Engagement in relation to the Proposed Development	5
Tal	ole 3-	- Engagement, Land & Other Application Documents	8
Tal	ole 3-2	2 – Issues related to Design and Assets	8
		B – Issues related to the the DCO Proposed Development - Draft DCO (including ents to the draft DCO)	9

#### 1. INTRODUCTION

#### 1.1. PURPOSE OF THIS DOCUMENT

- 1.1.1. This draft Statement of Common Ground (SoCG) has been prepared by Liverpool Bay CCS Limited (the Applicant) and Cadent Gas (Cadent).
- 1.1.2. For the purpose of this draft SoCG, the Applicant and Cadent will jointly be referred to as the 'Parties'.
- 1.1.3. The purpose of this draft SoCG is to set out the agreement that has been reached between the Parties in respect of a number of matters related to the Development Consent Order (DCO) Proposed Development. It also lists any points on which discussions are ongoing. SoCGs are an established means in the DCO planning process of allowing all Parties to identify and so focus on specific issues that may need to be addressed during the examination.
- 1.1.4. **Chapter 2** of this draft SoCG records the consultation undertaken with Cadent by the Applicant. **Chapter 3** of this draft SoCG sets out the areas of agreement in relation to the above matters, and any areas of ongoing discussion between the Parties.

#### 1.2. THE DCO PROPOSED DEVELOPMENT

- 1.2.1. HyNet (the Project) is an innovative low carbon hydrogen and carbon capture, transport and storage project that will unlock a low carbon economy for the North West of England and North Wales and put the region at the forefront of the UK's drive to Net-Zero. The detail of the project and the DCO Proposed Development can be found in the main DCO documentation. The DCO Proposed Development and this SoCG relate to the onshore CO<sub>2</sub> pipeline element of HyNet only. Other elements of HyNet are subject to separate consenting processes and are not addressed here.
- 1.2.2. Cadent is promoting the hydrogen pipeline element of HyNet. The DCO Proposed Development impacts Cadent primarily as a statutory undertaker, assets owner, land rights holder and landowner /developer of the proposed hydrogen pipeline DCO project.
- 1.2.3. The Applicant has identified the following plots in which Cadent Gas hold an interest:
  - 2-04, 2-04a, 2-05, 2-06, 2-08, 2-12, 2-13, 3-01, 3-02, 3-03, 3-13, 3-14, 3-15, 4-01, 4-02, 4-05, 6-09, 6-20, 6-22, 6-24, 6-25, 9-01, 9-03, 9-05, 9-06, 9-07, 9-08, 9-09, 9-10, 9-12, 9-13, 9-14, 9-15, 9-18, 9-19, 9-20, 10-01, 10-04, 10-12, 12-05
- 1.2.4. A full description of the DCO Proposed Development is detailed in Chapter 3 of the Environmental Statement (ES) [APP-055]. On the 27 March 2023, the Applicant submitted Change Request 1, which includes '2023 ES Addendum

Change Request 1' [CR1-124 to 126], and ES Addendum Chapter 3 provides an update to the description of the DCO Proposed Development [APP-055]. On the 2 June 2023, the ExA accepted the Applicant's Change Request 2; subsequently the description of the development has been updated, to include Chapter 3 of the 2023 ES Addendum Change Request 2 [CR2-017].

#### 1.3. TERMINOLOGY

1.3.1. In the Issues tables in **Chapter 3** of this draft SoCG, 'Agreed' and 'Not Agreed' indicates a final position, and 'Under Discussion' indicates where these points will be the subject of on-going discussion wherever possible to resolve or refine, the extent of disagreement between the Parties.



# 2. RECORD OF ENGAGEMENT

2.1.1. This Chapter provides a summary of the engagement to date between the Applicant and Cadent in relation to the DCO Proposed Development.



Table 2-1 – Record of Engagement in relation to the Proposed Development

Date	Form of Correspondence	Key Topics Discussed and Key Outcomes
11/02/2022	Email correspondence between Cadent to the	Key Topics
28/02/2022	Applicant	Cadent's response as a section 42 consultee to the EIA Scoping Report consultation
		Discussions and Outcomes
		Cadent Plant Protection team confirmed that they had no objection to the DCO Proposed Development from a planning perspective. The team provided a note and plans regarding the prevention of damage to their assets.
13/05/2022	Hybrid Correspondence over email & Microsoft	Key Topics
	Teams between Cadent and the Applicant	Approach for discussion with the Applicant
		Discussions and Outcomes
		Cadent team to arrange meeting between Plant Protection Team and the Applicant
01/06/2022	Microsoft Teams meeting between Cadent and the	Key Topics
	Applicant	Information regarding Cadent representative
		Discussions and Outcomes
		Cadent to appoint a dedicated Cadent representative for consultation. A meeting was tabled for w/e 17 June 2022
07/07/2022	Microsoft Teams meeting between Cadent (Plant	Key Topics
	Protection and Pipeline integrity Team) and the Applicant	Request for information on crossing points
		Submission of LSBUD request
		Discussions and Outcomes
		The Cadent Plant Protection and Pipeline integrity Team sought to request information on crossing points including BH data for review and a LSBUD request to formalise crossing consents process. Information provided and a new LSBUD to be submitted.
14/11/2022	Microsoft Teams meeting between Cadent (Plant Protection and Pipeline integrity Team) and the Applicant	Key Topics
		Issuing of LSBUD request
		Approach for meetings with Legal Team
		Discussions and Outcomes
		A meeting was held to discuss topics related to the issue of new LSBUD request including allocation of job number, site visit and review of BH data. Cadent (Plant Protection and Pipeline integrity Team) to provide contact for Legal and separate meetings for Protective Provisions and SoCG with the Legal Team were agreed.
23/12/2022	Email correspondence between The Applicant and	Key Topics
	Cadent	Key Information Exchange

Date	Form of Correspondence	Key Topics Discussed and Key Outcomes
		Discussions and Outcomes
		Applicant shared a draft SoCG with Cadent
24/01/2023	Microsoft Teams meeting between Cadent (Plant	Key Topics
	Protection and Pipeline integrity Team) and the Applicant	Project Update
	Арріїсані	SoCG introduction
		Discussions and Outcomes
		Cadent to review current wording of issues in Chapter 3 and provide comments.
		Cadent confirm their main comment in RR around protective provisions.
		Cadent agree to capture Hydrogen DCO Project as new table within SoCG Template.
13/04/2023	Microsoft Teams meeting between Cadent (Plant Protection and Pipeline integrity Team) and the Applicant	Key Topics
		SoCG discussion
		Discussions and Outcomes
		It was agreed that the Applicant would cover the Hydrogen DCO Project in a separate SoCG.
02/06/2023	Microsoft Teams meeting between Cadent and the	Key Topics
	Applicant	SoCG discussion
		Discussions and Outcomes
		The Applicant shared the SoCG on screen. All rows in Table 3-1 were changed in status to 'Agreed'. Cadent requested that the Applicant check that all technical guidance has been included for item Cadent 3.2.1 (as per s42 consultation response). The Applicant updated this after the meeting.

### 3. ISSUES

- 3.1.1. This chapter sets out the areas of agreement in relation to specific issues relating to the DCO Proposed Development, and any areas of ongoing discussion between the Parties. The topics discussed between the Applicant and Cadent are as follows:
  - Engagement, Land & Other Application Documents;
  - · Design and Assets; and
  - Issues related to the DCO Proposed Development Draft DCO (including requirements to the draft DCO).

Table 3-1 – Engagement, Land & Other Application Documents

Ref.	Description of Matter	Current Position	Status			
Engagement	Engagement					
Cadent 3.1.1	Engagement	The Parties agree that engagement has been ongoing in the pre-application period (as set out in the record of engagement) and the Applicant has sought to bring forward a design which has had regard to Cadent's views.	Agreed			
		Cadent has been formally consulted on the application as required by the Planning Act 2008.				
Land						
Cadent 3.1.2	Cadent Land Use (other than assets)	The Parties are seeking to determine, where relevant, existing Cadent land rights and use. The Parties will seek agreement where required. The Applicant does not consider that it impacts upon Cadent land (freehold or leasehold). However Cadent agrees that any identified would be dealt with through Protective Provisions.	Agreed			
Other application documents						
Cadent 3.1.3	Other application documents	Cadent agrees that its interests are correctly reflected in the Book of Reference [AS-023].	Agreed			

# Table 3-2 – Issues related to Design and Assets

Ref.	Description of Matter	Current Position	Status
Cadent 3.2.1	Cadent Requirements	<ul> <li>The Applicant acknowledges Cadent specification for safe working in vicinity of Cadent assets, CAD/SP/SSW/22 has been provided by Cadent. The Applicant will share this specification with appointed construction contractor. The Parties agree that this will be secured via the Protective Provisions.</li> </ul>	Under Discussion
		The Applicant also acknowledges the need to comply with the following standard and technical guidance notes:	
		• TGN 287	
		HSE Guidance Notes HS(G)47	
Cadent 3.2.2	Cadent Assets	The Applicant acknowledges Cadent's rights to retain its apparatus in situ and rights of access to inspect, maintain, renew and repair such apparatus located within or in close proximity to the order limits should be maintained at all times and access to inspect such apparatus must not be restricted.	Under Discussion
		The Applicant acknowledges Cadent's concern in relation to adequate protective provisions and will seek to engage further on an agreed form of Protective Provisions.	

Table 3-3 – Issues related to the the DCO Proposed Development - Draft DCO (including requirements to the draft DCO)

Ref.	Description of Matter	Current Position	Status
Cadent 3.3.1	Protective Provisions	The form of Protective Provisions is still under discussion. Engagement between the parties is iterative and constructive. There are currently a couple of points still being discussed between both Parties.	Under Discussion