

**From:** [REDACTED]  
**To:** [HyNet CO2 Pipeline](#)  
**Subject:** HyNet Carbon Dioxide Pipeline - Response to Examining Authority's Second Written Questions  
**Date:** 28 June 2023 17:20:24  
**Attachments:** [image001.png](#)  
[image002.png](#)  
[image003.png](#)  
[image004.png](#)  
[image005.png](#)

---

Dear Sirs

In response to the Examining Authority's Second Written Questions, in particular Q2.6.3 I can respond as follows:

As of the 28<sup>th</sup> June 2023 a full planning application has not been submitted by the developer, however a Pre-planning application and Environmental Impact Assessment have been submitted to Cheshire West & Chester Council planning department.


The references are as follows:

- EIA Screening-22/04248/SCR
- Pre-App- 23/01234

Both matters are ongoing.

Please do not hesitate to contact me should you wish to discuss the matter further.

**Jonathan Bell MRICS FAAV**  
**Associate Director**



**Rostons Limited**  
West View House, Whitchurch Road, Hatton Heath, Chester CH3 9AU



Registered in England No 05202193 / Regulated by RICS

This email and any attachments are intended for the addressee only & may contain privileged information. If you are not one of the intended recipients please notify the sender immediately and destroy this email. You must not disclose, copy or take any action in reliance of this transmission. Any opinions stated in this message are not necessarily those of Rostons Ltd. Every effort has been made to ensure that this email and any attachments are free from viruses however it is your responsibility to carry out all necessary virus and security checks on incoming messages. Rostons Ltd accepts no liability in respect of viruses or computer problems experienced.