


1:750,000

Key:

Newbuild Infrastructure Boundary

Daytime Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE
HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
 Figure 15.2:
 Predicted Construction Noise Levels - Mitigated
 Sheet 1 of 21

DRAWING STATUS
 Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
-------------	---------------	----------------	------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
-----------------------------	--------------------	---------------

DRAWING NUMBER
 EN070007-APP-ES-15.2-Sheet 1




Key:

Newbuild Infrastructure Boundary

Daytime Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE

HyNet Carbon Dioxide Pipeline DCO

DRAWING TITLE

Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 2 of 21

DRAWING STATUS



Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
--------------------	----------------------	-----------------------	-------------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
------------------------------------	---------------------------	----------------------

DRAWING NUMBER

EN070007-APP-ES-15.2-Sheet 2




Key:

Newbuild Infrastructure Boundary

Daytime Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE

HyNet Carbon Dioxide Pipeline DCO

DRAWING TITLE

Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 3 of 21

DRAWING STATUS



Final for DCO Examination - submitted at Deadline 7

DRAWN	CHECKED	APPROVED	AUTHORISED
AV	JH	DF	EO


SCALE @ A3 SIZE	DATE	REVISION
1:20,000	30/08/2023	C

DRAWING NUMBER

EN070007-APP-ES-15.2-Sheet 3



- Key:**
- Newbuild Infrastructure Boundary
- Daytime Noise level LAeq,T**
- <50
 - 50 - 55
 - 55 - 60
 - 60 - 65
 - 65 - 70
 - 70 - 75
 - 75 - 80
 - 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 4 of 21

DRAWING STATUS
Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
--------------------	----------------------	-----------------------	-------------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
------------------------------------	---------------------------	----------------------

DRAWING NUMBER
EN070007-APP-ES-15.2-Sheet 4




Key:

Newbuild Infrastructure Boundary

Daytime Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE

HyNet Carbon Dioxide Pipeline DCO

DRAWING TITLE

Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 5 of 21

DRAWING STATUS



Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
-------------	---------------	----------------	------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
-----------------------------	--------------------	---------------

DRAWING NUMBER

EN070007-APP-ES-15.2-Sheet 5




Key:

Newbuild Infrastructure Boundary

Daytime Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE

HyNet Carbon Dioxide Pipeline DCO

DRAWING TITLE

Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 6 of 21

DRAWING STATUS



Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
--------------------	----------------------	-----------------------	-------------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
------------------------------------	---------------------------	----------------------

DRAWING NUMBER

EN070007-APP-ES-15.2-Sheet 6




Key:

Newbuild Infrastructure Boundary

Daytime Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 7 of 21

DRAWING STATUS
Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
--------------------	----------------------	-----------------------	-------------------------

SCALE @ A3 SIZE 1:30,000	DATE 30/08/2023	REVISION C
------------------------------------	---------------------------	----------------------


DRAWING NUMBER
EN070007-APP-ES-15.2-Sheet 7



1:750,000

Key:
 Newbuild Infrastructure Boundary
Evening Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE
 HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
 Figure 15.2:
 Predicted Construction Noise Levels - Mitigated
 Sheet 8 of 21

DRAWING STATUS
 Final for DCO Examination - submitted at Deadline 7

DRAWN	CHECKED	APPROVED	AUTHORISED
AV	JH	DF	EO

SCALE @ A3 SIZE	DATE	REVISION
1:20,000	30/08/2023	C

DRAWING NUMBER
 EN070007-APP-ES-15.2-Sheet 8




Key:

Newbuild Infrastructure Boundary

Evening Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 9 of 21

DRAWING STATUS
Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
--------------------	----------------------	-----------------------	-------------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
------------------------------------	---------------------------	----------------------

DRAWING NUMBER
EN070007-APP-ES-15.2-Sheet 9




Key:

Newbuild Infrastructure Boundary

Evening Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 10 of 21

DRAWING STATUS
Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
--------------------	----------------------	-----------------------	-------------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
------------------------------------	---------------------------	----------------------

DRAWING NUMBER
EN070007-APP-ES-15.2-Sheet 10




Key:

Newbuild Infrastructure Boundary

Evening Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE

HyNet Carbon Dioxide Pipeline DCO

DRAWING TITLE

Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 11 of 21

DRAWING STATUS



Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
-------------	---------------	----------------	------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
-----------------------------	--------------------	---------------

DRAWING NUMBER

EN070007-APP-ES-15.2-Sheet 11




Key:

Newbuild Infrastructure Boundary

Evening Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE
HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
 Figure 15.2:
 Predicted Construction Noise Levels - Mitigated
 Sheet 12 of 21

DRAWING STATUS
 Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
-------------	---------------	----------------	------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
-----------------------------	--------------------	---------------

DRAWING NUMBER
 EN070007-APP-ES-15.2-Sheet 12




Key:

Newbuild Infrastructure Boundary

Evening Noise level L_{Aeq,T}

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE
HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
 Figure 15.2:
 Predicted Construction Noise Levels - Mitigated
 Sheet 13 of 21

DRAWING STATUS
 Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
--------------------	----------------------	-----------------------	-------------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
------------------------------------	---------------------------	----------------------

DRAWING NUMBER
 EN070007-APP-ES-15.2-Sheet 13




Key:

Newbuild Infrastructure Boundary

Evening Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE
HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 14 of 21

DRAWING STATUS
Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
--------------------	----------------------	-----------------------	-------------------------


SCALE @ A3 SIZE 1:30,000	DATE 30/08/2023	REVISION C
------------------------------------	---------------------------	----------------------

DRAWING NUMBER
EN070007-APP-ES-15.2-Sheet 14



Key:
 Newbuild Infrastructure Boundary

- Night Noise level LAeq,T**
- <50
 - 50 - 55
 - 55 - 60
 - 60 - 65
 - 65 - 70
 - 70 - 75
 - 75 - 80
 - 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE
 HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
 Figure 15.2:
 Predicted Construction Noise Levels - Mitigated
 Sheet 15 of 21

DRAWING STATUS
 Final for DCO Examination - submitted at Deadline 7


DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
-------------	---------------	----------------	------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
-----------------------------	--------------------	---------------

DRAWING NUMBER
 EN070007-APP-ES-15.2-Sheet 15



- Key:**
- Newbuild Infrastructure Boundary
 - <50
 - 50 - 55
 - 55 - 60
 - 60 - 65
 - 65 - 70
 - 70 - 75
 - 75 - 80
 - 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 16 of 21

DRAWING STATUS
Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
--------------------	----------------------	-----------------------	-------------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
------------------------------------	---------------------------	----------------------

DRAWING NUMBER
EN070007-APP-ES-15.2-Sheet 16




Key:

Newbuild Infrastructure Boundary

Night Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE

HyNet Carbon Dioxide Pipeline DCO

DRAWING TITLE

Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 17 of 21

DRAWING STATUS



Final for DCO Examination - submitted at Deadline 7

DRAWN	CHECKED	APPROVED	AUTHORISED
AV	JH	DF	EO

SCALE @ A3 SIZE	DATE	REVISION
1:20,000	30/08/2023	C

DRAWING NUMBER

EN070007-APP-ES-15.2-Sheet 17




Key:

Newbuild Infrastructure Boundary

Night Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE

HyNet Carbon Dioxide Pipeline DCO

DRAWING TITLE

Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 18 of 21

DRAWING STATUS



Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
--------------------	----------------------	-----------------------	-------------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
------------------------------------	---------------------------	----------------------

DRAWING NUMBER

EN070007-APP-ES-15.2-Sheet 18




Key:

Newbuild Infrastructure Boundary

Night Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE

HyNet Carbon Dioxide Pipeline DCO

DRAWING TITLE

Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 19 of 21

DRAWING STATUS



Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
-------------	---------------	----------------	------------------

SCALE @ A3 SIZE 1:20,000	DATE 30/08/2023	REVISION C
-----------------------------	--------------------	---------------

DRAWING NUMBER

EN070007-APP-ES-15.2-Sheet 19




Key:

Newbuild Infrastructure Boundary

Night Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

DRAWING TITLE

HyNet Carbon Dioxide Pipeline DCO



DRAWING TITLE
Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 20 of 21

DRAWING STATUS
Final for DCO Examination - submitted at Deadline 7

<small>DRAWN</small> AV	<small>CHECKED</small> JH	<small>APPROVED</small> DF	<small>AUTHORISED</small> EO
----------------------------	------------------------------	-------------------------------	---------------------------------

<small>SCALE @ A3 SIZE</small> 1:20,000	<small>DATE</small> 30/08/2023	<small>REVISION</small> C
--	-----------------------------------	------------------------------

DRAWING NUMBER
EN070007-APP-ES-15.2-Sheet 20




Key:

Newbuild Infrastructure Boundary

Night Noise level LAeq,T

- <50
- 50 - 55
- 55 - 60
- 60 - 65
- 65 - 70
- 70 - 75
- 75 - 80
- 80 - 85



Contains OS data © Crown Copyright and database right 2020

HyNet North West

PROJECT TITLE

HyNet Carbon Dioxide Pipeline DCO

DRAWING TITLE

Figure 15.2:
Predicted Construction Noise Levels - Mitigated
Sheet 21 of 21

DRAWING STATUS

Final for DCO Examination - submitted at Deadline 7

DRAWN AV	CHECKED JH	APPROVED DF	AUTHORISED EO
-------------	---------------	----------------	------------------

SCALE @ A3 SIZE 1:30,000	DATE 30/08/2023	REVISION C
-----------------------------	--------------------	---------------

DRAWING NUMBER

EN070007-APP-ES-15.2-Sheet 21