

COMPULSORY ACQUISITION (CA) & TEMPORARY POSSESSIONS (TP) SCHEDULE (S127 AND S138) (TRACKED)

HyNet Carbon Dioxide Pipeline

Planning Act 2008

The Infrastructure Planning (Examination Procedure) Rules 2010 Rule 8(1)(c)

Document Reference Number D.7.12

Applicant: Liverpool Bay CCS Limited

Inspectorate Reference: EN070007

English Version

REVISION: B

DATE: September 2023

DOCUMENT OWNER: WSP UK LIMITED

PUBLIC

QUALITY CONTROL

Document Reference		D.7.12			
Document Owner		WSP			
Revision	Date	Comments	Author	Checker	Approver
A	April 2023	Submitted at Deadline 1	PT	VB	AV
<u>B</u>	<u>September 2023</u>	<u>Deadline 9</u>	<u>RB</u>	<u>VB</u>	<u>AV</u>

TABLE OF CONTENTS

1. INTRODUCTION.....	3
1.1. Purpose of this document.....	3
1.2. The DCO Proposed Development.....	3

TABLES

Table 1-1 – s127 Statutory Undertakers Land and Rights	4
Table 1-2 - s138 Statutory Undertakers Apparatus	5

1. INTRODUCTION

1.1. PURPOSE OF THIS DOCUMENT

- 1.1.1. This document has been prepared on behalf of Liverpool Bay CCS Limited ('the Applicant') and relates to an application ('the Application') for a Development Consent Order (DCO) that has been submitted to the Secretary of State (SoS) for Energy Security and Net Zero (DESNZ) (formerly BEIS) under Section 37 of the Planning Act 2008 ('the PA 2008'). The Application relates to the carbon dioxide (CO₂) pipeline which constitutes the DCO Proposed Development.
- 1.1.2. This document provides a schedule of the statutory undertakers, for whom their land rights and apparatus are within the order limits for the DCO Proposed Development.

1.2. THE DCO PROPOSED DEVELOPMENT

- 1.2.1. A full description of the DCO Proposed Development is detailed in Chapter 3 of the Environmental Statement (ES) [[APP-055REP7-036](#)].
- 1.2.2. At this time, the Applicant has not identified any statutory undertakers' apparatus which would require to be removed or diverted for the DCO Proposed Development to be carried out. Where utility or apparatus is required to be diverted (for example because it is not in the location mapped), that would be covered by the protective provisions and a suitable alternative would be provided. The DCO Proposed Development would pass under infrastructure such as strategic highway and railways using trenchless techniques and with no impact on the use of the undertaking. The Applicant accordingly considers that there is no serious detriment to any statutory undertaking as a consequence of the proposal.

Table 1-1 – s127 Statutory Undertakers Land and Rights

Statutory Undertaker Name	Nature of the Undertaking	Relevant Land and / or Rights affected	Whether the Test in s127(3) can be met	Status of any Protective Provisions and / or Commercial Agreements	Settlement Reached	Representation(s) Withdrawn in Whole or Part
Cadent Gas Limited	Gas	None (Rights in plots 2-12, 2-13, 4-01, 4-02, 4-05, 6-09, 9-01, 9-03, 9-05, 9-07, 9-08, 9-14, 9-14a, 9-15, 9-18a, 9-18b, 9-19, 9-19a <u>and</u> , 9-20)	Yes, there is no serious detriment to the undertaking	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-006) received
Canal & River Trust	Canal	None (Freeholder <u>on plots</u> : 8-03 <u>and</u> , 9-06)	Yes, there is no serious detriment to the undertaking	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-008) received
Dwr Cymru Cyfyngedig	Water	None (Freeholder <u>in respect of subsoil up to half-width of highway on plot</u> : 17-40 <u>(in respect of subsoil up to half-width of highway)</u> <u>Occupier on plot 19-05</u> Rights in plots: 15-07, 15-08, 15-09, 15-12, 15-13, 16-05, 16-20, 16-22, 16-26, 16-27, 16-28, 16-28a, 16-29, 16-30, 17-03, 17-05, 17-06, 17-13, 17-16, 17-17, 17-20, 17-21, 17-32, 17-36, 17-37, 17-38, 18-08, 18-09, 18-10, 18-11, 18-22, 18-25, 18-33, 19-05 , 19-08, 22-01, 22-02, 22-03, 22-05 <u>and</u> , 36-01)	Yes, there is no serious detriment to the undertaking	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-023) received
National Grid Electricity Transmission plc	Electricity	None (Rights in plots: 1a-01, 1a-02, 1a-03 , 1-01, 1-01a, 1-02, 1-03, 1-06, 1-06a, 1-06b, <u>1-06c, 1-06d</u> , 1-20, <u>1a-01, 1a-02, 1a-03</u> , 2-02, 2-02a, 2-03, 2-04, 2-04a, 2-05, 2-06, 2-08, 2-09, 2-10, 2-11, 2-13, 3-03, 3-06, 3-11, 3-12, 4-02, 4-06, 4-09, 4-10, 4-12, 4-13, 4-14, 4-15, 4-19, 7-07, 7-09, 7-10, 8-05, 8-06, 8-07, 8-09, 8-10, 8-12, 8-15, 8-16, 13-01, 13-02, 13-03, 16-29, 20-12, 20-13, 20-14, 20-17, 20-18, 20-19, 20-20 <u>and</u> , 29-02)	Yes, there is no serious detriment to the undertaking	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-062) received
National Grid Gas <u>Transmission</u> plc	Gas	None (Rights <u>in plots</u> : 1a-01, 1a-02, 7-03, 7-03a, <u>7-03b</u> , 7-04, 7-06 <u>and</u> , 7-07)	Yes, there is no serious detriment to the undertaking	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-063) received

Statutory Undertaker Name	Nature of the Undertaking	Relevant Land and / or Rights affected	Whether the Test in s127(3) can be met	Status of any Protective Provisions and / or Commercial Agreements	Settlement Reached	Representation(s) Withdrawn in Whole or Part
National Highways Limited	Highways	None (Freeholder <u>on plots</u> : 2-09 , 2-10, 5-06, 5-09 , 6-07, 9-07, 9-08, 9-09 , 9-10 <u>and</u> , 9-11 , 9-12 , 9-13 <u>Freeholder in respect of subsoil up to half-width of highway on plots</u> 2-09, 5-09, 9-09, 9-12 and 9-13 Occupier <u>on plot</u> : 7-05 Rights in plots: 2-02 , 2-03 , 2-05, 2-06, 2-07, 2-14, 4-20, 5-01, 5-02, 5-03, 5-10, 5-12, <u>and</u> 9-04)	Yes, there is no serious detriment to the undertaking	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-064) received
Network Rail Infrastructure Limited	Rail	None (Freeholder <u>on plots</u> : 1-06b, 1-23, 9-21, 9-23, 9-24, 14-29 <u>and</u> , 17-12 , Rights in plots: 9-25, 14-24, 19-04 <u>and</u> , 19-04c)	Yes, there is no serious detriment to the undertaking	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-026) received
SP Manweb plc	Electricity	None (Rights in plots: 1a-01 , 1a-02 , 1a-03 , 1-01, 1-01a, 1-05 , 1-06, 1-06a, 1-06b, 1-06c, 1-06d , 1-18, 1a-01 , 1a-02 , 1a-03 , 4-20, 5-01, 5-02, 5-03, 5-10, 9-22, 9-25, 11-17, 12-16, 12-17, 12-20, 12-21, 13-01, 13-02, 13-03, 13-04, 13-06, 13-08, 13-10, 13-11, 13-12, 13-13, 13-20, 13-21, 15-14, 16-20, 17-02, 17-13, 17-16, 17-17, 18-28, 19-04 , 19-04a, 19-04b <u>and</u> , 19-04c)	Yes, there is no serious detriment to the undertaking	Negotiation of Protective Provisions is in progress		No Relevant Representation (<u>RR-075</u>) received
Wales & West Utilities Limited	Gas	None (Rights in plots: 16-27, 16-28, 16-28a <u>and</u> , 36-01)	Yes, there is no serious detriment to the undertaking	Negotiation of Protective Provisions is in progress		No Relevant Representation received

Table 1-2 - s138 Statutory Undertakers Apparatus

Statutory Undertaker Name	Nature of the Undertaking	Relevant Rights to be Extinguished; and / or the Relevant Apparatus to be Removed	Whether the Test in s138(4) can be met	Status of any Protective Provisions and / or Commercial Agreements	Settlement Reached	Representation(s) Withdrawn in Whole or Part
BT Group plc	Telecoms	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective	Covered by the protective provisions for the protection of electronic communication code operators		No Relevant Representation received

Statutory Undertaker Name	Nature of the Undertaking	Relevant Rights to be Extinguished; and / or the Relevant Apparatus to be Removed	Whether the Test in s138(4) can be met	Status of any Protective Provisions and / or Commercial Agreements	Settlement Reached	Representation(s) Withdrawn in Whole or Part
			provisions for the protection of electronic communication code operators would apply and a suitable alternative would be provided			
Cadent Gas Limited	Gas	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions would apply.	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-006) received
Dwr Cymru Cyfyngedig	Water	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions for the protection of water and sewerage undertakers would apply and a suitable alternative would be provided	Covered by the protective provisions in favour of water and sewerage undertakers.		Relevant Representation (RR-023) received
ESP Utilities Group Limited	Electricity	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions would apply.	Negotiation of Protective Provisions is in progress		No Relevant Representation received
Instalcom UK Limited	Telecoms	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions for the protection of electronic communication code operators would apply and a suitable alternative would be provided	The protective provisions for the protection of electronic communication code operators would apply		No Relevant Representation received

Statutory Undertaker Name	Nature of the Undertaking	Relevant Rights to be Extinguished; and / or the Relevant Apparatus to be Removed	Whether the Test in s138(4) can be met	Status of any Protective Provisions and / or Commercial Agreements	Settlement Reached	Representation(s) Withdrawn in Whole or Part
National Grid Electricity Transmission plc	Electricity	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions would apply.	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-062) received
National Grid Gas plc	Gas	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions would apply. Negotiation of Protective Provisions is in progress	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-063) received
National Highways Limited	Highways	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes, no removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-064) received
Severn Trent plc	Water	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions for the protection of water and sewerage undertakers would apply and a suitable alternative would be provided	Covered by the protective provisions in favour of water and sewerage undertakers.		No Relevant Representation received
SP Manweb plc	Electricity	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions would apply.	Negotiation of Protective Provisions is in progress		No Relevant Representation (RR-075) received
United Utilities Water Limited	Water	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is	Negotiation of Protective Provisions is in progress		Relevant Representation (RR-080) received

Statutory Undertaker Name	Nature of the Undertaking	Relevant Rights to be Extinguished; and / or the Relevant Apparatus to be Removed	Whether the Test in s138(4) can be met	Status of any Protective Provisions and / or Commercial Agreements	Settlement Reached	Representation(s) Withdrawn in Whole or Part
			found, the protective provisions would apply.			
Virgin Media Limited	Telecoms	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions for the protection of electronic communication code operators would apply and a suitable alternative would be provided	The protective provisions for the protection of electronic communication code operators would apply		No Relevant Representation received
Vodafone Limited	Telecoms	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions for the protection of electronic communication code operators would apply and a suitable alternative would be provided	The protective provisions for the protection of electronic communication code operators would apply		No Relevant Representation received
Wales & West Utilities Limited	Gas	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions would apply. Negotiation of Protective Provisions is in progress	Negotiation of Protective Provisions is in progress		No Relevant Representation received
Zayo Group UK Limited	Telecoms	None identified. No removal or diversion of apparatus of extinguishment of rights has been identified to be required.	Yes. If any diversion is required, for example if unknown apparatus is found, the protective provisions for the protection of electronic communication code operators would apply	The protective provisions for the protection of electronic communication code operators would apply		No Relevant Representation received

Statutory Undertaker Name	Nature of the Undertaking	Relevant Rights to be Extinguished; and / or the Relevant Apparatus to be Removed	Whether the Test in s138(4) can be met	Status of any Protective Provisions and / or Commercial Agreements	Settlement Reached	Representation(s) Withdrawn in Whole or Part
			and a suitable alternative would be provided			