


A1 Birtley to Coal House

Scheme Number: TR010031

2.5 Engineering Section Drawings





Infrastructure Planning

Planning Act 2008

The Infrastructure Planning (Applications: Prescribed Forms and Procedure - APFP) Regulations 2009

The A1 Birtley to Coal House

Development Consent Order 20[xx]

ENGINEERING SECTION DRAWINGS

Regulation Reference:	APFP Regulation 5(2)(o) and 6(2)		
Planning Inspectorate Scheme	TR010031		
Reference			
Application Document Reference	TR010031/APP/2.5		
Author:	A1 Birtley to Coal House Project Team,		
	Highways England		

Version	Date	Status of Version		
Rev 2	20/04/2020	Examination Deadline 4 (Viaduct Options)		



CONTENTS

1	Introduction	1
1.1	Purpose of this Document	1
2	Schedule of Plans included in this Application Document	3



1 INTRODUCTION

1.1 Purpose of this Document

- 1.1.1 The Engineering Section Drawings (the "Drawings") relate to an application made by Highways England (the "Applicant") to the Secretary of State for Transport under the Planning Act 2008 (the "2008 Act") for a Development Consent Order (DCO). If made, the DCO would grant consent for A1 Birtley to Coal House (the "Scheme"). A detailed description of the Scheme can be found in **Chapter 2** of the Environmental Statement (ES) **(Application Document Reference: TR010031/APP/6.1).**
- 1.1.2 The drawings have been amended since the previous version by the inclusion of additional land within the Order limits as shown on drawing TRO010031/APP/2.5 (A) to the South of Allerdene Railway Bridge. These drawings also allow the inclusion of additional engineering options within the Order limits as shown on drawing TRO010031/APP/2.5 (A) in relation to the option of narrower lanes on Kingsway Viaduct; and TRO010031/APP/2.5 (B) in respect of a three-span viaduct option for the proposed Allerdene Railway Bridge. The Applicant has submitted a request to the Examining Authority (AS-009) to amend the Order limits to include additional land to be subject to powers of temporary possession that is required for a construction compound and materials stockpile, and to accommodate these additional engineering options. Should the amendments to the application be admitted by the Examining Authority these drawings should be substituted for those shown in the table in Section 2 of this document.
- 1.1.3 The Drawings comprise part of the suite of Application documentation and are included in the Application in compliance with Regulation 5(2)(o) and 6(2) of the Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009, which requires:
 - "5(2)(o) any other plans, drawings and sections necessary to describe the proposals for which development consent is sought, showing details of design, external appearance and the preferred layout of buildings or structures, drainage, surface water management, means of vehicular and pedestrian access, any car parking to be provided, and means of landscaping;"
 - "6(2) If the application is for highway related development or for the construction or alteration of a railway, it must be accompanied by section drawings to suitable horizontal and vertical scales which show, by reference to Ordnance Survey or Chart datum:
 - (a) The levels of the proposed works, including in particular and where relevant
 - (i) ground levels;
 - (ii) the height of every proposed bridge, viaduct, aqueduct, embankment, and elevated guideway;
 - (iii) the depth of every proposed cutting and tunnel;
 - (iv) the levels of the bed of any tidal waters or inland waterway in which it is proposed that any works should be situated;
 - (v) the height of every structure or device (including a cable, but not catenary



- and related equipment) intended to be erected above, on or below the surface of, or on or beneath the bed of tidal waters or an inland waterway; and (vi) drainage outfall details for highways:
- (b) A cross section of every intended tunnel and any altered gradient of a carriageway or a way forming part of a guided transport system on either side of every level crossing, bridge, tunnel or underpass which would carry the carriageway or way or through which it would pass."
- 1.1.4 These Drawings are also being submitted under Regulation 5(4) of the 2009 Regulations which states:
 - "Where a plan comprises three or more separate sheets a key plan must be provided showing the relationship between the different sheets."
- 1.1.5 As the Drawings are part of the Application documentation, they should be read alongside and are informed by the other Application documents. In particular, the Drawings should be read alongside Schedule 1 of the draft Development Consent Order (Application Document Reference: TR010031/APP/3.1), the General Arrangement Plans (Application Document Reference: TR010031/APP/2.6) and the Structures Engineering Drawings and Sections (Application Document Reference: TR010031/APP/2.7).
- 1.1.6 Following the submission of the Engineering Section Drawings (APP-009) for Deadline 3 (16/03/20), the following amendments have been instigated for Deadline 4. The amendments detailed below have been commissioned by the Applicant following comments received via previous written representation and questions from the Planning Inspectorate and Consultees. The Scheme has also been subject to design changes following technical variations identified by the contractor in accordance with Sections 87(1) and 89 of the Planning Act (2008).
 - The key plan has been updated to include an additional area of land within the Order Limits and the option of narrower lanes over the Kingsway Viaduct.
 - Sheet 1 has been updated to show the 3-span bridge option.




2 SCHEDULE OF PLANS INCLUDED IN THIS APPLICATION DOCUMENT


Document Title	Document Number	Old Revision	New Revision	Change
Engineering Section Drawings – Regulation 5(2)(o), 6(2) & 5(4) – Key Plan	TR010031/APP/2.5(A)	Rev 1	Rev 2	Updated to show the additional area of land within the Order Limits and the option of narrower lanes over the Kingsway Viaduct.
Engineering Section Drawings – Regulation 5(2)(0) & 6(2) – Sheet 1 of 9	TR010031/APP/2.5(B)	Rev 1	Rev 2	Updated to show the 3- span bridge option.
Engineering Section Drawings – Regulation 5(2)(0) & 6(2) – Sheet 2 of 9	TR010031/APP/2.5(C)	Rev 1		No change
Engineering Section Drawings – Regulation 5(2)(0) & 6(2) – Sheet 3 of 9	TR010031/APP/2.5(D)	Rev 1		No change
Engineering Section Drawings – Regulation 5(2)(0) & 6(2) – Sheet 4 of 9	TR010031/APP/2.5(E)	Rev 1		No change
Engineering Section Drawings – Regulation 5(2)(0) & 6(2) – Sheet 5 of 9	TR010031/APP/2.5(F)	Rev 1		No change
Engineering Section Drawings – Regulation 5(2)(o) & 6(2) – Sheet 6 of 9	TR010031/APP/2.5(G)	Rev 1		No change
Engineering Section Drawings – Regulation 5(2)(0) & 6(2) – Sheet 7 of 9	TR010031/APP/2.5(H)	Rev 1		No change


A1 Birtley to Coal House Engineering Section Drawings

1	hig	hways
		land [*]

Engineering Section Drawings – Regulation 5(2)(0) & 6(2) – Sheet 8 of 9	TR010031/APP/2.5(I)	Rev 1	No change
Engineering Section Drawings – Regulation 5(2)(o) & 6(2) – Sheet 9 of 9	TR010031/APP/2.5(J)	Rev 1	No change







Horizontal Scale = 1:1250, Vertical Scale = 1:250

REFERENCE 1

Southbound Design Speed 85kph, Northbound Design Speed 85kph Horizontal Scale = 1:1250, Vertical Scale = 1:250

REFERENCE 2

© Crown Copyright and Database Rights 2020 Ordnance Survey 100030649 1. ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE 2. ENGINEERING SECTION DRAWINGS, REGULATION 6(2) SHOULD BE READ IN CONJUNCTION WITH GENERAL ARRANGEMENT DRAWINGS (DOCUMENT REFERENCE TR010031/APP/2.6) 3. ALL STRUCTURES AND CULVERT LOCATIONS ARE INDICATIVE 4. PLANS TO BE READ IN CONJUNCTION WITH ALL OTHER PLANS AND DOCUMENTS IN THE DEVELOPMENT CONSENT ORDER APPLICATION (DOCUMENT REFERENCE TR010031/APP/3.1) 5. MAINLINE LONG SECTIONS WERE CUT THROUGH CENTRAL RESERVATION, FOR SPECIFIC DESIGN SPEED INFORMATION SEE INDIVIDUAL LONG 6. DO NOT SCALE FROM THIS DRAWING. THE PROPOSED CONSTRUCTION OF ALLERDENE CULVERT (WORKS 20) ONLY APPLIES TO THE SINGLE SPAN OPTION, THE 6 & 7 SPAN VIADUCT OPTIONS REQUIRE DITCHES AND THEREFORE ARE NOT SHOWN. THE DRAINAGE OUTFALL DISCHARGE POINTS DO NOT ALL LIE ON THE MAINLINE, SEE THE WORKS PLANS (DOCUMENT REFERENCE TR010031/APP/2.3) FOR EXACT LOCATIONS. PROPOSED LEVELS EXISTING LEVELS STRUCTURES WIDENING FOR 7 SPAN VIADUCT OPTION WIDENING FOR 3 SPAN VIADUCT OPTION WIDENING FOR 6 SPAN VIADUCT OPTION SCALE 1:250 SCALE 1:1250 20/04/20 EXAMINATION DEADLINE 4 UPDATE 25/02/20 EXAMINATION DEADLINE 2 UPDATE 22/07/19 APPLICATION ISSUE

Application Issue

TR010031/APP/2.5(B)

A1 BIRTLEY TO COAL HOUSE

ENGINEERING SECTIONS

LONG SECTIONS

REGULATION 5(2)(o) AND REGULATION 6(2) SHEET 1 OF 9

m.birkett

Originator WSP

20/04/20

m.birkett

LSI

DR ZL 45001

20/04/20

highways england

By Eng' Disc' Ch'k Ch'k

S0

n.rawcliffe

20/04/20

HE551462-WSP-LSI-ZZ-DR-ZL-45001


Original Size


HE551462

a.khaji

20/04/20

WSP Project Number: 70041947





PROPOSED REPLACEMENT OF NORTH DENE FOOTBRIDGE 6.3m MIN. HEADROOM WORK NUMBER 18 WORK NUMBER 6a and b DRAINAGE OUTFALL 4 DRAINAGE OUTFALL 2 Datum:70.000 mAOD DESIGN LEVELS SURVEY LEVELS A=123840.000 L=86.000m HORIZONTAL VERTICAL CHAINAGE MAINLINE SECTION 3 - Ch13475m TO Ch14045m LONGITUDINAL SECTION

Southbound Design Speed 120kph, Northbound Design Speed 85kph

Horizontal Scale = 1:1250, Vertical Scale = 1:250

REFERENCE 2

REFERENCE 1

7. THE PROPOSED CONSTRUCTION OF ALLERDENE CULVERT (WORKS 20) ONLY APPLIES TO THE SINGLE SPAN OPTION, THE 6 & 7 SPAN VIADUCT OPTIONS REQUIRE DITCHES AND THEREFORE ARE NOT SHOWN. 8. THE DRAINAGE OUTFALL DISCHARGE POINTS DO NOT ALL LIE ON THE MAINLINE, SEE THE WORKS PLANS (DOCUMENT REFERENCE TR010031/APP/2.3) FOR EXACT LOCATIONS. PROPOSED LEVELS EXISTING LEVELS STRUCTURES WIDENING FOR 7 SPAN VIADUCT OPTION SCALE 1:250 SCALE 1:1250 25/02/20 EXAMINATION DEADLINE 2 UPDATE JS MB MB NGF 0 27/07/19 APPLICATION ISSUE **A3** Application Issue TR010031/APP/2.5(D) highways england A1 BIRTLEY TO COAL HOUSE **ENGINEERING SECTIONS DRAWINGS** LONG SECTIONS REGULATION 5(2)(o) AND REGULATION 6(2) SHEET 3 OF 9 Eng. Check
M.Birkett J.Singh M.Birkett n.rawcliffe 25/02/20 25/02/20 25/02/20 25/02/20 l Originator HE551462 LSI DR ZL 45003
Type | Role | Number

© Crown Copyright and Database Rights 2019 Ordnance Survey 100030649

2. ENGINEERING SECTION DRAWINGS, REGULATION 6(2) SHOULD BE READ IN

DOCUMENTS IN THE DEVELOPMENT CONSENT ORDER APPLICATION

5. MAINLINE LONG SECTIONS WERE CUT THROUGH CENTRAL RESERVATION, FOR SPECIFIC DESIGN SPEED INFORMATION SEE INDIVIDUAL LONG

CONJUNCTION WITH GENERAL ARRANGEMENT DRAWINGS (DOCUMENT

1. ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE


3. ALL STRUCTURES AND CULVERT LOCATIONS ARE INDICATIVE

(DOCUMENT REFERENCE TR010031/APP/3.1)

4. PLANS TO BE READ IN CONJUNCTION WITH ALL OTHER PLANS AND


REFERENCE TR010031/APP/2.6)

6. DO NOT SCALE FROM THIS DRAWING.



MAINLINE SECTION 3 - Ch14040m TO Ch14710m
LONGITUDINAL SECTION
Southbound Design Speed 120kph, Northbound Design Speed 85kph
Horizontal Scale = 1:1250, Vertical Scale = 1:250

REFERENCE 1



LONGITUDINAL SECTION

Design Speed 60kph

Horizontal Scale = 1:1250, Vertical Scale = 1:250

REFERENCE 2

© Crown Copyright and Database Rights 2019 Ordnance Survey 100030649

- ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE
 ENGINEERING SECTION DRAWINGS, REGULATION 6(2) SHOULD BE READ IN CONJUNCTION WITH GENERAL ARRANGEMENT DRAWINGS (DOCUMENT REFERENCE TR010031/APP/2.6)
- PLANS TO BE READ IN CONJUNCTION WITH ALL OTHER PLANS AND DOCUMENTS IN THE DEVELOPMENT CONSENT ORDER APPLICATION (DOCUMENT REFERENCE TR010031/APP/3.1)
 MAINLINE LONG SECTIONS WERE CUT THROUGH CENTRAL RESERVATION,

3. ALL STRUCTURES AND CULVERT LOCATIONS ARE INDICATIVE

- FOR SPECIFIC DESIGN SPEED INFORMATION SEE INDIVIDUAL LONG SECTIONS.
- 6. DO NOT SCALE FROM THIS DRAWING.
- 7. THE PROPOSED CONSTRUCTION OF ALLERDENE CULVERT (WORKS 20) ONLY APPLIES TO THE SINGLE SPAN OPTION, THE 6 & 7 SPAN VIADUCT OPTIONS REQUIRE DITCHES AND THEREFORE ARE NOT SHOWN.
- 8. THE DRAINAGE OUTFALL DISCHARGE POINTS DO NOT ALL LIE ON THE MAINLINE, SEE THE WORKS PLANS (DOCUMENT REFERENCE TR010031/APP/2.3) FOR EXACT LOCATIONS.

, Pi

PROPOSED LEVELS

EXISTING LEVELS

STRUCTURES

WIDENING FOR 7 SPAN VIADUCT OPTION

Om 5m 10m 15m 25

SCALE 1:250

Om 25m 50m 100m

SCALE 1:1250

1 25/02/20 EXAMINATION DEADLINE 2 UPDATE

0 22/07/19 APPLICATION ISSUE

Description

By Eng' Disc' Ch'k App'c Suitability

Status

Application Issue A3

TR010031/APP/2.5(E)

highways england

A1 Bl

A1 BIRTLEY TO COAL HOUSE

ENGINEERING SECTIONS DRAWINGS
LONG SECTIONS
REGULATION 5(2)(o) AND REGULATION 6(2)
SHEET 4 OF 9

 Scale
 Drawn
 Eng. Check
 Approved
 Authorised

 As Shown
 J.Singh
 M.Birkett
 M.Birkett
 M.Birkett
 Date
 n.rawcliffe


 Original Size
 Date
 25/02/20
 Date
 25/02/20
 25/02/20

 Drawing Number
 HE PIN
 Originator
 Volume
 Volume
 1


 HE 551462
 WSP
 LSI
 PW Stage Construction
 3

 Section
 Type
 ID
 Direction
 Type
 Role
 Number

WSP Project Number: 70041947



REFERENCE 1



SOUTHBOUND J66 (EIGHTON LODGE) OFF SLIP LONGITUDINAL SECTION Design Speed 70kph Horizontal Scale = 1:1250, Vertical Scale = 1:250

REFERENCE 2

© Crown Copyright and Database Rights 2019 Ordnance Survey 100030649

- 1. ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE 2. ENGINEERING SECTION DRAWINGS, REGULATION 6(2) SHOULD BE READ IN CONJUNCTION WITH GENERAL ARRANGEMENT DRAWINGS (DOCUMENT REFERENCE TR010031/APP/2.6)
- 3. ALL STRUCTURES AND CULVERT LOCATIONS ARE INDICATIVE 4. PLANS TO BE READ IN CONJUNCTION WITH ALL OTHER PLANS AND DOCUMENTS IN THE DEVELOPMENT CONSENT ORDER APPLICATION (DOCUMENT REFERENCE TR010031/APP/3.1)
- 5. MAINLINE LONG SECTIONS WERE CUT THROUGH CENTRAL RESERVATION, FOR SPECIFIC DESIGN SPEED INFORMATION SEE INDIVIDUAL LONG
- 6. DO NOT SCALE FROM THIS DRAWING.
- 7. THE PROPOSED CONSTRUCTION OF ALLERDENE CULVERT (WORKS 20) ONLY APPLIES TO THE SINGLE SPAN OPTION, THE 6 & 7 SPAN VIADUCT OPTIONS REQUIRE DITCHES AND THEREFORE ARE NOT SHOWN.
- 8. THE DRAINAGE OUTFALL DISCHARGE POINTS DO NOT ALL LIE ON THE MAINLINE, SEE THE WORKS PLANS (DOCUMENT REFERENCE TR010031/APP/2.3) FOR EXACT LOCATIONS.

PROPOSED LEVELS

EXISTING LEVELS

STRUCTURES

WIDENING FOR 7 SPAN VIADUCT OPTION

SCALE 1:250 SCALE 1:1250

25/02/20 EXAMINATION DEADLINE 2 UPDATE 0 22/07/19 APPLICATION ISSUE By Eng' Disc' Ch'k Ch'k Description

A3

highways england

A1 BIRTLEY TO COAL HOUSE

ENGINEERING SECTIONS DRAWINGS LONG SECTIONS REGULATION 5(2)(o) AND REGULATION 6(2) SHEET 5 OF 9

Approved M.Birkett Eng. Check
M.Birkett J.Singh n.rawcliffe 25/02/20 25/02/20 25/02/20 25/02/20 l Originator WSP Volume HE551462 LSI


WSP Project Number: 70041947

HE551462-WSP-LSI-ZZ-DR-ZL-45005


DR ZL 45005
Type | Role | Number

Application Issue

TR010031/APP/2.5(F)



REFERENCE 1



SOUTHBOUND J65 (BIRTLEY) OFF SLIP LONGITUDINAL SECTION Design Speed 70kph Horizontal Scale = 1:1250, Vertical Scale = 1:250

REFERENCE 2

© Crown Copyright and Database Rights 2019 Ordnance Survey 100030649

- 1. ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE 2. ENGINEERING SECTION DRAWINGS, REGULATION 6(2) SHOULD BE READ IN CONJUNCTION WITH GENERAL ARRANGEMENT DRAWINGS (DOCUMENT REFERENCE TR010031/APP/2.6) 3. ALL STRUCTURES AND CULVERT LOCATIONS ARE INDICATIVE
- 4. PLANS TO BE READ IN CONJUNCTION WITH ALL OTHER PLANS AND DOCUMENTS IN THE DEVELOPMENT CONSENT ORDER APPLICATION (DOCUMENT REFERENCE TR010031/APP/3.1)
- 5. MAINLINE LONG SECTIONS WERE CUT THROUGH CENTRAL RESERVATION, FOR SPECIFIC DESIGN SPEED INFORMATION SEE INDIVIDUAL LONG
- 6. DO NOT SCALE FROM THIS DRAWING.
- 7. THE PROPOSED CONSTRUCTION OF ALLERDENE CULVERT (WORKS 20) ONLY APPLIES TO THE SINGLE SPAN OPTION, THE 6 & 7 SPAN VIADUCT OPTIONS REQUIRE DITCHES AND THEREFORE ARE NOT SHOWN.
- 8. THE DRAINAGE OUTFALL DISCHARGE POINTS DO NOT ALL LIE ON THE MAINLINE, SEE THE WORKS PLANS (DOCUMENT REFERENCE TR010031/APP/2.3) FOR EXACT LOCATIONS.

PROPOSED LEVELS

EXISTING LEVELS

STRUCTURES

WIDENING FOR 7 SPAN VIADUCT OPTION

SCALE 1:250 SCALE 1:1250

25/02/20 EXAMINATION DEADLINE 2 UPDATE 0 22/07/19 APPLICATION ISSUE By Eng' Disc' Ch'k Ch'k Description

Application Issue

TR010031/APP/2.5(G)

highways england

A3

A1 BIRTLEY TO COAL HOUSE


ENGINEERING SECTIONS DRAWINGS LONG SECTIONS
REGULATION 5(2)(o) AND REGULATION 6(2)
SHEET 6 OF 9

Eng. Check
M.Birkett J.Singh M.Birkett n.rawcliffe 25/02/20 25/02/20 25/02/20 25/02/20 l Originator WSP Volume HE551462 LSI DR ZL 45006


Type Role Number

HE551462-WSP-LSI-ZZ-DR-ZL-45006

WSP Project Number: 70041947



REFERENCE 1



NORTHBOUND J67 (COAL HOUSE) OFF SLIP LONGITUDINAL SECTION Design Speed 60kph Horizontal Scale = 1:1250, Vertical Scale = 1:250

REFERENCE 2

© Crown Copyright and Database Rights 2019 Ordnance Survey 100030649

- 1. ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE 2. ENGINEERING SECTION DRAWINGS, REGULATION 6(2) SHOULD BE READ IN CONJUNCTION WITH GENERAL ARRANGEMENT DRAWINGS (DOCUMENT REFERENCE TR010031/APP/2.6)
- 4. PLANS TO BE READ IN CONJUNCTION WITH ALL OTHER PLANS AND DOCUMENTS IN THE DEVELOPMENT CONSENT ORDER APPLICATION (DOCUMENT REFERENCE TR010031/APP/3.1) 5. MAINLINE LONG SECTIONS WERE CUT THROUGH CENTRAL RESERVATION,

3. ALL STRUCTURES AND CULVERT LOCATIONS ARE INDICATIVE

- 6. DO NOT SCALE FROM THIS DRAWING.
- 7. THE PROPOSED CONSTRUCTION OF ALLERDENE CULVERT (WORKS 20) ONLY APPLIES TO THE SINGLE SPAN OPTION, THE 6 & 7 SPAN VIADUCT OPTIONS REQUIRE DITCHES AND THEREFORE ARE NOT SHOWN.


FOR SPECIFIC DESIGN SPEED INFORMATION SEE INDIVIDUAL LONG

8. THE DRAINAGE OUTFALL DISCHARGE POINTS DO NOT ALL LIE ON THE MAINLINE, SEE THE WORKS PLANS (DOCUMENT REFERENCE TR010031/APP/2.3) FOR EXACT LOCATIONS.


PROPOSED LEVELS



STRUCTURES



WIDENING FOR 7 SPAN VIADUCT OPTION



25/02/20 EXAMINATION DEADLINE 2 UPDATE JS MB MB NGR 0 22/07/19 APPLICATION ISSUE By Eng' Disc' Ch'k Ch'k Description

Application Issue A3

TR010031/APP/2.5(H)




A1 BIRTLEY TO COAL HOUSE

ENGINEERING SECTIONS DRAWINGS LONG SECTIONS REGULATION 5(2)(o) AND REGULATION 6(2)


SHEET 7 OF 9 Eng. Check
M.Birkett J.Singh M.Birkett n.rawcliffe 25/02/20 25/02/20 25/02/20 25/02/20 l Originator WSP Volume HE551462 LSI

> DR ZL 45007 Type Role Number

HE551462-WSP-LSI-ZZ-DR-ZL-45007



REFERENCE 1



LONGITUDINAL SECTION Design Speed 60kph Horizontal Scale = 1:1250, Vertical Scale = 1:250

REFERENCE 2

© Crown Copyright and Database Rights 2019 Ordnance Survey 100030649

- 1. ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE 2. ENGINEERING SECTION DRAWINGS, REGULATION 6(2) SHOULD BE READ IN CONJUNCTION WITH GENERAL ARRANGEMENT DRAWINGS (DOCUMENT REFERENCE TR010031/APP/2.6)
- 3. ALL STRUCTURES AND CULVERT LOCATIONS ARE INDICATIVE 4. PLANS TO BE READ IN CONJUNCTION WITH ALL OTHER PLANS AND DOCUMENTS IN THE DEVELOPMENT CONSENT ORDER APPLICATION (DOCUMENT REFERENCE TR010031/APP/3.1)
- 5. MAINLINE LONG SECTIONS WERE CUT THROUGH CENTRAL RESERVATION, FOR SPECIFIC DESIGN SPEED INFORMATION SEE INDIVIDUAL LONG
- 6. DO NOT SCALE FROM THIS DRAWING.
- 7. THE PROPOSED CONSTRUCTION OF ALLERDENE CULVERT (WORKS 20) ONLY APPLIES TO THE SINGLE SPAN OPTION, THE 6 & 7 SPAN VIADUCT OPTIONS REQUIRE DITCHES AND THEREFORE ARE NOT SHOWN.
- 8. THE DRAINAGE OUTFALL DISCHARGE POINTS DO NOT ALL LIE ON THE MAINLINE, SEE THE WORKS PLANS (DOCUMENT REFERENCE TR010031/APP/2.3) FOR EXACT LOCATIONS.

PROPOSED LEVELS EXISTING LEVELS

STRUCTURES

WIDENING FOR 7 SPAN VIADUCT OPTION

SCALE 1:250 SCALE 1:1250 25/02/20 EXAMINATION DEADLINE 2 UPDATE

0 22/07/19 APPLICATION ISSUE

Application Issue

Description

JS MB MB NGR

By Eng' Disc' Ch'k Ch'k

A3

TR010031/APP/2.5(I)




A1 BIRTLEY TO COAL HOUSE

ENGINEERING SECTIONS DRAWINGS LONG SECTIONS REGULATION 5(2)(o) AND REGULATION 6(2) SHEET 8 OF 9

Eng. Check
M.Birkett J.Singh M.Birkett n.rawcliffe 25/02/20 25/02/20 25/02/20 25/02/20 l Originator WSP Volume HE551462 LSI DR ZL 45008

Type Role Number

HE551462-WSP-LSI-ZZ-DR-ZL-45008



REFERENCE 1

© Crown Copyright and Database Rights 2019 Ordnance Survey 100030649

NOTE


- ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE
 ENGINEERING SECTION DRAWINGS, REGULATION 6(2) SHOULD BE READ IN CONJUNCTION WITH GENERAL ARRANGEMENT DRAWINGS (DOCUMENT REFERENCE TR010031/APP/2.6)
 ALL STRUCTURES AND CULVERT LOCATIONS ARE INDICATIVE
- PLANS TO BE READ IN CONJUNCTION WITH ALL OTHER PLANS AND DOCUMENTS IN THE DEVELOPMENT CONSENT ORDER APPLICATION (DOCUMENT REFERENCE TR010031/APP/3.1)
 MAINLINE LONG SECTIONS WERE CUT THROUGH CENTRAL RESERVATION,
- FOR SPECIFIC DESIGN SPEED INFORMATION SEE INDIVIDUAL LONG SECTIONS.
- 6. DO NOT SCALE FROM THIS DRAWING.
- 7. THE PROPOSED CONSTRUCTION OF ALLERDENE CULVERT (WORKS 20) ONLY APPLIES TO THE SINGLE SPAN OPTION, THE 6 & 7 SPAN VIADUCT OPTIONS REQUIRE DITCHES AND THEREFORE ARE NOT SHOWN.
- 8. THE DRAINAGE OUTFALL DISCHARGE POINTS DO NOT ALL LIE ON THE MAINLINE, SEE THE WORKS PLANS (DOCUMENT REFERENCE TR010031/APP/2.3) FOR EXACT LOCATIONS.

PROPOS

PROPOSED LEVELS

EXISTING LEVELS
STRUCTURES

WIDENING FOR 7 SPAN VIADUCT OPTION



highways england

A1 BIRTLEY TO COAL HOUSE

ENGINEERING SECTIONS DRAWINGS
LONG SECTIONS
REGULATION 5(2)(0) AND REGULATION 6(2)
SHEET 9 OF 9

TR010031/APP/2.5(J)

As Shown	J.Singh	M.Birkett	M.Birkett	n.rawcliffe
Original Size A1	Date 25/02/20	Date 25/02/20	Date 25/02/20	Date 25/02/20
Drawing Number HE PIN HE551462	I	Originator WSP	Volume	Revision 1
ZZ Section Type	ID	DR Direction Type	ZL 45009 Role Number	PW Stage Code