

Lower Thames Crossing

6.2 Environmental Statement Figures
Figure 6.6 - Representative
Viewpoints - Summer View Heritage
Viewpoint (2 of 2)

(Clean Version)

APFP Regulation 5(2)(a)

Infrastructure Planning (Applications: Prescribed Forms and Procedure)
Regulations 2009


Volume 6

DATE: July 2023 DEADLINE: 1

Planning Inspectorate Scheme Ref: TR010032 Application Document Ref: TR010032/APP/6.2

VERSION: 2.0









P02	S9	12/07/2023	Deadline 1	ВВ	DL	CD
P01	S8	12/09/2022	First Issued	ВВ	DL	CD
Rev	Status	Rev. Date	Purpose of revision	Drawn	Chck'd	Apprv

Camera: Canon EOS 6D MkII Lens: Canon EF 50mm f/1.8 STM Lens: Canon EF 50mm f/1.8 STM
Equipment: Manfrotto MA 454 Micro Positioning Plate Manfrotto SBH-100 Ball Head

Winter Viewpoint (Top): S-(CH)02

Viewpoint Ground Height: 86.5m AOD Viewpoint Grid Reference: 568991E, 168783N GPS Accuracy:

Distance to Order Limits:

Viewpoint Ground Height: 86.5m AOD

28/05/2019 12:53 (Centre of View): Viewpoint Grid Reference: 568991E, 168783N GPS Accuracy:

Distance to Order Limits:



LOWER THAMES CROSSING


5th Floor Beaufort House 15 St Botolph Street London EC3A 7DT

Figure 6.6 Representative Viewpoints - Winter and Summer View Heritage Viewpoint S-(CH)02 Sheet 1 of 2

LOWER THAMES CROSSING

TO THE RESIDENCE OF THE PARTY O	可以自己的自己的自己的自己的自己的自己的自己的自己的自己的自己的重要的自己的自己的自己的自己的自己的自己的自己的自己的自己的自己的自己的自己的自己的	的现在分词 化多量的 Vistoria (2015) 2015 12 15 15 25 25 25 25 25 25 25 25 25 25 25 25 25	works for the experience of the contract of th	The Transport and the second security of the			
Drawn	ВВ	Date - 12/09/2022	Status	Revision			
Checked	DL	Date - 12/09/2022	PINS SUBMISSION	P02			
Approved	CD	Date - 12/09/2022	Application Document No. TR0100	32/APP/6.			
Drawing number							
HE540039-CJV-ELS-SZP ZZ000000 Z-DR-LV-00213							

HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00213.dwg





P02	S9	12/07/2023	Deadline 1	ВВ	DL	CD
P01	S8	12/09/2022	First Issued	ВВ	DL	CD
Rev	Status	Rev. Date	Purpose of revision	Drawn	Chck'd	Apprv'd

For location see Figure 7.16 - Visual Effects Drawing with Representative Fiewpoint Locations

Camera: Canon EOS 6D MkII
Lens: Canon EF 50mm f/1.8 STM
Equipment: Manfrotto MA 454 Micro Positioning Plate
Manfrotto SBH-100 Ball Head

Winter Viewpoint (Top): S-(CH)02 Date and Time: 22/02/2019 12:40 FL, Max Aperture:

Tripod Height: 1.5m View Direction Viewpoint Ground Height: 86.5m AOD (Centre of View): Viewpoint Grid Reference: 568991E, 168783N GPS Accuracy:

S-(CH)02 28/05/2019 12:53 Distance to Order Limits: Tripod Height: 1.5m View Direction Viewpoint Ground Height: 86.5m AOD (Centre of View): Viewpoint Grid Reference: 568991E, 168783N GPS Accuracy:

national **highways**

LOWER THAMES CROSSING

5th Floor Beaufort House 15 St Botolph Street London EC3A 7DT

Figure 6.6 Representative Viewpoints - Winter and Summer View Heritage Viewpoint S-(CH)02

LOWER THAMES CROSSING

Sheet 2 of 2


Date - 12/09/2022 PINS SUBMISSION P02

Application Document No. TR010032/APP/6.2 Date - 12/09/2022 Approved CD Date - 12/09/2022

HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00214 HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00214.dwg



HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00215.dwg





HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00217.dwg



HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00218.dwg





P02	S9	12/07/2023	Deadline 1	ВВ	DL	CD
P01	S8	12/09/2022	First Issued	ВВ	DL	CD
Rev	Status	Rev. Date	Purpose of revision	Drawn	Chck'd	Apprv'

location see Figure 7.16 - Visual Effects Drawing with Representative

Camera: Canon EOS 6D MkII Canon EF 50mm f/1.8 STM Manfrotto MA 454 Micro Positioning Plate
Manfrotto SBH-100 Ball Head

Viewpoint Ground Height: 29.9m AOD (Centre of View):
Viewpoint Grid Reference: 567479E, 172791N GPS Accuracy:

Upper Viewpoint (Summer): S-(CH)05 Date and Time: 29/05/2019 FL, Max Aperture:

29/05/2019 14:15

Lower Viewpoint (Winter): S-(CH)06 Distance to Order Limits: (Centre of View):

Date and Time: FL, Max Aperture:

30/05/2019 13:50 Tripod Height: 1.5m View Direction (Centre of View): Viewpoint Ground Height: 8.5m AOD (Centre of View): Viewpoint Grid Reference: 567980E, 173212N GPS Accuracy:

Distance to Order Limits:



LOWER THAMES CROSSING

5th Floor Beaufort House 15 St Botolph Street London EC3A 7DT

Drawing title

LOWER THAMES CROSSING Figure 6.6 Representative Viewpoints - Summer View Heritage Viewpoint S-(CH)05 & S-(CH)06


Sheet 1 of 2

Date - 12/09/2022 PINS SUBMISSION P02

Application Document No. TR010032/APP/6.2 Date - 12/09/2022 Approved CD Date - 12/09/2022 HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00219

HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00219.dwg

PHOTO FRAME INTENTIONALLY BLANK



15 St Botolph Street

London EC3A 7DT

Heritage Viewpoint S-(CH)05 & S-(CH)06

HE540039-CJV-ELS-SZP ZZ000000 Z-DR-LV-00220

HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00220.dwg

P01 S8 12/09/2022 First Issued

Rev Status Rev. Date Purpose of revision

BB DL CD

Drawn Chck'd Appro




PHOTO FRAME INTENTIONALLY BLANK

P02	S9	12/07/2023	Deadline 1	ВВ	DL	CD
P01	S8	12/09/2022	First Issued	ВВ	DL	CD
Rev	Status	Rev. Date	Purpose of revision	Drawn	Chck'd	Apprv'c

r location see Figure 7.16 - Visual Effects Drawing with Representative awpoint Locations

Upper Viewpoint (Summer): S-(CH)-07
Date and Time: 03/12/2019 11:15

FL, Max Aperture:

Distance to Order Limits: 450m Canon EUS 6D MKII
Canon EF 50mm f/1.8 STM

t: Manfrotto MA 454 Micro Positioning Plate Manfrotto SBH-100 Ball Head

Tripod Height: 1.45III
Viewpoint Ground Height: 136m AOD (Centre of View): Viewpoint Grid Reference: 566952E, 168394N GPS Accuracy:



LOWER THAMES CROSSING

5th Floor Beaufort House 15 St Botolph Street London EC3A 7DT

LOWER THAMES CROSSING Representative Viewpoints - Summer View Heritage Viewpoint S-(CH)07

Sheet 1 of 1

Date - 12/09/2022 PINS SUBMISSION P02

Application Document No. TR010032/APP/6.2 Checked DL Approved CD Date - 12/09/2022 Date - 12/09/2022 HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00221





P02	S9	12/07/2023	Deadline 1	ВВ	DL	
P01	S8	12/09/2022	First Issued	ВВ	DL	(
Day	Ctatus	Day Data	Purpose of rovision	Drawn	Chald	۸۵

Camera: Canon EOS 6D MkII Lens: Canon EF 50mm f/1.8 STM Tripod Height: 1.5m View Direction
Equipment: Manfrotto MA 454 Micro Positioning Plate Manfrotto SBH-100 Ball Head Viewpoint Ground Height: 116.4m AOD (Centre of View): Viewpoint Grid Reference: 568247E, 169475N GPS Accuracy:

Winter Viewpoint (Top): S-11

View Direction (Centre of View):

Tripod Height: 1.5m View Direction Viewpoint Ground Height: 116.4m AOD (Centre of View): Viewpoint Grid Reference: 568247E, 169475N GPS Accuracy: (Centre of View):



LOWER THAMES CROSSING

5th Floor Beaufort House 15 St Botolph Street London EC3A 7DT

LOWER THAMES CROSSING

Figure 6.6 Representative Viewpoints - Winter and Summer Views Heritage Viewpoint S-11

	and the second s			
Drawn	ВВ	Date - 12/09/2022	Status	Revision
Checked	DL	Date - 12/09/2022	PINS SUBMISSION	P02
Approved	CD	Date - 12/09/2022	Application Document No. TR0100	32/APP/
Drawing nu	umber 40039-CJV-ELS-SZ	ZP_ZZ000000_Z-D	R-LV-00236	

HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00236.dwg





P02 S9 12/07/2023 Deadline 1 BB DL CD P01 S8 12/09/2022 First Issued BB DL CD Drawn Chck'd Appro Rev Status Rev. Date Purpose of revision

Camera: Canon EOS 6D MkII
Lens: Canon EF 50mm f/1.8 STM
Equipment: Manfrotto MA 454 Micro Positioning Plate Manfrotto SBH-100 Ball Head

FL, Max Aperture: 50mm, 1.75
Tripod Height: 1.5m
View point Ground Height: 116.4m AOD
Viewpoint Grid Reference: 568247E, 169475N
GPS Accuracy:

Winter Viewpoint (Top): S-11

FL, Max Aperture: 50mm, 1.75 Distance to Order
Tripod Height: 1.5m Viewpoint Ground Height: 116.4m AOD (Centre of View):
Viewpoint Grid Reference: 568247E, 169475N GPS Accuracy:

Distance to Order Limits: 64m View Direction (Centre of View): NNW



LOWER THAMES CROSSING

5th Floor Beaufort House 15 St Botolph Street London EC3A 7DT


Figure 6.6 Representative Viewpoints - Winter and Summer Views Heritage Viewpoint S-11


LOWER THAMES CROSSING

2.4 1.2 15 5		动民国人民的证实是训练。——多年至					
Drawn	ВВ	Date - 12/09/2022	Status	Revision			
Checked	DL	Date - 12/09/2022	PINS SUBMISSION	P02			
Approved	CD	Date - 12/09/2022	Application Document No. TR0100	32/APP/6.			
Drawing nu	Drawing number						

HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00237 HE540039-CJV-ELS-SZP_ZZ000000_Z-DR-LV-00237.dwg







If you need help accessing this or any other National Highways information, please call **0300 123 5000** and we will help you.

© Crown copyright 2023.

You may re-use this information (not including logos) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence:

visit www.nationalarchives.gov.uk/doc/open-government-licence/

write to the Information Policy Team,
The National Archives, Kew, London TW9 4DU,
or email psi@nationalarchives.gsi.gov.uk.

Mapping (where present): © Crown copyright and database rights 2023 OS 100030649. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.

If you have any enquiries about this publication email info@nationalhighways.co.uk or call 0300 123 5000*.

*Calls to 03 numbers cost no more than a national rate call to an 01 or 02 number and must count towards any inclusive minutes in the same way as 01 and 02 calls. These rules apply to calls from any type of line including mobile, BT, other fixed line or payphone. Calls may be recorded or monitored.

Printed on paper from well-managed forests and other controlled sources when issued directly by National Highways.

Registered office Bridge House, 1 Walnut Tree Close, Guildford GU1 4LZ

National Highways Company Limited registered in England and Wales number 09346363