

Lower Thames Crossing

9.15 Localised Traffic Modelling Appendix C - Orsett Cock **Forecasting Report** (Tracked changes version)

> Infrastructure Planning (Examination Procedure) Rules 2010

> > Volume 9

DATE: October, 2023 DEADLINE: 6,

Deleted: July

Deleted: 1

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15

VERSION: 2.0

Deleted: 1

Revision history

Version	<u>Date</u>	Submitted
1.0	18 July 2023	Deadline 1
2.0	31 October 2023	Deadline 6

Lower Thames Crossing

9.15 Localised Traffic Modelling Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

List of contents

			Page number
1	Intro	oduction	1
	1.1	Purpose of document	1
	1.2	Modelling software	1
	1.3	The Project	1
2	Mod	elling scope	4
3	2030	and 2045 model development and forecasting	6
	3.1	Introduction	6
	3.2	Network development – Do minimum	6
	3.3	Network development – Do Something	7
	3.4	Forecast traffic demand	7
	3.5	Public transport	10
	3.6	Traffic signals optimisation	10
	3.7	DM and DS VISSIM model calibration	10
	3.8	Initial visual observations	11
	3.9	Improvements for the DS Network	12
4	Traff	fic condition analysis	15
	4.1	Introduction	15
	4.2	Junctions traffic conditions	15
	4.3	Journey times	28
	4.4	Relative delays	65
	4.5	Latent Demand	73
5	Con	clusions	74
Ref	erenc	es	75
Glo	ssary		76
Anr	nexes.		78
Anr	nex A	Version and run ID log	79

List of plates

	Page number
Plate 1.1 Lower Thames Crossing route	3
Plate 2.1 Traffic Operations Study Area	
Plate 3.1 Forecast Traffic Demand Calculation for VISSIM	
Plate 3.2 Do-Something model VISSIM Zones	
Plate 3.3 Traffic Behaviour at A13 West & Circulatory	11
Plate 3.4 Lane change in northern circulatory	12
Plate 3.5 A13 West approach improvement	
Plate 3.6 Modified Lane Markings at Roundabout	14
Plate 4.1 Journey Time Start and End Locations for Base and Do-Minimum	28
Plate 4.2 Journey Time Start and End Locations for Do-Something	29
Plate 4.3 Relative Delay Plot (2030 DM 07:00 – 08:00)	66
Plate 4.4 Relative Delay Plot (2030 DS 07:00 – 08:00)	66
Plate 4.5 Relative Delay Plot (2030 DM 08:00 – 09:00)	67
Plate 4.6 Relative Delay Plot (2030 DS 08:00 – 09:00)	67
Plate 4.7 Relative Delay Plot (2030 DM 17:00 – 18:00)	68
Plate 4.8 Relative Delay Plot (2030 DS 17:00 – 18:00)	
Plate 4.9 Relative Delay Plot (2045 DM 07:00 – 08:00)	
Plate 4.10 Relative Delay Plot (2045 DS 07:00 – 08:00)	
Plate 4.11 Relative Delay Plot (2045 DM 08:00 – 09:00)	
Plate 4.12 Relative Delay Plot (2045 DS 08:00 – 09:00)	
Plate 4.13 Relative Delay Plot (2045 DM 17:00 – 18:00)	
Plate 4.14 Relative Delay Plot (2045 DS 17:00 – 18:00)	72
List of tables	
	Page number
Table 3.1 Traffic Volumes (Vehicles) in Study Area by Scenario	8
Table 4.1 07:00 – 08:00 Traffic Conditions, 2030	17
Table 4.2 08:00 – 09:00 Traffic Conditions, 2030	19
Table 4.3 17:00 – 18:00 Traffic Conditions, 2030	21
Table 4.4 07:00 – 08:00 Traffic Conditions, 2045	
Table 4.5 08:00 – 09:00 Traffic Condition, 2045	
Table 4.6 17:00 – 18:00 Traffic Condition, 2045	
Table 4.7 2030 Journey Time Comparison, AM 07:00 – 08:00	
Table 4.8 2030 Journey Time Comparison, AM 08:00 – 09:00	
Table 4.9 2030 Journey Time Comparison, PM 17:00 – 18:00	
Table 4.10 2045 Journey Time Comparison, AM 07:00 – 08:00	
Table 4.11 2045 Journey Time Comparison, AM 08:00 – 09:00	
Table 4.12 2045 Journey Time Comparison, PM 17:00 – 18:00	
Table 4.13 Latent demand [veh]	73

Lower Thames Crossing – 9.15 Localised Traffic Modelling
Appendix C – Orsett Cock Forecasting Report
(Tracked changes version)

Volume 9

Table A.1 Orsett Cock VISSIM model version and run ID log......79

1 Introduction

1.1 Purpose of document

- 1.1.1 The purpose of this document is to present the findings from the traffic operation appraisal undertaken of the network in vicinity of the Orsett Cock junction including the A13/ A1089 and the A1013 Stanford Road/ Rectory Road junction.
- 1.1.2 A version and run ID log is contained within Annex A. This sets out changes made to the model. This version of the forecasting report presents the forecasts based on version 3 of the model (Run ID 3.6).

1.2 Modelling software

1.2.1 Road traffic micro-simulation models represent individual vehicles travelling within the road network, providing realistic driver behaviour such as lane changing and overtaking. The micro-simulation software selected for the Lower Thames Crossing is VISSIM. The model has been developed in VISSIM version 2020 (SP13).

1.3 The Project

- 1.3.1 The A122 Lower Thames Crossing (the Project) would provide a connection between the A2 and M2 in Kent, south-east of Gravesend, crossing under the River Thames through a tunnel, before joining the M25 south of junction 29. The Project route is presented in Plate 1.1.
- 1.3.2 The A122 would be approximately 23km long, 4.25km of which would be in tunnel. On the south side of the River Thames, the Project route would link the tunnel to the A2 and M2. On the north side, it would link to the A13, M25 junction 29 and the M25 south of junction 29. The tunnel entrances would be located to the east of the village of Chalk on the south of the River Thames and to the west of East Tilbury on the north side.
- 1.3.3 Junctions are proposed at the following locations:
 - a. New junction with the A2 to the south-east of Gravesend
 - b. Modified junction with the A13/A1089 in Thurrock
 - c. New junction with the M25 between junctions 29 and 30
- 1.3.4 To align with NPSNN policy and to help the Project meet the Scheme Objectives, it is proposed that road user charges would be levied in line with the Dartford Crossing. Vehicles would be charged for using the new tunnel.
- 1.3.5 The Project route would be three lanes in both directions, except for:
 - a. link roads
 - b. stretches of the carriageway through junctions

Deleted: for Design Release 4.3 (DR4.3)

- the southbound carriageway from the M25 to the junction with the A13/A1089, which would be two lanes
- 1.3.6 In common with most A-roads, the A122 would operate with no hard shoulder but would feature a 1m hard strip on either side of the carriageway. It would also feature technology including stopped vehicle and incident detection, lane control, variable speed limits and electronic signage and signalling. The A122 design outside of the tunnel would include emergency areas. The tunnel would include a range of enhanced systems and response measures instead of emergency areas.
- 1.3.7 The A122 would be classified as an 'all-purpose trunk road' with green signs. For safety reasons, walkers, cyclists, horse-riders and slow-moving vehicles would be prohibited from using it.
- 1.3.8 The Project would include adjustment to a number of local roads. There would also be changes to a number of public rights of way, used by walkers, cyclists and horse riders. Construction of the Project would also require the installation and diversion of a number of utilities, including gas mains, overhead electricity powerlines and underground electricity cables, as well as water supplies and telecommunications assets and associated infrastructure.
- 1.3.9 The Project has been developed to avoid or minimise significant effects on the environment. Some of the measures adopted include landscaping, noise mitigation, green bridges, floodplain compensation, new areas of ecological habitat and two new parks.



Plate 1.1 Lower Thames Crossing route

2 Modelling scope


- 2.1.1 The traffic operation study area, modelling years and time periods were defined based on discussion and agreement with Thurrock Council and their consultants during a workshop on 14 December 2021. Further information is set out in Localised Traffic Modelling Appendix B Orsett Cock LMVR [REP1-188], which describes the development of the 2016 base year VISSIM model.
- 2.1.2 The study area is located to the north-east of Grays and Plate 2.1 shows the extent of the study area covered by the VISSIM model. The section of the A13 in this area and the Orsett Cock junction recently had construction works completed as part of the A13 Widening Scheme between the Orsett Cock and the Manorway junctions, undertaken by Thurrock Council.
- 2.1.3 The Orsett Cock junction in 2016 was an unsignalised, grade-separated roundabout with two circulatory lanes. The A13 had three lanes in each direction west of the junction and two lanes east of the junction. The area of interest also extends to the westbound diverge from the A13 onto the A1089 in order to capture the anticipated changes proposed around the A13/ A1089 interchange in the Project.
- 2.1.4 The model also includes the A1013 Stanford Road/ Rectory Road unsignalized T- Junction, located just to the west of the Orsett Cock junction.



Plate 2.1 Traffic Operations Study Area

Deleted: have been

Deleted: 9.15



- 2.1.5 The VISSIM base year model was developed to reflect the road network and traffic condition in 2016, before the construction work commenced. Accordingly, a Local Model Validation Report (LMVR) was issued in June 2022 explaining how the base year model was developed and validated for two time periods, namely:
 - a. AM Peak Period (07:00 09:00) to capture the peak hour for the A13 and strategic road network (07:00–08:00) and the peak hour of the junction and local roads (08:00–09:00); and
 - b. PM Peak Period (17:00 18:00).
- 2.1.6 Following this, Do Minimum (<u>DM</u>) models representing forecast years 2030 and 2045 without the Project and 2030 and 2045 Do Something (<u>DS</u>) models with the Project were developed.
- 2.1.7 This report explains how the DM and DS models were developed and compares results from the 2030 and 2045 DS models with the results of the 2030 and 2045 DM models to aid understanding of how network operating conditions are forecast to change from the DM without the Project, to the DS with the Project.

Deleted: Do Minimum (
Deleted:)
Deleted: Do Something (
Deleted:)
Deleted: Do Minimum
Deleted: Do Something

Deleted: &

3 2030 and 2045 model development and forecasting

3.1 Introduction

- 3.1.1 This section describes the development of the 2030 and 2045 DM and DS VISSIM models in terms of:
 - a. Network development
 - b. Forecast traffic demand
 - c. Traffic signal optimisation
 - d. Model calibration
 - e. Initial visual observation
 - f. Interim improvements in the DS scenario
- 3.1.2 A version and run ID log is contained within Annex A. This sets out changes made to the model. This version of the forecasting report presents the forecasts based on version 3 of the model (Run ID 3.6).

3.2 Network development – Do minimum

- 3.2.1 The 2030 and 2045 DM scenarios have the same network. The DM network was developed from the 2016 base year network by incorporating the A13 widening scheme between the Orsett Cock and Manorway junctions. This scheme was recently completed by Thurrock Council.
- 3.2.2 The principal network changes between the 2016 base year and the DM were:
 - Introduction of an extra lane in both directions on the A13 east of the Orsett Cock junction.
 - b. Reconfiguration of the merges and diverges at the Orsett Cock junction with the A13 in both directions.
 - Reconfiguration of the westbound on-slip to the A13 West with the slip road reduced to one lane.
 - d. Reconfiguration of the A128 North approach with an extra flare lane.
 - Reconfiguration of the A13 West approach (eastbound off-slip) with an extra flare lane.
 - f. Introduction of an extra lane in the circulatory.
 - Introduction of controlled pedestrian crossings and traffic signals on the A13 West and A13 East approaches.

3.2.3 Additionally, in the VISSIM model, the links for A128 Brentwood Road (north),

Brentwood Road (south), A13 (east), and Rectory Road have been extended to capture the entire length of the possible queues.

3.3 Network development – Do Something

- 3.3.1 The DS network was developed from the DM network by incorporating the highway design as per the DCO application within the traffic operations study area for Orsett Cock. The principal network changes between the DM and DS models were:
 - a. Introduction of new Project links around the A13/ A1089 interchange.
 - b. Reconfiguration of A13/ A1089 interchange.
 - c. Reconfiguration of slip roads on the A13 west of the Orsett Cock junction.
 - d. Realignment of A1013 (West) Stanford Road.
 - e. Introduction of traffic signals on the A128 North and <u>Brentwood Road</u> (South) approaches at Orsett Cock.
 - f. Reconfiguration of the A1013/ Rectory Road junction.
- 3.3.2 The network coding for both DM and DS networks were undertaken using highway design drawings, for the DM network drawings of the A13 widening scheme were provided by Thurrock Council, and for the DS network the design of the Project used, drawings submitted in the DCO application.

Deleted: A128

Deleted: drawing -

Deleted: as per the

3.4 Forecast traffic demand

3.4.1 The forecast traffic demand matrices for each vehicle type in VISSIM were calculated as shown in Plate 3.1 and described in detail in subsequent sections.

Plate 3.1 Forecast Traffic Demand Calculation for VISSIM

Extract Cordon
Matrices from 2016
and 2030/2045
LTAM

Extract Cordon
Matrices from 2016
to 2030/ 2045

Extract Cordon
Matrices from 2016
to 2030/ 2045

Extract Cordon
Matrices from 2016
to 2030/ 2045

Matrices from 2016
VISSIM Matrices

O7:00-08:00 and 17:00
-18:00



3.4.2 The 2030 and 2045 DM forecast traffic demand in VISSIM was determined by examining the differences in forecast traffic flows (for model zones) predicted by the 2016 base year and 2030/2045 DM Lower Thames Area Model (LTAM) –

7

the Project's transport model (CM49) models for the available hours of 07:00 – 08:00 in the AM peak and 17:00 – 18:00 in the PM peak.

- 3.4.3 The absolute differences in flows between these models were identified and then applied to the 2016 base year VISSIM model to develop the 2030/2045 DM matrices. This was undertaken on the basis of origin-destination matrices so applying a matrix of 'flow differences' to the 2016 Base Year matrix to create the 2030 and 2045 DM matrix.
- 3.4.4 Where applying absolute differences resulted in negative values, the percentage difference was used instead of the absolute difference. This was the case for the origin destination pairs for which the LTAM forecast indicated negative growth. If the 2016 base year flows in VISSIM were lower than the LTAM base flows, applying this negative flow difference would lead in some instances to a negative number, therefore it was preferred to use percentage difference instead where this occurred.
- 3.4.5 For the second hour in the AM (08:00 09:00), which is not available from the LTAM, the existing flow base year profile in VISSIM (derived from count data) was used to factor the 2030 and 2045 matrices from the 07:00 08:00 hour to the 08:00 09:00 hour.
- 3.4.6 The 2030 and 2045 hourly matrices were split into 15-minute intervals using the flow profiles from the base year VISSIM model. In summary, the comparison of the 2016 Base and 2030 DM traffic demands in Table 3.1, indicates that the overall traffic demand is forecast to increase by 30%-32% in the AM peak hours and 27% in the PM peak hour, whereas for 2045 DM traffic demand is forecast to increase by 41%-43% in the AM peak hours and 36% in the PM peak hour.

Table 3.1 Traffic Volumes (Vehicles) in Study Area by Scenario

				2030 DS			2045 DS		
Peak	Vehicle Type	2016 Base	2030 DM	Project mainline flows*	Total *	2045 DM	Project mainline flows*	Total**	
	Car	6,698	8,876	1,818	14, <u>731</u> ,	9,602	2,091	16,148,	
AM (07:00	LGV	1,693	2,028	599	3, <u>172</u> ,	2,270	733	3,635,	
08:00)	HGV	739	1,010	630	2, <u>357</u> ,	1,035	628	2,374,	
,	Total	9,130	11,914	3,046	20 , <u>261</u> ,	12,906	3,453	22, 156,	
	Car	6,790	9,057	1,818	14, <u>919</u> ,	9,817	2,091	16,317,	
AM (08:00	LGV	1,247	1,485	599	2, <u>631</u> ,	1,675	733	3, <u>021</u> ,	
09:00)	HGV	822	1,112	630	2, <u>470</u> ,	1,141	628	2,487	
	Total	8,859	11,653	3,046	20 , <u>020</u> ,	12,633	3,453	21 ,825,	
PM	Car	8,172	10,201	1,787	17, <u>410</u> ,	10,915	1,978	18,911	
(17:00	LGV	1,300	1,635	417	2, <u>571</u>	1,850	479	2,949,	

Deleted: Table 3.1

Deleted: 713 Deleted: 129 Deleted: 165 Deleted: 628 Deleted: 361 Deleted: 378 Deleted: 239 Deleted: 135 Deleted: 912 Deleted: 312 Deleted: 633 Deleted: 022 Deleted: 477 Deleted: 494 Deleted: 022 Deleted: 828 Deleted: 397 Deleted: 897 Deleted: 574 Deleted: 939

Deleted: 3,86
Deleted: 722
Deleted: 716
Deleted: 692

Deleted: 553

				2030 DS			2045 DS		
Peak	Vehicle Type	2016 Base	2030 DM	Project mainline flows*	Total *	2045 DM	Project mainline flows*	Total**	
- 18:00)	HGV	<u>386</u> ,	654	541	1, <u>719</u> ,	659	517	1, <u>714</u> ,	
	Total	9,858	12,490	2,745	21 , <u>700</u> ,	13,424	2,974	23,574	

Note: * Project mainline flows are those that travel through the A13/A1089/A122 junction.

- 3.4.7 The 2030 and 2045 DS forecast traffic demand matrices in VISSIM were determined using the same method as the 2030 and 2045 DM, that is by examining the differences in forecast traffic flows from the LTAM for the 2016 base year and 2030/2045 DS (CS72).
- 3.4.8 There are new zones associated with the new traffic from the Project in the DS models. The new zones are shown in Plate 3.2. The traffic demand and the distributions for these zones were taken directly from the LTAM cordon matrices and added to the VISSIM matrices.




Plate 3.2 Do-Something model VISSIM Zones

^{**} Total DS traffic volumes include Project mainline flows.

- 3.4.9 Similar to the 2030 and 2045 DM matrices, for the second hour in the AM (08:00-09:00) which is not available from the LTAM, flow matrices were derived using the existing base year flow profile between 07:00-08:00 and 08:00-09:00.
- 3.4.10 The DS hourly matrices were also split into 15-minute intervals using the existing flow profiles from the VISSIM base year model. In summary, the comparison of the 2030 DM and DS and 2045 DM and DS traffic demands in Table 3.1 indicates that the overall traffic demand in the study area increases by approximately 73% between the DM and DS scenarios in the AM and PM peak hours.
- 3.4.11 It should be noted that the DM versus DS is not a direct comparison for traffic demands at the Orsett Cock junction as the DS total volume includes the mainline traffic travelling north-south on the Project. For clarity the mainline traffic volumes on the Project have been shown separately in Table 3.1.

3.5 Public transport

3.5.1 Bus services and location of bus stops in the DM and DS models were assumed to remain consistent with those in the base year model.

3.6 Traffic signals optimisation

- 3.6.1 The operation of traffic signals in the 2030 and 2045 DM and DS network were initially optimised using LinSIG models and then further fine-tuned in VISSIM to reflect the small changes in demand and arrival pattern of vehicles in the 15-minute intervals.
- 3.6.2 A cycle time of 60 seconds was used in the DM and DS models.

3.7 DM and DS VISSIM model calibration

- 3.7.1 The network coding method and model parameters used in the DM and DS models were largely consistent with those calibrated in the base year model. However, due to changes of the network layout at the Orsett Cock junction, some parameters were adjusted in the DM and DS models to provide more realistic driving behaviours to reflect the new layout. These adjustments and the justifications for the changes are summarised below:
 - a. The speed distributions of the desired speed and reduced speed areas on the circulatory were reduced by 10% to reflect the new circulatory carriageway lane configuration in the DM and DS models, compared to the base model.
 - b. The circulatory has two lanes in the base model and most of the links use the standard "Urban (motorised)" link behaviour type, except for a short three-lane section just before the A1013 (W) exit which uses the "Urban (merge)" link type to allow smoother lane change behaviour, as there will be more lane changes and weaving in the three-lane section. Given the whole circulatory is widened to three lanes in the DM and DS models, all

Deleted: -

circulatory links in these models have been adjusted to use the "Urban (merge)" link type.

3.8 Initial visual observations

3.8.1 Visual observations during the simulation runs of the DS models indicated the traffic behaviour upstream of the traffic signals at the A13 west approach and its circulatory, were impacting the efficiency of these traffic signals. This is shown in Plate 3.3 and summarised below.

Queues forming upstream of stop line due to short (90m) weaving section

Under-utilised left lane on circulatory

Plate 3.3 Traffic Behaviour at A13 West & Circulatory

Weaving on the A13 West approach


3.8.2 The section where traffic from the Project and the A13 would merge on the A13 west approach has a modelled length of 90m. The model results for the PM peak indicated that this merge length would need to be increased as a large number of vehicles from the Project need to be in the middle and right-hand lanes while much of the traffic from the A13 needs to use the middle and left-hand lanes for the A128 (N) exit. The short 90m merge length causes a bottleneck upstream of the stop line with queues predicted to extend to the A13 mainline. Extending the merge would provide more space for lane change and remove the bottleneck.


Under-utilised left lane on the western overbridge

3.8.3 The lane markings on the eastern overbridge are currently marked with the left lane dedicated for the A128 (N), middle lane for the A128 (N) & A13 (E) and right lane for the A13 (E) & A1013. The volume of traffic travelling from the circulatory to the A128 (N) is relatively low in comparison to other movements which resulted in the left lane being under-utilised.

Lane change at the northern circulatory

3.8.4 As shown in Plate 3.4, traffic travelling from the right-hand lane on the western overbridge needs to change to the middle lane for the A13 (E) exit. This causes delays upstream of the stop line.







3.9 Improvements for the DS Network

- 3.9.1 The changes described below have been implemented into the DS network in VISSIM as a provisional improvement. These are currently limited to changes on the slip roads connecting the Project to the A13 (W), and minor changes to the lane markings at the Orsett Cock junction.
- 3.9.2 The changes described below can be accommodated using the flexibility available within the draft DCO. Requirements for further improvements at the Orsett Cock junction would be determined following detailed design, stakeholder engagement and using the flexibility available within the draft DCO.

A13 West approach Improvement

3.9.3 The improved DS network increases the modelled length of the section where traffic from the Project and the A13 merges on the A13 west approach, from 90m to 200m as shown in Plate 3.5.





Modified lane markings at A128 (N) exit


- 3.9.4 The purpose of this modification is to achieve a more even spread in lane usage on the western overbridge and avoid traffic changing lanes in the northern circulatory for the A13 (E) exit. The modifications as shown in in red include the following changes:
 - a. A128 (N) exit reduced to one lane
 - Allow traffic to use the left lane on the western overbridge for the A13 (E) exit

Modified lane markings at circulatory leading to Brentwood Road (South) exit

- 3.9.5 The purpose of this modification is to achieve a more even spread in lane usage and avoid traffic changing lanes in the eastern circulatory for the Brentwood Road (South) exit. The modifications as shown in in blue include the following changes:
 - c. Allow traffic to use the middle lane for the Brentwood Road (South) exit


Plate 3.6, Modified Lane Markings at Roundabout

Deleted: Plate 3.6
Deleted: A128(N) exit



Modified lane markings at A13 (W) exit

3.9.6 The westbound on-slip on the A13 West exit is one lane in the DM network. This has been modified to two lanes in the DS network so as to tie in with the Project's design which has two lanes on the slip road.



4 Traffic condition analysis

4.1 Introduction

- 4.1.1 This section compares the results of the 2030 and 2045 DM and DS VISSIM models in terms of the following traffic condition indicators:
 - a. Average delays per vehicle
 - b. Mean maximum queues and Average queues
 - c. Predicted journey times
 - d. Relative delays on links
- 4.1.2 Both the AM and PM Do Something models used in this analysis include the improvements described in section 3.9.
- 4.1.3 Consistent with the base year model validation, the results of the DM and DS models are the averages of the same 20 random seeds used in the base model.

4.2 Junctions traffic conditions

- 4.2.1 The predicted traffic conditions at the Orsett Cock and A1013/ Rectory Road junctions are shown in Table 4.1 to Table 4.3 for 2030 and Table 4.4 to Table 4.6 for 2045 and have been measured in terms of the total throughput flow in vehicles, average delay per vehicle and average queue length in metres for each hour within the AM and PM peak period.
- 4.2.2 The average delay per vehicle is calculated by taking the weighted average of the delay from all movements on each approach. It should be noted that for the Orsett Cock junction, the delays are measured for each vehicle completing the full movement from the entry to the exit, therefore including delays from the traffic signals on the circulatory.
- 4.2.3 Queues are presented in mean maximum queue lengths and average queue lengths. The mean maximum queues are calculated by taking the average of the maximum queue length in each five-minute interval. This is more reliable in comparison to taking the maximum queue length over a one-hour interval, where the maximum queue can sometimes be misleading as it may have occurred only for a very short time/ single time step during the simulation. Vehicles are defined to be in a queue when their headway and speed drops below 20 meters and 3.1mph respectively and exit the queue when their speed increases above 6.2mph.

Deleted: 3.9

Deleted: Table 4.3

Deleted: Table 4.4

Deleted: The

Lower Thames Crossing – 9.15 Localised Traffic Modelling Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

Volume 9

2030 traffic conditions

4.2.4 Table 4.1 shows that the traffic conditions in the 2030 DM scenario on the A128 (N), A13 (E), A1013 (E) and A13 (W) approaches are predicted to be in free-flowing condition with short_queues and delays_during the 07:00 – 08:00 period.

Deleted: shorter

Deleted: of less than 35 seconds

Lower Thames Crossing – 9.15 Localised Traffic Modelling Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

Volume 9

Table 4.1 07:00 - 08:00 Traffic Conditions, 2030

	Flow [veh]	Avg. Dela	Avg. Delay per veh [s]			Mean Max. Queue [m] (Divide by 5.75m for queue in PCUs)			Average Queue [m] (Divide by 5.75m for queue in PCUs)					
Junction	Approach	Base	DM	DS	2016 Base	2030 DM	2030 DS	2016 Base	2030 DM	2030 DS	2016 Base	2030 DM	2030 DS	
Orsett Cock	A128 Brentwood Rd (North)	632	713,	639,	15	44,	80,	37	31,	67,	<u>5</u>	4	<u>27</u>	
	A13 (East)	676	940,	<u>805</u> ,	26	30,	52	37	<u>61</u> ,	<u>56</u> ,	<u>6</u>	<u>15</u>	<u>17</u>	
	A1013 Stanford Rd (East)	655	663	651,	49	<u>27</u> ,	<u>61,</u>	114	<u>38</u> ,	<u>88</u> ,	<u>48</u>	8	40	
	Brentwood Rd (South)	602	700,	728,	41	145,	<u>99</u>	55	<u>369</u> ,	<u>168</u> ,	23	<u>253</u>	<u>86</u>	
	A1013 Stanford Rd (West)	599	<u>795</u> ,	625,	46	<u>76</u> ,	<u>79</u> ,	97	186,	102,	37	90	<u>46</u>	
	A13 (West)	497	471,	1,484,	54	<u>36</u> ,	29,	93	<u>38</u> ,	<u>65</u> ,	<u>43</u>	<u>10</u>	<u>14</u>	
A1013	Rectory Rd	136	<u>183</u> ,	<u>263</u> ,	9	<u>62</u> ,	<u>50</u> ,	<u>10</u> ,	<u>59</u> ,	<u>57,</u>	1	<u>27</u>	<u>19</u>	
Stanford Road / Rectory Road	Stanford Rd (East)	833	977,	862,	7	8	<u>7,</u>	10	<u>14,</u>	<u>35</u> ,	1	1	2	
	Stanford Rd (West)	557	725	565	3	4	3	-	-	-	Ξ	Ξ	Ξ	

Moved (insertion) [5]: Mean Max. Deleted: Flow [Deleted: veh [s] Deleted: Mean Max. Split Cells Moved (insertion) [1]: Junction Moved (insertion) [2]: Approach **Inserted Cells** ... **Inserted Cells** ... **Inserted Cells** Deleted: 720 Deleted: 690 Deleted: 27 Deleted: 93 Deleted: 26 Deleted: 128 Deleted: 943 Deleted: 770 Deleted: 27 Deleted: 59 Deleted: 52 Deleted: 669 Deleted: 25 Deleted: 55 Deleted: 36 Deleted: 78 Deleted: A128 Deleted: 706 Deleted: 723 Deleted: 127 Deleted: 79 Deleted: 254 Deleted: 152 Deleted: 796 Deleted: 637

Moved down [1] Split Cells

Moved down [2]

Moved down [4]

Moved (insertion) [3]: Avg. Delay per

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15 DATE: October 2023 DEADLINE: 6

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved Lower Thames Crossing – 9.15 Localised Traffic Modelling Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

Volume 9

4.2.5	Delays on the Brentwood Road (S) and A1013 Stanford Road (West)
	approaches respectively, are forecast to increase in the 2030 DM scenario
	compared to 2016, with queues on the Brentwood Road (S) extending past the
	entrance of the Orsett Golf Club.

- 4.2.6 Delays at the Orsett Cock junction are forecast to <u>remain similar or slightly</u> increase on <u>most of the</u> approaches in the 2030 DS scenario compared to the 2030 DM scenario. However, the predicted queues on all approaches can be accommodated within the available safe storage space.
- 4.2.7 The greatest forecast increase in delay in the 2030 DS scenario would be on the A128 Brentwood Road (N). This approach is signalised in the DS scenario and has short green times in order to prioritise the circulatory to minimise queueing on the circulating carriageway due to the short storage space available.
- 4.2.8 Delays and queues are forecast to decrease on the Brentwood Road (South) approach in the 2030 DS scenario compared to the 2030 DM scenario.
- 4.2.9 The delay on the A1013 Stanford Road (W) approach is forecast to increase, but the respective queues are predicted to be shorter in the 2030 DS scenario compared to 2030 DM scenario. This is because vehicles on the approach wait longer to enter the roundabout in the 2030 DS scenario but there are less traffic joining the back of the queue as demand flow on the approach is lower in the 2030 DS scenario compared to 2030 DM.
- 4.2.10 At the A1013 Stanford Road/ Rectory Road junction, traffic conditions remain free-flowing in the 2030 DM scenario. There would be small increases in queues on Stanford Road (E) in the 2030 DS scenario. The increase in queues on Stanford Road (E) is due to the removal of the right turn pocket resulting in right turning vehicles blocking the ahead traffic.

Deleted: A128

Deleted: A128

Deleted: junction with Welling Road

Deleted: all

Deleted: delays and

Deleted: Rectory Road and

Lower Thames Crossing – 9.15 Localised Traffic Modelling Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

Volume 9

Table 4.2 08:00 - 09:00 Traffic Conditions, 2030

	Flow [veh]	Avg. D	elay per	veh <u>[s]</u>	Mean Max. Queue [m] (Divide by 5.75m for queue in PCUs)			Average Queue [m] (Divide by 5.75m for queue in PCUs)					
Junction	<u>Approach</u>	Base	DM	DS	2016 Base	2030 DM	2030 DS	2016 Base	2030 DM	2030 DS	2016 Base	2030 DM	2030 DS
Orsett Cock	A128 Brentwood Rd (North)	695	801,	<u>725</u> ,	25	49,	81,	51	<u>39</u> ,	<u>75,</u>	<u>17</u>	<u>6</u>	30
	A13 (East)	788	897,	<u>770</u> ,	40	<u>30</u> ,	<u>54</u>	47	<u>59</u> ,	<u>58</u> ,	<u>19</u>	<u>13</u>	<u>19</u>
	A1013 Stanford Rd (East)	637	618,	648,	96	<u>25</u> ,	<u>73,</u>	153	34,	94,	108	<u>6</u>	41
	Brentwood Rd (South)	610	809,	807,	216	601,	142,	127	1,405,	272,	<u>133</u>	1,31 4	<u>173</u>
	A1013 Stanford Rd (West)	722	848,	762,	59	171,	228,	109	<u>670</u> ,	<u>580,</u>	<u>49</u>	547	459
	A13 (West)	506	473	1, <u>537</u> ,	60	<u>36</u> ,	<u>32</u> ,	85	<u>38</u> ,	70	<u>34</u>	<u>10</u>	<u>17</u>
A1013	Rectory Rd	205	<u>203</u> ,	<u>369</u> ,	11	1,029,	<u>494</u>	<u>13</u> ,	<u>698</u> ,	<u>533</u> ,	2	<u>640</u>	<u>456</u>
Stanford Road / Rectory Road	Stanford Rd (East)	1,141	985,	873,	8	10	<u>10,</u>	13	27,	<u>62</u>	<u>1</u>	4	7
	Stanford Rd (West)	620	802,	624	3	<u>85</u> ,	<u>64</u>	-	-	-	=	=	=

Moved down [7] Moved up [3] Moved up [5] Moved (insertion) [4]: Avg. Delay per Moved (insertion) [8]: Mean Max. Deleted: Flow [Deleted: veh [s] Split Cells Moved (insertion) [6]: Junction Moved (insertion) [7]: Approach **Inserted Cells Inserted Cells Inserted Cells** Deleted: 800 Deleted: 789 Deleted: 30 Deleted: 181 Deleted: 33 Deleted: 382 Deleted: 895 Deleted: 763 Deleted: 26 Deleted: 56 Deleted: 56 Deleted: 56 Deleted: 616 Deleted: 646 Deleted: 23 Deleted: 69 Deleted: 31 Deleted: 86 Deleted: A128 Deleted: 818 Deleted: 794 Deleted: 267 Deleted: 108 Deleted: 537 Deleted: 209

Moved down [6] Split Cells Lower Thames Crossing – 9.15 Localised Traffic Modelling Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

Volume 9

- 4.2.11 Table 4.2 shows that in the 2030 DM 08:00 09:00 period, the traffic conditions on the A128 (N), A13 (E), A1013 (E) and A13 (W) approaches are forecast to be similar to the 07:00 08:00 period and are predicted to be in free-flowing condition with delays of less than 50 seconds.
- 4.2.12 Both the Brentwood Road (S) and A1013 Stanford Road (W) approaches are forecast to be over saturated in the 2030 DM scenario with long queues. The queue on the Brentwood Road (S) approach is predicted to extend past the Orsett Golf Club and the queue on the A1013 (W) approach is predicted to extend past Rectory Road.
- 4.2.13 Similar to the 07:00 08:00 period, there are forecast to be increased delays on most approaches at the Orsett Cock junction in the 2030 DS scenario compared to the 2030 DM scenario. The predicted queues on most approaches can be accommodated within the available safe storage space, except for the A1013 Stanford Road (W) approach where the queue extend past Rectory Road.
- 4.2.14 Traffic delays would <u>decrease</u> most on the Brentwood Road (S) in the 2030 DS scenario compared to the DM scenario with delays <u>decreasing</u> by <u>459s and the</u> mean maximum queue decreasing by 1,133m.
- 4.2.15 Traffic delays decrease on the Brentwood Road (S) approach as a result of the implementation of the traffic signals and lower demand flow in the DS scenario.
- 4.2.16 The A1013 Stanford Road (W) approach is forecast to remain over saturated in the 2030 DS scenario. Delays per vehicle are predicted to increase compared to the 2030 DM scenario, but the respective queues are shorter in the 2030 DS scenario compared to 2030 DM scenario due to Jower demand in 2030 DS.
- 4.2.17 At the A1013 Stanford Road/ Rectory Road junction, delays and queueing are forecast to increase in both the 2030 DM and DS scenarios compared to the 2016 base year. Rectory Road is saturated with long queues in both scenarios, but delays and queues are smaller in 2030 DS comparing to 2030 DM due to less opposing traffic on Stanford Road.

Deleted: 35
Deleted: A128
Deleted: A128

Deleted: reaches just east of
Deleted: increase
Deleted: A128
Deleted: N
Deleted: increasing
Deleted: 151s resulting in a 382m
Deleted: .
Deleted: would
Deleted: A128
Deleted: predicted to be
Deleted: the
Deleted: flow
Deleted: the
Deleted: scenario.

Lower Thames Crossing – 9.15 Localised Traffic Modelling Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

Volume 9

Table 4.3 17:00 - 18:00 Traffic Conditions, 2030

	Flow [veh]	Avg. [Delay per "v	eh <u>[s]</u>	Mean Max. (Divide by 9 PCUs)	Queue [m] 5.75m for qu	ueue in	Average Queue [m] (Divide by 5.75m for queue in PCUs)							
<u>Junction</u>	<u>Approach</u>	Base	DM	DS	2016 Base	2030 DM	2030 DS	2016 Base	2030 DM	2030 DS	2016 Base	2030 DM	2030 DS	4	
Orsett Cock	A128 Brentwood Rd (North)	854	940,	824	54	109,	74,	88	270,	<u>68</u> ,	40	164	<u>25</u>		
	A13 (East)	442	<u>888</u> ,	<u>553</u> ,	69	<u>74</u> ,	<u>330</u> ,	87	<u>112,</u>	217,	<u>51</u>	<u>65</u>	<u>189</u>	Ц	
	A1013 Stanford Rd (East)	501	<u>588</u> ,	<u>520</u> ,	24	<u>51,</u>	112,	34	<u>56</u> ,	112,	<u>5</u>	<u>20</u>	<u>DS</u> <u>25</u>		
	Brentwood Rd (South)	410	494	<u>509</u> ,	13	<u>66</u> ,	91,	19	<u>55</u> ,	49,	2	<u>18</u>	<u>17</u>	$^{\mid}$	
	A1013 Stanford Rd (West)	988	1,043,	913,	30	<u>50</u> ,	97,	135	<u>78</u> ,	<u>74</u>	38	<u>18</u>	22	a	
	A13 (West)	805	<u>772,</u>	2, <u>159</u> ,	205	<u>39</u> ,	137,	467	<u>39</u> ,	672,	<u>389</u>	<u>10</u>	<u>503</u>	Ц	
A1013	Rectory Rd	311	<u>316</u> ,	<u>347</u> ,	21	<u>260</u> ,	<u>81</u> ,	<u>33</u> ,	212,	96,	7	<u>162</u>	<u>189</u> <u>59</u> 17 <u>22</u> <u>503</u> <u>43</u>		
A1013 R Stanford Road /	Stanford Rd (East)	680	931,	<u>886</u> ,	6	9	<u>10</u> ,	10	22,	<u>56</u> ,	<u>1</u>	<u>3</u>	<u>6</u>	Ц	
Rectory Road	Stanford Rd (West)	855	1,035,	896,	4	6	4,	-	-	-	=	<u>-</u>	=		

Moved down [9] Split Cells Moved down [10] Moved up [8] Deleted: Flow [Deleted: Avg. Delay per veh [s] Split Cells Moved (insertion) [9]: Junction Moved (insertion) [10]: Approach **Inserted Cells Inserted Cells** ... **Inserted Cells** Deleted: 839 Deleted: 870 Deleted: 33 Deleted: 83 Deleted: 37 Deleted: 132 Deleted: 678 Deleted: 546 Deleted: 23 Deleted: 328 Deleted: 48 Deleted: 215 Deleted: 497 Deleted: 518 Deleted: 20 Deleted: 72 Deleted: 19 Deleted: 70 Deleted: A128 Deleted: 498 Deleted: 41 Deleted: 69 Deleted: 38 Deleted: 43 Deleted: 999 Deleted: 901 Deleted: 47 Deleted: 80

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15 DATE: October 2023 DEADLINE: 6

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved

Lower Thames Crossing – 9.15 Localised Traffic Modelling
Appendix C – Orsett Cock Forecasting Report
(Tracked changes version)

Volume 9

4.2.18	In the PM peak, traffic conditions on the A128 Brentwood Road (North) arm are
	forecast to be over saturated in the 2030 DM scenario with delays and queues
	increasing when compared to the 2016 base scenario,

Deleted: at

Deleted: Orsett Cock junction

Deleted: befree-flowing

Deleted: , a shown in Table 4.3.

Deleted: A128 (N),

- 4.2.19 In the 2030 DS scenario, the Orsett Cock junction is <u>also</u> predicted to be oversaturated in the PM peak with <u>longer</u> delays and queues on the <u>A13 (E)</u>, <u>A1013</u> (<u>E</u>) and A13 (W) approaches.
- 4.2.20 Traffic conditions on the A128 Brentwood Road (North) improve in 2030 DS due to the traffic signals.
- 4.2.21 At the A1013 Stanford Road/ Rectory Road junction, delays and queues on Rectory Road increase in both the 2030 DM and 2030 DS scenarios compared to the base year. Demand flows on Rectory Road are similar in the DM and DS scenarios but delays and queues are lower in the 2030 DS scenario compared to 2030 DM due to less opposing traffic on Stanford Road.
- 4.2.22 The queues on Stanford Road (E) also increase in the 2030 DS scenario due to the removal of the right turn pocket resulting in right turning vehicles blocking the ahead traffic.

2045 traffic conditions

4.2.23 At the Orsett Cock junction, Table 4.4 shows that the traffic conditions in the 2045 DM scenario on the A128 (N), A13 (E), A1013 (E) and A13 (W) approaches are predicted to be in free-flowing condition with short delays and queues during the 07:00 – 08:00 period.

Deleted: with long queues in both scenarios.

Deleted: Table 4.4

Deleted: short

Lower Thames Crossing – 9.15 Localised Traffic Modelling Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

Volume 9

Table 4.4 07:00 - 08:00 Traffic Conditions, 2045

A.	Flow [veh]	Avg. Dela	y per ve	h <u>[s]</u>	Mean Max. Queue [m] (Divide by 5.75m for queue in PCUs) Average Queue [m] (Divide by 5.75m for queue in PCUs))			
<u>Junction</u>	<u>Approach</u>	Base	DM	DS	2016 Base	2045 DM	2045 DS	2016 Base	2045 DM	2045 DS	2016 Base	2045 DM	2045 DS	
Orsett Cock	A128 Brentwood Rd (North)	632	817,	<u>630</u> ,	15	<u>52</u> ,	<u>145</u> ,	37	<u>39</u> ,	205,	<u>5</u>	<u>6</u>	<u>131</u>	
	A13 (East)	676	981,	<u>732</u> ,	26	<u>33</u> ,	<u>53</u> ,	37	<u>64</u> ,	<u>52</u> ,	<u>6</u>	<u>15</u>	<u>15</u>	
	A1013 Stanford Rd (East)	655	805,	608,	49	47,	148,	114	83,	258,	<u>48</u>	32	188	
	Brentwood Rd (South)	602	524,	918,	41	323,	137,	55	635,	435,	<u>23</u>	<u>532</u>	290	
	A1013 Stanford Rd (West)	599	<u>770</u> ,	<u>548</u> ,	46	<u>173</u> ,	118,	97	532,	<u>162</u>	<u>37</u>	403	98	
	A13 (West)	497	<u>512</u> ,	1, <u>893</u> ,	54	<u>39</u> ,	35	93	<u>39</u> ,	<u>85</u> ,	<u>43</u>	<u>10</u>	<u>21</u>	
A1013	Rectory Rd	136	<u>138</u> ,	<u>249</u> ,	9	207,	<u>49</u> ,	<u>10</u> ,	192,	<u>53</u> ,	1	143	<u>18</u>	
Road	Stanford Rd (East)	833	1,002	823,	7	16	<u>7,</u>	10	<u>75</u> ,	38,	1	31	2	
	Stanford Rd (West)	557	800,	<u>577</u> ,	3	<u>63</u> ,	<u>5</u> ,	-	-	-	-	=	-	

Deleted: Avg. Delay per veh [s] Deleted: Mean Max. Split Cells Split Cells **Inserted Cells Inserted Cells Inserted Cells** Deleted: 832 Deleted: 667 Deleted: 33 Deleted: 166 Deleted: 29 Deleted: 311 Deleted: 984 Deleted: 702 Deleted: 29 Deleted: 52 Deleted: 61 Deleted: 48 Deleted: 812 Deleted: 658 Deleted: 42 Deleted: 63 Deleted: 70 Deleted: 93 Deleted: A128 Deleted: 527 Deleted: 756 Deleted: 310 Deleted: 278 Deleted: 400 Deleted: 534 Deleted: 729 Deleted: 589 Deleted: 215 Deleted: 77 Deleted: 591 Deleted: 89 Deleted: 514

Deleted: Flow [

23

Lower Thames Crossing – 9.15 Localised Traffic Modelling Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

Volume 9

4.2.24	Delays on the Brentwood Road (S) and A1013 Stanford Road (West)
	approaches respectively, are forecast to increase in the 2045 DM scenario
	compared to 2016, with queues on Brentwood Road (S) extending past the
	entrance of the Orsett Golf Club and queues on A1013 Stanford Road (West)
	extend past Rectory, Road.

- 4.2.25 Delays at the Orsett Cock junction are forecast to increase on the A128 (N), A13 (E) and A1013 (E) approaches in the 2045 DS scenario compared to the 2045 DM scenario.
- 4.2.26 Traffic conditions on the Brentwood Road (South) arm improve in 2045 DS due to the traffic signals.
- 4.2.27 The decrease in delays on the A1013 Stanford Road (West) approach in 2045 DS is due to the lower flow.
- 4.2.28 At the A1013 Stanford Road/ Rectory Road junction, traffic conditions improve in the 2045 DS scenario with shorter delays <u>and queues</u> on all three approaches.

Deleted: A128

Deleted: the A128

Deleted: junction with Welling

Deleted: Delays on the A128 Brentwood Road (S) approach is forecast to decrease slightly in the 2045 DS scenario due to the introduction of traffic signals, but queues are predicted to be longer in the 2045 DS scenario compared to 2045 DM scenario due to higher flow in the 2045 DS scenario.

Deleted: Delays also decreased

Lower Thames Crossing – 9.15 Localised Traffic Modelling Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

Volume 9

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved

Table 4.5 08:00 - 09:00 Traffic Condition, 2045

<u> </u>	Flow [veh]	Avg. D	elay per ve	eh <u>[s]</u>	Mean Max. (Divide by 5		ueue in		Average Queue [m] (Divide by 5.75m for queue in PCUs)							
Junction	Approach	Base	DM	DS	2016 Base	2045 DM	2045 DS	2016 Base	2045 DM	2045 DS	2016 Base	2045 DM	2045 DS			
Orsett Cock	A128 Brentwood Rd (North)	695	915	<u>750</u> ,	25	<u>57</u> ,	417,	51	47,	961,	<u>17</u>	9	835			
	A13 (East)	788	940,	<u>696</u> ,	40	33,	55	47	<u>61</u> ,	<u>51,</u>	<u>19</u>	<u>15</u>	<u>16</u>			
	A1013 Stanford Rd (East)	637	<u>769</u> ,	679,	96	<u>54</u> ,	357,	153	105	605,	108	<u>51</u>	517			
	Brentwood Rd (South)	610	<u>576</u> ,	886,	216	1,154,	445,	127	1,443,	1,364,	133	<u>1,409</u>	1,296			
	A1013 Stanford Rd (West)	722	812,	<u>637</u> ,	59	191,	298,	109	786,	707,	<u>49</u>	683	606			
	A13 (West)	506	<u>517</u> ,	1, <u>982</u>	60	<u>40</u> ,	38	85	39	<u>95</u> ,	<u>34</u>	<u>10</u>	<u>26</u>			
A1013	Rectory Rd	205	<u>150</u> ,	<u>336</u> ,	11	<u>2,040</u> ,	<u>386</u> ,	<u>13</u> ,	<u>1,261</u>	405,	2	1,226	<u>331</u>			
Stanford Road / Rectory	Stanford Rd (East)	1,141	1, <u>044</u> ,	<u>857</u> ,	8	<u>15</u> ,	<u>10</u> ,	13	<u>78</u> ,	<u>65</u> ,	1	<u>29</u>	7			
Road	Stanford Rd (West)	620	881,	612,	3	121,	128,	-	-	-	Ξ	Ξ	=			

Deleted: Flow [
Deleted: Avg. Delay per veh [s]	
Deleted: Mean Max.	
Split Cells	
Split Cells	
Inserted Cells	
Inserted Cells	
Inserted Cells	
Deleted: 751	
Deleted: 34	
Deleted: 388	
Deleted: 36	
Deleted: 792	
Deleted: 938	
Deleted: 686	
Deleted: 30	
Deleted: 60	
Deleted: 49	
Deleted: 762	
Deleted: 658	
Deleted: 50	
Deleted: 104	
Deleted: 150	
Deleted: A128	
Deleted: 566	
Deleted: 824	
Deleted: 479	
Deleted: 244	
Deleted: 538	
Deleted: 537	
Deleted: 839	
Deleted: 691	
Deleted: 182	
Deleted: 172	
Deleted: 791	
Deleted: 309	
Deleted: 516	
Deleted: 957	
Deleted: 38	
Deleted: 92	

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15 DATE: October 2023 DEADLINE: 6

Lower Thames Crossing – 9.15 Localised Traffic Modelling
Appendix C – Orsett Cock Forecasting Report
(Tracked changes version)

Volume 9

4.2.29 Table 4.5 shows that in the 2045 DM 08:00 – 09:00 period, the traffic conditions on the A128 (N), A13 (E), A1013 (E) and A13 (W) approaches are forecast to be similar or slightly improved when compared to the 2016 base scenario.

4.2.30 Both, Brentwood Road (S) and A1013 Stanford Road (W) approaches are forecast to be over saturated in the 2045 DM scenario with long queues without the Project. The queue on, Brentwood Road (S) approach is predicted to extend past the Orsett Golf Club and the queue on the A1013 (W) approach is predicted to extend past Rectory Road.

- 4.2.31 The forecast shows increased delays on some approaches at the Orsett Cock junction in the 2045 DS scenario compared to the 2045 DM scenario with delays and queues increasing the most on the A128 (N) approach due to the large increase in flow from A13(W) that includes traffic from the Project.
- 4.2.32 Traffic delays would decrease on Brentwood Road (S) in the 2045 DS scenario compared to the DM scenario due to the traffic signals, but queues remain long due to the higher demand flow.
- 4.2.33 The A1013 Stanford Road (W) approach is forecast to remain over saturated in the 2045 DS scenario. Queues are predicted to be shorter in the 2045 DS scenario compared to 2045 DM scenario due to the lower demand flow in the 2045 DS scenario.
- 4.2.34 At the A1013 Stanford Road/ Rectory Road junction, Rectory Road is saturated in both the 2045 DM and 2045 DS scenarios but delays and queues are shorter in the 2045 DS at Rectory Road compared to the 2045 DM scenario due to the lower traffic flow on A1013 (W) and the Pegasus crossing, which creates more gaps in the opposing A1013 traffic.

Deleted: the A128

Deleted: the A128

Deleted: the A128

Deleted: forecast to increase

Volume 9

Table 4.6 17:00 – 18:00 Traffic Condition, 2045

<u> </u>	Flow [veh]	Avg. Dela	ay per vel	n <u>[s]</u>		Mean Max. Queue [m] (Divide by 5.75m for queue in PCUs)				Average Queue [m] (Divide by 5.75m for queue in PCUs)							
Junction	Approach	Base	DM	DS	2016 Base	2045 DM	2045 DS	2016 Base	2045 DM	2045 DS	2016 Base	2045 DM	2045 DS				
Orsett Cock	A128 Brentwood Rd (North)	854	798,	890,	54	<u>356</u> ,	117,	88	1,061,	182,	<u>40</u>	917	97				
	A13 (East)	442	<u>1,018</u>	<u>501</u>	69	<u>78</u>	230,	87	<u>131</u>	144	<u>51</u>	<u>77</u>	116				
	A1013 Stanford Rd (East)	501	<u>696</u> ,	<u>514,</u>	24	<u>192</u>	<u>159</u> ,	34	326,	<u>175</u> ,	<u>5</u>	240	112				
	Brentwood Rd (South)	410	<u>571</u> ,	647,	13	107,	<u>171</u>	19	117,	191,	<u>2</u>	<u>58</u>	119				
	A1013 Stanford Rd (West)	988	1,040,	887,	30	<u>63</u> ,	127,	135	83,	131,	<u>38</u>	<u>18</u>	53				
	A13 (West)	805	<u>765</u> ,	2, <u>163</u> ,	205	47,	318,	467	<u>39</u> ,	<u>2,25</u> <u>7</u>	389	<u>10</u>	2,125				
A1013	Rectory Rd	311	<u>269</u> ,	<u>366</u> ,	21	445,	<u>121,</u>	<u>33</u> ,	347,	134,	<u>7</u>	289	<u>76</u>				
Stanford Road / Rectory	Stanford Rd (East)	680	1,044,	914,	6	12,	<u>10</u> ,	10	44,	<u>65</u> ,	1	9	8				
Road	Stanford Rd (West)	855	1, <u>127,</u>	976,	4	7	<u>6</u> ,	-	-	-	=	=	<u>-</u>				

,	Deleted: Flow [
	Deleted: Avg. Delay per veh [s]	
$/\!/_{\!\scriptscriptstyle I}$	Deleted: Mean Max.	
//	Split Cells	
//	Split Cells	
	Inserted Cells	
	Inserted Cells	
	Inserted Cells	
Ζ,	Deleted: 902	
//	Deleted: 849	
7,	Deleted: 31	
/	Deleted: 320	
	Deleted: 38	
\	Deleted: 770	
	Deleted: 188	
/	Deleted: 573	
_	Deleted: 511	
_	Deleted: 25	
\	Deleted: 72	
//	Deleted: 27	
\	Deleted: 73	
/	Deleted: A128	
//	Deleted: 577	
//	Deleted: 639	
$/\!/$	Deleted: 110	
///	Deleted: 148	
///	Deleted: 151	
	Deleted: 173	
	Deleted: 979	
	Deleted: 888	
	Deleted: 46	
	Deleted: 107	
	Deleted: 74	
	Deleted: 85	
	Moved down [11]	
	Deleted: 677	
	Deleted: 218	
	Deleted: 31	
	Deleted: 289	
	Deleted: 37	

- 4.2.35 In the PM peak, traffic conditions on the A128 Brentwood Road (North) arm are forecast to be oversaturated in the 2045 DM scenario with increases in delays and queues when compared to the 2016 base scenario.
- 4.2.36 In the 2045 DS scenario, traffic conditions at the Orsett Cock junction are forecast to be worse than the 2045 DM with delays and queues increasing on most approaches except A1013 Stanford Rd (East) and A128 Brentwood Road (N) which improves with the Project due to the traffic signals. The largest increase in queue length is on the A13(W) approach due to the additional traffic from the Project. This queue is on the A122 to Orsett Cock junction link and the queue length reported in Table 4.6 would not extend back to the A13.
- 4.2.37 At the A1013 Stanford Road/ Rectory Road junction, Rectory Road is oversaturated in the 2045 DM scenario with longer delays and queues compared to
 the base year_traffic conditions on Rectory Road are forecast to improve in the
 2045 DS scenario with the Project compared to the 2045 DM.

4.3 Journey times

4.3.1 A comparison of journey times has been carried out on the same routes used for the base year model validation. These cover all movements between the origins and destinations as illustrated in Plate 4.1. In addition, journey times on routes associated with the Project and A1089 from the DS scenarios as shown in Plate 4.2 are included for information.

Plate 4.1 Journey Time Start and End Locations for Base and Do-Minimum



Deleted: Orsett Cock junction in 2045 DM

Deleted: improve when compared to the 2016 base scenario except for the A128 (S) approach which is

Deleted:
Deleted: longer

Deleted: , as shown in Table 4.6.
Deleted: all

Deleted: Journey time

Deleted: at

Deleted:

Deleted: delays and queues on

Deleted: increase

Deleted: both

Deleted: with long queues on Rectory Road and the

Deleted: at this junction


Deleted: remain similar

Deleted:

Plate 4.2 Journey Time Start and End Locations for Do-Something



4.3.2 Table 4.7 to Table 4.9 show a summary comparing the journey times for the 2016 Base Year, 2030 DM and 2030 DS for the AM and PM peak periods.



Lower Thames Crossing – 9.15 Localised Traffic Modelling
Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

Volume 9

Table 4.7 2030 Journey Time Comparison, AM 07:00 - 08:00

Route	Name	2016 Base			2030 DM			2030 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
1>2	A128 Brentwood Rd (North) to A13 EB mainline	2, <u>085</u> ,	109	42. <u>7</u> ,	2,122	131,	36.4	2,122	<u>171</u> ,	<u>27.8</u>	
1>3	A128 Brentwood Rd (North) to A1013 Stanford Rd (East)	1,381	99,	<u>31</u> ,3	1,396	127,	24.7	1,396	164,	19.1,	
1>4	A128 Brentwood Rd (North) to Brentwood Rd (South)	1,341	90	33. <u>4</u> ,	1,347	<u>116</u> ,	<u>25.9</u>	1,347	<u>154</u>	19.6,	
1>5	A128 Brentwood Rd (North) to A1013 Stanford Rd (West)	1,555	107	32. <u>5</u> ,	1,533	134,	25.6,	1,535	<u>175</u> ,	19.6,	
1>6	A128 Brentwood Rd (North) to A13 WB mainline	3, <u>052</u> ,	<u>151</u> ,	45. <u>2</u>	3,025	203,	33.3,	3,036	242,	28.1	
<u>1>7</u>	A128 Brentwood Rd (North) to Rectory Rd	<u>1,555</u>	<u>107</u>	<u>32.5</u>	<u>1,753</u>	<u>156</u>	<u>25.1</u>	<u>1,741</u>	<u>193</u>	20.2	
1>8	A128 Brentwood Rd (North) to A13 WB off-slip to A1089	3, <u>190</u> ,	164	43.5	3,163,	216,	32.7,	3,071	242,	28.4	
2>1	A13 WB mainline to A128 Brentwood Rd (North)	2, <u>344</u>	146,	36. <u>1</u> ,	2, <u>359</u> ,	162	32.7,	2,359	186,	28.3,	
2>3	A13 WB mainline to A1013 Stanford Rd (East)	1,629	99,	36. <u>8</u> ,	1,653	100	36.9	1,653	112,	33. <u>2</u> ,	
2>4	A13 WB mainline to Brentwood Rd (South)	1,588	90,	39. <u>5</u> ,	1, <u>604</u> ,	90	39.9	1,605	102	35. <u>3</u> ,	
2>5	A13 WB mainline to A1013 Stanford Rd (West)	1,803	<u>107</u> ,	37. <u>7</u> ,	1,790,	108,	37. <u>1</u> ,	1,793	123	32. <u>5</u> ,	
2>6	A13 WB mainline to A13 WB mainline	3,177	119	59.7	3,177	118	60. <u>0</u> ,	3,178	123,	<u>57.8</u> ,	
<u>2>7</u>	A13 WB mainline to Rectory Rd	<u>1,803</u>	<u>107</u>	<u>37.7</u>	2,010	<u>130</u>	<u>34.6</u>	<u>1,999</u>	<u>141</u>	<u>31.8</u>	

Deleted: 118 Deleted: 26.5 Deleted: 188 Deleted: 16.6 Deleted: A128 Moved down [13] Deleted: 3 Deleted: 107 Moved (insertion) [14]: 25.9 Deleted: 177 Deleted: 17.0 Deleted: 4 Deleted: 125 Deleted: 27.5 Deleted: 199 Deleted: 17.2 Moved (insertion) [13]: 28.1 Deleted: 051 Deleted: 152 Deleted: 0 Deleted: 193 Deleted: 35.1 Deleted: 261 Deleted: 26.0 Moved (insertion) [11]: 1,753 Deleted: 189 Moved up [14] **Deleted: 2,439**

Deleted: 171
Deleted: 31.9
Deleted: 265

Moved down [12]
Deleted: 084

Deleted: 8

Deleted: 123

Deleted: 38.7 Deleted: 193

Deleted: 102 Deleted: 30

Moved (insertion) [12]: 24.7

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15 DATE: October 2023 DEADLINE: 6

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved Lower Thames Crossing – 9.15 Localised Traffic Modelling
Appendix C – Orsett Cock Forecasting Report (Tracked changes version)

Volume 9

Route	Name	2016 Base			2030 DM			2030 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
2>8	A13 WB mainline to A13 WB off-slip to A1089	3,315	132,	56. <u>2</u> ,	3,315	131	56. <u>4</u> ,	3,329	<u>190</u> ,	39. <u>3</u> ,	
<u>2>9</u>	A13 WB mainline to Project (South)	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	4,404	<u>184</u>	<u>53.6</u>	
<u>2>12</u>	A13 WB mainline to Project (North)	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	5,329	<u>218</u>	<u>54.6</u>	
3>1	A1013 Stanford Rd (East) to A128 Brentwood Rd (North)	1,563	<u>152</u> ,	23.0,	1,590	146,	24. <u>3</u> ,	1,589	192	18.5,	
3>2	A1013 Stanford Rd (East) to A13 EB mainline	2, <u>177</u>	161,	30. <u>4</u>	2,215	163,	30. <u>4</u>	2,216	223,	22.2	
3>4	A1013 Stanford Rd (East) to Brentwood Rd (South)	808	<u>97</u> ,	18. <u>7</u> ,	835	<u>75</u> ,	25. <u>0</u> ,	835	108,	<u>17.3</u>	
3>5	A1013 Stanford Rd (East) to A1013 Stanford Rd (West)	1,022	114,	20. <u>1</u> ,	1,021	93,	24.7,	1,023	129,	17.7,	
3>6	A1013 Stanford Rd (East) to A13 WB mainline	2, <u>518</u> ,	<u>158</u> ,	35. <u>7</u>	2,513	<u>161</u> ,	34.8,	2,523	196,	28.8	
<u>3>7</u>	A1013 Stanford Rd (East) to Rectory Rd	1,022	<u>114</u>	<u>20.1</u>	1,240	<u>115</u>	24.2	1,229	<u>147</u>	18.7	
3>8	A1013 Stanford Rd (East) to A13 WB off-slip to A1089	2, <u>656</u> ,	<u>171</u> ,	34.8	2,651,	174	34.0,	2,559	196,	29.2	
4>1	"Brentwood Rd (South) to A128 Brentwood Rd (North)	1,397	129,	24. <u>0</u> ,	1,431	223,	14. <u>4</u> ,	1,430	192	16.6,	
4>2	Brentwood Rd (South) to A13 EB mainline	2,011,	137,	32.5,	2,056	240,	19.2	2,057	223,	20.6	
4>3	"Brentwood Rd (South) to A1013 Stanford Rd (East)	1,307	126,	22.9	1,330	236,	12.6,	1,330	<u>216</u> ,	<u>13.8</u> ,	
4>5	"Brentwood Rd (South) to A1013 Stanford Rd (West)	856	90	20.9,	862	<u>169</u> ,	11. <u>4</u>	864	130,	<u>14.9</u> ,	

Deleted: 1 Deleted: 144 Deleted: 7 Deleted: 183 Deleted: 19.4 Deleted: 176 Deleted: 158 Deleted: 8 Deleted: 161 Deleted: 8 Deleted: 212 Deleted: 23.4 Deleted: A128 Deleted: 96 Deleted: 8 Deleted: 73 Deleted: 6 Deleted: 101 Deleted: 18.6 Deleted: 113 Deleted: 2 Deleted: 91 Deleted: 25.2 Deleted: 123 Deleted: 18.6 Deleted: 517 Deleted: 157 Deleted: 8 Deleted: 158 Deleted: 35.5 Deleted: 185 Deleted: 30.6 Moved down [15] Deleted: 655 Deleted: 170

Deleted: 131 Deleted: 4

Deleted: 6

Deleted: 188

Deleted: 5
Deleted: 151

Volume 9

Route	Name	2016 Base			2030 DM			2030 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
4>6	Brentwood Rd (South) to A13 WB mainline	2, <u>352</u>	134	38.8	2,354	238	22. <u>1</u>	2,364	<u>196</u>	27.0,	
<u>4>7</u>	Brentwood Rd (South) to Rectory Rd	<u>856</u>	<u>92</u>	20.9	1,081	<u>191</u>	<u>12.6</u>	<u>1,070</u>	<u>147</u>	<u>16.3</u>	
4>8	Brentwood Rd (South) to A13 WB off-slip to A1089	2, <u>490</u> ,	147	37.5,	2,492,	<u>251</u>	22.2	2,400	196,	27.4	
5>1	A1013 Stanford Rd (West) to A128 Brentwood Rd (North)	1, <u>453</u> ,	137,	23.8,	1,465	<u>168</u> ,	19.6,	1, <u>466</u> ,	<u>164</u>	20. <u>0</u> ,	
5>2	A1013 Stanford Rd (West) to A13 EB mainline	2, <u>067</u>	145,	<u>31</u> ,9	2,090	<u>184</u>	25.3,	2, <u>093</u>	195,	24.0,	
5>3	A1013 Stanford Rd (West) to A1013 Stanford Rd (East)	1,363	135,	22.7,	1,364	180,	<u>16.9</u>	1, <u>367</u>	187,	16. <u>3</u> ,	
5>4	A1013 Stanford Rd (West) to Brentwood Rd (South)	1,322	126,	23.6,	1,315	<u>170</u> ,	17.3,	1,318,	177,	16.6,	
5>6	A1013 Stanford Rd (West) to A13 WB mainline	2,408,	143,	37.9,	2,387	183,	<u>29</u> ,2	2,400,	168,	32.0,	
<u>5>7</u>	A1013 Stanford Rd (West) to Rectory Rd	217	<u>19</u>	<u>25.2</u>	217	<u>19</u>	<u>25.0</u>	<u>216</u>	<u>19</u>	<u>25.6</u>	
5>8	A1013 Stanford Rd (West) to A13 WB off-slip to A1089	2, <u>546</u> ,	<u>156</u> ,	36.7,	2,525,	<u>196</u>	<u>28</u> ,9	2,436,	168,	<u>32</u> ,5	
6>1	A13 EB mainline to A128 Brentwood Rd (North)	2, <u>768</u> ,	172,	35.1,	2,770	<u>154</u>	40. <u>2</u>	2,775	<u>153</u> ,	40. <u>7</u>	
6>2	A13 EB mainline to A13 EB mainline	3,345	121	61.7,	3,347	122	61.5	3,347	128,	58. <u>6</u> ,	
6>3	A13 EB mainline to A1013 Stanford Rd (East)	2,678	<u>170</u> ,	34.4,	2,669	<u>167</u>	35.8,	2,676	176	34.1	
6>4	A13 EB mainline to Brentwood Rd (South)	2,637	161,	35.7,	2,621	157,	37. <u>4</u>	2,627	<u>166</u> ,	35. <u>4</u>	
6>5	A13 EB mainline to A1013 Stanford Rd (West)	2,852	<u>178</u> ,	<u>35.0</u> ,	2,807	<u>174</u>	36. <u>0</u> ,	2,815	188	33.6	

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15 DATE: October 2023 DEADLINE: 6

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved

D	Peleted: A128
	Peleted: 351
	Peleted: 39.2
	eleted: 232
	eleted: 7
	Peleted: 187
	Peleted: 28.3
D	Peleted: A128
<u></u>	loved (insertion) [16]: 27.4
	Peleted: 489
	Peleted: 38.0
	Peleted: 1,768
	eleted: 211
	Peleted: 18.8
	Peleted: 190
D	Peleted: 28.2
	Peleted: 452
D	eleted: 133
D	Peleted: 24.4
P	eleted: 157
	eleted: 20.9
D	Peleted: 474
\triangleright	Peleted: 158
\searrow	Peleted: 9
\sim	Deleted: 066
\mathbb{R}	Deleted: 140
\Vdash	Deleted: 32
$\parallel \succ$	Deleted: 174
	Deleted: 26.9
\Vdash	Deleted: 101
\Vdash	Deleted: 187
	Deleted: 25.2
\Vdash	Deleted: 133
	Peleted: 9
₩>	Deleted: 169
	Peleted: 18.1
	Deleted: 375
	Deleted: 182
	Peleted: 9
	Peleted: A128
L	eleted: 122

Volume 9

Route	Name	2016 Base			2030 DM			2030 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
<u>6>7</u>	A13 EB mainline to Rectory Rd	2,852	<u>182</u>	<u>35.0</u>	3,026	<u>197</u>	34.4	<u>3,021</u>	<u>205</u>	33.0	
6>8	A13 EB mainline to A13 WB off-slip to A1089	4, <u>486</u> ,	235,	41.9,	4,437,	256,	38.7	4,351	254,	38. <u>3</u> ,	
<u>7>1</u>	Rectory Rd to A128 Brentwood Rd (North)	<u>1,453</u>	<u>136</u>	23.8	<u>1,675</u>	223	<u>16.8</u>	<u>1,704</u>	<u>216</u>	<u>17.7</u>	
<u>7>2</u>	Rectory Rd to A13 EB mainline	2,067	<u>145</u>	<u>31.9</u>	<u>2,301</u>	<u>240</u>	21.4	2,330	<u>246</u>	<u>21.2</u>	
<u>7>3</u>	Rectory Rd to A1013 Stanford Rd (East)	<u>1,363</u>	<u>134</u>	22.7	<u>1,575</u>	<u>236</u>	14.9	<u>1,604</u>	<u>239</u>	<u>15.0</u>	
7>4	Rectory Rd to Brentwood Rd (South)	1,322	<u>125</u>	<u>23.6</u>	<u>1,526</u>	<u>226</u>	<u>15.1</u>	<u>1,556</u>	229	<u>15.2</u>	
<u>7>5</u>	Rectory Rd to A1013 Stanford Rd (West)	<u>225</u>	<u>39</u>	12.8	<u>225</u>	<u>100</u>	<u>5.0</u>	<u>247</u>	<u>65</u>	<u>8.5</u>	
<u>7>6</u>	Rectory Rd to A13 WB mainline	2,408	142	<u>37.9</u>	2,598	238	24.4	2,638	220	<u>26.9</u>	
7>8	Rectory Rd to A13 WB off-slip to A1089	2,546	<u>155</u>	<u>36.7</u>	<u>2,736</u>	<u>251</u>	24.4	2,674	<u>219</u>	<u>27.3</u>	
9>1	Project (South) to A128 Brentwood Rd (North)	=	Ξ	Ξ	=	Ξ	Ξ	<u>5,842</u>	<u>288</u>	<u>45.4</u>	
9>2	Project (South) to A13 EB mainline	Ξ	Ξ	Ξ.	=	Ξ	Ξ	6,430	<u>274</u>	<u>52.5</u>	
9>3	Project (South) to A1013 Stanford Rd (East)	Ξ	Ξ	Ξ	=	Ξ	Ξ	<u>5,746</u>	<u>311</u>	41.3	
9>4	Project (South) to Brentwood Rd (South)	Ξ	Ξ	Ξ	=	Ξ	Ξ	<u>5,695</u>	<u>304</u>	<u>41.9</u>	
9>5	Project (South) to A1013 Stanford Rd (West)	Ξ	Ξ	Ξ.	=	Ξ	Ξ	<u>5,883</u>	<u>321</u>	<u>41.0</u>	
9>6	Project (South) to A13 WB mainline	Ξ	Ξ	Ξ	=	Ξ	Ξ	7,384	<u>378</u>	43.7	
9>7	Project (South) to Rectory Rd	Ξ	Ξ	Ξ	=	Ξ	Ξ	6,120	<u>345</u>	<u>39.7</u>	
9>10	Project (South) to A1089	Ξ	Ξ	Ξ.	Ξ	Ξ	Ξ.	7,798	<u>397</u>	<u>43.9</u>	

Moved	(insertion) [15]: 35.0
Moved	(insertion) [32]: 34.4
Moved	down [17]
Delete	d: 485
Delete	d: 224
Delete	d: 44.7
Delete	d: 3,713
Delete	d: 219
Delete	d: 253
Delete	d: 4
Moved	(insertion) [25]: 23.6
Moved	(insertion) [17]: 37.9
Moved	(insertion) [22]: 24.4
$\overline{}$	

Moved (insertion) [27]: 41.9

Moved (insertion) [34]: 41.0

Volume 9

Route	Name	2016 Base			2030 DM			2030 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
9>12	Project (South) to Project (North)	=	Ξ	=	=	Ξ	Ξ	<u>3,524</u>	<u>131</u>	60.3	
10>9	A1089 to Project (South)	=	Ξ	Ξ	=	Ξ	Ξ	<u>4,496</u>	<u>241</u>	41.7	
10>11	A1089 to A13 (West)	=	Ξ	Ξ	=	Ξ	Ξ	<u>1,451</u>	<u>62</u>	<u>52.6</u>	
10>12	A1089 to Project (North)	=	Ξ	Ξ	=	Ξ	Ξ	2,730	<u>112</u>	<u>54.7</u>	
11>10	A13 (West) to A1089	=	Ξ	Ξ	=	Ξ	Ξ	<u>1,780</u>	<u>72</u>	<u>55.1</u>	
12>1	Project (North) to A128 Brentwood Rd (North)	=	Ξ	Ξ	=	Ξ	Ξ	<u>4,468</u>	236	42.4	
12>2	Project (North) to A13 EB mainline	=	Ξ	Ξ	=	Ξ	Ξ	<u>5,056</u>	<u>216</u>	<u>52.3</u>	
12>3	Project (North) to A1013 Stanford Rd (East)	=	Ξ	Ξ	=	Ξ	Ξ	4,372	<u>254</u>	<u>38.5</u>	
12>4	Project (North) to Brentwood Rd (South)	=	Ξ	Ξ	=	Ξ	Ξ	4,321	247	<u>39.1</u>	
<u>12>5</u>	Project (North) to A1013 Stanford Rd (West)	=	Ξ	Ξ	Ξ	Ξ	Ξ	<u>4,509</u>	<u>265</u>	38.0	
12>6	Project (North) to A13 WB mainline	=	Ξ	Ξ	Ξ	Ξ	Ξ	6,009	<u>0</u>	Ξ	
12>7	Project (North) to Rectory Rd	_	Ξ	Ξ	=	Ξ	Ξ	<u>4,746</u>	<u>287</u>	<u>37.0</u>	
12>9	Project (North) to Project (South)	_	Ξ	Ξ	=	Ξ	Ξ	3,852	<u>154</u>	<u>56.1</u>	
12>10	Project (North) to A1089	=	Ξ		Ξ	Ξ		6,424	<u>344</u>	41.7	

Note - * No trips recorded on this route

Volume 9

- 4.3.3 The journey time comparison between the 2030 DM scenario and the 2016 Base Year for the 07:00 08:00 period shows the following:
 - a. Journey times in the DM are similar or slightly higher than the base year across the majority of the routes, except for those routes originating from the <u>Brentwood Road (South)</u>, A1013 (W) and <u>Rectory Road</u> where journey times increase on average by 70s, due to the delays on these approaches as described in the previous section.

Deleted: A128 (S) and
Deleted: 60s

- 4.3.4 The journey time comparison between the 2030 DS and 2030 DM scenarios for the 07:00 08:00 period shows the following:
 - a. Journey times in the DS scenario are forecast to be higher than the DM scenario across the majority of the routes, except for those routes originating from <u>Brentwood Road (South)</u> where journey times decrease in the DS scenario. <u>The journey times in the DS scenarios from Rectory Road are very similar to the DM scenario, with small increases of less than 10 seconds and decreases of up to 35 seconds.</u>
 - b. The journey time from the A13 (E) to the A1089 are forecast to increase more than the journey times from the A13 (E) to other destinations, as traffic travelling from the A13 (E) to the A1089 is required to travel through the Orsett Cock junction in the DS scenario.
 - Journey times in the DS scenario on the A13 mainline would be similar to the DM scenario in both directions.

Deleted: the A128 (S) and the A1013 (W

Volume 9

Table 4.8 2030 Journey Time Comparison, AM 08:00 - 09:00

Route	Name	2016 Base	2016 Base					2030 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
1>2	A128 Brentwood Rd (North) to A13 EB mainline	2, <u>085</u> ,	120,	38.9,	2,122	134,	35.4,	2,122	174,	27.3,	
1>3	A128 Brentwood Rd (North) to A1013 Stanford Rd (East)	1,381	109,	28.2,	1,396	131,	23.9,	1,396	<u>164</u>	19.0,	
1>4	A128 Brentwood Rd (North) to Brentwood Rd (South)	1,341	99	30. <u>2</u> ,	1,347	120,	25.2,	1,347	<u>155</u> ,	19.5,	
1>5	A128 Brentwood Rd (North) to A1013 Stanford Rd (West)	1,555	119	29.3	1,533	<u>139</u> ,	24.7,	1,535	<u>179</u>	<u>,19.1</u>	
1>6	A128 Brentwood Rd (North) to A13 WB mainline	3, <u>052</u>	161	42. <u>4</u>	3,025	199,	34.0,	3,036	243,	28.0	
1>7	A128 Brentwood Rd (North) to Rectory Rd	<u>1,555</u>	<u>119</u>	29.3	<u>1,753</u>	<u>164</u>	23.9	<u>1,741</u>	<u>197</u>	<u>19.8</u>	
1>8	A128 Brentwood Rd (North) to A13 WB off-slip to A1089	3, <u>190</u> ,	174	40.9,	3,163,	212,	33,3	3,071	243,	28.3,	
2>1	A13 WB mainline to A128 Brentwood Rd (North)	2, <u>344</u>	157	33. <u>Q</u>	2, <u>359</u> ,	162,	32. <u>7</u>	2,359	<u>189</u> ,	<u>27.9</u>	
2>3	A13 WB mainline to A1013 Stanford Rd (East)	1,629	112,	31. <u>9</u> ,	1,653	101,	36.8	1,653	115	32.1	
2>4	A13 WB mainline to Brentwood Rd (South)	1,588	102	34. <u>1</u> ,	1, <u>604</u>	89	40. <u>1</u>	1,605	106	34.0	
2>5	A13 WB mainline to A1013 Stanford Rd (West)	1,803	122	32.7,	1, <u>790</u> ,	109,	<u>36.9</u> ,	1,793	130,	30. <u>8</u> ,	
2>6	A13 WB mainline to A13 WB mainline	3,177	118	60.1	3,177	<u>118</u> ,	60. <u>4</u> ,	3,178	123,	57.8,	
2>7	A13 WB mainline to Rectory Rd	<u>1,803</u>	<u>123</u>	32.7	<u>2,010</u>	<u>134</u>	33.5	1,999	<u>148</u>	30.2	
2>8	A13 WB mainline to A13 WB off-slip to A1089	3,315	131	56. <u>4</u>	3,315	131,	<u>56.8</u> ,	3,329	194	38.4	
<u>2>9</u>	A13 WB mainline to Project (South)	=	Ξ	Ξ	=	Ξ	=	<u>4,404</u>	<u>185</u>	<u>53.4</u>	

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15 DATE: October 2023 DEADLINE: 6

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved

Deleted: 084
Deleted: 119
Deleted: 39.3
Deleted: 126
Deleted: 37.8
Deleted: 281
Deleted: 16.9
Deleted: 112
Deleted: 27.6
Deleted: 121
Deleted: 25.7
Deleted: 273
Deleted: 11.4
Deleted: A128
Deleted: 1
Deleted: 110
Deleted: 27.4
Deleted: 264
Deleted: 11.4
Moved down [18]
Deleted: 129
Deleted: 26.6
Deleted: 290
Deleted: 051
Deleted: 3
Deleted: 190
Deleted: 35.6
Deleted: 350
Deleted: 19.4
Deleted: 189
Deleted: 41.0
Deleted: 2,439
Deleted: 169
Deleted: 32
Deleted: 352
Deleted: 19.5
Moved (insertion) [19]: 27.9
Deleted: 343
Deleted: 4

Deleted: 360
Deleted: 160

Volume 9

Route	Name	2016 Base			2030 DM			2030 DS		
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
<u>2>12</u>	A13 WB mainline to Project (North)	Ξ	Ξ	Ξ	=	Ξ	Ξ	<u>5,329</u>	<u>218</u>	<u>54.6</u>
3>1	A1013 Stanford Rd (East) to A128 Brentwood Rd (North)	1,563	199,	<u>17</u> ,7	1,590	144,	24.7,	1,589	200,	<u>17.8</u> ,
3>2	A1013 Stanford Rd (East) to A13 EB mainline	2, <u>177</u>	210,	23.4	2,215	<u>162</u>	30.7	2,216	232	<u>21.4</u>
3>4	A1013 Stanford Rd (East) to Brentwood Rd (South)	807	145,	12.7,	835	72,	26. <u>0</u> ,	835	116,	16. <u>1</u> ,
3>5	A1013 Stanford Rd (East) to A1013 Stanford Rd (West)	1,022	164	14,1	1,021	91,	25. <u>1</u>	1,023	141,	16. <u>3</u> ,
3>6	A1013 Stanford Rd (East) to A13 WB mainline	2, <u>518</u> ,	206,	<u>27.6</u>	2,513	<u>152</u> ,	37. <u>1</u> ,	2,523	204,	27.6,
<u>3>7</u>	A1013 Stanford Rd (East) to Rectory Rd	1,022	<u>162</u>	<u>14.1</u>	<u>1,240</u>	<u>117</u>	23.8	<u>1,229</u>	<u>158</u>	<u>17.4</u>
3>8	A1013 Stanford Rd (East) to A13 WB off-slip to A1089	2, <u>656</u> ,	220,	27.3,	2,651,	165,	36.0	2,559	204	28. <u>0</u> ,
4>1	"Brentwood Rd (South) to A128 Brentwood Rd (North)	1, <u>397</u>	292	11. <u>1</u> ,	1,431	279,	11. <u>5</u> ,	1,430	220,	14.5,
4>2	"Brentwood Rd (South) to A13 EB mainline	2, <u>011</u> ,	303,	<u>15</u> ,4	2,056	297,	15. <u>5</u> ,	2,057	252,	18.2
4>3	Brentwood Rd (South) to A1013 Stanford Rd (East)	1,307	<u>293</u> ,	10. <u>4</u> ,	1,330	294,	10. <u>1</u>	1,330	243,	<u>12</u> ,3
4>5	"Brentwood Rd (South) to A1013 Stanford Rd (West)	856	<u>257</u>	<u>7.</u> 8,	862	226,	8. <u>5</u> ,	864	161,	12.0,
4>6	"Brentwood Rd (South) to A13 WB mainline	2, <u>352</u>	299,	<u>18</u> ,3	2,353	287,	18. <u>4</u> ,	2,364	225,	23.5,
4>7	Brentwood Rd (South) to Rectory Rd	<u>856</u>	<u>245</u>	7.8	<u>1,081</u>	<u>252</u>	9.6	<u>1,070</u>	<u>179</u>	13.4

	1111	Deleted: 20.0
		Deleted: 193
		Deleted: 18.4
	///	Deleted: 176
ı	₩////	Deleted: 196
	₩///	Deleted: 24.8
		Deleted: 160
		Deleted: 31.0
		Deleted: 224
		Deleted: 22.1
		Deleted: A128
		Deleted: 133
	\leftarrow	Deleted: 13.6
		Deleted: 71
	¬ // \	Deleted: 5
		Deleted: 112
	¬ \\\\\\\\\	Deleted: 7
		Deleted: 152
	M ////	Deleted: 15
	١١١١)	Deleted: 89
		Deleted: 5
		Deleted: 138
		Deleted: 5
	-	Moved (insertion) [20]: 27.6
		Deleted: 517
		Deleted: 194
		Deleted: 29.0
		Deleted: 151
		Deleted: 3
		Deleted: 198
		Deleted: 28.5
		Deleted: 655

Deleted: 207

Deleted: 28.7

Deleted: 1,927
Deleted: 130
Deleted: 33.3

Moved (insertion) [21]: 36.0

Deleted: 187 Deleted: 18

Deleted: 142

Deleted: 25.0

Volume 9

Route	Name	2016 Base			2030 DM			2030 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
4>8	"Brentwood Rd (South) to A13 WB off-slip to A1089	2, <u>490</u> ,	312,	<u>18</u> ,5	2,491,	300,	18.6,	2,400	225,	23.9,	
5>1	A1013 Stanford Rd (West) to A128 Brentwood Rd (North)	1,453	<u>150</u> ,	<u>22.1</u>	1,465	268,	12. <u>2</u> ,	1,466,	315,	10.4	
5>2	A1013 Stanford Rd (West) to A13 EB mainline	2, <u>067</u>	161,	29.2	2,090	286,	16. <u>4</u> ,	2, <u>093</u> ,	347,	13.5,	
5>3	A1013 Stanford Rd (West) to A1013 Stanford Rd (East)	1,363	<u>150</u> ,	20.6	1,364	282	10. <u>8</u> ,	1, <u>367</u>	338,	9. <u>1</u> ,	
5>4	A1013 Stanford Rd (West) to Brentwood Rd (South)	1,323	140,	21.5,	1,315	271,	10.8,	1, <u>318</u> ,	328,	9. <u>0</u> ,	
5>6	A1013 Stanford Rd (West) to A13 WB mainline	2, <u>408</u> ,	<u>157</u> ,	<u>34.9</u> ,	2,387	276,	19. <u>4</u> ,	2, <u>400</u> ,	320,	<u>16.8</u> ,	
<u>5>7</u>	A1013 Stanford Rd (West) to Rectory Rd	<u>217</u>	<u>19</u>	<u>14.1</u>	<u>217</u>	<u>19</u>	<u>25.8</u>	<u>216</u>	<u>19</u>	<u>25.5</u>	
5>8	A1013 Stanford Rd (West) to A13 WB off-slip to A1089	2, <u>546</u> ,	170,	34.0,	2,525,	289,	19.6,	2,436,	320,	<u>17.Q</u>	
6>1	A13 EB mainline to A128 Brentwood Rd (North)	2, <u>768</u> ,	170,	<u>33.9</u> ,	2,770	154	40. <u>2</u> ,	2,775	<u>156</u> ,	39.8,	
6>2	A13 EB mainline to A13 EB mainline	3,345	122,	61. <u>5</u> ,	3,347	122	61.5	3,347	128	58. <u>5</u> ,	
6>3	A13 EB mainline to A1013 Stanford Rd (East)	2,678	<u>171</u> ,	32.7,	2,669	<u>168</u> ,	35. <u>5</u> ,	2,676	<u>178</u> ,	33. <u>6</u> ,	
6>4	A13 EB mainline to Brentwood Rd (South)	2,637	161,	34.1	2,621	<u>157,</u>	37. <u>3</u> ,	2,627	169	34. <u>9</u> ,	
6>5	A13 EB mainline to A1013 Stanford Rd (West)	2,852	180,	33.1,	2,807	176,	35.6,	2,815	193,	32. <u>6</u> ,	
6>8	A13 EB mainline to A13 WB off-slip to A1089	4, <u>486</u> ,	236,	40.5	4,437,	<u>250</u> ,	<u>39</u> ,7	4,351	257	37. <u>9</u> ,	
<u>6>7</u>	A13 EB mainline to Rectory Rd	2,852	<u>193</u>	<u>33.1</u>	3,026	202	<u>33.5</u>	3,021	<u>211</u>	<u>32.1</u>	

Deleted: 1,768 Deleted: 263 Deleted: 15.0 Deleted: 208 Deleted: 25.8 Moved up [22] Deleted: 133 Deleted: 265 Deleted: 3 Deleted: 474 Deleted: 288 Deleted: 11.5 Deleted: 066 Deleted: 143 Deleted: 32.4 Deleted: 283 Deleted: 5 Deleted: 101 Deleted: 319 Deleted: 14.8 Deleted: 136 Deleted: 22.5 Deleted: 279 Deleted: 9 Deleted: 375 Deleted: 311 Deleted: 9 Deleted: A128 Deleted: 123 Deleted: 24.0 Deleted: 267 Deleted: 11.0 Deleted: 326 Deleted: 301 Deleted: 8 Deleted: 407

Deleted: A128 Deleted: 489

Deleted: 285

Deleted: 19

Deleted: 141

Volume 9

Route	Name	2016 Base)		2030 DM			2030 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
<u>7>1</u>	Rectory Rd to A128 Brentwood Rd (North)	<u>1,453</u>	<u>147</u>	22.1	<u>1,675</u>	<u>823</u>	<u>4.6</u>	<u>1,704</u>	<u>600</u>	<u>6.4</u>	
<u>7>2</u>	Rectory Rd to A13 EB mainline	2,067	<u>158</u>	<u>29.2</u>	<u>2,301</u>	<u>841</u>	<u>6.1</u>	<u>2,330</u>	<u>632</u>	<u>8.3</u>	
<u>7>3</u>	Rectory Rd to A1013 Stanford Rd (East)	<u>1,363</u>	<u>148</u>	20.6	<u>1,574</u>	<u>837</u>	4.2	<u>1,604</u>	<u>622</u>	<u>5.8</u>	
<u>7>4</u>	Rectory Rd to Brentwood Rd (South)	<u>1,323</u>	<u>138</u>	<u>21.5</u>	<u>1,526</u>	<u>826</u>	<u>4.1</u>	<u>1,556</u>	<u>613</u>	<u>5.7</u>	
<u>7>5</u>	Rectory Rd to A1013 Stanford Rd (West)	<u>225</u>	<u>43</u>	<u>11.8</u>	<u>225</u>	<u>564</u>	0.9	<u>247</u>	<u>295</u>	<u>1.9</u>	
<u>7>6</u>	Rectory Rd to A13 WB mainline	<u>2,408</u>	<u>154</u>	<u>34.9</u>	<u>2,598</u>	<u>831</u>	<u>7.0</u>	<u>2,638</u>	<u>604</u>	9.8	
<u>7>8</u>	Rectory Rd to A13 WB off-slip to A1089	<u>2,546</u>	<u>168</u>	34.0	<u>2,736</u>	<u>844</u>	<u>7.3</u>	<u>2,674</u>	<u>604</u>	9.9	
<u>9>1</u>	Project (South) to A128 Brentwood Rd (North)	=	Ξ.	Ξ	Ξ	Ξ	Ξ	<u>5,842</u>	<u>293</u>	<u>44.6</u>	
<u>9>2</u>	Project (South) to A13 EB mainline	=	Ξ	Ξ	=	Ξ	Ξ	<u>6,430</u>	<u>275</u>	<u>52.3</u>	
<u>9>3</u>	Project (South) to A1013 Stanford Rd (East)	=	Ξ	Ξ	=	Ξ	Ξ	<u>5,746</u>	<u>314</u>	<u>41.0</u>	
<u>9>4</u>	Project (South) to Brentwood Rd (South)	=	Ξ	Ξ	=	Ξ	Ξ	<u>5,695</u>	<u>306</u>	<u>41.7</u>	
<u>9>5</u>	Project (South) to A1013 Stanford Rd (West)	=	Ξ	Ξ	Ξ	Ξ	Ξ	<u>5,883</u>	<u>327</u>	40.3	
<u>9>6</u>	Project (South) to A13 WB mainline	=	Ξ.	Ξ	Ξ	Ξ	Ξ	<u>7,384</u>	<u>379</u>	<u>43.6</u>	
<u>9>7</u>	Project (South) to Rectory Rd	=	Ξ.	Ξ	Ξ	Ξ	Ξ	<u>6,120</u>	<u>350</u>	<u>39.1</u>	
<u>9>10</u>	Project (South) to A1089	=	Ξ.	Ξ	Ξ	Ξ	Ξ	<u>7,798</u>	<u>400</u>	<u>43.6</u>	
<u>9>12</u>	Project (South) to Project (North)	Ξ		Ξ	Ξ	Ξ	Ξ	<u>3,524</u>	<u>131</u>	<u>60.1</u>	
<u>10>9</u>	A1089 to Project (South)	=	Ξ.	Ξ	Ξ	Ξ	Ξ	<u>4,496</u>	<u>242</u>	<u>41.6</u>	
10>11	A1089 to A13 (West)	=	Ξ	Ξ	Ξ	Ξ	Ξ	<u>1,451</u>	<u>62</u>	<u>52.8</u>	
10>12	A1089 to Project (North)	Ξ	Ξ	=	=	Ξ	Ξ	<u>2,730</u>	<u>112</u>	<u>54.8</u>	
<u>11>10</u>	A13 (West) to A1089	Ξ	Ξ	Ξ	=	Ξ	Ξ	<u>1,780</u>	<u>72</u>	<u>54.9</u>	

Moved (insertion) [18]: 11.8

Volume 9

Route	Name	2016 Base			2030 DM			2030 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
12>1	Project (North) to A128 Brentwood Rd (North)	=	Ξ	Ξ	Ξ	Ξ	Ξ	4,468	<u>239</u>	41.9	
<u>12>2</u>	Project (North) to A13 EB mainline	=	Ξ	Ξ	=	Ξ	Ξ	<u>5,056</u>	<u>217</u>	<u>52.0</u>	
<u>12>3</u>	Project (North) to A1013 Stanford Rd (East)	=	=	Ξ	=	Ξ	Ξ.	4,372	<u>256</u>	38.3	
<u>12>4</u>	Project (North) to Brentwood Rd (South)	=	=	Ξ	Ξ	Ξ	Ξ	4,321	248	<u>38.9</u>	
<u>12>5</u>	Project (North) to A1013 Stanford Rd (West)	=	=	Ξ	Ξ	Ξ	Ξ	<u>4,509</u>	<u>271</u>	<u>37.3</u>	
<u>12>6</u>	Project (North) to A13 WB mainline	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	6,009	<u>0</u>	Ξ	
<u>12>7</u>	Project (North) to Rectory Rd	=	ш	Ξ	=	Ξ	1	<u>4,746</u>	<u>294</u>	<u>36.1</u>	
<u>12>9</u>	Project (North) to Project (South)	=		Ξ	Ξ	Ξ	Ξ.	3,852	<u>155</u>	<u>55.6</u>	
<u>12>10</u>	Project (North) to A1089	=	Ξ	Ξ	=	Ξ	=	6,424	<u>348</u>	41.3	

Note - * No trips recorded on this route

- 4.3.5 The journey time comparison between the 2030 DM scenario and the 2016 Base Year for the 08:00 09:00 period shows the following:
 - a. Journey times in the DM would be <u>quicker than</u> the base year <u>on</u> the majority of routes except those originating from <u>A128 (N)</u> A1013 (West) and Rectory Road due to the delays on the approach.
 - b. Journey times for those routes originating from the A1013 (E) on average decrease by 60s, as the traffic signals at the A13 (E) approach assist with creating gaps in opposing traffic that contributes to the decrease in journey times.
- 4.3.6 The journey time comparison between the 2030 DS and 2030 DM scenarios for the 08:00 09:00 period shows the following:
 - a. Journey times in the DS scenario would be higher than the DM scenario across the majority of the routes, except for those routes originating from the Brentwood Road (South) and Rectory Road, where journey times decrease in the DS scenario.
 - b. The journey times originating from <u>Brentwood Road (South)</u> decrease on average by <u>one minute</u>, as the introduction of traffic signals controlling the traffic contributes to the reduction in journey times.
 - c. Journey time from the A13 (E) to the A1089 is forecast to increase more than the journey times from the A13 (E) to other destinations, as traffic travelling from the A13 (E) to the A1089 are required to travel through the Orsett Cock junction in the DS scenario.
 - d. Journey times in the DS scenario on the A13 mainline would be similar to the DM scenario in both directions.

Deleted: similar to
Deleted: across
Deleted: the
Deleted: ,
Deleted: for
Deleted: routes
Deleted: the
Deleted: W) where journey times increase on average by 132s
Deleted: 54s
Deleted: assists

Deleted: A128 (S
Deleted: the A1013 (W)

Deleted: A128 (S Deleted: 84s

Volume 9

Table 4.9 2030 Journey Time Comparison, PM 17:00 - 18:00

Route	Name	2016 Base	016 Base 2030 DM			2030 DS				
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
1>2	A128 Brentwood Rd (North) to A13 EB mainline	2, <u>085</u> ,	160,	27.1,	2,122	204,	23.3,	2,122	<u>175,</u>	27.1,
1>3	A128 Brentwood Rd (North) to A1013 Stanford Rd (East)	1,381	140,	21. <u>6</u> ,	1,396	208,	<u>15.0</u>	1,396	<u>158</u> ,	19.7
1>4	A128 Brentwood Rd (North) to Brentwood Rd (South)	1,341	127,	23. <u>1</u> ,	1,347	197,	<u>15.3</u> ,	1,347	147,	<u>20.5</u> ,
1>5	A128 Brentwood Rd (North) to A1013 Stanford Rd (West)	1,555	144,	23. <u>8</u> ,	1, <u>534</u> ,	214,	16.0,	1,535	168,	20.5,
1>6	A128 Brentwood Rd (North) to A13 WB mainline	3, <u>052</u>	187,	36. <u>1</u> ,	3,025	265,	25.6,	3,036	225,	30.2
1>7	A128 Brentwood Rd (North) to Rectory Rd	<u>1,555</u>	<u>146</u>	23.8	<u>1,753</u>	240	<u>16.4</u>	<u>1,741</u>	<u>185</u>	<u>21.1</u>
1>8	A128 Brentwood Rd (North) to A13 WB off-slip to A1089	3, <u>190</u> ,	200,	35.2	3,163,	278,	25.5,	3,071	231,	<u>29.7</u>
2>1	A13 WB mainline to A128 Brentwood Rd (North)	2,344	189,	27. <u>4</u>	2,359,	211,	25.0,	2,359	512,	10. <u>3</u> ,
2>3	A13 WB mainline to A1013 Stanford Rd (East)	1,628	149,	24. <u>1</u> ,	1, <u>652</u>	152,	24.3	1,653	407,	9. <u>1</u>
2>4	A13 WB mainline to Brentwood Rd (South)	1,588	137,	25.7,	1,604	140,	25.6,	1,605	396,	9. <u>1</u>
2>5	A13 WB mainline to A1013 Stanford Rd (West)	1,803	<u>153</u> ,	26. <u>1</u> ,	1, <u>790</u> ,	157,	25.4,	1,792,	417	9.6
2>6	A13 WB mainline to A13 WB mainline	3,177	113	62.8	3,177	115,	62. <u>0</u> ,	3,178	<u>119</u> ,	59.9,
<u>2>7</u>	A13 WB mainline to Rectory Rd	1,803	<u>155</u>	<u>26.1</u>	2,009	<u>183</u>	24.6	1,999	<u>434</u>	10.3
2>8	A13 WB mainline to A13 WB off-slip to A1089	3,315	126	<u>58.7,</u>	3,315	128,	58. <u>1</u> ,	3,329	480,	15. <u>5</u> ,

Deleted: 153 Deleted: 30.5 Deleted: 134 Deleted: 35.5 Deleted: 196 Deleted: 24.2 Deleted: 145 Deleted: 3 Deleted: 131 Deleted: 23.9 Deleted: 179 Deleted: 17.4 Deleted: A128 Deleted: 130 Deleted: 0 Deleted: 115 Deleted: 26.1 Deleted: 167 Deleted: 18.1 Deleted: 147 Deleted: 7 Deleted: 533 Deleted: 134 Deleted: 25.5 Deleted: 192 Deleted: 17.9 Deleted: 051 Deleted: 190 Deleted: 0 Deleted: 185 Deleted: 36.7 Deleted: 244 Deleted: 27.8 Deleted: 189 Deleted: 202 **Deleted:** 2,439 Deleted: 164 Deleted: 33.3

Deleted: 084

Deleted: 251 Moved up [16]

Volume 9

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved

Route	Name	2016 Base	016 Base 2030 DM				2030 DS				
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
<u>2>9</u>	A13 WB mainline to Project (South)	=	Ξ	=	=	Ξ	Ξ	4,404	<u>193</u>	<u>51.2</u>	
2>12	A13 WB mainline to Project (North)	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	5,329	<u>218</u>	<u>54.6</u>	
3>1	A1013 Stanford Rd (East) to A128 Brentwood Rd (North)	1,563	125,	28. <u>0</u> ,	1,590	<u>169</u> ,	21.0,	1,589	271,	13.1,	
3>2	A1013 Stanford Rd (East) to A13 EB mainline	2, <u>177</u>	<u>150</u> ,	30.7,	2,215	<u>194</u>	25.6,	2,215	321,	<u>15</u> ,4	
3>4	A1013 Stanford Rd (East) to Brentwood Rd (South)	807	<u>72,</u>	25. <u>1</u> ,	835	<u>98</u> ,	19.0,	835	154,	12.1,	
3>5	A1013 Stanford Rd (East) to A1013 Stanford Rd (West)	1,022	88,	<u>25.9</u> ,	1,021	<u>116</u> ,	19.7,	1,023	175,	13.1,	
3>6	A1013 Stanford Rd (East) to A13 WB mainline	2, <u>518</u> ,	131,	42.9,	2,513	166,	33.8,	2,523	233,	24.3	
<u>3>7</u>	A1013 Stanford Rd (East) to Rectory Rd	1,022	<u>88</u>	<u>25.9</u>	1,240	<u>141</u>	<u>19.7</u>	1,229	<u>192</u>	14.3	
3>8	A1013 Stanford Rd (East) to A13 WB off-slip to A1089	2, <u>656</u> ,	144,	41. <u>1</u> ,	2,651,	179,	33.1,	2,559	239,	24,0	
4>1	Brentwood Rd (South) to A128 Brentwood Rd (North)	1,397	99,	31. <u>6</u> ,	1,431	<u>150</u> ,	21.4,	1,430	<u>195</u> ,	16.4	
4>2	Brentwood Rd (South) to A13 EB mainline	2,011,	123,	33.9	2,056	<u>174</u>	26.4	2,057	245,	18.8	
4>3	Brentwood Rd (South) to A1013 Stanford Rd (East)	1,307	103,	28.2,	1,330	<u>179</u> ,	<u>16.7,</u>	1,330	229,	13.0,	
4>5	Brentwood Rd (South) to A1013 Stanford Rd (West)	856	62	<u>30.9</u> ,	862	<u>96</u> ,	<u>20.1</u>	864	100,	19. <u>4</u> ,	
4>6	Brentwood Rd (South) to A13 WB mainline	2, <u>352</u>	105	50. <u>0</u> ,	2,354	147,	35.9	2,365	<u>157,</u>	33.7	

Deleted: 27.0 Deleted: 139 Deleted: 16.5 Moved (insertion) [24]: 24.3 Deleted: 517 Deleted: 129 Deleted: 43.6 Deleted: 135 Deleted: 41.6 Deleted: 191 Deleted: 29.6 Deleted: 655 Deleted: 142 Deleted: 9 **Deleted:** 1,927 Deleted: 114 Deleted: 37.8 Deleted: 197

Deleted: 122 Deleted: 6

Deleted: 139

Deleted: 25.6

Deleted: 218 Deleted: 16.3 Deleted: 176 Deleted: 136 Deleted: 35.8 Deleted: 163 Deleted: 30.3 Deleted: 269 Deleted: 18 Deleted: A128 Deleted: 70 Deleted: 8 Deleted: 66 Deleted: 28.4 Deleted: 114 Deleted: 16.4 Deleted: 86 Deleted: 26.6 Deleted: 85

Volume 9

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved

Route	Name	2016 Base	2016 Base 2030 DM			2030 DS				
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
<u>4>7</u>	Brentwood Rd (South) to Rectory Rd	<u>856</u>	<u>62</u>	30.9	<u>1,081</u>	<u>121</u>	<u>19.9</u>	<u>1,070</u>	<u>117</u>	<u>20.5</u>
4>8	Brentwood Rd (South) to A13 WB off-slip to A1089	2, <u>490</u> ,	118,	47. <u>0</u> ,	2,491,	160,	<u>34.9</u> ,	2,400	163,	32.9,
5>1	A1013 Stanford Rd (West) to A128 Brentwood Rd (North)	1,452	117,	27. <u>7</u> ,	1,465	129,	25. <u>3</u> ,	1,466,	177,	18.5,
5>2	A1013 Stanford Rd (West) to A13 EB mainline	2, <u>066</u> ,	142,	30.5,	2,090	<u>154</u> ,	30. <u>3</u> ,	2, <u>093</u>	227,	20.6
5>3	A1013 Stanford Rd (West) to A1013 Stanford Rd (East)	1,362	122,	24. <u>9</u> ,	1,364	<u>158</u> ,	<u>19.3</u> ,	1,366,	210,	14.5,
5>4	A1013 Stanford Rd (West) to Brentwood Rd (South)	1,321	109,	27.0,	1,315	147,	<u>20.1</u>	1,318,	199,	14.8,
5>6	A1013 Stanford Rd (West) to A13 WB mainline	2, <u>407</u>	123,	43.4	2,387	127	42.2	2,400	139,	38.7,
<u>5>7</u>	A1013 Stanford Rd (West) to Rectory Rd	<u>217</u>	<u>19</u>	<u>25.8</u>	<u>217</u>	<u>19</u>	<u>25.5</u>	<u>216</u>	<u>19</u>	<u>25.1</u>
5>8	A1013 Stanford Rd (West) to A13 WB off-slip to A1089	2, <u>545</u> ,	137,	41. <u>5</u> ,	2,525,	140,	40.5,	2,436,	145,	37.6,
6>1	A13 EB mainline to A128 Brentwood Rd (North)	2,768	342,	<u>18.8</u> ,	2,770	<u>151</u> ,	41. <u>1</u> ,	2,775	206,	30. <u>2</u>
6>2	A13 EB mainline to A13 EB mainline	3,345	265,	28. <u>7</u> ,	3,347	124	60. <u>3</u> ,	3,347	<u>167,</u>	44.8
6>3	A13 EB mainline to A1013 Stanford Rd (East)	2,678	347,	17.9,	2,669	180,	33.2	2,676	239	25. <u>1</u> ,
6>4	A13 EB mainline to Brentwood Rd (South)	2,637	334	18.3,	2,621	168,	34.9,	2,627	227	25.8
6>5	A13 EB mainline to A1013 Stanford Rd (West)	2,852	<u>350</u> ,	18.9,	2,807	<u>185</u> ,	33.9	2,815	248,	25. <u>3</u> ,
6>8	A13 EB mainline to A13 WB off-slip to A1089	4, <u>486</u> ,	407,	25.4	4,437,	249,	<u>39</u> ,8	4,351	312,	31.2,

Deleted: 117 Deleted: 4 Deleted: 1,768 Deleted: 111 Deleted: 35.5 Deleted: 156 Deleted: 34.3 Deleted: 118 Deleted: 4 Deleted: 131 Deleted: 0 Deleted: 474 Deleted: 159 Deleted: 20.7 Deleted: 065 Deleted: 132 Deleted: 34.9 Deleted: 156 Deleted: 0 Deleted: 101 Deleted: 211 Deleted: 22.3 Deleted: 125 Deleted: 4 Deleted: 152 Deleted: 20.0 Deleted: 375 Deleted: 194 Deleted: 15.9 Deleted: A128 Moved (insertion) [26]: 20.1 Deleted: 110 Deleted: 26.9 Deleted: 137 Deleted: 21.4 Deleted: 326 Deleted: 182

Deleted: A128 Deleted: 489

Deleted: 16.3 Moved up [27]

Volume 9

Route	Name	2016 Base			2030 DM			2030 DS		
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
6>7	A13 EB mainline to Rectory Rd	2,852	<u>338</u>	18.9	3,026	<u>211</u>	<u>32.1</u>	3,021	<u>266</u>	<u>25.4</u>
<u>7>1</u>	Rectory Rd to A128 Brentwood Rd (North)	<u>1,452</u>	<u>117</u>	27.7	<u>1,675</u>	<u>311</u>	12.0	<u>1,704</u>	<u>255</u>	<u>14.9</u>
<u>7>2</u>	Rectory Rd to A13 EB mainline	2,066	<u>151</u>	30.5	2,300	<u>336</u>	<u>15.3</u>	2,330	<u>305</u>	<u>17.1</u>
<u>7>3</u>	Rectory Rd to A1013 Stanford Rd (East)	<u>1,362</u>	<u>122</u>	24.9	<u>1,574</u>	<u>340</u>	10.3	<u>1,604</u>	<u>288</u>	<u>12.4</u>
<u>7>4</u>	Rectory Rd to Brentwood Rd (South)	<u>1,321</u>	<u>109</u>	27.0	<u>1,526</u>	<u>329</u>	<u>10.4</u>	<u>1,555</u>	<u>277</u>	<u>12.6</u>
<u>7>5</u>	Rectory Rd to A1013 Stanford Rd (West)	225	<u>47</u>	10.7	225	<u>225</u>	2.2	247	<u>96</u>	<u>5.8</u>
<u>7>6</u>	Rectory Rd to A13 WB mainline	2,407	<u>124</u>	43.4	2,598	309	<u>18.8</u>	2,638	<u>217</u>	<u>27.2</u>
<u>7>8</u>	Rectory Rd to A13 WB off-slip to A1089	<u>2,545</u>	<u>137</u>	<u>41.5</u>	2,736	322	<u>19.0</u>	2,674	<u>223</u>	<u>26.9</u>
9>1	Project (South) to A128 Brentwood Rd (North)	=	Ξ	=	=	Ξ	=	<u>5,842</u>	<u>331</u>	39.4
<u>9>2</u>	Project (South) to A13 EB mainline	Ξ	Ξ	Ξ	Ξ	Ξ	=	6,430	<u>288</u>	49.9
9>3	Project (South) to A1013 Stanford Rd (East)	=	Ξ	=	=	Ξ	=	<u>5,746</u>	<u>462</u>	27.8
9>4	Project (South) to Brentwood Rd (South)	=	Ξ	Ξ	Ξ	Ξ	=	<u>5,695</u>	448	28.4
9>5	Project (South) to A1013 Stanford Rd (West)	=	Ξ	Ξ	Ξ	Ξ	=	5,883	<u>471</u>	28.0
9>6	Project (South) to A13 WB mainline	=	Ξ	=	=	Ξ	=	7,384	<u>513</u>	32.2
9>7	Project (South) to Rectory Rd	=	Ξ	=	=	Ξ	=	6,120	<u>499</u>	<u>27.4</u>
9>10	Project (South) to A1089	=	Ξ	=	=	Ξ	=	7,798	<u>533</u>	<u>32.7</u>
9>12	Project (South) to Project (North)	=	Ξ	Ξ	=	Ξ	=	3,524	<u>125</u>	62.8

Volume 9

Route	Name	2016 Base			2030 DM			2030 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
10>9	A1089 to Project (South)	=	Ξ	Ξ	=	Ξ	Ξ.	4,496	<u>247</u>	<u>40.7</u>	
<u>10>11</u>	A1089 to A13 (West)	=	Ξ	Ξ	=	Ξ	Ξ.	<u>1,451</u>	<u>61</u>	<u>53.5</u>	
<u>10>12</u>	A1089 to Project (North)	Ξ.	-11	Ξ	Ξ.	Ξ	Ξ.	2,730	<u>108</u>	<u>56.7</u>	
<u>11>10</u>	A13 (West) to A1089	=	- 11	Ξ	=	Ξ	Ξ.	<u>1,780</u>	<u>72</u>	<u>55.4</u>	
12>1	Project (North) to A128 Brentwood Rd (North)	=	- 11	Ξ	=	Ξ	Ξ.	<u>4,468</u>	<u>276</u>	<u>36.2</u>	
<u>12>2</u>	Project (North) to A13 EB mainline	Ξ.	-11	Ξ	Ξ.	Ξ	Ξ.	<u>5,056</u>	<u>235</u>	<u>48.1</u>	
12>3	Project (North) to A1013 Stanford Rd (East)	=	- 11	Ξ	=	Ξ	Ξ.	4,372	<u>400</u>	<u>24.5</u>	
12>4	Project (North) to Brentwood Rd (South)	Ξ	Ξ.	Ξ	Ξ	Ξ	Ξ	<u>4,321</u>	<u>386</u>	<u>25.1</u>	
<u>12>5</u>	Project (North) to A1013 Stanford Rd (West)	Ξ	- 11	Ξ	Ξ.	Ξ	Ξ.	<u>4,509</u>	<u>413</u>	<u>24.5</u>	
12>6	Project (North) to A13 WB mainline	=	Ξ	Ξ	Ξ	Ξ	Ξ.	6,009	<u>0</u>	Ξ	
12>7	Project (North) to Rectory Rd	Ξ.	- 11	Ξ	=	Ξ	=	<u>4,746</u>	<u>427</u>	<u>24.9</u>	
<u>12>9</u>	Project (North) to Project (South)	=		=	=		=	3,852	<u>169</u>	<u>50.9</u>	
12>10	Project (North) to A1089	=	Ξ	Ξ	=	Ξ	Ξ	6,424	<u>475</u>	30.2	

Note - * No trips recorded on this route

Moved (insertion) [33]: 36.2

Moved (insertion) [35]: 24.5

Volume 9

- 4.3.7 The journey time comparison between the 2030 DM scenario and 2016 base year for the 17:00 18:00 period shows the following:
 - Journey times in the DM scenario are forecast to be <u>longer</u>, than the base year across the majority of the routes, except for those routes originating from the <u>A13 (West)</u>.
 - b. Journey times for routes originating from the A13 (W) eastbound are forecast to reduce significantly by over 150 seconds on average due to widening of the A13 mainline in the DM scenario.
- 4.3.8 The journey time comparison between the 2030 DS and 2030 DM scenarios for the 17:00 18:00 period shows the following:
 - Journey times in the DS scenario would be higher than the DM scenario across the majority of routes except those originating from A128 (N) and Rectory Road.
 - b. Journey times from the A128 (N) decrease by 45s on average compared to the 2030 DM scenario.
 - c. Journey times of routes originating from the A13 (E) increase the most due to the delay on the approach to the junction. Journey times from the A13 (E) are forecast to increase by over 250s.
- 4.3.9 Table 4.10 show a summary comparing the journey times for the 2016 Base Year, 2045 DM and 2045 DS for the AM and PM peak periods.

Deleted: lower

Deleted: A128 (S) where journey times increase on average by 30s....

Deleted: 200

Deleted: all routes due to the increased number of vehicles using the Orsett Cock junction

Deleted:) and the A128 (N

Deleted: 300s and the journey times from the A128 (N) increase by 147s on average

Volume 9

Table 4.10 2045 Journey Time Comparison, AM 07:00 - 08:00

Route	Name	2016 Base	2016 Base					2045 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
1>2	A128 Brentwood Rd (North) to A13 EB mainline	2, <u>085</u> ,	109	42. <u>7</u>	2,122	137,	34.6,	2,122	245,	19.4	
1>3	A128 Brentwood Rd (North) to A1013 Stanford Rd (East)	1,381	99,	<u>31</u> ,3	1,396	130,	24.0,	1,396	239,	13.1,	
1>4	A128 Brentwood Rd (North) to Brentwood Rd (South)	1,341	90	33. <u>4</u> ,	1,347	<u>120</u> ,	25.1,	1,347	229,	13.1,	
1>5	A128 Brentwood Rd (North) to A1013 Stanford Rd (West)	1,555	107	32. <u>5</u> ,	1,533	147,	23.3,	1,535	252,	13.6,	
1>6	A128 Brentwood Rd (North) to A13 WB mainline	3, <u>052</u>	<u>151</u>	45. <u>2</u> ,	3,025	257,	26. <u>3</u> ,	3,036	318,	21.4	
1>7	A128 Brentwood Rd (North) to Rectory Rd	<u>1,555</u>	<u>107</u>	32.5	<u>1,753</u>	<u>174</u>	22.6	<u>1,741</u>	<u>269</u>	14.5	
1>8	A128 Brentwood Rd (North) to A13 WB off-slip to A1089	3, <u>190</u> ,	164	43.5	3,163,	270,	26.2,	3,072	318,	21.6,	
2>1	A13 WB mainline to A128 Brentwood Rd (North)	2, <u>344</u>	<u>146</u> ,	36. <u>1</u> ,	2,360	<u>164</u>	32. <u>1</u> ,	2,359	187,	28.2	
2>3	A13 WB mainline to A1013 Stanford Rd (East)	1,629	<u>99</u> ,	36. <u>8</u> ,	1,653	101	36. <u>7</u> ,	1,653	112,	33. <u>1</u> ,	
2>4	A13 WB mainline to Brentwood Rd (South)	1,588	90,	39. <u>5</u> ,	1, <u>604</u>	91,	39. <u>6</u> ,	1,605	102,	35. <u>2</u>	
2>5	A13 WB mainline to A1013 Stanford Rd (West)	1,803	107,	37. <u>7</u> ,	1,790,	118,	34. <u>1</u> ,	1,793	125,	32. <u>2</u> ,	
2>6	A13 WB mainline to A13 WB mainline	3,177	119	59.7	3,177	121	58. <u>7</u> ,	3,178	123,	57.7,	
<u>2>7</u>	A13 WB mainline to Rectory Rd	<u>1,803</u>	<u>107</u>	<u>37.7</u>	<u>2,010</u>	<u>144</u>	<u>31.2</u>	1,999	<u>142</u>	<u>31.6</u>	
2>8	A13 WB mainline to A13 WB off-slip to A1089	3,315	132,	56. <u>2</u> ,	3,315	134	55.3	3,329	191,	39. <u>0</u> ,	
2>9	A13 WB mainline to Project (South)		Ē		=	Ξ	Ξ	<u>4,404</u>	<u>189</u>	<u>52.2</u>	

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15 DATE: October 2023 DEADLINE: 6

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved

Deleted: 084
Deleted: 8
Deleted: 127
Deleted: 37.4
Deleted: 282
Deleted: 16.8
Deleted: 102
Deleted: 30
Deleted: 119
Deleted: 26.2
Deleted: 276
Deleted: 11.3
Deleted: A128
Deleted: 3
Deleted: 108
Deleted: 27.8
Deleted: 265
Deleted: 11.4
Deleted: 4
Deleted: 135
Deleted: 25.4
Deleted: 287
Deleted: 12.0
Deleted: 051
Deleted: 152
Deleted: 0
Deleted: 260
Deleted: 0
Deleted: 348
Deleted: 19.5
Deleted: 189
Deleted: 2,439
Deleted: 238
Deleted: 22.9
Deleted: 352
Deleted: 19.5
Deleted: 343
Deleted: 144
Deleted: 3
Deleted: 163

Deleted: 3

Volume 9

Route	Name	2016 Base	2016 Base 2045 DM					2045 DS				
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]		
<u>2>12</u>	A13 WB mainline to Project (North)	=	Ξ	Ξ	=	Ξ	Ξ	<u>5,329</u>	221	<u>53.9</u>		
3>1	A1013 Stanford Rd (East) to A128 Brentwood Rd (North)	1,563	152,	23. <u>0</u> ,	1,590	164,	21,7	1,589	274,	13.0,		
3>2	A1013 Stanford Rd (East) to A13 EB mainline	2, <u>177</u>	161,	30. <u>4</u> ,	2,215	185,	<u>26.8</u>	2,216	306,	16.2		
3>4	A1013 Stanford Rd (East) to Brentwood Rd (South)	808	97,	18. <u>7</u>	835	90,	<u>20.8</u> ,	835	189,	9.9,		
3>5	A1013 Stanford Rd (East) to A1013 Stanford Rd (West)	1,022	114,	20. <u>1</u>	1,021	117,	<u>19.5</u> ,	1,023	212,	10.8,		
3>6	A1013 Stanford Rd (East) to A13 WB mainline	2, <u>518</u> ,	<u>158</u> ,	35. <u>7</u> ,	2,513	227,	24. <u>7</u> ,	2,523	278,	<u>20</u> ,3		
<u>3>7</u>	A1013 Stanford Rd (East) to Rectory Rd	1,022	<u>114</u>	<u>20.1</u>	<u>1,240</u>	<u>143</u>	<u>19.4</u>	1,229	229	12.0		
3>8	A1013 Stanford Rd (East) to A13 WB off-slip to A1089	2, <u>656</u> ,	171,	34.8	2,651,	240,	24.7	2,559	278,	20.6		
4>1	Brentwood Rd (South) to A128 Brentwood Rd (North)	1,397	129,	24. <u>0</u> ,	1,431	339,	9. <u>4</u>	1,430	215,	14.9,		
4>2	Brentwood Rd (South) to A13 EB mainline	2, <u>011</u>	137,	<u>32.5</u> ,	2,056	360,	12.8,	2,057	247,	18.6		
4>3	Brentwood Rd (South) to A1013 Stanford Rd (East)	1,307	<u>126</u> ,	22.9	1,330	<u>353</u> ,	8. <u>4</u>	1,331	241,	12.4		
4>5	Brentwood Rd (South) to A1013 Stanford Rd (West)	856	90	20.9	862	292,	6. <u>6</u> ,	864	153,	12.7,		
4>6	Brentwood Rd (South) to A13 WB mainline	2, <u>352</u>	134	38.8	2,354	402,	13.1,	2,365	218,	24.2		
4>7	Brentwood Rd (South) to Rectory Rd	<u>856</u>	<u>92</u>	20.9	1,081	<u>319</u>	<u>7.6</u>	<u>1,070</u>	<u>170</u>	<u>14.1</u>		

		Deleted: 191
	ı ////	Deleted: 18.6
		Moved up [19]
Speed		Deleted: 176
[mph]		Deleted: 158
53.9	 	Deleted: 8
		Deleted: 177
13.0,	J ////	Deleted: 221
		Deleted: 22.4
<u>16.2</u>		Deleted: A128
0.0		Deleted: 96
9.9,		Deleted: 8
40.0		Deleted: 83
10.8,	J //	Deleted: 22.4
20.2		Deleted: 109
<u>20</u> ,3	$h \parallel \parallel \parallel \parallel \parallel$	Deleted: 17.1
<u>12.0</u>		Deleted: 113
20.6		Deleted: 2
20.6	┧╢╢╢	Deleted: 110
		Deleted: 20.8
14.9,	7 	Deleted: 131
10.6		Deleted: 17.4
<u>18.6</u> ,	h	Deleted: 517
12.4		Deleted: 157
12.4		Deleted: 8
12.7,		Deleted: 235
12.1		Deleted: 0
24.2		Deleted: 193 Deleted: 29
<u>14.1</u>		Moved down [30]
		Deleted: 655

Deleted: 151

Deleted: 157

Deleted: 22

Deleted: 170

Deleted: 1,927

Deleted: 213
Deleted: 20.2

Deleted: 197

Moved (insertion) [31]: 24.7

Volume 9

Route	Name	2016 Base	2016 Base 2045 DM							
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
4>8	"Brentwood Rd (South) to A13 WB off-slip to A1089	2, <u>490</u> ,	147	37.5,	2,492,	416,	13.4,	2,400	219,	24.5,
5>1	A1013 Stanford Rd (West) to A128 Brentwood Rd (North)	1, <u>453</u> ,	137,	23.8,	1,465	267,	12.3,	1, <u>466</u> ,	208,	<u>15.8</u> ,
5>2	A1013 Stanford Rd (West) to A13 EB mainline	2, <u>067</u>	<u>145</u> ,	<u>31</u> ,9	2,090	288,	<u>16</u> ,2	2, <u>093</u> ,	240,	19.5
5>3	A1013 Stanford Rd (West) to A1013 Stanford Rd (East)	1,363	135,	22. <u>7</u> ,	1,364	281,	<u>10.</u> 9,	1, <u>367</u>	233,	13.1,
5>4	A1013 Stanford Rd (West) to Brentwood Rd (South)	1,322	126,	<u>23.6</u>	1,315	<u>271</u> ,	<u>10.</u> 9,	1, <u>318</u> ,	224,	13.2
5>6	A1013 Stanford Rd (West) to A13 WB mainline	2, <u>408</u> ,	143,	<u>37.9</u> ,	2,387	330,	16.2	2, <u>400</u> ,	211,	25.4
<u>5>7</u>	A1013 Stanford Rd (West) to Rectory Rd	<u>217</u>	<u>19</u>	<u>25.2</u>	<u>217</u>	<u>19</u>	<u>25.5</u>	<u>216</u>	<u>19</u>	<u>25.6</u>
5>8	A1013 Stanford Rd (West) to A13 WB off-slip to A1089	2, <u>546</u> ,	<u>156</u> ,	36.7,	2,525,	343,	<u>16.5</u>	2, <u>436</u> ,	212,	<u>25.7</u>
6>1	A13 EB mainline to A128 Brentwood Rd (North)	2, <u>768</u> ,	172,	35.1,	2,770	<u>155</u> ,	40. <u>1</u> ,	2,775	<u>158</u> ,	39. <u>4</u>
6>2	A13 EB mainline to A13 EB mainline	3,345	121	61.7,	3,347	124	60. <u>4</u> ,	3,347	137,	54.6,
6>3	A13 EB mainline to A1013 Stanford Rd (East)	2,678	<u>170</u> ,	34.4	2,669	<u>169</u> ,	35. <u>4</u>	2,676	183,	32.7,
6>4	A13 EB mainline to Brentwood Rd (South)	2,637	161,	35.7,	2,621	<u>159</u>	<u>36.9</u>	2,627	<u>174</u>	<u>33</u> ,8
6>5	A13 EB mainline to A1013 Stanford Rd (West)	2,852	<u>178</u> ,	<u>35.0</u>	2,807	186,	33.8	2,815	196,	32.1,
6>7	A13 EB mainline to Rectory Rd	<u>2,852</u>	<u>182</u>	<u>35.0</u>	<u>3,026</u>	212	<u>31.9</u>	3,021	<u>213</u>	31.7
6>8	A13 EB mainline to A13 WB off-slip to A1089	4, <u>486</u> ,	235,	41.9,	4,437,	309,	32.1,	4,351	263,	37.1,

Deleted: 489 Deleted: 38.0 Deleted: 1,768 Deleted: 409 Deleted: 9.7 Deleted: 304 Deleted: 17.7 Deleted: 452 Deleted: 133 Deleted: 24.4 Deleted: 309 Deleted: 10.6 Deleted: 474 Deleted: 163 Deleted: 20.2 Moved up [23] Deleted: 066 Deleted: 140 Deleted: 32 Deleted: 329 Deleted: 14 Deleted: 101 Deleted: 194 Deleted: 133 Deleted: 9 Deleted: 322 Deleted: .5 Deleted: 375 Deleted: 188 Deleted: 16.4 Deleted: A128 Moved up [24] Deleted: 122 Deleted: 311 Deleted: .5 Deleted: 326 Deleted: 176 Deleted: 16.8 Deleted: 407

Deleted: A128

Deleted: 139

Volume 9

Route	Name	2016 Base			2045 DM			2045 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
<u>7>1</u>	Rectory Rd to A128 Brentwood Rd (North)	<u>1,453</u>	<u>136</u>	23.8	<u>1,675</u>	<u>471</u>	8.0	<u>1,704</u>	<u>257</u>	<u>14.8</u>	
<u>7>2</u>	Rectory Rd to A13 EB mainline	<u>2,067</u>	<u>145</u>	31.9	<u>2,300</u>	<u>492</u>	10.5	<u>2,330</u>	<u>289</u>	<u>18.0</u>	
<u>7>3</u>	Rectory Rd to A1013 Stanford Rd (East)	<u>1,363</u>	<u>134</u>	22.7	<u>1,574</u>	<u>485</u>	<u>7.3</u>	<u>1,604</u>	<u>283</u>	<u>12.7</u>	
<u>7>4</u>	Rectory Rd to Brentwood Rd (South)	<u>1,322</u>	<u>125</u>	23.6	<u>1,526</u>	<u>475</u>	<u>7.2</u>	<u>1,556</u>	<u>273</u>	<u>12.7</u>	
<u>7>5</u>	Rectory Rd to A1013 Stanford Rd (West)	<u>225</u>	<u>39</u>	<u>12.8</u>	<u>225</u>	<u>210</u>	<u>2.4</u>	<u>247</u>	<u>63</u>	<u>8.8</u>	
<u>7>6</u>	Rectory Rd to A13 WB mainline	<u>2,408</u>	<u>142</u>	<u>37.9</u>	<u>2,598</u>	<u>534</u>	10.9	<u>2,638</u>	<u>261</u>	22.6	
<u>7>8</u>	Rectory Rd to A13 WB off-slip to A1089	<u>2,546</u>	<u>155</u>	<u>36.7</u>	<u>2,736</u>	<u>547</u>	<u>11.2</u>	<u>2,674</u>	<u>261</u>	22.9	
9>1	Project (South) to A128 Brentwood Rd (North)	1	Ξ	=	=	Ξ	=	<u>5,842</u>	<u>297</u>	44.0	
9>2	Project (South) to A13 EB mainline	Ξ.	=	Ξ	Ξ	Ξ	Ξ	6,430	<u>283</u>	<u>50.8</u>	
9>3	Project (South) to A1013 Stanford Rd (East)	Ξ.	=	Ξ	Ξ	Ξ	Ξ	<u>5,746</u>	<u>320</u>	<u>40.1</u>	
9>4	Project (South) to Brentwood Rd (South)	Ξ.	=	Ξ	Ξ	Ξ	Ξ	<u>5,695</u>	<u>314</u>	<u>40.5</u>	
<u>9>5</u>	Project (South) to A1013 Stanford Rd (West)	1	Ξ	Ξ	Ξ	Ξ	Ξ	<u>5,883</u>	<u>335</u>	<u>39.3</u>	
<u>9>6</u>	Project (South) to A13 WB mainline	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	<u>7,384</u>	<u>387</u>	<u>42.7</u>	
<u>9>7</u>	Project (South) to Rectory Rd	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<u>6,120</u>	<u>356</u>	<u>38.5</u>	
<u>9>10</u>	Project (South) to A1089	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	<u>7,798</u>	<u>408</u>	<u>42.8</u>	
9>12	Project (South) to Project (North)	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<u>3,524</u>	<u>135</u>	<u>58.5</u>	
<u>10>9</u>	A1089 to Project (South)	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	<u>4,496</u>	<u>246</u>	<u>40.9</u>	
<u>10>11</u>	A1089 to A13 (West)	Ξ		Ξ	Ξ	=	Ξ	<u>1,451</u>	<u>62</u>	<u>52.1</u>	
<u>10>12</u>	A1089 to Project (North)	=	Ξ	=	=	Ξ	=	2,730	<u>114</u>	<u>53.6</u>	
<u>11>10</u>	A13 (West) to A1089	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<u>1,780</u>	<u>72</u>	<u>55.1</u>	

Volume 9

Route	Name	2016 Base			2045 DM			2045 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
12>1	Project (North) to A128 Brentwood Rd (North)	=	Ξ	Ξ	=	Ξ	Ξ	4,468	<u>242</u>	41.4	
<u>12>2</u>	Project (North) to A13 EB mainline	=	Ξ	Ξ	=	Ξ	Ξ	<u>5,056</u>	<u>223</u>	<u>50.6</u>	
12>3	Project (North) to A1013 Stanford Rd (East)	=	Ξ	Ξ	Ξ	Ξ	Ξ	4,372	<u>262</u>	<u>37.4</u>	
12>4	Project (North) to Brentwood Rd (South)	Ξ.	11	Ξ	Ξ	Ξ	Ξ	4,321	<u>257</u>	<u>37.6</u>	
<u>12>5</u>	Project (North) to A1013 Stanford Rd (West)	Ξ.	11	Ξ	Ξ	Ξ	Ξ	<u>4,509</u>	<u>277</u>	<u>36.5</u>	
<u>12>6</u>	Project (North) to A13 WB mainline	Ξ.	- 1	Ξ	Ξ	Ξ	Ξ	6,009	<u>0</u>	Ξ	
12>7	Project (North) to Rectory Rd	=	Ξ.	Ξ	=	Ξ	=	<u>4,746</u>	<u>303</u>	<u>35.1</u>	
<u>12>9</u>	Project (North) to Project (South)	=	Ξ	Ξ	Ξ	Ξ	Ξ	3,852	<u>162</u>	<u>53.3</u>	
<u>12>10</u>	Project (North) to A1089	=	Ξ	Ξ	Ξ	Ξ	Ξ	6,424	<u>352</u>	40.8	

Note - * No trips recorded on this route

- 4.3.10 The journey time comparison between the 2045 DM scenario and the 2016 Base Year for the 07:00 08:00 period shows the following:
 - Journey times in the DM are higher than the base year across the majority of the routes.
- 4.3.11 The journey time comparison between the 2045 DS and 2045 DM scenarios for the 07:00 08:00 period shows the following:
 - a. Journey times in the DS scenario are forecast to be higher than the DM scenario across the majority of the routes, except for those routes originating from Prentwood Rd (S), the A1013 Stanford Rd (W) and Rectory Road where journey times decrease in the DS scenario.
 - b. The journey time from the A13 (E) to the A1089 are forecast to increase more than the journey times from the A13 (E) to other destinations, as traffic travelling from the A13 (E) to the A1089 is required to travel through the Orsett Cock junction in the DS scenario.
 - c. Journey times in the DS scenario on the A13 mainline would be similar to the DM scenario in both directions.

Deleted: the A128

Deleted:) and

Volume 9

Table 4.11 2045 Journey Time Comparison, AM 08:00 - 09:00

Route	Name	2016 Base	;		2045 DM			2045 DS		
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
1>2	A128 Brentwood Rd (North) to A13 EB mainline	2, <u>085</u> ,	120,	38.9,	2,122	140,	33.9	2,122	449,	10.6,
1>3	A128 Brentwood Rd (North) to A1013 Stanford Rd (East)	1,381	109,	28.2	1,396	137,	22.9,	1,396	440,	<u>7.1</u>
1>4	A128 Brentwood Rd (North) to Brentwood Rd (South)	1,341	99	30. <u>2</u> ,	1,347	125,	24.0,	1,347	<u>430</u> ,	7.0,
1>5	A128 Brentwood Rd (North) to A1013 Stanford Rd (West)	1,555	119	29.3	1,533	152,	22.6,	1,535	<u>455</u> ,	7. <u>6</u> ,
1>6	A128 Brentwood Rd (North) to A13 WB mainline	3, <u>052</u> ,	161	42. <u>4</u> ,	3,025	230,	29.4	3,036	<u>517</u>	13.1,
<u>1>7</u>	A128 Brentwood Rd (North) to Rectory Rd	<u>1,555</u>	<u>119</u>	<u>29.3</u>	<u>1,753</u>	<u>181</u>	21.7	<u>1,741</u>	<u>472</u>	<u>8.3</u>
1>8	A128 Brentwood Rd (North) to A13 WB off-slip to A1089	3, <u>190</u> ,	174	40.9	3,163,	243,	29.1,	3,072	<u>519</u> ,	13.2,
2>1	A13 WB mainline to A128 Brentwood Rd (North)	2, <u>344</u>	157	33.0,	2,360	163	32.3,	2,359	186,	28. <u>4</u>
2>3	A13 WB mainline to A1013 Stanford Rd (East)	1,629	112,	31. <u>9</u> ,	1,653	102,	36. <u>3</u> ,	1,653	<u>115</u> ,	32. <u>1</u> ,
2>4	A13 WB mainline to Brentwood Rd (South)	1,588	102,	34. <u>1</u> ,	1, <u>604</u>	91	39.5	1,605	<u>105</u> ,	34. <u>2</u>
2>5	A13 WB mainline to A1013 Stanford Rd (West)	1,803	122	32.7,	1, <u>790</u> ,	117,	34,2	1,793	<u>130</u> ,	30.9,
2>6	A13 WB mainline to A13 WB mainline	3,177	118	60.1	3,177	<u>120</u> ,	59. <u>4</u>	3,178	<u>123</u> ,	<u>57.9</u> ,
2>8	A13 WB mainline to A13 WB off-slip to A1089	3,315	131	56. <u>4</u>	3,315	133,	<u>55.8</u> ,	3,329	194,	38. <u>4</u> ,

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15 DATE: October 2023 DEADLINE: 6

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved

Moved up [33]	
Deleted: 084	
Deleted: 119	
Deleted: 39.3	
Deleted: 131	
Deleted: 478	
Deleted: 9.9	
Moved up [20]	
Deleted: 112	
Deleted: 125	
Deleted: 25.0	
Deleted: 469	
Deleted: 6.	
Deleted: A128	
Deleted: 1	
Deleted: 113	
Deleted: 26.6	
Deleted: 458	
Deleted: 6.6	
Deleted: 143	
Deleted: 24.0	
Deleted: 481	
Deleted: 1	
Deleted: 051	
Deleted: 3	
Deleted: 212	
Deleted: 31.9	
Deleted: 543	
Deleted: 12.5	
Moved up [34]	
Deleted: 189	
Deleted: 2,439	
Deleted: 191	
Deleted: 28.6	
Deleted: 547	
Deleted: 12.6	
Deleted: 343	
Deleted: 4	
Deleted: 4	
Deleted: 183	
Deleted: 8	

Volume 9

Route	Name	2016 Base)		2045 DM			2045 DS		
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
<u>2>9</u>	A13 WB mainline to Project (South)	Ξ	Ξ	Ξ.	Ξ.	Ξ	Ξ	<u>4,404</u>	<u>190</u>	<u>52.0</u>
<u>2>12</u>	A13 WB mainline to Project (North)	=	Ξ		=	Ξ	Ξ.	<u>5,329</u>	222	<u>53.8</u>
3>1	A1013 Stanford Rd (East) to A128 Brentwood Rd (North)	1,563	199,	<u>17</u> ,7	1,590	167,	21.3,	1,589	389,	9.1,
3>2	A1013 Stanford Rd (East) to A13 EB mainline	2, <u>177</u> ,	210,	23.4,	2,215	188,	26. <u>4</u>	2,216	423,	11.7,
3>4	A1013 Stanford Rd (East) to Brentwood Rd (South)	807	145,	12.7,	835	94,	19.8,	835	<u>308</u> ,	6.1,
3>5	A1013 Stanford Rd (East) to A1013 Stanford Rd (West)	1,022,	<u>164</u>	<u>14</u> ,1	1,021	121,	18. <u>9</u> ,	1,023	333,	,6 <u>.9</u>
3>6	A1013 Stanford Rd (East) to A13 WB mainline	2, <u>518</u> ,	206,	27.6,	2,513	199,	28.3,	2,523	<u>395</u> ,	14.3,
<u>3>7</u>	A1013 Stanford Rd (East) to Rectory Rd	1,022	<u>162</u>	<u>14.1</u>	<u>1,240</u>	<u>150</u>	<u>18.5</u>	<u>1,229</u>	<u>350</u>	<u>7.8</u>
3>8	A1013 Stanford Rd (East) to A13 WB off- slip to A1089	2, <u>656</u> ,	220,	27.3,	2,651,	212,	28.0,	2,559	397,	14.4
4>1	"Brentwood Rd (South) to A128 Brentwood Rd (North)	1, <u>397</u>	292,	11. <u>1</u> ,	1,431	406,	7.9	1,430	<u>249</u> ,	12.8,
4>2	Brentwood Rd (South) to A13 EB mainline	2, <u>011</u> ,	303,	<u>15</u> ,4	2,056	426,	10. <u>8</u> ,	2,057	284,	16.2
4>3	Brentwood Rd (South) to A1013 Stanford Rd (East)	1,307	293,	10. <u>4</u> ,	1,330	423	7.0	1,331	<u>275</u> ,	10. <u>8</u> ,
4>5	"Brentwood Rd (South) to A1013 Stanford Rd (West)	856	257,	7.8 _v	862	359,	5. <u>4</u> ,	864	<u>193</u> ,	10.0,
4>6	Brentwood Rd (South) to A13 WB mainline	2, <u>352</u>	299	<u>18</u> ,3	2,353	437,	12. <u>0</u> ,	2,365	<u>256</u> ,	20.7
4>7	Brentwood Rd (South) to Rectory Rd	<u>856</u>	<u>245</u>	<u>7.8</u>	<u>1,081</u>	<u>388</u>	6.2	<u>1,070</u>	<u>211</u>	<u>11.4</u>

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15 DATE: October 2023 DEADLINE: 6

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved

Deleted: 187	
Deleted: 18	
Deleted: 164	
Deleted: 7	
Deleted: 225	
Deleted: 15.8	
Deleted: 176	
Deleted: 196	
Deleted: 24.8	
Deleted: 186	
Deleted: 6	
Deleted: 257	
Deleted: 19.3	
Deleted: A128	
Deleted: 133	
Deleted: 13.6	
Deleted: 92	
Deleted: 20.3	
Deleted: 145	
Deleted: 12.9	
Deleted: 1022	
Deleted: 152	
Deleted: 15	
Deleted: 122	
Deleted: 8	
Deleted: 168	
Deleted: 13.	
Deleted: 517	
Deleted: 194	
Deleted: 29.0	
Deleted: 191	
Deleted: 29.4	
Deleted: 229	
Deleted: 24.6	
Deleted: 655	
Deleted: 207	
Deleted: 28.7	
Deleted: 1,927	
Deleted: 170	
Moved up [35]	

Deleted: 25.4

Volume 9

Route	Name	2016 Base)		2045 DM			2045 DS		
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
4>8	Brentwood Rd (South) to A13 WB off-slip to A1089	2, <u>490</u> ,	312,	<u>18</u> ,5	2,491,	451,	12.4	2,400	<u>258</u> ,	20.8,
5>1	A1013 Stanford Rd (West) to A128 Brentwood Rd (North)	1,453	<u>150</u> ,	22.1,	1,464	289,	11. <u>3</u> ,	1, <u>466</u> ,	392,	<u>8.4</u>
5>2	A1013 Stanford Rd (West) to A13 EB mainline	2, <u>067</u>	161,	29.2	2,090	310,	15. <u>1</u> ,	2, <u>093</u> ,	427,	<u>11.Q</u>
5>3	A1013 Stanford Rd (West) to A1013 Stanford Rd (East)	1,363	<u>150</u> ,	20.6,	1,364	306,	10. <u>0</u> ,	1, <u>367</u>	418,	7.3,
5>4	A1013 Stanford Rd (West) to Brentwood Rd (South)	1,323	140,	21.5,	1,315	295,	10. <u>0</u> ,	1,318,	408,	7.2,
5>6	A1013 Stanford Rd (West) to A13 WB mainline	2,408,	<u>157,</u>	34.9,	2,387	321,	16.6,	2,400,	399,	13.5,
<u>5>7</u>	A1013 Stanford Rd (West) to Rectory Rd	<u>217</u>	<u>19</u>	<u>14.1</u>	<u>217</u>	<u>19</u>	<u>25.5</u>	<u>216</u>	<u>19</u>	<u>25.1</u>
5>8	A1013 Stanford Rd (West) to A13 WB off- slip to A1089	2, <u>546</u> ,	170,	34.0,	2,525,	334,	16.9,	2,436,	401,	<u>13</u> ,6
6>1	A13 EB mainline to A128 Brentwood Rd (North)	2, <u>768</u> ,	170,	33.9,	2,770	155	39.9,	2,775	160,	38.7,
6>2	A13 EB mainline to A13 EB mainline	3,345	122,	61. <u>5</u> ,	3,347	124	60. <u>6</u> ,	3,347	<u>137,</u>	<u>54.7,</u>
6>3	A13 EB mainline to A1013 Stanford Rd (East)	2,678	<u>171,</u>	32.7,	2,669	173,	34.6,	2,676	<u>186</u> ,	32. <u>2</u>
6>4	A13 EB mainline to Brentwood Rd (South)	2,637	<u>161,</u>	34.1,	2,621	162,	36. <u>3</u> ,	2,627	<u>176</u> ,	33.4
6>5	A13 EB mainline to A1013 Stanford Rd (West)	2,852	180,	33.1,	2,807	188,	33. <u>4</u>	2,815	201,	31.4,
6>7	A13 EB mainline to Rectory Rd	2,852	<u>193</u>	<u>33.1</u>	3,026	217	31.2	3,021	<u>218</u>	<u>31.0</u>

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15 DATE: October 2023 DEADLINE: 6 Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved

Deleted: A128
Deleted: 489
Deleted: 285
Deleted: 19
Deleted: 1,768
Deleted: 413
Deleted: 9.6
Deleted: 277
Deleted: 19.4
Deleted: 133
Deleted: 24.4
Deleted: 281
Deleted: 7
Deleted: 474
Deleted: 258
Deleted: 12.
Deleted: 066
Deleted: 143
Deleted: 32.4
Deleted: 303
Deleted: 4
Deleted: 101
Deleted: 290
Deleted: 16.2
Deleted: 136
Deleted: 22.5
Deleted: 297
Deleted: 3
Deleted: 375
Deleted: 282
Deleted: 10.9
Deleted: A128
Deleted: 123
Deleted: 24.0
Deleted: 285
Deleted: 3
Deleted: 326
Deleted: 271
Deleted: 11.0
Deleted: 407
Deleted: 141

Volume 9

Route	Name	2016 Base	•		2045 DM			2045 DS		
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
6>8	A13 EB mainline to A13 WB off-slip to A1089	4, <u>486</u> ,	236,	40.5	4,437,	279,	35. <u>5</u> ,	4,351	<u>265</u>	36.8,
<u>7>1</u>	Rectory Rd to A128 Brentwood Rd (North)	<u>1,453</u>	<u>147</u>	22.1	<u>1,675</u>	<u>1130</u>	<u>3.3</u>	<u>1,704</u>	<u>683</u>	<u>5.6</u>
<u>7>2</u>	Rectory Rd to A13 EB mainline	2,067	<u>158</u>	<u>29.2</u>	2,300	<u>1151</u>	<u>4.5</u>	2,330	<u>718</u>	<u>7.3</u>
<u>7>3</u>	Rectory Rd to A1013 Stanford Rd (East)	<u>1,363</u>	<u>148</u>	20.6	<u>1,574</u>	<u>1147</u>	<u>3.1</u>	1,604	<u>709</u>	<u>5.1</u>
<u>7>4</u>	Rectory Rd to Brentwood Rd (South)	<u>1,323</u>	<u>138</u>	<u>21.5</u>	<u>1,526</u>	<u>1136</u>	3.0	<u>1,556</u>	<u>699</u>	<u>5.0</u>
<u>7>5</u>	Rectory Rd to A1013 Stanford Rd (West)	<u>225</u>	<u>43</u>	<u>11.8</u>	<u>225</u>	<u>881</u>	<u>0.6</u>	<u>247</u>	<u>292</u>	<u>1.9</u>
<u>7>6</u>	Rectory Rd to A13 WB mainline	<u>2,408</u>	<u>154</u>	<u>34.9</u>	<u>2,598</u>	<u>1162</u>	<u>5.0</u>	2,638	<u>690</u>	<u>8.6</u>
<u>7>8</u>	Rectory Rd to A13 WB off-slip to A1089	<u>2,546</u>	<u>168</u>	34.0	2,736	<u>1175</u>	<u>5.2</u>	2,674	<u>692</u>	<u>8.6</u>
9>1	Project (South) to A128 Brentwood Rd (North)	=	Ξ	=	=	Ξ	Ξ	5,842	<u>301</u>	<u>43.5</u>
<u>9>2</u>	Project (South) to A13 EB mainline	Ξ.	Ξ	Ξ	_	Ξ	Ξ	<u>6,430</u>	<u>286</u>	<u>50.3</u>
9>3	Project (South) to A1013 Stanford Rd (East)	=	Ξ	=	=	Ξ	=	<u>5,746</u>	<u>325</u>	39.6
9>4	Project (South) to Brentwood Rd (South)	Ξ.	Ξ	Ξ	_	Ξ	Ξ	<u>5,695</u>	<u>319</u>	<u>40.0</u>
9>5	Project (South) to A1013 Stanford Rd (West)	=	Ξ	=	Ξ	=	=	5,883	342	<u>38.5</u>
9>6	Project (South) to A13 WB mainline		Ξ	Ξ	Ξ.	Ξ	Ξ	7,384	<u>391</u>	42.3
9>7	Project (South) to Rectory Rd	Ξ.	=	Ξ	=	Ξ	Ξ	<u>6,120</u>	<u>360</u>	<u>38.1</u>
<u>9>10</u>	Project (South) to A1089	=	Ξ	Ξ	=	Ξ	Ξ	7,798	<u>413</u>	<u>42.2</u>
<u>9>12</u>	Project (South) to Project (North)	Ξ.	Ξ	Ξ	=	Ξ	Ξ	<u>3,524</u>	<u>135</u>	<u>58.3</u>
<u>10>9</u>	A1089 to Project (South)	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	4,496	<u>246</u>	<u>40.9</u>

_	Moved up [28]
_	Deleted: 485
\	Deleted: 224
//	Deleted: 3,713
//	Deleted: 237
//	Deleted: 1
//	Deleted: 261
1	Deleted: 37.4

Volume 9

Route	Name	2016 Base			2045 DM			2045 DS		
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
10>11	A1089 to A13 (West)	Ξ.	Ξ	Ξ	Ξ.	Ξ	Ξ	<u>1,451</u>	<u>62</u>	<u>52.0</u>
<u>10>12</u>	A1089 to Project (North)	=	Ξ	Ξ	Ξ.	Ξ	Ξ.	2,730	<u>114</u>	<u>53.4</u>
<u>11>10</u>	A13 (West) to A1089	1	Ξ	Ξ		Ξ	Ξ	<u>1,780</u>	<u>72</u>	<u>55.1</u>
12>1	Project (North) to A128 Brentwood Rd (North)	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<u>4,468</u>	<u>245</u>	<u>40.9</u>
<u>12>2</u>	Project (North) to A13 EB mainline	=	Ξ	Ξ	Ξ.	Ξ	Ξ.	<u>5,056</u>	<u>225</u>	<u>50.4</u>
12>3	Project (North) to A1013 Stanford Rd (East)	=	=	Ξ	Ξ	Ξ	Ξ	4,372	<u>263</u>	37.2
12>4	Project (North) to Brentwood Rd (South)		Ξ	=		=	=	<u>4,321</u>	<u>260</u>	37.2
12>5	Project (North) to A1013 Stanford Rd (West)	Ξ	Ξ	Ξ	=	Ξ	Ξ	4,509	283	<u>35.6</u>
<u>12>6</u>	Project (North) to A13 WB mainline	=	Ξ	Ξ	=	Ξ	Ξ	6,009	<u>0</u>	Ξ
12>7	Project (North) to Rectory Rd		Ξ	Ξ	=	Ξ	Ξ	<u>4,746</u>	<u>308</u>	34.4
12>9	Project (North) to Project (South)		Ξ	Ξ		Ξ	Ξ	3,852	<u>163</u>	<u>52.9</u>
12>10	Project (North) to A1089		Ξ	Ξ	=	Ξ	Ξ	6,424	<u>356</u>	40.3

Note - * No trips recorded on this route

- 4.3.12 The journey time comparison between the 2045 DM scenario and the 2016 Base Year for the 08:00 09:00 period shows the following:
 - a. Journey times in the DM would be <u>higher than</u>, the base year <u>on</u>, the majority of routes.
 - b. Journey times for those routes originating from the A1013 (E) on average decrease by <u>25s</u>, as the traffic signals at the A13 (E) approach <u>assist</u> with creating gaps in opposing traffic that contributes to the decrease in journey times.
- 4.3.13 The journey time comparison between the 2045 DS and 2045 DM scenarios for the 08:00 09:00 period shows the following:
 - a. Journey times in the DS scenario would be higher than the DM scenario across the majority of the routes, except for those routes originating from the Brentwood Road (South) and Rectory Road, where journey times decrease in the DS scenario.
 - b. The journey times originating from <u>Brentwood Road (South)</u> decrease on average by <u>165s</u>, as the introduction of traffic signals controlling the traffic contributes to the reduction in journey times.
 - c. Journey time from the A13 (E) to the A1089 is forecast to increase, as traffic travelling from the A13 (E) to the A1089 are required to travel through the Orsett Cock junction in the DS scenario.
 - d. Journey time from the A128 (N) is forecast to increase on average by 297s in DS due to higher delays and congestions at the approach.
 - e. Journey times in the DS scenario on the A13 mainline would be similar to the DM scenario in both directions.

Deleted: similar to

Deleted: across

Deleted: the

Deleted: , except for those routes originating from the A1013 (W), A128 (N) and A128 (S) where journey times increase due to the delays on the approach.

Deleted: 24s

Deleted: assists

Deleted: 161s

Deleted: A128 (S
Deleted: the A1013 (W)
Deleted: A128 (S

Deleted: 343s

Volume 9

Table 4.12 2045 Journey Time Comparison, PM 17:00 - 18:00

Route	Name	2016 Base	2016 Base					2045 DS		
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
1>2	A128 Brentwood Rd (North) to A13 EB mainline	2, <u>085</u> ,	160,	27.1,	2,122	392,	12.1,	2,122	214,	22.2
1>3	A128 Brentwood Rd (North) to A1013 Stanford Rd (East)	1,381	140,	21. <u>6</u> ,	1,396	416,	<u>7.5</u> ,	1,396	200,	<u>15</u> ,6
1>4	A128 Brentwood Rd (North) to Brentwood Rd (South)	1,341	127,	23. <u>1</u>	1,347	405,	7.4,	1,347	<u>189</u>	16.0,
1>5	A128 Brentwood Rd (North) to A1013 Stanford Rd (West)	1,555	144	23. <u>8</u> ,	1, <u>534</u> ,	425,	8.1,	1,535	211,	<u>16.3</u> ,
1>6	A128 Brentwood Rd (North) to A13 WB mainline	3, <u>052</u>	187,	36. <u>1</u> ,	3,025	475,	14.2	3,036	269,	25.2
1>7	A128 Brentwood Rd (North) to Rectory Rd	<u>1,555</u>	<u>146</u>	23.8	<u>1,753</u>	<u>453</u>	<u>8.7</u>	<u>1,741</u>	228	<u>17.1</u>
1>8	A128 Brentwood Rd (North) to A13 WB off-slip to A1089	3, <u>190</u> ,	200,	35.2	3,163,	488,	14.5,	3,071	274,	<u>25</u> ,1
2>1	A13 WB mainline to A128 Brentwood Rd (North)	2, <u>344</u>	189,	27. <u>4</u> ,	2, <u>359</u> ,	215,	24.5	2,359	424	12.5,
2>3	A13 WB mainline to A1013 Stanford Rd (East)	1,628	<u>149</u> ,	24. <u>1</u> ,	1, <u>652</u>	<u>154</u>	24.0,	1,653	304	12,2
2>4	A13 WB mainline to Brentwood Rd (South)	1,588	137,	25.7,	1, <u>604</u>	143,	25.1,	1,605	293,	12.3,
2>5	A13 WB mainline to A1013 Stanford Rd (West)	1,803	<u>153</u> ,	26. <u>1</u> ,	1, <u>790</u> ,	<u>163</u> ,	24.6	1, <u>792</u>	315,	12.7,
2>6	A13 WB mainline to A13 WB mainline	3,177	113	62.8	3,177	<u>116</u> ,	61. <u>5</u> ,	3,178	120,	59. <mark>0,</mark>
<u>2>7</u>	A13 WB mainline to Rectory Rd	<u>1,803</u>	<u>155</u>	<u>26.1</u>	2,009	<u>191</u>	<u>23.5</u>	<u>1,999</u>	<u>332</u>	<u>13.5</u>
2>8	A13 WB mainline to A13 WB off-slip to A1089	3,315	126	58.7,	3,315	128	<u>57.7,</u>	3,329	<u>378</u> ,	19.7,

Deleted: 34.3 Deleted: 428 Deleted: 11.1 Deleted: 145 Deleted: 3 Deleted: 128 Deleted: 24.3 Deleted: 413 Deleted: 7 Deleted: A128 Deleted: 130 Deleted: 0 Deleted: 113 Deleted: 26.6 Deleted: 402 Deleted: 7.5 Deleted: 147 Deleted: 7 Deleted: 533 Deleted: 136 Deleted: 25.2 Deleted: 427 Deleted: 8.0 Deleted: 051 Deleted: 190 Deleted: 0 Deleted: 185 Deleted: 36.6 Deleted: 480 Deleted: 14.1 Deleted: 189 Deleted: 202 **Deleted:** 2,439 Deleted: 164 Deleted: 33.3

Deleted: 084
Deleted: 153
Deleted: 30.5

Deleted: 138

Deleted: 486
Deleted: 14

Volume 9

Route	Name	2016 Base			2045 DM			2045 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
<u>2>9</u>	A13 WB mainline to Project (South)	Ξ.	- 1	Ξ	Ξ	Ξ	=	<u>4,404</u>	<u>199</u>	<u>49.6</u>	
<u>2>12</u>	A13 WB mainline to Project (North)	Ξ.	Ξ	Ξ	Ξ	Ξ	=	<u>5,329</u>	<u>221</u>	<u>54.0</u>	
3>1	A1013 Stanford Rd (East) to A128 Brentwood Rd (North)	1,563	125,	28. <u>0</u> ,	1,590	287,	12.4	1,589	331,	10.7,	
3>2	A1013 Stanford Rd (East) to A13 EB mainline	2, <u>177</u> ,	<u>150</u> ,	30.7	2,215	315,	<u>15.7,</u>	2,215	<u>378</u> ,	13.1,	
3>4	A1013 Stanford Rd (East) to Brentwood Rd (South)	807	<u>72</u> ,	25. <u>1</u> ,	835	214 ,	8.7,	835	200,	9.3,	
3>5	A1013 Stanford Rd (East) to A1013 Stanford Rd (West)	1,022	88,	25.9,	1,021	235,	9.7,	1,023	222,	10.3,	
3>6	A1013 Stanford Rd (East) to A13 WB mainline	2, <u>518</u> ,	131,	42.9	2,513	284	<u>19.8</u>	2,523	281,	20.1,	
<u>3>7</u>	A1013 Stanford Rd (East) to Rectory Rd	1,022	<u>88</u>	<u>25.9</u>	<u>1,240</u>	<u>262</u>	10.6	1,229	<u>239</u>	<u>11.5</u>	
3>8	A1013 Stanford Rd (East) to A13 WB off-slip to A1089	2, <u>656</u> ,	144,	41. <u>1</u> ,	2,651,	297,	19.9,	2,559	285,	20.1,	
4>1	Brentwood Rd (South) to A128 Brentwood Rd (North)	1,397	99,	31. <u>6</u> ,	1,431	185,	17.3,	1,430	282,	11.3,	
4>2	"Brentwood Rd (South) to A13 EB mainline	2,011,	<u>123</u> ,	33.9	2,056	213,	21.6	2,057	329,	14. <u>0</u> ,	
4>3	Brentwood Rd (South) to A1013 Stanford Rd (East)	1,307	<u>103</u> ,	28. <u>2</u> ,	1,330	237,	<u>12</u> ,6	1,331	<u>315</u> ,	9. <u>4</u>	
4>5	Brentwood Rd (South) to A1013 Stanford Rd (West)	856	62	30.9,	862	132,	14.6,	864	174,	11. <u>1</u> ,	
4>6	"Brentwood Rd (South) to A13 WB mainline	2,352	105	50. <u>0</u> ,	2,354	182,	28.9,	2,365	233,	22,7	

Deleted: 144 Deleted: 235 Deleted: 15.1 Deleted: 176 Deleted: 136 Deleted: 35.8 Deleted: 172 Deleted: 28.8 Deleted: 282 Deleted: 17.6 Deleted: A128 Deleted: 70 Deleted: 8 Deleted: 71 Deleted: 26.4 Deleted: 113 Deleted: 16.5 Deleted: 86 Deleted: 26.6 Deleted: 94 Deleted: 24.4 Deleted: 138 Deleted: 16.5 Deleted: 517 Deleted: 129 Deleted: 43.6 Deleted: 142 Deleted: 39.5 Deleted: 192 Deleted: 29.4 Deleted: 655 Deleted: 142 Deleted: 9 **Deleted:** 1,927 Deleted: 121 Deleted: 35.5 Deleted: 197

Moved up [31]
Deleted: 122
Deleted: 6

Deleted: 29.0

Volume 9

Route	Name	2016 Base			2045 DM			2045 DS			
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	
4>7	Brentwood Rd (South) to Rectory Rd	<u>856</u>	<u>62</u>	30.9	<u>1,081</u>	<u>160</u>	<u>15.1</u>	<u>1,070</u>	<u>191</u>	12.5	
4>8	Brentwood Rd (South) to A13 WB off-slip to A1089	2, <u>490</u> ,	118,	47. <u>0</u> ,	2,492,	195,	28.5,	2,400	237,	22.7,	
5>1	A1013 Stanford Rd (West) to A128 Brentwood Rd (North)	1,452	117,	27. <u>7</u> ,	1,465	132,	24.8	1, <u>466</u> ,	207,	15.9,	
5>2	A1013 Stanford Rd (West) to A13 EB mainline	2, <u>066</u> ,	142,	30.5	2,090	<u>160</u>	29. <u>1</u>	2, <u>093</u>	<u>254</u>	18.5	
5>3	A1013 Stanford Rd (West) to A1013 Stanford Rd (East)	1,362	122,	24. <u>9</u>	1,364	184,	<u>16.5</u> ,	1,366,	239,	12.8,	
5>4	A1013 Stanford Rd (West) to Brentwood Rd (South)	1,321	109,	27.0,	1,315	173,	<u>17.0</u> ,	1,318,	228,	12.9,	
5>6	A1013 Stanford Rd (West) to A13 WB mainline	2, <u>407</u>	123,	43.4	2,387	130	41. <u>2</u> ,	2, <u>400</u> ,	<u>157,</u>	34.3	
<u>5>7</u>	A1013 Stanford Rd (West) to Rectory Rd	<u>217</u>	<u>19</u>	<u>25.8</u>	<u>217</u>	<u>19</u>	<u>25.0</u>	<u>216</u>	<u>20</u>	<u>24.5</u>	
5>8	A1013 Stanford Rd (West) to A13 WB off-slip to A1089	2, <u>545</u> ,	137,	41. <u>5</u> ,	<u>2,525</u> ,	143,	39.6,	2, <u>436</u> ,	161,	33.8,	
6>1	A13 EB mainline to A128 Brentwood Rd (North)	2,768	342,	18.8,	2,770	<u>152</u> ,	40.8	2,775	417,	14.9,	
6>2	A13 EB mainline to A13 EB mainline	3,345	<u>265</u> ,	28. <u>7</u> ,	3,347	125	<u>59.9</u> ,	3,347	182	41,2	
6>3	A13 EB mainline to A1013 Stanford Rd (East)	2,678	347,	<u>17.9</u> ,	2,669	204,	29.3	2,676	<u>450</u> ,	13.3,	
6>4	A13 EB mainline to Brentwood Rd (South)	2,637	334,	18.3,	2,621	193,	<u>30</u> ,4	2,627	439,	13.4	
6>5	A13 EB mainline to A1013 Stanford Rd (West)	2,852	350,	18.9,	2,807	213,	29.5,	2,815	461,	13.7,	
6>7	A13 EB mainline to Rectory Rd	<u>2,852</u>	338	<u>18.9</u>	3,026	<u>241</u>	28.1	3,021	<u>478</u>	14.1	

Planning Inspectorate Scheme Ref: TR010032 Examination Document Ref: TR010032/EXAM/9.15 DATE: October 2023 DEADLINE: 6

Uncontrolled when printed – Copyright © - 2023 National Highways Limited – all rights reserved

Deleted: A128	
Deleted: 489	
Deleted: 117	
Deleted: 4	
Deleted: 1,768	
Deleted: 178	
Deleted: 22.2	
Deleted: 229	
Deleted: 23.4	
Deleted: 118	
Deleted: 4	
Deleted: 131	
Deleted: 9	
Deleted: 474	
Deleted: 188	
Deleted: 17.5	
Deleted: 065	
Deleted: 132	
Deleted: 34.9	
Deleted: 159	
Deleted: 3	
Deleted: 101	
Moved up [26]	
Deleted: 234	
Deleted: 125	
Deleted: 4	
Deleted: 149	
Deleted: 20.4	
Deleted: 375	
Deleted: 220	
Deleted: 14.0	
Deleted: A128	
Deleted: 110	
Deleted: 26.9	
Deleted: 134	
Deleted: 21.9	
Deleted: 326	
Deleted: 209	
Deleted: 14.2	
Deleted: 406	
Deleted: 125	

Volume 9

Route	Name	2016 Base			2045 DM			2045 DS		
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
6>8	A13 EB mainline to A13 WB off-slip to A1089	4, <u>486</u> ,	407,	25.4,	4,437,	276,	36.0,	4,351	524,	<u>18</u> ,6
<u>7>1</u>	Rectory Rd to A128 Brentwood Rd (North)	<u>1,452</u>	<u>117</u>	<u>27.7</u>	<u>1,675</u>	<u>381</u>	9.8	<u>1,704</u>	<u>315</u>	<u>12.1</u>
<u>7>2</u>	Rectory Rd to A13 EB mainline	2,066	<u>151</u>	30.5	2,300	<u>410</u>	12.6	2,330	<u>362</u>	14.4
<u>7>3</u>	Rectory Rd to A1013 Stanford Rd (East)	<u>1,362</u>	<u>122</u>	24.9	<u>1,574</u>	<u>434</u>	<u>8.1</u>	<u>1,604</u>	348	10.3
<u>7>4</u>	Rectory Rd to Brentwood Rd (South)	<u>1,321</u>	<u>109</u>	27.0	<u>1,526</u>	<u>422</u>	<u>8.1</u>	<u>1,555</u>	337	10.3
<u>7>5</u>	Rectory Rd to A1013 Stanford Rd (West)	<u>225</u>	<u>47</u>	10.7	<u>225</u>	<u>319</u>	<u>1.6</u>	<u>247</u>	<u>125</u>	4.4
<u>7>6</u>	Rectory Rd to A13 WB mainline	<u>2,407</u>	<u>124</u>	43.4	<u>2,598</u>	<u>379</u>	<u>15.3</u>	<u>2,638</u>	<u>265</u>	22.3
<u>7>8</u>	Rectory Rd to A13 WB off-slip to A1089	<u>2,545</u>	<u>137</u>	<u>41.5</u>	<u>2,736</u>	<u>392</u>	<u>15.6</u>	<u>2,674</u>	<u>269</u>	22.2
<u>9>1</u>	Project (South) to A128 Brentwood Rd (North)	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	<u>5,842</u>	<u>762</u>	<u>17.2</u>
<u>9>2</u>	Project (South) to A13 EB mainline	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	<u>6,430</u>	<u>590</u>	24.4
<u>9>3</u>	Project (South) to A1013 Stanford Rd (East)	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	<u>5,746</u>	926	<u>13.9</u>
9>4	Project (South) to Brentwood Rd (South)	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	<u>5,695</u>	912	14.0
<u>9>5</u>	Project (South) to A1013 Stanford Rd (West)	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	<u>5,883</u>	937	14.0
9>6	Project (South) to A13 WB mainline	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	<u>7,384</u>	964	<u>17.1</u>
<u>9>7</u>	Project (South) to Rectory Rd	Ξ.	Ξ	Ξ	Ξ	Ξ	=	<u>6,120</u>	<u>541</u>	<u>25.3</u>
<u>9>10</u>	Project (South) to A1089	=	Ξ	=	Ξ	Ξ	=	<u>7,798</u>	983	<u>17.8</u>
<u>9>12</u>	Project (South) to Project (North)	=	Ξ	=	Ξ	Ξ	=	<u>3,524</u>	<u>158</u>	<u>49.8</u>
<u>10>9</u>	A1089 to Project (South)	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<u>4,496</u>	<u>253</u>	<u>39.8</u>
10>11	A1089 to A13 (West)		=	Ξ	Ξ	Ξ	_	<u>1,451</u>	<u>62</u>	<u>52.4</u>

Deleted: 485

Deleted: 437

Deleted: 23.0

Deleted: 3,713

Deleted: 203

Deleted: 40.8

Deleted: 450

Deleted: 21

Volume 9

Route	Name	2016 Base			2045 DM			2045 DS		
		Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]	Distance [m]	JT [s]	Speed [mph]
<u>10>12</u>	A1089 to Project (North)	Ξ.	Ξ	Ξ	Ξ.	Ξ	Ξ	<u>2,730</u>	<u>109</u>	<u>55.9</u>
<u>11>10</u>	A13 (West) to A1089	=	Ξ	Ξ	=	Ξ	Ξ.	<u>1,780</u>	<u>72</u>	<u>55.2</u>
<u>12>1</u>	Project (North) to A128 Brentwood Rd (North)	Ξ.	Ξ	Ξ	Ξ	Ξ	Ξ	<u>4,468</u>	<u>612</u>	<u>16.3</u>
<u>12>2</u>	Project (North) to A13 EB mainline	=	Ξ	Ξ	=	Ξ	Ξ	<u>5,056</u>	<u>530</u>	21.4
<u>12>3</u>	Project (North) to A1013 Stanford Rd (East)	Ξ.	Ξ	Ξ	=	Ξ	Ξ	4,372	<u>737</u>	<u>13.3</u>
<u>12>4</u>	Project (North) to Brentwood Rd (South)	_	Ξ	Ξ	=	- 1	Ξ	<u>4,321</u>	<u>728</u>	<u>13.3</u>
12>5	Project (North) to A1013 Stanford Rd (West)	Ξ.	Ξ	Ξ	=	Ξ	Ξ	4,509	<u>741</u>	<u>13.6</u>
12>6	Project (North) to A13 WB mainline	Ξ.	Ξ	Ξ	=	Ξ	Ξ	6,009	<u>0</u>	=
12>7	Project (North) to Rectory Rd		Ξ	Ξ	=	Ξ	Ξ	4,746	<u>750</u>	14.2
12>9	Project (North) to Project (South)	_	Ξ	Ξ	=	Ξ	=	3,852	<u>179</u>	48.0
12>10	Project (North) to A1089	_	Ξ	=	=	Ξ	=	6,424	802	17.9

Note - * No trips recorded on this route

- 4.3.14 The journey time comparison between the 2045 DM scenario and 2016 base year for the 17:00 18:00 period shows the following:
 - a. Journey times in the DM scenario are forecast to be <u>higher than</u> the base year across the majority of the routes, except for those routes originating from the A13 (West).
 - b. Journey times for routes originating from the A13 (W) eastbound are forecast to reduce significantly on average by 147, seconds due to widening of the A13 mainline in the DM scenario.
- 4.3.15 The journey time comparison between the 2045 DS and 2045 DM scenarios for the 17:00 18:00 period shows the following:
 - Journey times in the DS scenario would be higher than the DM scenario across most of the routes due to the increased number of vehicles using the Orsett Cock junction.
 - b. Journey times of routes originating from the A128 Brentwood (N) are predicted to decrease on average by 210 seconds in 2045 DS.
 - c. Journey times of routes originating from the A13 (<u>W</u>) and <u>A13 (E)</u>, excluding the <u>mainline</u> increase the most due to the delay on the approach to the junction. Journey times from the A13(<u>W</u>) and A13 (E) are forecast to increase by <u>185s</u> on <u>average</u>.

4.4 Relative delays

- 4.4.1 The relative delay in VISSIM is the total segment delay divided by the total segment travel time on a link, with the link made up of 10m length segments.
- 4.4.2 The 2030 relative delay plots on all links in the network are shown in Plate 4.3 to Plate 4.8. They provide a visual representation of the delays at the junctions and along the mainline.

Deleted: similar to

Deleted: A128 (S) where journey times increase on average by 96s....

Deleted: over 200

Deleted: all

Deleted: E

Deleted: A128 (N)

Deleted: over 200s and the journey times from the A128 (N) increase by 295s on average.¶
Journey times in the DS scenario


Deleted: the A13 mainline would be similar to the DM scenario in the westbound direction but increase slightly in the eastbound direction

Plate 4.3 Relative Delay Plot (2030 DM 07:00 - 08:00)



Plate 4.4 Relative Delay Plot (2030 DS 07:00 - 08:00)












Plate 4.6 Relative Delay Plot (2030 DS 08:00 - 09:00)










Plate 4.8 Relative Delay Plot (2030 DS 17:00 - 18:00)



- 4.4.3 In addition to the delays at the Orsett Cock junction and the A1013 Stanford Road/ Rectory Road junction, which have been described in the previous sections, the plots also show that the traffic conditions of the A13 mainline are free-flowing in all peak periods.
- 4.4.4 The 2045 relative delay plots on all links in the network are shown in Plate 4.9 to Plate 4.14. They provide a visual representation of the delays at the junctions and along the mainline

Deleted: <#>Plate 4.3 and Plate 4.5 show that the 2030 DS scenario has some minor delays on the A1089 northbound before the diverge to the Project in the AM peak.¶ Plate 4.7 additionally shows some minor delays on the

Plate 4.7 additionally shows some minor delays on the Project southbound before the diverge to the Orsett Cock junction and at the southbound merge with the A13 mainline.¶

Deleted: <#>Plate 4.3 and Plate 4.5 show that the 2030 DS scenario has some minor delays on the A1089 northbound before the diverge to the Project in the AM peak.¶
Plate 4.7 additionally shows some minor delays on the

Plate 4.7 additionally shows some minor delays on the Project southbound before the diverge to the Orsett Cock junction and at the southbound merge with the A13 mainline.¶


Deleted: <#>Plate 4.7 additionally shows some minor delays on the Project southbound before the diverge to the Orsett Cock junction and at the southbound merge with the A13 mainline.¶

Plate 4.9 Relative Delay Plot (2045 DM 07:00 - 08:00)



Plate 4.10 Relative Delay Plot (2045 DS 07:00 - 08:00)












Plate 4.12 Relative Delay Plot (2045 DS 08:00 - 09:00)











Plate 4.14 Relative Delay Plot (2045 DS 17:00 - 18:00)



- 4.4.5 The plots show that the traffic conditions of the A13 mainline are free-flowing in all peak periods.
- 4.4.6 Brentwood Road (S) is forecast with long delays in the two AM peak hours in both DM and DS scenarios in 2045.
- 4.4.7 Plate 4.14 shows that the 2045 DS scenario has long delays on the A13 (W) approach extending to the Project.



4.5 Latent Demand

4.5.1 In addition to the junction and journey time results, network latent demand statistics are also provided for the model in Table 4.13. Latent demand is the number of vehicles not being able to deploy in the network within the evaluation period because of congestion. It is typically the total difference between the demand flow and the modelled flow on all the entry links.

Table 4.13 Latent demand [veh]

<u>Scenario</u>	<u>AM 7-8</u>	AM 8-9	PM 17-18
<u>DM 2030</u>	<u>3</u>	<u>23</u>	<u>3</u>
<u>DS 2030</u>	<u>64</u>	2	2
DM 2045	<u>82</u>	<u>458</u>	<u>166</u>
DS 2045	<u>79</u>	<u>48</u>	88

- 4.5.2 Table 4.13 shows that small numbers of vehicles were unable to deploy in the 2030 DM and DS scenarios for all peaks.
- 4.5.3 The level of latent demand is higher in 2045 due to increased congestion. The number of vehicles unable to deploy in the 2045 DM and DS scenarios is less than 1% of total demand for all peaks except in the 0800–0900 hour of the 2045 DM scenario where the level of latent demand is 3% of the total demand.

5 Conclusions

- 5.1.1 This report describes the development of the 2030 and 2045 Do Minimum (DM) and the 2030 and 2045 Do Something (DS) VISSIM models of the Orsett Cock study area that includes the Orsett Cock junction. It also compares the results between the two models.
- 5.1.2 The DS models contain minor modifications, to improve conditions at the junction. Further improvements will be developed through detailed design and stakeholder engagement.
- 5.1.3 The analysis of the traffic conditions at the Orsett Cock junction shows that the Brentwood Road (South) approach is predicted to be over-saturated in DM scenarios (without the Project). The traffic conditions on this approach_improve slightly in DS scenarios (with the Project).
- Overall delays and queueing are forecast to increase at the junction with the implementation of the Project in 2030 and 2045, particularly in the PM peak period with an increase in delays and queues in the 2045 DS scenario on all of the approaches except the A1013 Stanford Rd (East) and A128 Brentwood Road (N) approaches.
- 5.1.5 Analysis of the traffic conditions at the A1013 Stanford Road/ Rectory Road junction shows that Rectory Road is over-saturated in the <u>DM scenarios</u>, and the delays and queues are predicted to decrease in the <u>DS scenarios</u>.

Deleted: initial ideas on changes

Deleted: A128 (S) and the A1013 (W) approaches are

Deleted: these approaches

Deleted: 2030/
Deleted: scenarios
Deleted: A13 (W),

Deleted:), A128 (S) and A13 (E

Deleted: 2030

Deleted: scenario

Deleted: increase

Deleted: 2030

Deleted: due to the higher demand flow in the 2030 DS scenario and the removal of the right turn pocket on A1013 which reduces the gaps in traffic on the A1013 westbound for right turning vehicles from Rectory Road

References

Transport for London (September 2021). Traffic Modelling Guidelines Version 4.0.

https://content.tfl.gov.uk/traffic-modelling-guidelines.pdf

Transport for London (March 2017). Model Auditing Process (MAP) Version 3.5. Engineer Guide for Design Engineer (DE), Checking Engineer (CE) and Model Auditing Engineer (MAE).

https://content.tfl.gov.uk/map-v3-5-engineer-guide.pdf

AECOM (September 2016). A13 Widening – A13 / A128 Orsett Cock Roundabout Assessment of Proposed Layout with Capacity Improvements.

Glossary

Term	Explanation
ANPR	Automatic Number Plate Recognition
ATC	Automatic Traffic Count
DCO	Development Consent Order - Means of obtaining permission for developments categorised as Nationally Significant Infrastructure Projects (NSIPs)
DfT	Department for Transport
DMRB	Design Manual for Roads and Bridges: A comprehensive manual which contains requirements, advice and other published documents relating to works on motorway and all-purpose trunk roads for which one of the Overseeing Organisations (National Highways, Transport Scotland, the Welsh Government or the Department for Regional Development (Northern Ireland)) is the highway authority. For the Lower Thames Crossing, the Overseeing Organisation is National Highways.
Do Minimum	A future year scenario which includes changes to the road network and planned development that is forecast to go ahead, but not the Lower Thames Crossing.
Do Something	A future year scenario which includes changes to the road network and planned development that is forecast to go ahead, and the Lower Thames Crossing.
EB	Eastbound
GEH	A formula used to compare two traffic volumes, named after its originator, Geoff E. Havers. It is similar to a chi-squared test.
HGV	Heavy Goods Vehicle
LGV	Light Goods Vehicle
LinSig	A Design and Assessment Tool for Traffic Signal Junctions and Urban Networks
LMVR	Local Model Validation Report
LTC	Lower Thames Crossing
NB	Northbound
OS	Ordnance Survey
PCU	Passenger Car Unit – a metric used to convert traffic volumes in vehicles to a standard unit. One car = 1 PCU; One HGV = 2.3 PCUs
PTV	German for Planning Transport and Traffic Software package
SATURN	Simulation and Assignment of Traffic to Urban Networks
SB	Southbound
TAG	Transport Analysis Guidance published by DfT

Term	Explanation
TfL	Transport for London - The integrated body responsible for London's transport system
VISSIM	Micro-simulation software developed by PTV. Verkehr In Städten - SIMulationsmodell (German for "Traffic in cities - simulation model)
WB	Westbound

Annexes

Annex A Version and run ID log

A.1.1 Table A.1 provides the model version and run ID log for the Orsett Cock VISSIM model.

Table A.1 Orsett Cock VISSIM model version and run ID log

Version	Run ID	Modelled Year	Changes	LTAM version	<u>Date issued</u>		
Base mo	Base model						
<u>v3</u>	3.0	<u>2016</u>	=	N108R1	July 2022		
Forecast	ing m	odel					
		2030 DM		CM45	Sept 2022		
v4	1 =	2045 DM		<u>CM45</u>	<u>Sept 2022</u>		
<u>v1</u>	<u>1.5</u>	2030 DS	=	<u>CS67</u>	Sept 2022		
		2045 DS		<u>CS67</u>	Sept 2022		
<u>v2</u>	2.4	2030 DM	Matrices updated due to SATURN LTAM model version change CM45 to CM49 and CS67 to CS72. Updated speeds on slip roads to match the posted speeds on	<u>CM49</u>	July 2023		
		2045 DM	Drawing HE540039-CJV-HGN-A13 ZZ000000 Z-SK-CH-90001. Reduced 40mph to 30mph at slip from LTC (South) to Orsett Cock and from 70mph to 50mph at slip from A1089 to LTC (South).	<u>CM49</u>	July 2023		
		2030 DS	Standstill distance on slip roads reduced from 6.0m to 3.0m as vehicles generally stop closer to the vehicle in front on the slip roads compared to the mainline.	<u>CS72</u>	July 2023		

Version	Run ID	Modelled Year	Changes	LTAM version	Date issued
	12	2045 DS	Link behaviour type was changed to "15 - Slip Road" at 5 slip roads. This link behaviour is similar to Freeway (A13) but with shorter standstill distance to allow vehicles to stop/ queue closer to the vehicle in front compared to the mainline. Conflict area 489 changed to passive as part of model refinement. Lane change distance adjusted at various connectors to refine lane change behaviour in the model. Node delay segment increased to 2000m to capture the full delay due to long queues.	CS72	July 2023
<u>v3</u>	3.0	2030 DM	Extended links LTC North and South, A128 North and South, A13 (E) and (W), Rectory Road. Added connector 910726 and modification with DM edge updates to use the outside lane in the southbound circulatory for travelling to A128 (S). Added modification in DS which changes the edges to use the middle lane in the southbound circulatory for travelling to Brentwood Road (S) as part of provisional	CM49	6 October 2023
		2045 DM		CM49	6 October 2023
		2030 DS	improvements. Removed DSD at LTC slip roads (DSD no 97, 55, 56, 49) and converted these to RSA (with one slip of 50mph, 2x 30mph).	<u>CS72</u>	6 October 2023

Version	Run ID	Modelled Year	Changes	LTAM version	Date issued
		2045 DS	Amended RSA lengths in circulatory. Fixed geometry of link 10076 (recalculate the spline). Allow HGV to use the offside lane on 2-lane sections of LTC and A13. Updated all slip roads in the model to use the "Slip Road" link behaviour for consistency. Added additional journey time routes for analysis. DS: Link type change at slip road to be "1003 - Slip Road". Added Pegasus crossing modification. Includes relocation of PT Stop No. 2 Set Node No. 4 evaluation to "False" Activated discharge records at signal stop lines and evaluation for collection of saturation flows	CS72	6 October 2023
<u>v3</u>		2030 DM	Updated all DS forecasting matrices to correct a miscalculation of the DS forecasting matrices. Trips from zones 1-5 and 7 to zones 10 and 11 were affected. Updated PM matrices of	<u>CM49</u>	20 October 2023
	3.6	2045 DM	the DM to correct a miscalculation. Trips to zone 4 were affected. Updated location of journey time marker from zone 4 in DS. Updated DSD number 33 location in DS as it was	CM49	20 October 2023

Version	Run ID	Modelled Year	Changes	LTAM version	Date issued
		2030 DS	previously moved when extending the link. Adjusted signal timings due to updated matrices	<u>CS72</u>	20 October 2023
		2045 DS		<u>CS72</u>	20 October 2023

If you need help accessing this or any other National Highways information, please call **0300 123 5000** and we will help you.

© Crown copyright 2023

You may re-use this information (not including logos) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence.

visit www.nationalarchives.gov.uk/doc/opengovernment-licence/

write to the Information Policy Team, The National Archives, Kew, London TW9 4DU, or email psi@nationalarchives.gsi.gov.uk.

Mapping (where present): © Orown copyright and database rights 2023 OS 100030649. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

If you have any enquiries about this publication email info@nationalhighways.co.uk or call 0300 123 5000°.

"Calls to 03 numbers cost no more than a national rate call to an 01 or 02 number and must count towards any inclusive minutes in the same way as 01 and 02 calls.

These rules apply to calls from any type of line including mobile, BT, other fixed line or payphone. Calls may be recorded or monitored.

Printed on paper from well-managed forests and other controlled sources when issued directly by National Highways.

Registered office Bridge House, 1 Walnut Tree Close,

National Highways Limited registered ir England and Wales number 09346363