

A428 Black Cat to Caxton Gibbet improvements

TR010044

Volume 6

6.3 Environmental Statement

Appendix 14.1: Climate Change Resilience and In-combination
Climate Change Impacts Baseline

Planning Act 2008

Regulation 5(2)(a)

Infrastructure Planning (Applications: Prescribed Forms and
Procedure) Regulations 2009

26 February 2021

Infrastructure Planning

Planning Act 2008

**The Infrastructure Planning
(Applications: Prescribed Forms and
Procedure) Regulations 2009**

**A428 Black Cat to Caxton Gibbet
improvements
Development Consent Order 202[]**

**Appendix 14.1: Climate Change Resilience and In-combination
Climate Change Impacts Baseline**

Regulation Reference:	Regulation 5(2)(a)
Planning Inspectorate Scheme Reference	TR010044
Application Document Reference	TR010044/APP/6.3
Author	A428 Black Cat to Caxton Gibbet improvements Project Team, Highways England

Version	Date	Status of Version
Rev 1	26 February 2021	DCO Application

Table of contents

Chapter		Pages
1	Climate resilience and in-combination climate change impacts baseline	1
1.1	Current baseline	1
1.2	Future baseline – climate resilience assessment	2
1.3	References	5

Table of Tables

Table 1-1: Climate variations for temperature and rainfall for the East Anglia region (1969 to 2018).....	1
Table 1-2: RCP Description	3
Table 1-3: Projected changes to temperature variables (°C)	4
Table 1-4: Projected changes to precipitation variables (%)	4

1 Climate resilience and in-combination climate change impacts baseline

1.1 Current baseline

1.1.1 Historic climate data obtained from the Met Office website (REF 1-1) recorded at the closest meteorological station to the Scheme (Bedford Weather Station) for the period 1981-2010 indicates the following:

- a. Average annual maximum daily temperature was 13.9°C.
- b. July was the warmest month on average (mean maximum daily temperature of 22.1°C).
- c. February was the coldest month on average (mean daily minimum temperature of 0.8°C).
- d. Mean annual rainfall levels were 597.6mm.
- e. October was the wettest month on average (62.5mm of rainfall on average for the month).
- f. February was the driest month on average (36.7mm of rainfall on average for the month).
- g. Windiest month on average was January.
- h. Least windy month was July.

1.1.2 The Met Office baseline climate averages for the East Anglia region (REF 1-2) identify gradual warming (although not uniformly so) between 1969 and 2018, with slightly increased rainfall. Information on mean maximum annual temperatures (°C) and mean annual rainfall (mm) is summarised in **Table 1-1**.

Table 1-1: Climate variations for temperature and rainfall for the East Anglia region (1969 to 2018)

Climate Period	Climate Variables	
	Mean maximum annual temperatures (°C)	Mean annual rainfall (mm)
1969-1978	13.541	567.11
1979-1988	13.329	629.52
1989-1998	14.299	579.7
1999-2008	14.723	663.87
2009-2018	14.704	610.65

1.1.3 As noted by the UK Climate Change Risk Assessment (CCRA) (REF 1-3), the UK's transport infrastructure is already being affected by severe weather events.

- 1.1.4 Specifically, for transport infrastructure, the CCRA identifies two key risks:
- a. Changes in extreme weather conditions, which will affect infrastructure, in particular through storm damage, flooding and high temperatures.
 - b. Flooding of transport, including roads and rail is likely to increase, affecting both urban and rural access routes.

1.2 Future baseline – climate resilience assessment

- 1.2.1 The future baseline is expected to differ from the present-day baseline. UK Climate Projections 2018 (UKCP18) have been developed by the UK Climate Impacts Programme (UKCIP) (REF 1-4) to provide projections for future climate scenarios and trends. The UKCP18 data is the most robust source of information on the UK's future climate.
- 1.2.2 UKCP18 provides probabilistic projections for pre-defined 30-year time periods (such as 2020s (2010 - 2039), 2050s (2040 - 2069) and 2080s (2070 - 2099)) at annual and seasonal levels for changes to mean climatic conditions over land areas. For the purpose of the Scheme, UKCP18 projections for the following climate variables have been obtained and analysed:
- a. Mean annual temperature.
 - b. Mean summer temperature.
 - c. Mean winter temperature.
 - d. Maximum summer temperature.
 - e. Minimum winter temperature.
 - f. Mean annual precipitation.
 - g. Mean summer precipitation.
 - h. Mean winter precipitation.
- 1.2.3 A range of possible Representative Concentration Pathways (RCPs), selected from the Intergovernmental Panel on Climate Change (IPCC) Fifth Assessment Report (REF 1-5), have been used by UKCP18 to inform differing future emission trends. The four scenarios are RCP2.6, RCP4.5, RCP6.0 and RCP8.5. RCP8.5 is the closest to the UKCP09 high emissions scenario previously used as best-practice for climate assessment (refer to **Table 1-2**).

Table 1-2: RCP Description

RCP	Description
RCP2.6	Represents a pathway where greenhouse gas (GHG) emissions are strongly reduced, resulting in a best estimate global average temperature rise of 1.6°C by 2100 compared to the pre-industrial period.
RCP4.5	Medium stabilisation pathway, with some level of mitigation, resulting in a best estimate global average temperature rise of 2.4°C by 2100 compared to the pre-industrial period.
RCP6.0	Medium stabilisation pathway, with some level of mitigation, resulting in a best estimate global average temperature rise of 2.8°C by 2100 compared to the pre-industrial period.
RCP8.5	A pathway where GHG emissions continue to grow unmitigated, leading to a best estimate global average temperature rise of 4.3°C by 2100 compared to the pre-industrial period.

- 1.2.4 IPCC provides evidence to suggest that current global population and urbanisation trends, slow uptake of renewable energy sources, delay in nuclear power growth, and slow development of international climate change policy means that it is most likely that global emissions will follow the predicted RCP8.5 pathway.
- 1.2.5 UKCP18 allows for future climate projections across a range of probability levels to be assessed, ranging from 10% probability to 90% probability:
- a. 10% probability level – this demonstrates what the future change is unlikely to be less than. There is a 90% chance the projected change will be more than this.
 - b. 50% probability level – this is known as the central estimate, with an even chance of it occurring and not occurring.
 - c. 90% probability level – this demonstrates what the future change is unlikely to be more than. There is a 10% chance the projected change will be more than this.
- 1.2.6 Projected temperature and precipitation variables are presented in **Table 1-3** and **Table 1-4** respectively. UKCP18 probabilistic projections for RCP8.5 have been analysed for the 25 km² grid square where the Scheme is located. These figures are expressed as temperature and precipitation anomalies in relation to the 1981-2010 baseline. The 50% probability level has been presented, as well as the range (10% to 90% probability levels).

Table 1-3: Projected changes to temperature variables (°C)

Climate Variable		Time period		
		2020s	2050s	2080s
Mean annual air temperature anomaly at 1.5m (°C)	50% probability	+0.8°	+1.9	+3.7
	Range	+0.3 to +1.3	+0.9 to +3.0	+2.0 to +5.6
Mean summer air temperature anomaly at 1.5m (°C)	50% probability	+1.0	+2.5	+4.9
	Range	+0.3 to +1.7	+1.0 to +4.1	+2.3 to +7.7
Mean winter air temperature anomaly at 1.5m (°C)	50% probability	+0.7°C	+1.7°C	+3.1
	Range	-0.1 to +1.4	+0.5 to +2.9	+1.1 to +5.1
Maximum summer air temperature anomaly at 1.5m (°C)	50% probability	+1.1	+2.8	+5.5
	Range	+0.3 to +2.0	+0.9 to +4.8	+2.2 to +9.0
Minimum winter air temperature anomaly at 1.5m (°C)	50% probability	+0.6°C	+1.6°C	+3.0°C
	Range	-0.1 to +1.4	+0.4 to +3.1	+1.0 to +5.4°C

Table 1-4: Projected changes to precipitation variables (%)

Climate Variable		Time period		
		2020s	2050s	2080s
Annual precipitation rate anomaly (%)	50% probability	+1	-2	-1
	Range	-3 to +4	-8 to +4	-6 to +4
Summer precipitation rate anomaly (%)	50% probability	-6	-21	-34
	Range	-21 to +9	-45 to +3	-64 to -3
Winter precipitation rate anomaly (%)	50% probability	+5	+10	+21
	Range	-3 to +14	-4 to +26	+1 to +46

1.2.7 These projections represent average weather conditions and do not capture the full range of possible future severe weather events (i.e. droughts, heatwaves and prolonged heavy rainfall).

1.2.8 UKCP18 climate change projections have been used qualitatively to identify how events associated with climatic variables change over time. Baseline climatic conditions (as identified through Met Office datasets) can subsequently be compared against climate change projections to indicate the direction and degree of change. This approach allows these events to be prioritised over the duration of a proposed scheme and the requirement for mitigation and adaptation responses to be identified and programmed accordingly.

1.3 References

- REF 1-1 Met Office (2010) The Met Office historic climate data. Available from: <https://www.metoffice.gov.uk/research/climate/maps-and-data/uk-climate-averages>
- REF 1-2 Met Office (2019) The Met Office UK and Regional Series. Available from: <https://www.metoffice.gov.uk/research/climate/maps-and-data/uk-and-regional-series>
- REF 1-3 Committee for Climate Change (2017) UK Climate Change Risk Assessment.
- REF 1-4 UK Met Office (2018) UK Climate Projections 2018 (UKCP18). Available from: <https://www.metoffice.gov.uk/research/collaboration/ukcp/download-data>
- REF 1-5 Intergovernmental Panel on Climate Change (IPCC) (2014) Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change