

From: "Anne-Marie Rogers (HE)" [REDACTED]

Subject: FW: Dove Farm

Date: 21 May 2021 19:18:13 BST

To: [REDACTED]

Good evening Duncan and Maxine,

The DCO application has indeed been accepted for Examination and the Section 56 process is underway. Amendments are still possible, within constraints. Please see below our response to the information you requested. This is included within our DCO application.

I'm delighted you are able to meet with us, I will ask my colleague Laura to arrange.

- Plans showing proposed attenuation basin catchment areas; -

Refer to Sheet 2 of the Engineering Sections (Part 1 - Drainage Layouts) drawings included on the PINS website at the following link:

https://infrastructure.planninginspectorate.gov.uk/wp-content/ipc/uploads/projects/TR010044/TR010044-000180-TR010044_A428_Black_Cat_to_Caxton_Gibbet_Improvements_2-10_Engineering_Sections_Part_1.pdf

- Plans showing the proposed drainage arrangements including pipe networks, SuDS features, outfall locations etc.; and

Refer to Sheet 2 of the General Arrangement Plans included on the PINS website at the following link:

https://infrastructure.planninginspectorate.gov.uk/wp-content/ipc/uploads/projects/TR010044/TR010044-000174-TR010044_A428_Black_Cat_to_Caxton_Gibbet_Improvements_2-4_General_Arrangement_Plans.pdf

Note that proposed SuDS features and outfall locations are

indicated on these drawings. The design of the pipe networks are not available and will be developed as part of the detailed design.

- Plans or a report detailing the proposed flood compensation arrangements and flood zone extents
Refer to the Drainage Strategy Report and Flood Risk Assessment included on the PIN website at the following links:
https://infrastructure.planninginspectorate.gov.uk/wp-content/ipc/uploads/projects/TR010044/TR010044-000383-TR010044_A428_Black_Cat_to_Caxton_Gibbet_Improvements_6-3_Environmental_Statement_Appendices_Appendix_13-3.pdf
https://infrastructure.planninginspectorate.gov.uk/wp-content/ipc/uploads/projects/TR010044/TR010044-000384-TR010044_A428_Black_Cat_to_Caxton_Gibbet_Improvements_6-3_Environmental_Statement_Appendices_Appendix_13-4.pdf

Attached is a copy of the full index to the application that is included on the PINS website and which includes links to all documents included in the application. Also below is the link to the Digital ES that is now available and hopefully will help in navigating the Environmental Statement. <https://ee.alytics.com/highwaysengland-a428-digitales/home>

I hope you find this useful. Thank you for getting in touch

Regards

Anne-Marie Rogers,



From: Duncan Buchanan [REDACTED]

Sent: 18 May 2021 19:44

To: Anne-Marie Rogers (HE) [REDACTED]

[REDACTED] Kirk Macdiarmid

Subject: Fwd: Dove Farm

Dear Anne-Marie,

I refer to the email below sent on the 17th dec to which we have received no response.

We have now received the news that the scheme is now before the Inspectorate detailing how representation can be made.

We are a little confused as we were of the understanding that we were going to have a meeting regarding the amount of land you require from us to deliver your scheme.

Could you explain whether our meeting is still going ahead as we have received no notification of a cancellation of this meeting?

Does the referral to the Inspectorate now mean there cannot be any further changes to the design?

Naturally it would be incredibly frustrating for us since we have paid WSP to prepare for this meeting?

Also could you confirm whether you now have the information referred to in the email? It would be all the more confusing if this information was still not available since it was promised to us

over 2 years ago. This becomes ever more confusing that the design could go before an examiner without such calculations?

We would really appreciate your expertise in these matters.

Many thanks

Duncan & Maxine

----- Forwarded message -----

From: **Duncan Buchanan** [REDACTED]
Date: Thu, Dec 17, 2020 at 7:07 PM
Subject: Fwd: Dove Farm
To: Anne-Marie Rogers (HE) [REDACTED]
[REDACTED], Hazel Gardner (HE)
[REDACTED] Kirk Macdiarmid
[REDACTED], Anthony Groom
[REDACTED]

Dear Anne Marie,

WSP have explained the information provided is not sufficient to answer our questions and prepare for our "virtual" get together. You have explained that the information is not yet available and therefore WSP have asked for the following:

- Plans showing proposed attenuation basin catchment areas;
- Plans showing the proposed drainage arrangements including pipe networks, SuDS features, outfall locations etc.; and
- Plans or a report detailing the proposed flood compensation arrangements and flood zone extents

We are surprised the scheme has gone so far into the process and public consultation without the full report but it does provide us with a sense of relief that this large, expansive land acquisition is still subject to change based on what HE actually need for the engineering aspect of your scheme, rather than vast ponds and large flood compensation areas to justify the moving of the road further into our land.

If the information requested is imminent then perhaps we could hold off so as to ensure everything needing to be discussed can be and such will not feel we would be wasting your valuable time

or tax payers money!!! Again we are grateful for the opportunity to discuss this with you and your team.

Kind Regards

Duncan and Maxine

----- Forwarded message -----

From: **Anne-Marie Rogers (HE)** [REDACTED]

[REDACTED]

Date: Thu, Nov 12, 2020 at 3:07 PM

Subject: RE: Dove Farm

To: [REDACTED]

[REDACTED]

[REDACTED], Kirk Macdiarmid

[REDACTED]

Cc: Hazel Gardner (HE) [REDACTED]

Dear Duncan and Maxine, thank you for the reminder, yes we did have a good break despite the restrictions, thank you.

I'm afraid I can't supply the full flood risk assessment yet as it is not fully complete. We been able to provide an extract from the drainage strategy report which should be more useful, as the FRA does not relate to the micro drainage files.

This document is in draft format as we need to reach agreement with the Inland drainage board as the Flood risk Authority and Beds Borough Council who will adopt the road. However, I wanted to give you an indication of what is being discussed.

I hope we can get together soon, albeit virtually.

Regards

**Anne-Marie Rogers, Senior Project Manager
Complex Infrastructure Programme**

Highways England | Woodlands | Manton Lane | Bedford |
MK41 7LW

Web: <https://highwaysengland.co.uk>

From: Duncan Buchanan [REDACTED]

Sent: 10 November 2020 11:27

To: Anne-Marie Rogers (HE) [REDACTED]

[REDACTED]; Kirk Macdiarmid

[REDACTED] Hazel Gardner (HE)

Subject: Dove Farm

Dear Anne-Marie,

I hope you had a nice time on annual leave...or as nice as it can be in another lock down!!!!

Hazel Said she would have some information available on your return so we can proceed with WSP.

Just to clarify:

"In order to investigate your queries below more thoroughly and understand the design parameters that Highways England's drainage design (contained in the MDX files, received on

2nd October) has been based on, can we please be provided with Highways England's Flood Risk Assessment?"

Kind Regards

Duncan and Maxine

This email may contain information which is confidential and is intended only for use of the recipient/s named above. If you are not an intended recipient, you are hereby notified that any copying, distribution, disclosure, reliance upon or other use of the contents of this email is strictly prohibited. If you have received this email in error, please notify the sender and destroy it.

Highways England Company Limited | General enquiries: 0300 123 5000 | National Traffic Operations Centre, 3 Ridgeway, Quinton Business Park, Birmingham B32 1AF | <https://www.gov.uk/government/organisations/highways-england> | info@highwaysengland.co.uk

Road Project: <https://highwaysengland.co.uk/a428-black-cat-to-caxton-gibbet-home/>

Registered in England and Wales no 9346363 | Registered Office: Bridge House, 1 Walnut Tree Close, Guildford, Surrey GU1 4LZ

Consider the environment. Please don't print this e-mail unless you really need to.

This email may contain information which is confidential and is intended only for use of the recipient/s named above. If you are not an intended recipient, you are hereby notified that any copying, distribution, disclosure, reliance upon or

other use of the contents of this email is strictly prohibited. If you have received this email in error, please notify the sender and destroy it.

Highways England Company Limited | General enquiries: 0300 123 5000 | National Traffic Operations Centre, 3 Ridgeway, Quinton Business Park, Birmingham B32 1AF | <https://www.gov.uk/government/organisations/highways-england> | info@highwaysengland.co.uk

Road Project: <https://highwaysengland.co.uk/a428-black-cat-to-caxton-gibbet-home/>

Registered in England and Wales no 9346363 | Registered Office: Bridge House, 1 Walnut Tree Close, Guildford, Surrey GU1 4LZ

Consider the environment. Please don't print this e-mail unless you really need to.