A66 Northern Trans-Pennine project

TR010062

4.1 Project Development Overview Report Appendix 7 Highways England Business Case A69 Schemes

APFP Regulations 5(2)(q)

Planning Act 2008

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009

Volume 4

June 2022

Infrastructure Planning

Planning Act 2008

The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009

A66 Northern Trans-Pennine project Development Consent Order 2022

4.1 Project Development Overview Report

Appendix 7 Highways England Business Case A69 Schemes

Regulation Number:	Regulation 5(2)(q)
Planning Inspectorate Scheme Reference	TR010062
Application Document Reference	4.1
Author:	A66 Northern Trans-Pennine project, Project Team, National Highways

Version	Date	Status of Version
Rev 1	13 June 2022	DCO Application

Highways England
Business Case

A69 Schemes

Document control

Document information

Document title	A69 Schemes Business Case
Author	[redacted]
Owner	
Distribution	
Document status	Draft

Revision history

Version	Date	Description	Author
0.1	05/09/2016	Revised Template	[redacted]

Reviewer list (consultation/concurrence)

Name	Yes	No	N/A	Role
	☐	☐	☐	Chief Analyst's division
	☐	☐	☐	Health and safety team
	☐	☐	☐	Technical specialists - equality/environment impact assessments
	☐	☐	☐	Commercial Manager
	☐	☐	☐	Procurement Business Partner
	☐	☐	☐	Finance Business Partner
	☐	☐	☐	Tax Manager
	☐	☐	☐	General Counsel
	☐	☐	☐	Human Resources
	☐	☐	☐	Estates
	☐	☐	☐	Information and Technology
	☐	☐	☐	Programme/Portfolio Office

Document sign-off

Name	Signature	Title	Date of issue	Version
		Project Manager		
		Senior Responsible Owner		

Table of Contents

2.1 Business strategy

The single departmental plan describes the Department for Transport's (DfT's) objectives for 2015 to 2020. These are:

- Boosting economic growth and opportunity;
- Building a One Nation Britain;
- Improving journeys; and
- Safe, secure and sustainable transport.

It is these objectives that are filtered down into national, regional and local policy for use when determining the need for and objectives of transport options.

Highways England is the government company tasked with the operation, maintenance and improvement of the Strategic Road Network (SRN) on behalf of DfT. The aims of Highways England are to ensure that the network is:

1. Safe and serviceable;
2. Accessible and integrated; and
3. Supporting economic growth with a modern and reliable road network that reduces delays, creates jobs, helps business and opens up new areas for development.

DfT's first Road Investment Strategy (RIS 1) covered investment in the SRN during the 2015 to 2020 road period which was the first step in a long-term programme to improve England's motorways and trunk roads. The outcome from RIS 1 was the definition of performance specifications, investment plans and a commitment to funding for a number of options where it was deemed most necessary. From this came the requirement for a programme of Strategic Studies to explore options to address some of key challenges identified. One of these studies was the Northern Trans-Pennine Study which comprises the identification of issues and potential interventions on the A69 and A66/A685 corridors. The results of the study are intended to inform investment decisions are made with regards to the second Road Investment Strategy (RIS 2) which covers the second road period of 2020 to 2025.

Transport for the North (TfN), has a vision for the North of England to be a dynamic area of economic growth which complements the London and South East economy and helps to rebalance and grow the national economy. TfN's Transport Strategy and Investment Plan identifies the improvement of North of England east-west road links as fundamental to the growth of the North of England economy, and the lack of Trans-Pennine connectivity has been identified as a major barrier to realise economic growth in the Northern Powerhouse Independent Economic Review (IER). Improvements to the A66/A685 and A69 will positively contribute towards the development of the Northern Powerhouse, which sets out a vision for 'improved east-west major road links to ensure more reliable journey times between major cities within the North' and 'effective road connections to the country's major ports in the North of England'.

Cumbria County Council and Tees Valley LEP are also in the process of undertaking studies to examine connectivity beyond the immediate A69 and A66/A685 corridors. East-west route connectivity is particularly critical for access to Teesport and Durham Tees Valley Airport, providing international connectivity and opening up logistics, freight, container market and aviation-related opportunities for businesses in the Tees Valley and to attract global investment. The route is also an important link for the chemicals and energy companies located at Wilton, and for a number of the Tees Valley's Enterprise Zones. There are currently key east-west links which are considered not to be of an acceptable standard for their strategic importance. These routes include the A66 and A69. East-west connectivity is also an important element in delivering elements of Cumbria's Strategic Economic Plan helping to deliver the economic benefits associated with major energy, nuclear and advanced manufacturing related development in the sub-region. There are also strong linkages with Scotland, and the need to improve cross border transport links and connectivity.

2.2 Drivers for change

2.2.1 Internal business drivers

The key internal business drivers relate to the objectives and resultant policies of national, regional and local bodies. These policies are centred around economic development and the use of transport schemes to facilitate this.

The **Highways England: Strategic Business Plan 2015-2020** recognises that the roads which make up the SRN are a key enabler of economic growth and prosperity. These factors are essential to quality of life. It states that 98% of UK manufacturers consider the condition of roads on the network to be critical to the potential success of a business. Highways England consider that in order to improve the capacity and performance of the network, it will be required to modernise the network. The **Highways England: Delivery Plan 2015-2020** builds on the Strategic Business Plan and provides detail on how the company intends to focus on supporting economic growth, a safe and serviceable network and an accessible and integrated network. The RIS is a key part of this. As previously mentioned, **RIS2** is a crucial internal business driver in order to secure funding for the second road period of 2020 to 2025.

The **Northern Powerhouse: One Agenda, One Economy, One North** – A Report on the Northern Transport Strategy, published in March 2015, identifies that the number, capacity and reliability of east-west road connections is seen as a constraint on the North of England economy. There is a requirement to tackle co-ordination issues in the north so that the whole of the north can be more than the sum of its parts and function as a single, globally significant economic area. The highways vision plan contains a number of aims and aspirations which are of direct relevance to this study, particularly:

- Improve the east-west major road links to ensure better and more reliable journey times between the major cities within the North;
- Ensure effective road connections to the country's major ports in the North of England; and
- Future roads investment in enhancements, maintenance and renewals are better planned between the different organisations.

The ambition for the North of England to be a dynamic area of economic growth which complements the London and South East economy and helps to rebalance and grow the national economy, encapsulated by the Northern Powerhouse Agenda, will benefit from improvements made to the A66 corridor. It is the importance of the A66 as a strategic east-west route which makes the strategic case for intervention, ensuring that the link does not constrain the future economic growth associated with the Northern Powerhouse agenda.

The **Northern Powerhouse Independent Economic Review (IER)**, published in June 2016, sets out a 'transformational' economic future for the North, in which there are substantial improvements in the skills base, in innovation performance, and in transport connectivity, all which

are projected to raise the growth rate of the North's productivity, GVA and employment markedly above past trends, helping to close the productivity and prosperity gap compared with the rest of England. By 2050, GVA is projected to be some 15% higher than a 'business as usual' projection - this means that in 2050, GVA is £97bn higher (in 2015 prices) in the 'transformational' scenario than in the 'business as usual' case. Productivity is some 4% higher and some 850,000 additional jobs are projected compared with 'business as usual' in 2050, and 1.56m jobs more than in 2015.

Achieving this transformation will require long-term improvements in the various drivers of productivity and output growth, including transport connectivity. The IER finds that poor transport links between key settlements are restricting access to centres of employment and reducing the attractiveness of areas for investment, thereby reducing the agglomeration effects, consequently limiting its potential productivity. Addressing transport issues will require "..a new and transformational approach to planning and implementing new transport infrastructure which will enable transformational growth", including targeted investment in new road infrastructure and enhanced global connectivity through ports and airports.

The **National Infrastructure Plan 2014** sets out that the government's aim is to create a national road network fit for the 21st century, which improves economic productivity and supports growth across the country. It seeks to increase capacity, support development, strengthen connectivity, improve reliability and resilience, and to ensure a road network of the best possible quality. The government's vision is the transformation of the nation's road network over the next quarter of a century. This is in line with the A69 interventions proposed.

The **National Infrastructure Commission** (NIC) was created in 2015 to provide an analysis of the UK's long-term infrastructure needs. It will deliver a long-term plan and assessment of national infrastructure needs early in each parliament, setting out what Government is expected to do over the next five year period. One of the focus areas of the NIC is a plan to transform the connectivity of the Northern cities. The Commission will begin work on a national infrastructure assessment, looking ahead to requirements for the next 30 year period. Again, the interventions to the A69 are intended to support this agenda.
The objective of the **2010 – 2015 Government Policy: Freight** is to create an efficient freight transportation system that can help support the national economy. The aim was to improve the reliability of routes for freight traffic, reducing costs through improved journey times. The A66 is a key freight route in the North and, as such, is of significant importance.

A comprehensive review of the freight and logistics industry in the North of England, including freight demand, traffic flows and assessment of the existing infrastructure was undertaken in **TfN's Northern Freight Study**. The study identified that:

- 80% of road freight tonnage in the North is domestic traffic, most of which is relatively short haul and therefore difficult for rail to compete for. This places a heavy burden on the strategic road network.

- Longer distance flows of freight are dominated by North-South movements. Most currently moves by road, including to remote ports, which may not reflect optimal locational, modal and mileage outcomes. Switching these flows to rail or shipping through Northern ports will require investment in the currently constrained East-West axis in the North to reach ports or rail corridors for southwards movements.

- Forthcoming step changes in Northern port capacity (which include the in progress Liverpool2 scheme plus prospects for a redeveloped and expanded Lift-on/Lift-off (LoLo) terminal on the Tees and broader expansion plans for short-sea LoLo and Roll-on/Roll-off (ro-ro) on the Humber) present an opportunity for the North of England to capture a substantial increase in the share of the ferry and container traffic coming to the UK.

- Currently programmed road and rail transport network upgrades will at best, keep pace with demand, and do not include drivers to positively change the investment and locational patterns of Northern freight and logistics. Rail freight is forecast to decline under Do Minimum assumptions while road freight (tonnes lifted) is forecast to grow by ~25% by 2043.

2.2.2 External business drivers

The A69 has a primarily regional and local function and as such, regional and local issues of the relevant Local Authorities (Cumbria County Council, Northumberland County Council, Newcastle City Council and Carlisle City Council) are behind the key internal business drivers.

Cumbria County Council advises that the A69 route plays a critical role in linking the important cities of Carlisle and Newcastle. In this respect, improved journey times and reliability would create significant opportunities to directly support the economies of both cities and the wider north by aiding the movement of goods and workers.

This improved connectivity is important with Carlisle on the cusp of transformative changes, including the delivery of an Enterprise Zone at the north of the City, passenger services from Carlisle Airport (adjacent to the A689), a major urban extension to the south of the City and a number of City Centre regeneration sites. Also important is the onward connectivity offered by the A689 to the A595 and to west Cumbria. The A69 link is considered crucial in achieving this given the reliance on the link.

The **Northumberland Local Plan Core Strategy Pre-Submission Draft** aims to develop healthier communities which are more resilient, sustainable and competitive by 2031. By this time the Core Strategy also plans to provide 381ha of available land for economic development and 24,320 new homes. The dualling of the A69 is specifically named as a desirable scheme within the Core Strategy and will improve connectivity in the region.

Newcastle City Council's Core Strategy establishes a vision for 2030 that Gateshead and Newcastle will be prosperous and sustainable cities, which are unique, distinctive places to live, work and visit. An aspiration is present that residents are able to realise their full potential and enjoy a high quality of lifestyle within the region. The Gateshead and Newcastle population has been estimated to increase by more than 50,000 people by 2030 which will require the creation of 30,000 new homes, 22,000 jobs and a minimum of 150 hectares of employment development. The A69 provides connectivity to surrounding areas, particularly for commuters, and thus is deemed of high importance to achieving this future vision.

The vision of the proposed **Carlisle District Local Plan** is that by 2030 the wider district will have successfully asserted its position as a centre for activity and prosperity, as the capital and economic engine for a region encompassing Cumbria, the western fringes of Northumberland and extending into South West Scotland. Strategic growth is planned within the District of Carlisle, with an annual average of at least 565 new homes and an additional 45ha of employment related development constructed between 2015 and 2030. Sufficient land will also be identified within the city centre to accommodate around 18,700m2 of comparison retail space.

The consensus from **stakeholders** consulted as part of this study is that improvements to the A69 are required to optimise the full economic benefit of planned regional investment, such as the area around Carlisle Airport. Both the A69 and A66 corridors are seen as vital to the functioning of the North East, but serving a different function, with A66 being used more for freight 'route of choice' to avoid the M62 en-route to Scotland, while the A69 serves more local and commuting journeys with less traversing the Pennines.

2.2.3 History and issues with existing arrangements

The A69 serves a predominantly regional and sub-regional function. It is the most direct route for journeys between Tyne and Wear, Durham and North Cumbria, Glasgow, much of the central

belt of Scotland and Cairnryan (for access to Northern Ireland and Republic of Ireland). It also provides a link for freight traffic between the Tyne ports and South West Scotland.

There are a number of communities along the route that have substantial commuting flows into regions either end of the route, for example between Hexham and Newcastle and between Brampton and Carlisle. These destinations also offer health, education, professional services and retail opportunities which are not always available in the communities along the route and access to these is integral to their future vitality.

The Carlisle to Newcastle rail line, provides a public transport alternative to car drivers along the transport corridor for some journeys. However, the current rail service is slow (85-95 mins between Newcastle and Carlisle) and infrequent (1 tph between Newcastle and Carlisle). There are committed improvements from December 2017 for this route as part of the Northern Connect network, providing new trains, improved frequency (2 tph between Newcastle and Carlisle) and comparable end to end journey times to car travel. Given the commuting flows to Newcastle and Carlisle and the attractions of other destinations, such as the Metrocentre at Gateshead, there is the potential for enhanced rail services to improve the public transport accessibility for communities along the corridor.

The A69 is also a key regional route for access to tourism facilities, with frontiers of the Hadrian's Wall World Heritage Site and the presence of the North Pennines Area of Outstanding Natural Beauty, Northumberland National Park and Northumberland Dark Sky Park all situated within 2km of the route corridor.

The single carriageway sections on the A69 affect journey speeds and reliability. Specific pinch points such as Warwick Bridge (speed limit of 30mph) and the lack of overtaking opportunities, for example the incline at Low Row, have an impact on journey times and reliability.

Figure 2: Speed Variability on A69



Figure 1 shows analysis of speed variability on the A69. The results show a wide range of daily average of speeds particularly on single carriageway sections. For example on Section 2 near Greenhead daily average speeds range between 59mph and 42mph with an annual average speed of 51mph.

Analysis of collision rate data shows that the section between Carlisle and Brampton has a collision rate higher than the national average for the type of road. The data also shows that the

A69 overall has a higher than national average number of collisions involving HGVs. There is no evidence to identify a consistent explanation for these findings although anecdotally it is felt that the single carriageway sections, particularly where there is a pinch point such as Warwick Bridge, and lack of overtaking opportunities create frustration and inappropriate driving behaviour.

As with the A66, and noted above, the A69 is a vital transport link for communities along its route. Again many communities, such as Brampton and Haydon Bridge have been bypassed by previous interventions but the current route has an adverse impact on Warwick Bridge, where the route runs directly through a large village.

Due to the proximity of the existing A69 carriageway to existing sensitive uses, including residential properties, there are a number of Noise Important Areas (NIAs) declared along the existing A69 corridor. There are also a number of Pollution Climate Mapping (PCM) links at the eastern end in the Newcastle / Gateshead Conurbation which are currently in exceedance of EU limits. In addition, some sections of the existing carriageway are classified as Flood Risk Zone 2/ 3, indicating a Medium / High Risk of Flooding and are also at risk of surface water flooding. The existing traffic runs in close proximity and at times within international and nationally designated heritage assets, including Hadrian's Wall World Heritage Sites, Scheduled Monuments and Listed Buildings. The scheme corridor also runs close to national landscape areas, including the Northumberland National Park / Dark Skies Reserve and North Pennines Area of Outstanding Natural Beauty (AONB).

The table below summarises the key current and future route issues in the A69 corridor:

Route No.	Current Issues/Problems	Additional Future Issues/Opportunities
A69	• Unreliability of journey times due to impact of slow moving vehicles on single carriageway route sections. • Journey uncertainty due to the impact of incidents on single carriageway route sections making it more difficult to keep the route open. • Poor diversionary routes, particularly for HGVs. • Lack of real time journey information exacerbates journey uncertainty issues. • Access to services and employment opportunities for people living in the LEIA. • Alternative rail link is slow and infrequent and provides only a limited alternative public transport link to road. • Major environmental constraints. including frontiers of the Hadrian's Wall World Heritage Site and the presence of the North Pennines Area of Outstanding Natural Beauty, Northumberland National Park and Northumberland Dark Sky Park all situated within 2km of the scheme corridor	• No highway improvement schemes committed to the A69 corridor except for minor works. • Capacity and reliability of east-west road connections is seen as a constraint on the future growth of the North of England economy. • There are Growth plans for Newcastle International Airport and Carlisle Lake District Airport which will require good highway access. • Planned improvements to Newcastle to Carlisle rail link will deliver improved frequencies and new trains. Limitations due to slow line speeds.

2.2.4 Business need and service gaps

The current performance and limitations of the A69 corridor are considered to be a major barrier to future economic development of the North. It is imperative that improvements are delivered in order to tackle the issues and to meet the aims of stakeholders such as National Government, One North, Transport for the North, Highways England, the LEPs and Local Authorities. Improving connectivity in the North of England cannot be tackled with the existing infrastructure in place and thus there is a strong business need for improvements to the A69 corridor.

The need for intervention is summarised in the following table.

Case for Intervention on the A69
• The A69 is the most direct route for journeys between Tyne and Wear, Durham and North Cumbria, Glasgow, much of the central belt of Scotland and Cairnryan (for access to Northern Ireland and Republic of Ireland). The A69 provides an important link for freight traffic between the Tyne ports and South West Scotland. • The A69 also performs a key function in integrating communities along the route into the wider North East/North West economy, and providing a vital commuter link to the Tyne and Wear and Carlisle areas. • The A69 also supports access to key tourist attractions such as Hadrian's Wall World Heritage Site, Northumberland National Park and Northumberland Dark Sky Park. • If improvements are not made to the A69 this will constrain the future economic development of the communities and specific development growth areas, such as Carlisle Airport and Newcastle International Airport. • Interventions will therefore have a positive impact on the economic vitality of local communities and the attractiveness of specific development areas; • Improve travel reliability and network resilience; and • Improve regional connectivity and promote economic growth in the North of England.

2.2.5 Impact of not changing/doing nothing

Except for minor works there are no highway improvement schemes committed to the A69 corridor. There are plans for improving the rail links which would have some impact on communities along the corridor, providing faster and more frequent services to the Carlisle and Newcastle areas for some residents. However, without further investment in addressing the issues identified, the current problems are forecast to persist, if not worsen, in the future.

Existing development plans for the area are only likely to have a relatively modest impact on the future use of the A69 in terms of additional traffic. However, the Northern Powerhouse agenda identifies the need for the northern road network to support the effective movement of freight and, in particular, identifies options to improve the A69 as vital for enhancing the capacity and resilience of the network. The Northern Powerhouse agenda also considers that there will be an increasing demand for the North's ports and airports, and this is supported by the aspirations of the ports and airports in the region.

Growth plans for Newcastle International Airport and Carlisle Lake District Airport are the focus for existing planned development within the LEIA. These will have some impact on traffic patterns or flows, and the plans themselves will depend on good road access to the sites, principally via the A69. Without intervention, the Northern Powerhouse agenda is threatened, as the reliability

of east-west road connections are seen as a constraint on the growth of the North of England economy.

Failure to address current issues, particularly those which have a strategic impact, will have a detrimental impact on Transport for the North's development and infrastructure aspirations for the North of England, in particular:

- The multimodal TfN Freight Study for the North's aspiration to support trade and freight movement within the North and to national/international markets;
- Better connectivity to the region's Airports, to realise the economic benefits of improved global connectivity through better aviation links;
- Improved connectivity between different parts of the region, bringing city regions closer together; and
- Enhancements to the capacity of ports in the North of England and the future importance of a strategic link between the Tees Valley area ports and Northern Cumbria west coast ports such as Workington.

2.3 The programme/project

2.3.1 Scope

The strategic objective of the NTPR Study is to investigate the potential to create a new strategic corridor linking the A1 with the M6 by upgrading one or both of the A66/A685 and A69 routes and making other improvements along their length. Further aims are to improve east-west connectivity within the North of England, whilst considering the impact that any options may have on wider east-west links between the M62 corridor and the Scottish border, build network resilience and promote economic growth.

2.3.2 Study Objectives

The study objectives are summarised in the following table:

No.	Study Objectives
1	Understand the current performance and constraints of the existing road infrastructure, and confirm the strategic case for considering further investment.
2	Identify options for a new strategic corridor upgrading one or both of the A66/A685 and A69 and making other improvements along their length.
3	Understand the operational benefits and challenges of the construction of each of the options, including issues with weather related resilience, diversions following incidents, the safety impact on road users and local communities and highway maintenance impacts.
4	Understand the benefits and impacts resulting from the provision of a new strategic corridor - including the benefits and impacts accruing on the M62 and other existing trans-Pennine routes, including local roads - to further inform the strategic and economic case for investment in new road infrastructure in the corridor.
5	Have reference to and reflect wherever possible the key findings of the other northern Strategic Studies (Trans Pennine Tunnel and Manchester(M60) North- West Quadrant). Specifically, understand the interdependencies between the potential options arising from these studies.

2.3.3 **Strategic benefits**

There will be strategic benefits to a range of users and stakeholders if the interventions are realised.

The current standard of the route, principally its unreliability, is constraining use of the route and inhibiting strategic connectivity and economic growth. It is the importance of the A69 as a strategic east-west route which makes the strategic case for intervention, ensuring that it does not constrain the future economic growth associated with the Northern Powerhouse agenda. The ambition for the North of England to be a dynamic area of economic growth which complements the London and South East economy and helps to rebalance and grow the national economy, encapsulated by the Northern Powerhouse Agenda, increases the potential importance of the A69.

The Northern Powerhouse: One Agenda, One Economy, One North – report documents aspirations to develop a strategy that will explore options to significantly upgrade the A66 from Scotch Corner to Penrith, thus connecting the A1 in the east with the M6 in the west. It is believed that improvements of this nature could potentially create an additional major east-west connection in the North of England to complement the M62, with more reliable journey times between cities in the north.

TfN's Independent Economic Review (IER) supports this aim, stating that achieving transformational growth will require long-term improvements in the various drivers of productivity and output growth, including transport connectivity. The IER finds that poor transport links between key settlements are restricting access to centres of employment and the attractiveness of areas for investment, thereby reducing the agglomeration effects which would help grow its productivity. Addressing transport issues will require "..a new and transformational approach to planning and implementing new transport infrastructure which will enable transformational growth", including targeted investment in new road infrastructure and enhanced global connectivity through ports and airports.

Interventions will therefore have a positive impact on travel reliability, network resilience and future national and regional connectivity and economic growth.

2.3.4 **Key stakeholder and customer requirements**

There is significant local interest in the NTPR study and a Stakeholder Reference Group (SRG) has been established to provide input into the project as it develops. A list of the stakeholders on the SRG is included in Annex 7.1.

Meetings between the integrated delivery team and representatives of the Stakeholder Reference Group were conducted in 2015 in order to establish the views of various parties and all relevant feedback has been taken into account during the preparation of the Stage 1 report.

Following consideration of the initial findings of the Stage 1 report by the DfT and Highways England which identified issues and the requirement for intervention, an option generation workshop was held in January 2016 which was attended by representatives from each organisation and the integrated delivery team. Delegates were invited to identify a long list of interventions which could potentially alleviate the issues and meet the intervention specific objectives. The long list of options were presented to the Stakeholder Reference Group (SRG) on 13th April 2016 where a workshop session was held to discuss any additional options not previously identified. The final long list of options is included in Annex 7.2.

The current and future issues in the A69 corridor, and the need for intervention, were used to generate a set of intervention-specific objectives, shown in the following table, which were agreed with the SRG.

Theme	Description
Economic Growth	Support the economic growth objectives of the Northern Powerhouse agenda
	Improve access to regional economic centres and local growth sites served by the A66/A685 and A69
Connectivity	Ensure the improvement and long-term development of the SRN through providing better national connectivity
	Improve the A66/A685 and A69 as strategic connections for freight traffic
	Maintain and improve access for tourism served by the A66/A685 and A69
	Improve (and as a minimum maintain) access to services and jobs for all local road users
Network Performance	Improve journey time reliability for road users
	Reduce the number and seriousness of incidents involving road users, including Non-Motorised Users (NMUs)
	Improve the resilience of the routes to the impact of events such as roadworks and severe weather events
Environment	Reduce the impact of the routes on severance for local communities
	Minimise adverse impacts on the environment and where possible, optimise environmental improvement opportunities

2.3.5 Options (applicable for strategic outline business case and outline business case stages)

Three categories of options were developed as follows:

- **Route Long Interventions**: Options for improving the routes as a whole, involving large scale route improvements or a large number of smaller improvements of similar types along the routes.
- **Individual Highway Interventions**: Options aimed at improving one localised part of the route, either a junction or a specific route sub-section.
- **Individual Non-Highway Interventions:** Any interventions in the study area aimed at tackling route issues without the need for a highway scheme

In order to determine which of the long list of options should be taken forward, scoring and sifting of the long-list of options was undertaken. The shortened list was then subject to the more detailed Option Assessment Framework (OAF).

The resultant options can be seen in the table below:

Route	No	Option	Description
A69	1	A69 Dualling	• Dual all remaining single carriageway sections • Dual carriageway bypass of Warwick Bridge • Includes Option 2 – Junction Improvement Package
	1a	A69/A689 Dualling	• Dual all remaining single carriageway sections • Dual A689 instead of the Warwick Bridge section • Includes Option 2 – Junction Improvement Package
	2	Junction Improvement Package	• Represents an option to improve junctions on existing dualling section at eastern end of the A69 • Improvements to A69/B6531; A69/A6079 and A69/A68 Junctions • Could be delivered as stand alone scheme or as part of the A69 dualling options (1 and 1a).
	3	Warwick Bridge By-pass	• Single carriageway by-pass of Warwick Bridge
	3a	A689 Dualling	• Dualling of A689 only (alternative to Warwick Bridge by-pass)

2.3.6 Risk and issue management | risks and opportunities

The key risks identified with the shortlisted options are as follows:

- **Delivery risk**: due to unforeseen constraints the option may not be deliverable from an engineering perspective, or may become very costly to deliver;
- **Benefit risks**: option benefits may be lower than currently estimated for the following reasons:
    - Improving the attractiveness of the route may attract more traffic and reduce option benefits;
    - There may be some double-counting of benefits between options which will only be identified when they are all assessed together using the same appraisal tools;
- **Environmental risk**: more detailed environmental assessment work may identify adverse impacts on critical aspects of the local environment. Key risks in this area are the potential impacts on landscape, heritage and ecological designations. Furthermore, there is the potential to affect flood plain storage capacity and water quality as a result of the proposals;
- **Business risk**: the appetite for funding major road improvement options may change with changes to government and/or policy.

2.3.7 Constraints

As with any scheme, there are a number of internal constraints associated with the schemes proposed. Internal constraints include availability of resources and staff and availability of funding. In terms of external constraints the greatest risk at this time is political and financial uncertainty with regards to Brexit.

Corridor Constraints

The A69 is broken up into four sections; with the section from Brampton to the M6 comprising two scenarios for dualling as follows:

- Dual the current A69 including a bypass round Warwick Bridge
- Dual the A689

The constraints for the full dualling options (1 and 1a) are:

- Brampton to M6 via A69 Section (also applicable to Option 3):

  - The A69 is in places directly adjacent to the buffer zone of a World Heritage Site
  - Tie in with M6 Junction
  - A small water course crosses the A69 to the west of Aglionby
  - Aglionby Village to North of A69
  - Warwick-on-eden to North and South
  - River Eden crosses the proposed alignment – River is an SAC
  - The town of Warwick Bridge
  - The bridge is a listed structure.

- Brampton to M6 via A689 Section (also applicable to Option 3a):

  - Junction with M6
  - The A689 is, in part, within the buffer zone of a World Heritage Site and crosses it at Brunston Park
  - The River Eden SAC crosses the A689 to the north west of Brunstock
  - Tie in to the existing A689 roundabout with the B6264
  - Carlisle Airport and its connection to the A689
  - A69/A689 roundabout tie in.

- Brampton to Haltwhistle Section:

  - Town of Brampton to the North of A69
  - Ancient woodland to the south (South East of Brampton)
  - Railway crossing at Denton Mill, surrounded by Ancient Woodland.
  - From Denton Mill East, it is within the buffer zone of a world heritage site
  - At eastern end of section 2, Blenkinsop to the West and the railway is parallel to the A69 to the east, restricting corridor.

- Haltwhistle to Hexham Section:

  - Follows Existing Corridor
  - The River Tyne, crosses and runs parallel to the A69 at various locations.
  - The railway crosses and runs parallel to the A69 at various locations.
  - The Villages of Henshaw, Redburn and Bardon Mill are to the south of the A69.
  - An ancient woodland at Haydon bridge
  - At the eastern tie in there is ancient woodland surrounding the A69 and a Watercourse crossing it.

The constraints for the junction improvements package (Option 2) are:

- Hexham to A69/A1 Junction Section:

  - Dumbbell junction with B6531
  - Hexham Golf course is located to the south East.
  - The river Tyne crosses the A69 to the east of the junction, and is also an SSSI

Environmental Constraints
The topography varies along the corridor from the lowest points within the River Tyne and River Eden Valleys to the highest point on Thirlwall Common, approximately 20m above sea level to approximately 230m above sea level.

The Scheme corridor crosses / lies in close proximity to several statutory environmental designations of international and national value, including: Hadrian's Wall World Heritage Site; 102 Scheduled Monuments; Northumberland Dark Sky Reserve; North Pennines AONB; Northumberland National Park; River Eden and its tributaries Special Area of Conservation (SAC); and, 16 SSSIs intersect the Scheme corridor. There are nine Noise Improvement Areas (NIAs) along the A69 corridor. There are no Air Quality Management Areas (AQMAs), although there are some PCM links. The Scheme corridor is predominantly classified as Flood Risk Zone 1 (low risk) but various sections of the corridor are within areas designated as Flood Risk Zone 2 / 3 (medium to high risk) of fluvial and surface water flooding. There are also a number of important footpaths and cycle routes which traverse / lie in close proximity to the Scheme corridor. There are a number of existing residential properties adjacent to the Scheme corridor within the conurbations, towns, villages and isolated properties along the existing A69 and A689 carriageways.

2.3.8 **Key assumptions**

The key assumptions in relation to the strategic case for improvements to the A69 corridor are that policies relating to the growth of the North of England economy continue to support the case for an improved east-west strategic crossing and that these policies and strategic case are considered in investment decisions for RIS2.

For environmental topics it has been assumed that mitigation in accordance with the DMRB can be applied. Where there is uncertainty over mitigation, or a perception that mitigation would be above the standard or difficult to provide, appraisal scores have assumed a precautionary/worst case approach. For most topic areas there is a high level of uncertainty as to the likely final score outcome, largely due to the early stage of this process and partly due to the lack of the appropriate level of traffic modelling for environmental topics.

2.3.9 **Dependencies**

There are inter-dependencies with studies of other Trans-Pennine crossings as the strategic case for interventions on the A69 will depend, in part, on other improved east-west crossings, such as a Trans-Pennine Tunnel.

2.4 Recommendation

The major improvements to the A69 considered by this study would be a good fit with strategy and policy objectives for the North of England. The improvements would lead to faster journey times, more reliable journeys and improved safety along the route and generate potential benefits and opportunities for the North of England economy by:

- Improved journey times between Tyne and Wear and Northern Cumbria, generating closer links between two major North of England economic areas;
- A faster and more reliable link for freight between the Tyne ports and those in Northern Cumbria and South West Scotland, supporting the growth strategy of the Northern ports;
- Supporting the development of specific growth sites, such as the Carlisle Airport development area; and
- Providing improved commuter links between communities in the Tyne Valley and employment opportunities in Tyne and Wear and Northern Cumbria, thereby supporting the long term economic viability of these communities.

3. Economic case

3.1 Purpose

The purpose of the economic case is to assess the value for money (VfM) of the options being proposed, that is, to assess whether the benefits delivered outweigh cost of delivering the scheme.

3.2 Economic options

The options for the A69 are either:

- Do Nothing: no changes to the existing infrastructure;
- Dual the remainder of the A69 including a dual carriageway bypass of Warwick Bridge and grade separated junctions on the existing dual section of the route;
- Dual the remainder of the A69 including dualling of the A689 (rather than a bypass of Warwick Bridge) and grade separated junctions on the existing dual section of the route;
- Grade separated junctions on the existing dual section of the route;
- Provide a single carriageway bypass of Warwick Bridge; and
- Dual the A689 and detrunk the A69 through Warwick Bridge.

The difference between the options in cost and benefit terms is the cost and benefit attributable to the improvement schemes and therefore the basis for assessing the schemes' VfM.

3.3 Economic options analysis

3.3.1 Approach to options appraisal

A high level scoring of the two options is carried out using the scoring criteria contained in Table 3.1.

Score	Criteria				
	Requirements	**Quality**	**Time**	**Affordability**	**Risk Profile**
1	Does not meet needs	Does not meet quality criteria	Unable to deliver requirements to target	Far in excess of budget	Very high risk – difficult to mitigate or to provide contingency
3	Does not meet majority of needs	Does not meet majority of quality criteria	Delivers some requirements to target	In excess of budget	High risk – can mitigate with contingency
5	Meets around 50% of needs	Meets around 50% of quality criteria	Delivers around 50% of requirements to target	Delivers key requirements within budget	Medium risk – with mitigation & contingencies in place
7	Meets most key needs	Meets most key quality criteria	Delivers most key requirements to target	Delivers most key requirements to budget	Low risk
10	Meets key needs & most others	Meets key quality criteria & most others	Delivers key requirements & most others to target	Delivers key requirements to budget & most others	Very low risk

Table 3.1: Option Appraisal Scoring

Options	Analysis					
	Requirements	Quality	Time	Affordability	Risk Profile	Total Score
Do Minimum	1	1	1	No cost	1	4
Dual A69 via Warwick Bridge bypass	10	7	5	Budget unknown at this time so not scored	3	25
Dual A69 + A689	10	7	5		3	25
Junction Improvements	3	5	7		7	22
Single carriageway bypass of Warwick Bridge	3	5	5		3	16
A689 dualling	5	5	5		3	18

Table 3.2: Option Appraisal Scoring Results

The results in Table 3.2 indicate that delivering an improvement option on the A69 outscores the Do Minimum. The full dualling options provide the highest overall score.

3.3.2 **Requirements - critical success factors**

Critical Success Factors (CSF) >>	Deliver Economic Growth	Improve Connectivity	Improve network performance	Minimise adverse environmental impacts
Dual A69 via Warwick Bridge bypass	Will facilitate local and regional economic growth through improved east – west route provision	Will improve connectivity for east – west movements, freight, tourism and local residents	A fully dualled route will improve journey time reliability, resilience of the route during incidents or maintenance and reduce collisions	Any improvement scheme has the potential to result in adverse environmental impacts but there are opportunities to mitigate these
Dual A69 + A689	Will facilitate local and regional economic growth through improved east – west route provision	Will improve connectivity for east – west movements, freight, tourism and local residents	A fully dualled route will improve journey time reliability, resilience of the route during incidents or maintenance and reduce collisions	
Junction Improvements	Will provide some economic growth by improving these junctions on the A69	Will partially improve connectivity for strategic east – west movements, freight, tourism and local residents	Will partially improve journey time reliability	
Single carriageway bypass of Warwick Bridge	Will provide some economic growth by improving one section of the A69	Will partially improve connectivity for strategic east – west movements, freight, tourism and local residents	Will partially improve journey time reliability, resilience of the route during incidents or maintenance and reduce collisions	
A689 dualling	Will provide some economic growth by improving one section of the A69	Will slightly improve connectivity for strategic east – west movements, freight, tourism and local residents	Will partially improve journey time reliability, resilience of the route during incidents or maintenance and reduce collisions	

Table 3.3: Critical Success factors

3.3.3 **Quality**

Highways England's Major Project's Project Control Framework (PCF) defines the outputs required at each stage of the PCF lifecycle, and the quality criteria for those outputs. The quality

of the outputs is assessed against the quality criteria by the respective quality reviewer, defined in PCF. Value management, which may be considered to enhance the quality of the outputs, is an integral part of PCF. The project team will be required to identify opportunities to enhance value for money during the design, development, and construction of the project, record these and monitor implementation.

3.3.4 Time

Based on estimates provided by Highways England's Commercial team it is anticipated that each of the options can be delivered by the dates indicated in the table below.

Option	Opening Date
Dual A69 via Warwick Bridge bypass	2025-2029
Dual A69 + A689	2025-2029
Junction Improvements	2025-2029
Single carriageway bypass of Warwick Bridge	2025-2029
A689 dualling	2025-2029

3.3.5 Cost analysis and affordability

The outturn cost of delivering the schemes have also been estimated by Highways England's Commercial team is presented in the table below along with the present value of cost (PVC) in 2010 prices.

Option	Outturn Cost (£m)	PVC (£m)
Dual A69 via Warwick Bridge bypass	[redacted]	£1,122
Dual A69 + A689	[redacted]	£1,102
Junction Improvements	[redacted]	£64
Single carriageway bypass of Warwick Bridge	[redacted]	£135
A689 dualling	[redacted]	£254

3.3.6 Risk and issue management | risk profile

The risks associated with the economic case have been identified and scored according to probability and impact using the risk matrix in Table 3.4.

PROBABILITY						
>75%	Almost Certain 5	5	10	15	20	25
20 to <75%	Likely 4	4	8	12	16	20
2 to <20%	Possible 3	3	6	9	12	15
0.02 to <2%	Unlikely 2	2	4	6	8	10
>0.02%	Rare 1	1	2	3	4	5
	IMPACT	Insignificant 1	Minor 2	Moderate 3	Major 4	Catastrophic 5

Table 3.4: Risk Matrix

Table 3.5 summarises these risks and their scoring in terms of impact on the economic case presented within this report.

Risk	Impact	Probability	Combined
Changes to future traffic growth assumptions lead to change in benefits either up or down.	4	4	16
Changes to construction costs inflation lead to change in costs either up or down	3	3	9
Scheme not delivered in anticipated timescales delays opening year and affects spend profile	1	2	2
Traffic model isn't WebTAG compliant so results are affected	3	3	9
Lack of variable demand modelling affects model results & therefore economic case	3	3	9
Lack of modelling of redistribution impacts affects model results & therefore economic case	3	3	9
Incorrect estimate of construction costs affects economic case	3	3	9
Total			**63**

Table 3.5: Risk Matrix

3.4 Benefits identification

3.4.1 Assumptions for economic cost benefit analysis

To estimate the scheme impacts a spreadsheet based traffic model has been developed and applied. This model has the following characteristics:

- The model is the Northern Transpennine Route Assessment Model (NTRAM) and operates in Microsoft Excel;
- It is a corridor based model covering the strategic road network routes of A69, A66 and A685;
- A spreadsheet model gives ability to model a number of time periods and each hour between 07:00-21:00 is represented discretely, along with an average of 21:00-07:00
- Demand in the NTRAM is split into light and heavy vehicles (no trip purposes included in model);
- The model is calibrated / validated to 2015 traffic count and journey time data. Validation is focussed on the strategic road network mainline and local road sections and junctions are not validated;
- Future year models are available for 2025 and 2040, and include growth based on TEMPRO forecasts for the North West and North East; and
- No wider rerouting or variable demand effects are included in the modelling.

The economic appraisal was generated using the following economic assumptions:

- The appraisal year is 2016;
- A scheme opening year of 2025;
- Costs and benefits are appraised over the period from the current year (2016) to 60 years after scheme opening (2084);
- Investment costs distributed between year 2016/17 and 2028/2029;
- All costs and benefits converted to 2010 prices;
- All costs and benefits discounted to 2010 present values;
- The market price adjustment factor is assumed at 19.0% in-line with WebTAG;
- Discounting is applied at 3.5% up to 30 years from scheme opening followed by 3.0% for the remainder of the appraisal period;
- Delays during construction have not been estimated or included at this stage;

- Benefits are modelled in 2025 and 2040;
- PV Benefits are calculated for travel time savings, vehicle operating cost changes, greenhouse gases and accidents;
- Travel time savings, vehicle operating costs and changes in greenhouse gases are calculated using the values and formulas provided in WebTAG;
- Traffic growth is assumed to be zero after 2040; and,
- Indirect taxation impacts are estimated using the formulas in WebTAG.

The identified scheme impacts are outlined in Table 3.6 and the quantified impacts reported in Table 3.7 with the monetised PVB values in Table 3.8. All of the impacts apart from reliability and wider economic benefits are used in calculating an initial BCR, with these two elements added to form the adjusted BCR.

Benefits	Description
Journey Times	Upgrade of the carriageway from single to dual, or through junction improvements will lead to journey time savings across all time periods. Much of the study area caters for strategic trips and thus the daily traffic profile and benefit stream is not skewed by the peaks. Rather benefits are dispersed more evenly across the period from 07:00-19:00.
Accidents	The dualling schemes are designed to increase capacity and thereby significantly reduce the need for light vehicles to overtake slow moving heavy goods vehicles on busy sections of single carriageway.
Vehicle Operating Costs	As a result of the schemes there is an increase in average vehicle speed and therefore a slight increase in vehicle operating costs.
Reliability	Provision of dual carriageway sections will reduce delays, incidents and the need for route closures, all of which currently impact on journey time reliability.
Wider Impacts	Wider impacts have only been considered in the full dualling option and have been estimated using the approach of Homes and Communities Agency's Additionality Guidance. The option assessed is projected to accelerate housing deliveries and improve employment prospects of residents along the corridor by reducing commuting costs and improving the attractiveness of the corridor for business choosing where to locate. The total benefits presented in this assessment represent the monetised value of the additional jobs projected to be created as a result of the scheme.

Table 3.6: Scheme Benefit Description

Option	Year	Dual A69 via Warwick Bridge bypass	Dual A69 + A689	Junction Improvements	Single carriageway bypass of Warwick Bridge	A689 dualling
Journey Time: Hours Saved ('000)	2025	1,192	1,274	507	94	216
	2040	1,270	1,366	548	101	241
Accident: Annual Reduction in Personal Impact Crashes	2025	7.3	7.3	-	-	-
	2040	3.7	3.7	-	-	-
Greenhouse gases: KG CO2 Reduced	2025	-6.52	-6.52	0.00	0.00	0.00
	2040	-6.57	-6.57	0.00	0.00	0.00
Reliability: Hours Saved ('000)	2025	-219	-219	-123	-26	-52
	2040	-234	-234	-133	-28	-59
Cumulative Dwellings Delivered	60yrs	470	-	-	-	-

Table 3.7: Scheme Benefit Quantification

Option	Dual A69 via Warwick Bridge bypass	Dual A69 + A689	Junction Improvements	Single carriageway bypass of Warwick Bridge	A689 dualling
Journey Times	£287	£319	£106	£19	£45
Accidents	£8	£8	£0	£0	£2
Vehicle Operating Costs	-£55	-£52	£0	£0	£0
Greenhouse Gases	-£18	-£17	£0	£0	£0
Reliability	£45	£44	£22	£6	£12
Wider impacts	£9	£9	£0	£0	£0

Table 3.8: Scheme Benefits PVB (£m)

Using the model the results of the economic case have been calculated as shown in Table 3.9. The adjusted benefit to cost ratio provided in the table is based on the further inclusion of reliability and wider economic benefits in the assessment.

Item	Value (£m in 2010 prices)				
	Dual A69 via Warwick Bridge bypass	Dual A69 + A689	Junction Improvements	Single carriageway bypass of Warwick Bridge	A689 dualling
Climate Change	-£18	-£18	£0	£0	£0
Accidents	£8	£8	£0	£0	£2
Economic Efficiency: All Purposes	£232	£257	£106	£19	£45
Wider Public Finances (Indirect Tax Revenues)	£9	£9	£0	£0	£0
Present Value of Benefits (PVB)	**£231**	**£256**	**£106**	**£19**	**£47**
Present Value of Costs (PVC)	**£1,122**	**£1,102**	**£64**	**£135**	**£254**
Net Present Value (NPV)	**-£891**	**-£845**	**£42**	**-£116**	**-£206**
Benefit to Cost Ratio (BCR, Initial)	**0.21**	**0.23**	**1.65**	**0.14**	**0.19**
Benefit to Cost Ratio (BCR, Adjusted)	**0.31**	**0.34**	**1.99**	**0.18**	**0.23**

Table 3.9: Financial Model Outputs – Initial BCR

The impact of the scheme on other operating and maintenance costs has not been included within the financial model. However, it is estimated that these will increase slightly as a result of the scheme as it will lead to more infrastructure to maintain than in the Do Minimum situation.

3.4.2 **Sensitivity**

The VfM score is most sensitive to changes in the scheme capital costs and journey time benefits. The other quantified impacts are a small percentage of overall journey time benefits and therefore any changes to these values will have little impact on the overall score.

One set of sensitivity tests have therefore been undertaken. This involves recalculating the BCR values with the high and low costs provided by the Highways England commercial team (the results presented in the previous section are based on the central costs).

Table 3.10 presents the results of the high and low cost sensitivity tests.

Scenario	Dual A69 via Warwick Bridge bypass	Dual A69 + A689	Junction Improvements	Single carriageway bypass of Warwick Bridge	A689 dualling
Benefit to Cost Ratio (BCR, Initial) – High Costs	**0.14**	**0.16**	**1.21**	**0.10**	**0.14**
Benefit to Cost Ratio (BCR, Initial) – Central Costs	**0.21**	**0.23**	**1.65**	**0.14**	**0.19**
Benefit to Cost Ratio (BCR, Initial) – Low Costs	**0.27**	**0.31**	**2.15**	**0.18**	**0.24**
Benefit to Cost Ratio (BCR, Adjusted) – High Costs	**0.21**	**0.22**	**1.46**	**0.13**	**0.17**
Benefit to Cost Ratio (BCR, Adjusted) – Central Costs	**0.31**	**0.34**	**1.99**	**0.18**	**0.23**
Benefit to Cost Ratio (BCR, Adjusted) – Low Costs	**0.41**	**0.44**	**2.59**	**0.23**	**0.30**

Table 3.10: High and Low Cost Sensitivity Test BCRs

The results indicate that with the high or low point of the cost range the BCRs respectively decrease or increase but for the majority of schemes the variation isn't sufficient to change the overall value for money category.

3.5 Dependencies

Section 2.3.9 summarises the key dependencies of the case for improvements to the A69 corridor.

3.6 Health and safety impact assessment

No assessment of the potential health and safety impacts of the options has been undertaken to date.

3.7 Equality impact assessment

An appraisal of the Distributional Impacts of each Route Option has not been undertaken at this PCF stage. The spreadsheet model developed for this study limits the value of undertaking a Distributional Impact analysis (formally Social Distributional Impacts), which looks to consider the variance of a transport interventions impacts across different social groups across eight key indicators:

- User Benefits;
- Noise;
- Air Quality;
- Accidents;
- Security;
- Severance;
- Accessibility; and
- Personal Affordability.

Should any of the options progress further, it is proposed that a Distributional Impact Appraisal is undertaken during the next PCF Stage of the study when it is anticipated that the Highways England Northern Regional Model will be available, providing an appropriate tool with which to conduct a Distributional Impact appraisal.

3.8 Environmental impact appraisal

Environmental Impacts

Intervention	Noise*	Air Quality*	Greenhouse Gases*	Landscape	Townscape	Historic Environment	Bio-diversity	Water Environ-ment
Dual A69 via Warwick Bridge Bypass	Slight Adverse	Moderate Adverse	Neutral	Moderate Adverse	Moderate Beneficial	Moderate Adverse	Large Adverse	Slight Adverse
Dual A69 +A689 Dualling	Slight Adverse	Moderate Adverse	Neutral	Moderate Adverse	Moderate Beneficial	Large Adverse	Large Adverse	Slight Adverse
A69 Junction Improvements	Slight Adverse	Moderate Adverse	Neutral	Slight Adverse	Neutral	Slight Adverse	Neutral	Neutral
Warwick Bridge Bypass	Slight Beneficial	Neutral	Neutral	Moderate Adverse	Moderate Beneficial	Moderate Adverse	Large Adverse	Slight Adverse
Dual A689 / De-trunk A69	Slight Beneficial	Neutral	Neutral	Moderate Adverse	Moderate Beneficial	Large Adverse	Large Adverse	Slight Adverse

Table 3.9: Environmental Impact Summary

** WebTAG does not give scores for these topics, these are estimates only, based on a 7 point scale in order to give some proportion to the appraisal.*

Noise

There are nine Noise Important Areas (NIAs) declared along the A69 corridor (at the junction of The Old Chapel / A69 in Warwick-on-Eden, Greenholme Lodge, Broomriggs, Solway View at Low Row, Reaygarth, B6531 / A69, Shaw House, The Chesters / Beckside Gardens and A1(M) / A69 junction). Online widening could result in sensitive receptors being located closer to the carriageway, therefore increasing noise levels at these receptors. Conversely, the schemes may result in traffic being moved away from existing receptors, thereby reducing noise levels conditions. There is also anticipated to be impacts on properties outside of the scheme (e.g. along the A69 corridor in Newcastle). Therefore, the overall impact is considered to be Adverse as there is a likely increase traffic speed with potential increases / decreases in noise levels at existing NIAs and sensitive receptors.

Air Quality

There are no Air Quality Management Areas (AQMA's) located within or adjacent to the Scheme corridor. The nearest AQMA at the western end of the corridor is situated within Carlisle along London Road, approximately 2.6km to the west of the Scheme corridor. In the east, the nearest AQMA is situated within Newcastle-Upon-Tyne City Centre, approximately 4.7km to the east of the A69. The closest AQMAs have been declared for exceedances of the annual mean NO2 objective as a result of emissions from road traffic. There are road links classified under PCM within or immediately adjacent to the Scheme corridor, including the A6079 (north of the A69), A6079 (south of the A69) both classified as 20 - 30 µgm-3 annual mean (2014). The A69 carriageway from Hillhead Road junction to the A1 junction is classified as a PCM link with 40 - 50 µgm-3 (2014). The A1 around the junction with the A69 is classified as 40 - 50 µgm-3 (2014). As such, there are also a number of PCM links at the eastern end in the Newcastle / Gateshead Conurbation which are currently in exceedance of EU limits (but do not lie within the scheme).

The schemes could result in an increase of traffic flows / speeds along the whole of the A69 corridor, which may lead to exceedances of the AQS objective thresholds at receptors along at the PCM links. Online widening could result in sensitive receptors being located closer to the carriageway and these properties could experience slightly worsening air quality. Conversely, the schemes may result in traffic being moved away from existing receptors, thereby improving

air quality conditions. Therefore, the overall impact is considered to be Adverse as there are potential increases in air quality pollutant concentrations at PCM links which are already in exceedance of EU limits.

Greenhouse Gases
As a result of the schemes initial limited traffic modelling has shown that there is likely to be an increase in traffic flows along the whole of the A69 corridor. As such, it is anticipated that greenhouse gas emissions will increase. In addition, the modelling has shown that the some of the schemes are likely to increase speeds across Sections 1 -3 (Carlisle to Hexham) and result in slight localised speed increases at the junctions along Section 4 (Hexham to Newcastle). Increased speed would have an adverse effect on emissions due to vehicles operating at lower fuel efficiency. However, by dualling, it is likely that slow moving traffic will be reduced, particularly around Warwick Bridge. The reduction in slow moving traffic will decrease emissions. Overall, a neutral impact is anticipated due to the potential increases / decreases in greenhouse gas emissions.

Landscape
The landscape along the majority of the scheme corridor is predominantly rural with nucleated settlements / dispersed farmsteads though there are already urbanising influences, including transportation corridors (including existing bypasses and dualling), industrial / commercial areas and high voltage pylons in the vicinity of the scheme corridor. At the eastern and western ends of the A69 corridor, the landscape is dominated by urban centres of Carlisle and Newcastle / Gateshead.

Online widening as part of the schemes would result in changes to the character, local landform and disruption to the existing field pattern and introduce urbanising elements into the landscape which would reduce visual amenity and landscape setting of heritage assets. As a result of the Warwick Bridge Bypass, there is anticipated to be a Moderate Adverse impact on the local landscape. However, there are opportunities through environmental design measures, including landscape planting and cuttings, to minimise the impacts and replace / enhance landscape features. The schemes will have a greater adverse impact on the wider landscape character where the schemes go off line as they will bisect currently rural areas situated away from existing transportation corridors. Whilst, given the location, the schemes don't run within or adjacent to the North Pennine AONB and Northumberland National Park / Dark Skies Reserve, the schemes will need to be sympathetic to these designated landscapes and not impact on visual amenity to / from these areas.

Townscape
As a result of the Warwick Bridge bypass scheme, there is likely to be an improvement of the quality and character of the townscape due to the reduction in traffic flows through the town. This will improve human interaction and allow a greater understanding and appreciation of the cultural associations within the townscape.

Historic Environment
The schemes lie within / in close proximity to the Frontiers of the Roman Empire (Hadrian's Wall) World Heritage Site and 102 Scheduled Monuments (SMs) alongside significant numbers of Conservation Areas and Listed Buildings. Online and offline widening as part of the schemes may have a potentially adverse impact on fabric and setting of SMs, Conservation Areas and Listed Buildings. The dualling of the A689 has the potential to significantly affect the fabric and setting of the Hadrian's Wall World Heritage Site Buffer Zone and Core Area and associated SM's between Carlisle and Brampton. There is also potential to enhance / improve the setting of Listed Buildings at Warwick Bridge by moving traffic away from the assets. There is also the opportunity to enhance the wider setting of assets by re-establishing historic views between monuments and enhancing their context, particularly along Long Row between Brampton and Haltwhistle. There is a high potential for disturbance of buried known and unknown archaeology associated with all archaeological and historical periods, particularly in relation to offline widening.

Biodiversity
The schemes cross the River Eden SAC and lie in close proximity to other Natura 2000 sites and SSSIs. There are a further four Natura 2000 sites, one RAMSAR, 23 SSSIs and one RSPB Reserve between 2km and 10km from the scheme corridor. Online and offline widening, particularly the bypass around Warwick Bridge, may have a potentially Large Adverse impact on the River Eden SAC and Slight Adverse impact on nearby Natura 2000 sites and other designated ecological sites. As a result of the schemes, there are potential Moderate to Slight Adverse impacts upon priority habitats, including purple moor grass, blanket bog, floodplain grazing marshland, deciduous woodland and semi-improved grassland, as land take is needed for the online widening and the offline sections. The loss of such habitats is primarily associated with potential online widening along Long Row.

Water Environment
The scheme corridor crosses two river catchments: Solway - Tweed and Northumbria. There are a number of Main Rivers, ordinary watercourses and field drains in close proximity to the A69 carriageway. The schemes also have the potential to adversely affect drinking water supplies and the ability of the watercourses to support biodiversity, particularly the River Eden SAC. However, with mitigation there is unlikely to be a significant impact on the water environment to support biodiversity within the SAC.

The majority of the Scheme corridor is located within Flood Zone 1, which indicates a low risk of flooding from fluvial sources. However, sections of the A69 and A689 are situated within a mixture of Flood Zones 2 / 3 indicating a medium/high risk of fluvial flooding. This risk is primarily associated with fluvial flooding from the watercourses along the scheme corridor (primarily the River South Tyne / River Eden and their associated tributaries). The Environment Agency's Risk of Flooding from Surface Water Map shows the majority of the Scheme corridor is at very low and low risk of flooding. However, there are isolated areas where a medium to high risk of surface water flooding has been identified, particularly around Haltwhistle, Warwick Bridge, Haydon Bridge and Hexham. The schemes, particularly the Warwick Bridge Bypass, have the potential to reduce the capacity of the floodplain and increase surface water run-off due to increased area of impermeable surfaces. However, it is anticipated that such impacts can be addressed through the incorporation of attenuation and storage within the design.

There are water abstraction licenses from groundwater sources but no groundwater source protection zones within close proximity to the schemes. The underlying groundwater along the scheme corridor is classified as a mixture of low importance to high importance aquifers. The scheme corridor does not lie within a groundwater Source Protection Zone. As a result of the scheme, with mitigation in place, there is limited potential for adverse impacts on the quantity and quality of the groundwater.

3.9 Whole life value assessment (extant methodologies).

In line with the DfT's WebTAG, the costs associated with the development, construction, operation and maintenance of each Option have been accounted for and the impacts have been assessed over a 60 year appraisal period from option opening.

The Options are expected to have a 120 year design life. In line with the guidance provided in WebTAG unit A1.1 Cost Benefit Analysis, the residual value of the option has not been included in the appraisal.

3.10 Key findings from the strategic and economic cases

Assessment of the strategic and economic cases for the options lead to the following conclusions:

- Dualling the A69 would provide some strategic benefits, many of which are not quantifiable within this study. Based on the quantifiable benefits the scheme is shown to provide fewer benefits that it costs when considering all quantified impacts.

- The provision of a bypass for Warwick Bridge does not provide many benefits compared with the level of cost incurred, and there are significant engineering and environmental barriers to providing a dual carriageway by-pass.
- Dualling the A689 instead of by-passing Warwick Bridge would generate a better economic case if it is decided that the strategic benefits of dualling the remainder of the A69 merit further investigation of this option.
- The junctions improvement scheme is shown to provide the best economic case of the options, but more detailed junction modelling will be required to confirm the benefits of this option.

3.11 Recommendation – the preferred option (for outline business case)

The recommendation of the strategic and economic assessment of the options for improving the A69 corridor is that there are some strategic benefits to dualling the A69, but the economic case is weak, particularly if the option includes a by-pass of Warwick Bridge. Subject to further detailed appraisal there is a good economic case for improving junctions on the existing dual section of the A69.

4. Commercial and Procurement case

4.1 Market analysis

Market analysis is a key aspect, both in terms of informing option design, operational /maintenance requirements and the procurement route. Given the timescales associated with delivering options, new framework contracts will need to be let by Highways England. During this process, Highways England will have the opportunity to obtain further market analysis, ensuring that preferred suppliers can offer the range of capabilities required to progress the options.

The construction timeframe is anticipated to coincide with a period of innovation within the motor vehicle industry and change in travel patterns, as well as other wider changes, such as changing social mobility, agglomeration of populations back into cities and changes to goods distribution models. Technology will play a developing role, ensuring that the scheme is fit for purpose over its whole life. As a result, continued market analysis to monitor developments in technology will also be essential and used to inform and update the commercial and procurement strategy.

4.2 Supplier relationship

Highways England works closely with stakeholders and suppliers to ensure that their road network is safe, efficient and meets the needs of road users. The Highways England Strategic Business Plan states that an integral part of the strategy for improving the capacity and performance of the network involves continuing to build relationships with partners, helping Highways England to meet the increasing investment challenge by:

- changing the way Highways England design and package work;
- working with suppliers to develop their capacity and capability;
- working with Transport Focus to better understand and improves people's experience on the network; and
- working more closely with regional and local partners tasked with delivering economic growth.

Furthermore, Highways England's Supply Chain Strategy notes that developing collaborative relationships is a key aim, allowing Highways England to draw more strongly on learning and innovation from both UK and overseas best practices. Currently, Highways England utilises the Collaborative Delivery Framework (CDF) to procure design, construction and professional services in a cost effective way. A key element of the CDF is collaboration and knowledge sharing amongst the suppliers to promote innovation and best value. Aligned with this, the CDF includes the Collaborative Performance Framework (CPF), a tool used to monitor performance but also obtain client feedback.

4.3 External factors

The key external factors (strategic risks and dependencies) have the potential to impact on the commercial viability and procurement options available to Highways England. The Strategic Case Sections 2.3.6 to 2.3.9 provide further details.

4.4 Commercial and Procurement strategy and Procurement options

Highways England's procurement framework for the delivery of major highway schemes is known as the CDF. It provides a procurement route for any project over £15m thus avoiding individual OJEU procurement events. The principles of the CDF are to achieve continuous improvement in health and safety, sustainability, quality, time and cost.

Suppliers to progress any of these options would be appointed through CDF.

The arrangement with the existing supplier to deliver this study is due to terminate in Autumn 2016. If the scheme enters the next stage of assessment, suppliers on the CDF would be invited to tender for the work to deliver the Options Phase of PCF.

4.5 Commercial estimates / performance management /assurance

These elements are discussed in Chapters 5 and 6.

4.6 Risk and issue management - risk allocation and transfer

External risk allocation and transfer will be defined as per the CDF. Highways England's Project Manager would be primarily responsible for risk management and the dissemination of information at regular intervals to the SRO and Project Board.

4.7 Human resources – including TUPE

There are no personnel or TUPE impacts from this scheme.

4.8 Procurement timelines

The table below outlines the activities and indicative timescales to appoint a highways design / traffic modelling supplier. This is based on estimated timescales for appointing a supplier from the CDF.

No.	Activity	Duration
1	Tender documents preparation (Project Team)	1 week
2	Undertake supplier capacity and capability check	1 week
3	Time given to suppliers to submit their tenders	2 weeks
4	Assessment of tenders	1 week
5	Standstill period	1- 2 weeks
6	Target Cost Negotiation	1 -2 weeks
Total Duration		7-9 weeks

5. Financial case

5.1 Impact of accountancy and tax treatments

The accountancy and tax treatments associated with the scheme are not known at this stage as they depend, to a certain degree, on the final procurement approach adopted. Subject to investment approval, these factors will be investigated in detail during PCF Stage 1.

5.1.1 Tax implications

All tax implications are not currently known. However, Non Recoverable VAT will be payable on any option where the majority of the works will be outside of existing Highways England boundaries.

5.1.2 Balance sheet

The balance sheet implications are not known at this stage.

5.2 Financial appraisal

Scheme cost estimates have been produced by Highways England's commercial estimating team for each of the options. These have been developed based on indicative scheme drawings produced by the project team. Maximum (P90), most likely (P50) and minimum (P10) cost estimates have been produced accounting for different levels of uncertainty.

5.2.1 Full financial model

Key assumptions informing the generation of the capital costs include:

- Options and Development Costs – PCF Stages 1-5
- Land – Estimates of the land acquisition costs have been provided by Land Valuation Team. Other elements have had to be estimated, including any properties required for Compulsory Purchase Order (CPO).
- Construction – Using the high level construction programme developed for each Option and drawing on Highways England's Commercial Services Division's cost databases and tools. Includes preliminaries and method related costs.
- Non recoverable VAT – This is derived from an estimate of the proportion of works value outside the highway boundary, to the nearest 5%
- Project Risks – The Risk Register forms the basis of the Project Risk Assessment included in the cost estimate
- Uncertainty – Where risks are difficult to quantify with any precision, project specific adjustments are included
- Programme Risk and Inflation

5.2.2 Summary of costs

The table below summarises the outturn costs for each of the options.

Option	Minimum	Most Likely	Maximum
Dual A69 via Warwick Bridge bypass	[redacted]	[redacted]	[redacted]
Dual A69 + A689	[redacted]	[redacted]	[redacted]
Junction Improvements	[redacted]	[redacted]	[redacted]
Single carriageway bypass of Warwick Bridge	[redacted]	[redacted]	[redacted]
A689 dualling	[redacted]	[redacted]	[redacted]

Outturn Cost Estimates

5.2.3 **Efficiency Plan**

Highways England is committed to delivering VfM for the public and has a commitment to deliver total efficiency savings of over £2.6bn over a 10 year period beginning in 2015. Highways England intends to add value benefits through:

- Reducing costs to deliver the same product and / or outcomes
- Producing higher quality / longer lasting products
- Early or increased realisation of benefits
- Reduction of negative economic consequences

The scheme will continue to be developed in line with the guidelines set out in Highways England's Efficiency and Inflation Monitoring Manual. The manual lays out the approach to measuring, recording and monitoring efficiencies as committed in the Highways England Delivery Plan 2015-2020

5.2.4 **Budget arrangements**

Funding for the scheme is to be provided from DfT / Highways England budgets.

5.2.5 **Funding profile and affordability**

The table below presents the funding profiles developed by the Highways England commercial team for each of the options.

	16/17	17/18	18/19	19/20	20/21	21/22	22/23	23/24	24/25	25/26	26/27	27/28	28/29
	yr 1	yr 2	yr 3	yr 4	yr 5	yr 6	yr 7	yr 8	yr 9	yr 10	yr 11	yr 12	yr 13
Dual A69 via Warwick Bridge bypass	[redacted]												
Dual A69 + A689	[redacted]												
Junction Improvements	[redacted]												
Single carriageway bypass of Warwick Bridge	[redacted]												
A689 dualling	[redacted]												

Funding of Project Costs (£m)

5.3 Risk and issue management | finance risks

Section 6.9 of the Management Case provides details of the risk and issue management process that has been used for PCF Stage 0 and will continue to be used for subsequent PCF Stages. A summary of the risks surrounding the costs estimates and funding are provided below:

- Scheme cost estimates – The forecast cost of the schemes are an order of magnitude estimate, and as such, there is a risk that the cost / construction programme is likely to change when the design of the schemes are developed in more detail
- Inflation – Given the timescales for completion of the schemes, there is a risk of change in the rate of inflation (both up and down) which could mean that actual inflation is different to the forecast rate of inflation included within the estimates.
- Operation / maintenance cost estimates – No detailed assessment of operation and maintenance cost changes has been included at this stage.
- Land cost estimates – Land cost estimates have been prepared as a desktop exercise and there is therefore a risk that the costs and time associated with acquiring land may change as a result of further assessment in the future.
- Timescale estimates – Broad assumptions have been made with regard to the time required for acquiring land and following statutory planning processes, which means that

there is a risk that these processes will take longer and be more costly than has been assumed.

- Ground conditions – Unforeseen ground conditions could impact on the delivery of the schemes, representing additional cost in delivering technical solutions and costs resulting from delays.
- Funding – Specific funding has not been secured. The costs associated with the development and construction of the schemes are significant. Locking in funding will be important to the development of the scheme.

5.4 Employee and non-employee resource plan/assumptions

Resource plans and associated assumptions are generated on a phase-by-phase basis. Subject to investment approval, study team consultants will be chosen from the CDF preferred suppliers via a competitive mini-tender process for the Options phase of the study. Following this process, Highways England will have a clear plan of resource requirements and associated assumptions.

5.4.1 Full-time equivalent employee labour requirements planned

The employee labour requirements are not known at this PCF stage.

5.4.2 Full-time equivalent non-employee labour requirements planned

The non-employee labour requirements are not known at this PCF stage.

5.5 Funding arrangements

The funding arrangements for the next stage are not currently known.

6. Management case

6.1 Introduction and objectives

The Management Case assesses whether the option is deliverable. In line with the DfT Transport Business Case guidance, an explanation of the project planning, governance structure, risk management, communications and stakeholder management, benefits realisation and assurance elements of the proposal are provided. The aim is to provide a clear understanding of what needs to be done, as well as why, when and how, with measures in place to identify and manage any risks. The details outlined are applicable to all Options as, at this early stage in the study process, the details of the overall management structure adopted for the development and construction of any of the Options are the same, regardless of which option is taken forward.

Project Control Framework (PCF)

The overall management of the project will be in accordance with Highways England's PCF which sets out how Highways England, together with the DfT, manage and deliver major improvement projects.

6.2 Programme/project dependencies

The delivery of any option has a number of internal and external factors upon which the option depends. The known project dependencies and how they relate to option delivery are set out in Section 2.3.9.

6.3 Programme/project governance, organisation structure and roles

The project will be governed by a Project Board. The Project Board includes the SRO, Senior User and Senior Supplier. The board is supported by the Project Manager and various technical specialists from Highways England and supply chain at the request of the SRO. The Project Board will be appointed as part of starting up the project.

Assurance for the project will be carried out under the Highways England ICF processes, Highways Investment Board, and internal Major Project procedures, such as the Project Control Framework. On entry to the Project Control Framework the scheme will be subject to peer reviews and audits such as OGC Gateway Reviews and Stage Gate Assessment Reviews.

6.4 Programme/project plan

A high level plan showing each stage of the PCF delivery process is contained below.
For all of the proposed options, it is assumed that PCF Stage 1 to the end of Stage 5 will follow the same timeframe as detailed below:

Stage	Date
PCF Stage 1 Start: Options Identification	Jan-17
PCF Stage 1 End: Options Identification	Aug-18
PCF Stage 2 End: Options Selection	Sep-19
PCF Stage 3 End: Preliminary design	Apr-20
PCF Stage 4 End: Statutory Procedures and Powers	May-21
PCF Stage 5 End: Construction Preparation	Dec-21

For PCF Stage 6 (Construction, Commissioning and Handover Open for Traffic) and Stage 7 (closeout), the durations will be variable depending on the options as detailed below:

Stage	Date				
	Dual A69 via Warwick Bridge bypass	Dual A69 + A689	Junction Improvements	Single carriageway bypass of Warwick Bridge	A689 dualling
PCF Stage 6 End	Dec-28	Jun-29	Jul-23	Jul-24	Dec-25
PCF Stage 7 End	Dec-28	Jun-29	Jul-23	Jul-24	Dec-25

6.5 Communications and stakeholder management

A detailed communications and stakeholder management strategy has not been developed at this stage as the scheme is not currently within a forward delivery programme. A Communications Plan was developed for the study and this will be shared to inform the development of a Communications Plan during start-up of the scheme. A Stakeholder Reference Group was established for the study which included representatives from the local authorities, combined authorities, local enterprise partnership, campaigners, and other statutory bodies. The Reference group met at the end of each stage and enabled the stakeholders to input to the study and provide feedback on the emerging findings. This was supplemented by informal stakeholder engagement exercises with local highways authorities and others as appropriate.

There will be a requirement to conduct formal consultation with the public to confirm the preferred route. Further consultation with statutory bodies will also be required at key milestones in line with best practise and statutory procedures. Consultation with statutory undertakers has not been undertaken as part of the feasibility study and will be done in PCF stage 1.

6.6 Programme/project reporting

On entry to PCF, the Project Team and Project Board will be established. The Project Board will be chaired by the Senior Responsible Owner for the project, and attended by the Senior User (NDD representative) and Senior Supplier (usually the Supplier Director) and other attendees at the discretion of the SRO. The timing of project board meetings will be date or event driven, as appropriate and decided by the SRO.

The Project Manager will be responsible for providing relevant reporting to inform the Project Board of project progress and other matters. Highlight reports for the project board are likely to include an update on: progress against milestones, key issues and risks, actual and forecast financial information, forward look, and items escalated to the Project Board for consideration/a decision. The format and content of these reports will be agreed with the SRO, as part of establishing the project board and defining the Terms of Reference during the start-up phase of the project.

Financial reporting will be carried out in accordance with the requirements of Major Projects Portfolio Office and statutory processes.

On entry to PCF, the scheme will be subject to audits and reviews through the Stage Gate Assessment Review and the Office of Government Commerce Gateway Review processes. The outcomes of these reviews will be provided to the Senior Responsible Owner.

6.7 Implementation of work streams

The key work streams for executing the work are all contained within the table in section 6.4.

6.8 Change management

A Change Management Plan has been established, outlining how changes are proposed, accepted, monitored and controlled and addressing the following activities:

- Identification and inventory of change requests;
- Analysis and documentation of the impact of requested changes;
- Approval or rejection of change requests; and
- Tracking changes and updating of project documentation to account for approved changes.

For the next PCF Stages, the change management process will continue to be undertaken in line with the Highways England PCF protocols. The stages required in the process to control change include as a minimum: clear identification of a requested change, the assessment of its impact, agreement to proceed with the change and re-baselining of scope, time, cost, quality, and is owned and administered by the Project Manager.

6.9 Risk and issues management

A proportionate level of assessment has been undertaken, at an appropriate level of detail for a strategic study.

The key risks are:

1. The findings of the strategic study are indicative; therefore there is a risk that the value for money assessment and BCR calculation could change as a result of further assessment using a bespoke transport modelling tool in the next stage.
2. The option concepts have been based on high level designs. Detailed design may identify issues which mean that the concepts are not deliverable as they stand.
3. The forecast cost of the option identified by the study is an order of magnitude estimate. Therefore there is a risk that the costs are likely to change when the solution is designed.
4. The assessment of the technical feasibility and deliverability of options undertaken as part of the study is heavily reliant on engineering judgement and may change as a result of further assessment.
5. Lands cost estimates have been prepared as a desk top exercise as part of the study. There is a risk that the costs and time associated with acquiring land may change as a result of further consideration in the next stage.
6. Broad assumptions have been made about the time required for acquiring land and following statutory planning processes (where applicable). Therefore, once these issues are considered in more detail, there is a risk that these processes will take longer and be more costly than have been assumed.

On entry to the Project Control Framework, a risk workshop would be held to identify the delivery risks to the scheme.

6.10 Benefits realisation plan

Following successful delivery of the option, it will be important to determine whether the forecast impacts of the option and anticipated benefits have materialised. As such, a robust strategy will be put in place for both the benefits realisation and the associated monitoring and evaluation and a Benefits Realisation plan developed. The Plan ensures that a process is in place to assess whether the option objectives have been successfully realised. As part of this plan, a programme of monitoring will be established from pre-construction through option construction, and for a period of up to 5 years post-option opening.

A Benefits Realisation Plan enables benefits that are expected to be derived from the project to be planned for, managed, tracked and realised. The most important element of a successful project is that it delivers its intended outcomes. An outcome is a result of change which affects real world behaviour or circumstances, and may lead to one or more benefits. A benefit is a

measurable improvement resulting from the changes and outcomes introduced by the project. A benefit must be perceived as an advantage by one or more stakeholders.

Benefits management evolves as the project progresses, and is one of the few elements of project delivery which spans the whole lifecycle of the project, from conception to evaluation to post delivery.

6.11 Programme/project reviews

Programme / project reviews will continue be undertaken in line with the requirements of the PCF, ensuring that the project is keeping to the programme timeframes, and also to identify any issues or problems that may impact delivery of the option. The key review formats include:

- ***Stage Gate Assessment Review (SGAR)*** – evidence based review intended to draw on documentation and activities already produced to ensure that the project has followed the PCF and is ready to proceed to the next stage, subject to investment authorisation.

- ***Independent Assurance Review (IAR)*** – IARs take the form of a 'peer review', whereby independent project managers from outside the project examine the process and likelihood of successful delivery of the project. It is a mandated assurance process for all publically funded major projects.

- ***Operations Technical Leadership Group (TLG)*** – In order to ensure that best practice is applied across relevant programmes of work, the project will be required to present operational solutions to the Operations TLG. The review by the TLG will enable the sharing of knowledge and will achieve consistency of approach across designs.

6.11.1 Reviews completed

The SOBC and supporting documentation have been subject to both a SGAR and IAR at PCF Stage 0.

6.11.2 Review relating to this business case stage

The SOBC and supporting documentation have been subject to both a SGAR and IAR at PCF Stage 0.

6.11.3 Project evaluation reviews

On entry to PCF, the scheme will be subject to audits and reviews through the Stage Gates Assessment Review and the Office of Government Commerce Gateway Review processes.

6.11.4 Post implementation review

Major Projects with a capital cost of over £10m are subject to the Post Opening Project Evaluation process. The evaluation will compare the anticipated costs, benefits and other impacts (dis-benefits) with the outturn situation at one and five years after opening. During the development of the scheme it will be necessary to develop a scheme evaluation plan to set out and agree the scope of the post opening evaluation.

6.11.5 Post project review

A post project review is important for evaluating and learning from the project lifecycle. It enables the project team to define what has been achieved by the investment of money and time into implementation. A project review would be undertaken at the end of the study, should the project receive the necessary investment approvals through to construction.

6.12 Lessons learnt

Recording lessons learnt will be a "live" process that happens throughout all the PCF stages in the delivery of the project.

6.13 Contingency plan

If the scheme enters the next stage of development, and there is a risk of premature closure, it would be possible to establish break points in the contract before it is awarded to a supplier. This would allow the project team to commission the work in stages, and help to facilitate early closure if the risk materialises. All Highways England contracts include standard termination clauses which explain the circumstances in which a contract may be terminated and the subsequent impact.

6.14 Management case findings and conclusions

If the scheme enters the next stage of development, it will be managed in accordance with PCF best practice, and OGC assurance processes.

The standard list of PCF deliverables will be reviewed with the SRO to tailor the requirements of PCF to the project.

7. Annexes

7.1 Stakeholders

• Associated British Ports (Port of Barrow)	• Gateshead Council	• Port of Blyth
• Association of North East Councils	• Hartlepool Council	• Port of Sunderland
• BHS County Access and Bridleways Officer	• Historic England	• Port of Tyne
• Campaign to Protect Rural England (CPRE)	• Lake District National Parks Authority	• Port of Workington
• Carlisle	• Lancashire Council	• Ramblers Association
• CBI North East	• Lancashire LEP	• Redcar & Cleveland Council
• CBI North West	• Middlesbrough	• Road Haulage Association
• Cleveland Police	• National Farmers Union	• South Tyneside Council
• Confederation of Passenger Transport	• National Trust	• Stockton on Tees Council
• CTC - The National Cycling Charity - NE	• Natural England	• Sunderland Council
• Cumbria Chamber of Commerce and Industry	• Network Rail	• Tees Valley LEP
• Cumbria County Council	• Newcastle Upon Tyne Council	• Transport for the North
• Cumbria LEP	• Nexus	• Transport Scotland
• Cumbria Police	• North East Chamber of Commerce	• Wildlife Trusts
• Cumbria Tourism	• North East Combined Authority / NE LEP (Chairman)	• York, North Yorkshire & East Riding LEP
• Darlington Council	• North East LEP	• Peel Ports – Dublin, Glasgow, Liverpool, Heysham, Manchester and Sheerness
• DfT Regional Engagement Team	• North Tyneside Council	• Friends of the Lake District
• Durham Council	• North Yorks LEP	• Northumbria Police
• Durham Police	• North Yorkshire Authority	• Friends of the Earth
• Environment Agency	• North Yorkshire Police	• Northumberland Tourism
• Federation of Small Business (North East)	• Northern Rail	• Freight Transport Association (FTA)
• Federation of Small Business (North West)	• Northumberland County Council	

7.2 Long List of Options

Intervention Category	Ref	A69 Corridor - Potential Options
Route Long Interventions	1.1	Dual the whole of the A69 corridor.
	1.7	Implement overtaking restrictions.
	1.10	Improved levels of signage.
	1.11	Improved speed limit enforcement and provision of camera technology.
	1.12	Improved road user information and provision of technology.
Individual Highway Interventions	1.2	Dual the A689 and de-trunk the A69 corridor (with weight restrictions implemented between Junction 43 and Brampton to divert HGVs onto the A689 instead).
	1.3	Construct a village by-pass around Warwick Bridge.
	1.4	Ban HGVs from entering Warwick Bridge and divert them onto the A689 instead.
	1.5	Introduction of an overtaking or climbing lane at Low Row.
	1.6	Introduction of gradual extension to dual carriageway sections to improve merging of traffic at dual/single sections.
	1.8	A69/B6531 junction improvements.
	1.9	Reduce speed limit on Section 3 (Haltwhistle to Hexham).
	1.16	Grade separation of the A69/A68 roundabout junction to the east of Corbridge.
	1.17	Grade separation of the A69/A6079 roundabout at Hexham.
	1.18	Upgrade the A1/A69 roundabout at Newcastle upon Tyne.
Individual Non-Highway Interventions	1.13	Introduction of a Park & Ride/Park & Rail service between Hexham and Newcastle.
	1.15	Encourage increased use of the Carlisle - Newcastle line. Replace pacer carriages with new rolling stock and review station parking facilities.
	1.19	Improve rail freight links along the A69 corridor.

7.3 Option Summary

Summary of Options and NPV

OPTIONS ANALYSIS					
	£'m	**£'m**	**£'m**	**£'m**	**£'m**
OPTION	**Dual A69 via Warwick Bridge bypass**	**Dual A69 + A689**	**Junction Improvements**	**Single carriageway bypass of Warwick Bridge**	**A689 dualling**
BENEFITS	£231m (PVB)	£256m (PVB)	£106m (PVB)	£19m (PVB)	£47m (PVB)
ONE OFF CAPITAL COSTS	£1,122m (PVC)	£1,102m (PVC)	£64m (PVC)	£135m (PVC)	£254m (PVC)
ANNUAL RUNNING COSTS	Not quantified	Not quantified	Not quantified	Not quantified	Not quantified
WHOLE LIFE COSTS – 17 YRS	Not quantified	Not quantified	Not quantified	Not quantified	Not quantified
CONTINGENCY COSTS	Included in capital costs	Included in capital costs	Included in capital costs	Included in capital costs	Included in capital costs
NPV	-£891m	-£845m	£42m	-£116m	-£206m
RISK	Not quantified	Not quantified	Not quantified	Not quantified	Not quantified
COMMENTS					