

Application by London Luton Airport Limited for an Order granting Development Consent for the London Luton Airport Expansion

Action Points arising from Issue Specific Hearing 8 (ISH8) on environmental matters, health and communities, held on Wednesday 29 November 2023

Action	Description	Action by	When
	nd Vibration		
1	To review the effect of impact piling if it were to occur and whether it needs to be assessed in the Environmental Statement (ES).	Applicant	Deadline (D) 6
2	Clarification of why ML15 monitoring data should be applied to all receptors in the night-time noise assessment, rather than ML16 data. Explain how use of ML16 data would affect the results of the assessment.	Applicant	D6
3	In post hearing note, provide reference to noise contour figures that explain eligibility for traffic and ground noise insulation, which would exclude the need to give a list of eligible properties.	Applicant	D6
4	If available, provide postcodes of previous piling complaints relating to airport works.	Luton Borough Council (LBC)	D6
5	Discuss with operator the geographic extent of the reduction in noise from the use of the full runway length and provide a map showing where this noise reduction could apply.	Applicant	D6
6	Provide details of minutes referred to in the hearing regarding steeper descents and the understanding that the airlines are not prepared to use them when landing at Luton.	LADACAN	D6
7	LADACAN's comments [REP5-072] on the Applicant's [REP3-060] submission highlights that LLAOL's Quarterly Monitoring Reports in 2022/23 show the noise benefit of the A321neo compared to the A321ceo on departure as typically 1dB rather than 2dB used in the Applicant's model. Provide the specific paragraph references that you are drawing on.	LADACAN	D6

Action	Description	Action by	When
8	Submit more detailed comparison table	Applicant	D6
	regarding fleetmix (19 MPPA permission		
	vs Application)		
9	Submit a copy of the airport's quarter	LADACAN	As soon as
	three statistics.		available
Health ar	nd Community		
10	Revise ES Chapter 13 to remove	Applicant	D7
	references to a significant perception		
	effect during operation, consistent with		
	the errata document. In addition, update		
	the document to include the updated		
	future baseline information submitted to		
	the Examination at D4 [REP4-068].		
	Update of ES to also include any		
	adjustments that would result from Action Points 14 or 15.		
11	To confirm in next Statements of	LBC and Joint Host	D6
11	Common Ground (SoCGs) whether they	Authorities	00
	are satisfied with the data sets used.	Additionales	
12	Confirm whether specific known local	Joint Host	D6
	receptors require additional specific	Authorities	20
	information to be supplied.		
13	Submit in writing the comments,	Buckinghamshire	D6/ D7
	including any further follow up	Council/ Applicant	
	comments, made on health. The		
	Applicant to make a written response at		
	D7, including the matter of the errata.		
14	Council to confirm whether the recent	Central	D6
	agreement regarding use of local health	Bedfordshire	
	datasets addresses Local Impact Report	Council	
	[REP1A-002] comments on the absence		
	of Index of Multiple Deprivation scores		
15	and income deprivation data.	Control	
15	Council to explain what the Healthy Airports checklist referred to in its LIR	Central Bedfordshire	D6/ D7
	[REP1A-002] does and what additional	Council/ Applicant	
	benefit using the checklist would provide		
	to the assessment of health and		
	community effects. In addition, confirm		
	whether this is something that can be		
	applied retrospectively. Applicant to		
	respond at following deadline.		
16	Submit Basner reference that sets out	Applicant	D6
	how awakenings have been assessed,		
	or relevant extracts if restricted due to		
	copyright.		
17	Submit a copy of the Euston Station	UK Heath Security	D6
	HS2 condition in relation to health	Agency (UKHSA)	
40	monitoring.		
18	Provide a suggested form of drafting	UKHSA	D6
	regarding a potential health monitoring		
	requirement.		

Action	Description	Action by	When
19	Confirm whether Regulation 21(c) of the	Applicant	D6
10	Infrastructure Planning (EIA)	Applicant	20
	Regulations 2017 would be engaged by		
	the request from UKHSA for monitoring.		
20	Applicant and UKHSA/ Office of Health	Applicant/ UKHSA/	D7
20	and Improvement and Disparities	OHID	21
	(OHID) to meet to discuss possible	••••	
	health monitoring and an agreed		
	position statement/ way forward		
Air Quali			
21	Submit a copy of the note prepared by	Applicant/ Joint	D6
	the Applicant on the Hitchin Air Quality	Host Authorities	
	Management Area (AQMA). Joint Host		
	Authorities to provide their response to		
	the note.		
22	Submit a copy of the Applicant's	Applicant/ LBC	D6
	proposed outline fuel odour control		
	procedure, LBC to provide a response.		
	Discuss a mechanism for LBC to		
	engage with the procedure and explain		
	how the procedure would integrate with		
	any airport environmental management		
	system.		
23	Response/ update on the implications of	Applicant	D6
	the change request for odour and flies		
	and any discussions with the		
	Environment Agency regarding potential		
24	odour controls. Joint Host Authorities to comment on	Joint Host	D6
24	the potential issue of odour and flies	Authorities	00
	from water treatment plant.	Authonnies	
25	Update regarding how potential	Applicant/ IPs	D6/D7
25	complaints in relation to odour could be	Applicatily IFS	00/07
	made and managed, and how this		
	would be secured. Interested Parties		
	(IPs) to comment on subsequent		
	deadline.		
Biodivers			
26	Confirm proximity of Winch Hill Wood to	Applicant	D6
	the nearest proposed car park and		
	explain the implications for the		
	assessment of effects if it is closer than		
	the 64m advised at D5.		
27	Confirm the extent of likely	Applicant	D6
	topographical changes in proximity to		
	Winch Hill Wood. Provide a more		
	detailed assessment of the effects of		
	this on the hydrology beneath the		
	Woodland and the potential effects of		
	this, or explain why this is not required.		
28	Review whether any other sensitive	Applicant	D6
	sites should also be considered in terms		

Action	Description	Action by	When
	of the potential impacts of significant		
	topographical changes on hydrology.		
29	If Actions 26, 27 and 28 result in	Applicant	D7
	changes to the assessment of		
	environmental effects, re-visit the		
	assessment of cumulative assessments		
	on these sites.		
30	It has been confirmed that all protected	Applicant	D6
	woodland and trees have a buffer zone		
	of at least 15m. However, Natural		
	England guidance and IP		
	representations recommend that this is		
	a minimum and may need to be		
	extended depending on the		
	circumstances. Provide further		
	justification regarding the extent of		
	buffer zones around woodland and		
31	protected trees. Confirm whether a location for the	Applicant	
31	relocation of tree T343 has been	Applicant	D6
	identified and, if not, whether this is		
	something that could be secured in the		
	draft DCO.		
Water			
32	Listen to agenda item 6, bullet point 2	Environment	D6
	and provide a written response, if	Agency	
	needed, to any of the points discussed.	0,	
33	Review the proposed changes to the	Applicant	D6
	landform upgradient of the infiltration		
	tanks and describe how this might affect		
	groundwater levels, including whether		
	there would be any implications for the		
	risk of flooding.		
Land Use			<b>D</b> 0
34	Clarify whether Best and Most Versatile	Applicant	D6
	(BMV) land was a factor when		
	optioneering the land requirements. If		
	not, confirm whether it should have been and if this would have resulted in a		
	different outcome.		
35	Explain how retention of Wigmore	Applicant	D6
55	Valley Park would have resulted in a	Аррисан	00
	greater loss of BMV land.		
36	[REP4-070] advises that the area set	Applicant	D6
50	aside for replacement park in the Green		
	Horizons Park permission was required		
	for excavation of material to construct		
	the aviation platform. This was		
	•		
	considered environmentally preferable		
	considered environmentally preferable to importing material. However, the		
	considered environmentally preferable		

Action	Description	Action by	When
Action	considered as part of the balance in this	Action by	Milei
	case.		
Climate (	Change and Greenhouse Gas Emissions		
37	Provide a copy of the Government's	Applicant	D6
•	update 'Jet Zero Strategy: one year on'		
	(July 2023) with signposting to the		
	sections referred to by the Applicant		
	regarding likely future evolution of		
	policy.		
38	LADACAN (and any other IPs) to raise	LADACAN/IPs	D6
	any further comments they wish to		
	make with regards to the sensitivity of		
	the assessment to future operational		
	requirements and pace of technological		
	improvements.		
39	Review the application against the aims	LBC	D6
	of the 'Luton Net Zero: Climate Policy		
	and Action Plan' and whether the		
	proposals would be consistent with this.		
40	Submit any evidence and/or additional	Jane Timmins	D6
	comments that Ms Timmins wishes to	MBE	
	make regarding incidents on the M1, the		
	implications for diversion of traffic onto		
	the surrounding road network, pollution		
	and greenhouse gases.	A 11 /	
41	Provide a full response to the	Applicant	D7
	suggestion that there are methods		
	available to assess the effects of non-		
	carbon dioxide emissions by NEF,		
	including those at D3 [REP3-131]. If there is no proposal to use these		
	methods, please explain why not.		
Landsca	pe and Visual		
42	Submit draft of the assessment on the	Applicant	D6/ D7
74	special qualities of the Chilterns	Applicant	D6/ D7
	National Landscape <sup>1</sup> with completed		
	report to be submitted at the following		
	deadline.		
43	Review whether the special qualities	Applicant	Review by
10	assessment report can be accompanied	, pphoant	D6/ Table and
	by a table showing baseline overhead		map if to be
	flights within the National Landscape		provided D7
	compared to increased flights. If		
	possible, this should include both the		
	percentage increase and numerical		
	increase split between different flight		
	paths. In addition, the report to be		
			1
	accompanied by a map showing		

<sup>&</sup>lt;sup>1</sup> As of 22 November 2023 Areas of Outstanding Natural Beauty (AONB) were renamed National Landscapes

Action	Description	Action by	When
44	Submit the latest version of Frequently	Chilterns	D6
	Asked Questions for the possible	Conservation	
	extension of the National Landscape,	Board	
	including the updated timeframes.		
45	Refer in post hearing note to the new	Chilterns	D6
	measures announced on 29 November	Conservation	
	including the potential search for a new	Board	
	National Park and any implications for		
	the Application.		
46	Provide a written response regarding	Applicant, LBC,	D6
	the application of paragraph 174(a) of	Joint Host	
	the National Planning Policy Framework	Authorities and	
	(NPPF) and whether the landscape that	Central	
	is within the proposed area of search of	Bedfordshire	
	a possible extension to the Chilterns	Council	
	National Landscape should be		
	considered a 'valued landscape'		
47	Provide a response to Natural England	Applicant	D6
	request [REP4-198] to re-evaluate		
	judgements around the 'susceptibility of		
	visual receptors' and the 'value of views'		
	for visual receptors in the Chilterns		
	AONB Sensitivity Test [APP-107].		
	Confirm whether the existing judgement is to be reconsidered and, if not, explain		
	why.		
48	Submission of written response on the	Chilterns	D6
10	implications of Section 245(6) of The	Conservation	
	Levelling-up and Regeneration Act	Board, Joint Host	
	2023, which would amend Section 85 of	Authorities and	
	the Countryside and Rights of Way Act	Central	
	2000	Bedfordshire	
		Council	
49	If possible, provide a video of the fire	Applicant	D7
	training ground in operation that could		
	be made available to Mr Prosser		
	(Central Bedfordshire Council) to enable		
	an understanding of the visual effects of		
	a fire training event.		
50	Joint Host Authorities to provide further	Joint Host	D6/ D7
	detail on the clarity they are seeking	Authorities/	
	regarding the reporting of winter	Applicant	
	screening set out in Appendix 14.5 of		
	the ES [AS-139]. Applicant to respond		
<b>E1</b>	at following deadline.	Applicant	
51	Respond to questions on lighting to be	Applicant	D7
	asked as written questions as the		
	Applicant's lighting expert was not		
50	available (see table below).	Applicant	
52	Applicant to watch the live stream of the section that deals with concerns	Applicant	D6
	regarding lighting and respond to the		

Action	<b>Description</b> points made by the Interested Parties on these matters.	Action by	When
Design			
53	Applicant and LBC to further discuss how design would be reviewed to ensure good design as required by paragraphs 4.29 to 4.35 of the Airport National Policy Statement and paragraph 126 of the NPPF, if it is not to be delivered through an independent design review panel.	Applicant/ LBC	On-going
Heritage			
54	Questions on heritage to be asked as written questions as the Applicant's heritage expert was not available (see table below)	As stated in table	D7

No	Question to	Question
Remain	ning questions for	Landscape and Visual / Design
1	Applicant	Explain why a light obtrusion assessment has been undertaken in line with recommendations from Institute for Lighting Professions Guidance as opposed to undertaking a lighting assessment based on Guidelines for Landscape and Visual Impact Assessment (GLVIA) 3.
2	Applicant	Explain how the Viewpoint HDR Images in Appendix B of the Light Obstruction Assessment [APP-052] meet the Landscape Institute Technical Guidance Note 06/19 Visuals Representation of Development Proposals.
3	Applicant	Explain how the Light Obstruction Assessment [APP-052] using Institute for Lighting Professions Guidance would allow for a reasoned conclusion on the likely significant effects of the Proposed Development.
4	Applicant	For the earth bund illustrated in general arrangement drawing [AS-018] provide a further explanation for the design rationale for the earth bund and, noting its steep gradient and change in levels, how the design approach has had regard to the landscape character assessment for HLCA Area 200 – Peters Green Plateau.
5	Applicant	In respect of the earth bund design, and with reference to paragraph 5.218 of the Airports National Policy Statement, explain how the approach has aimed to avoid or minimise harm to the landscape, providing reasonable mitigation where possible and appropriate.
6	Applicant	Your response to PED.1.6 in ExQ1 [REP4-063] states an earthwork solution is the preferred approach but other options may be considered where this is not possible, which could include retaining walls. However, your response states this has not been factored into the findings in the Landscape and Visual Impact Assessment (LVIA) as this is not the preferred solution, and alternative solutions will only be considered during detailed design. Given that

7	Applicant	<ul> <li>an alternative solution, such as retaining walls, could result in different landscape and visual effects, confirm: <ol> <li>Whether the LVIA assesses a 'worse case' situation.</li> </ol> </li> <li>Whether the requirement for retaining walls as opposed to an earthworks solution result in a materially new or worse environmental effect if required at detailed design stage.</li> <li>Inset 5.5 from the Construction Method Statement [AS-082] shows an illustrative sequence of works to the landfill. Explain what the edge of the platform is indicating and whether this is proposed to be a retaining wall.</li> </ul>
8	Applicant	Paragraphs 4.21 to 4.24 of GLVIA3 identifies mitigation measures in respect of landscape and visual effects with reference to both primary and secondary measures. Can the applicant explain what primary mitigation measures were considered in respect of the siting, layout and parameters of buildings and structures in the Proposed Development.
9	Luton Borough Council	Design Codes: Your responses to ExQ1 PED1.5 [REP4- 187] and action point 31 from ISH6 [REP4-190] considers that design codes would not be appropriate in relation to the DCO as, unlike the New Century Park application which encompassed numerous buildings delivered in phases, the DCO includes only two buildings that would be public facing (Terminal 2 and its plaza and the 400 bed hotel). Given that a number of buildings / structures from the Proposed Development would be visible from a wider area, provide further justification for this position.
Heritag	je	
10	Joint Host Authorities	Confirm if the update to the Gazetteer at D4 [REP4-017] provides the level of detail sought or whether this needs to be supplemented.
11	Applicant	Explain why there are several assets identified in the Cultural Heritage Gazetteer [REP4-017] as experiencing less than substantial harm but Appendix D of the Planning Statement [APP-198] only provides a detailed assessment of two of the assets.
12	Central Bedfordshire Council	Paragraph 5.4.29 of the Local Impact Report [REP1A-002], reiterated in your submissions at D3 and D5, states that the public heritage benefits should be itemised in respect of individual heritage assets within the control of the Applicant, and itemised in respect of the reduction of risks/mitigation measures to individual heritage assets beyond the Applicant's control. Signpost where this policy requirement can be found and explain where in the application documentation this should be included.
13	Applicant	It appears that a number of assets where changes in noise contours are shown in Figures 10.6-10.8 of ES Chapter 10 Figures [APP-150], such as, but not limited to, Church of all Saints in St Paul's Walden Bury and Bonners Farm, have not been included in the Cultural Heritage Gazetteer [REP4-017]. Confirm if this is correct and either include these or explain why this is not being done.

14	Applicant	At ISH6, there was a discussion on whether the increased frequency of flights should be factored into the assessment of more heritage assets. Paragraph 8.1.11 of your post hearing submission for ISH6 [REP3-053] states that Chapter 10 of the ES [AS-077] considered impacts from increased frequency of aviation noise on heritage assets with reference to Luton Hoo RPG where the increased frequency of aviation noise would <i>impact the aesthetic appreciation</i> of the park and would result in a moderate adverse effect, which is considered to be significant. For St Paul's Walden Bury RPG, the assessment concludes that the noise change contours for the operational phases demonstrate a negligible change to the park's noise environment, which would result in no effect to its setting or heritage significance.
		Explain why the assessment for Luton Hoo has considered how the increased frequency of aviation noise would impact the aesthetic appreciation of the asset (in addition to changes in noise contours) but this has not been considered for other designated assets located under the flight paths.
15	Central Bedfordshire Council	In their response to ExQ1 PED.1.13 [REP4-173], Historic England consider that a financial contribution could be a way towards offsetting the residual impact of the proposal that could be put towards conservation management at Luton Hoo. Any costing would be a matter to be negotiated between the Applicant and the local authority. Could you advise whether you have had any negotiations with the Applicant and your views as to whether this would be a suitable form of mitigation?
16	Applicant	It is stated [REP5-052] that the Applicant has considered Historic England's request for a financial contribution towards the conservation management of Luton Hoo Estate, but does not consider there to be sufficient justification to do so. Expand on the reasons for this.
17	Central Bedfordshire Council	Appendix 1 of your post hearing submission for ISH6 [REP3-087] requests additional viewpoints within the grounds of Luton Hoo because Capability Brown's work would be most evident at these positions. The ExA understands that the grounds of Luton Hoo are private land. Please describe the likely receptors and how accessible they are.
18	Applicant	The updated Cultural Heritage Management Plan [REP4- 020] has included further details on monitoring of brick erosion at Someries Castle. Explain what mitigation measures would be put in place if monitoring subsequently finds brick erosion is occurring.