



Gatwick Airport Northern Runway Project

Environmental Statement

Appendix 18.5.2: Health and Wellbeing Baseline Data Tables

Book 5

VERSION: 1.0

DATE: JULY 2023

Application Document Ref: 5.3

PINS Reference Number: TR020005

Table of Contents

1	Introduction	1
2	Health and Wellbeing Baseline Data Tables	1
3	References	12

Tables

Table 2.1.1: Health indicators relevant to health determinant: air quality	1
Table 2.2.1: Health indicators relevant to health determinant: noise	3
Table 2.3.1: Health indicators relevant to health determinant: transport	5
Table 2.4.1: Health indicators relevant to health determinant: lifestyle	6
Table 2.5.1: Health indicators relevant to health determinant: socio-economic factors	8
Table 2.5.2: Health indicators relevant to vulnerable groups (relevant across all health determinants)	10
Table 2.6.1: Health indicators relevant to health determinant: light exposure	10
Table 2.7.1: Health indicators relevant to health determinant: healthcare	11
Table 2.8.1: Health indicators relevant to health determinant: risk perception	11

1 Introduction

1.1 General

- 1.1.1 This document forms **ES Appendix 18.5.2: Health and Wellbeing Baseline Data Tables** (Doc Ref. 5.3) of the Environmental Statement (ES) prepared on behalf of Gatwick Airport Limited (GAL) for the proposal to make best use of Gatwick Airport's existing runways and infrastructure (referred to within this report as 'the Project').
- 1.1.2 This document presents the full updated baseline data tables relating to each health determinant considered in the health assessment, a summary of which is given in **ES Chapter 18: Health and Wellbeing** (Doc Ref. 5.1). Data has been retrieved from the Office for Health Improvement and Disparities (OHID) Fingertips Public Health Outcomes Framework (OHID, 2022) and OHID Local Health (OHID, 2021).

2 Health and Wellbeing Baseline Data Tables

2.1 Air Quality

Table 2.1.1: Health indicators relevant to health determinant: air quality

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Fraction of mortality attributable to particulate air pollution (new method) (30+ yrs) (%)	2021	NA	5.43	5.56	5.25	5.14	5.07	5.45	5.32	4.72	5.15	5.75	5.06	5.29	6.03	5.33	5.44	5.50
Air pollution: fine particulate matter (new method - concentrations of total PM2.5) (µg/m³)	2020	NA	8.37	8.27	7.86	7.66	7.49	7.98	7.94	7.36	7.71	8.36	8.08	8.03	9.31	8.14	8.09	7.54
Under 75 mortality rate from cardiovascular diseases considered preventable (2019 definition) (per 100 000)	2017 - 19	NA	25.78	18.28	19.16	15.25	18.10	13.74	18.38	22.68	21.21	17.93	24.33	26.73	26.62	23.25	22.09	28.06
Under 75 mortality rate from respiratory disease considered preventable (2019 definition) (per 100 000)	2017 - 19	NA	29.80	12.89	12.82	9.47	12.58	11.68	14.88	18.39	14.13	12.06	20.14	24.83	17.77	17.88	16.59	20.22
Under 75 mortality rate from cancer considered	2017 - 19	NA	51.68	44.22	40.30	34.46	36.49	43.06	41.70	47.00	44.50	39.77	53.10	60.21	45.88	48.41	47.67	54.06

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
preventable (2019 definition) (per 100 000)																		
Hypertension: QOF prevalence (all ages) (%)	2021/22	NA	12.81	12.96	13.70	14.69	14.91	14.79	13.98	17.06	15.65	13.15	14.95	9.56	12.42	13.80	14.14	13.97
CHD: QOF prevalence (all ages) (%)	2021/22	NA	2.75	2.55	3.17	3.11	3.27	2.95	2.97	3.67	3.53	2.62	2.87	2.08	2.15	2.82	2.82	3.01
Stroke: QOF prevalence (all ages) (%)	2021/22	NA	1.41	1.69	1.94	2.12	2.01	2.06	1.87	2.48	2.17	1.67	1.88	1.32	1.31	1.80	1.82	1.81
Emergency hospital admissions for coronary heart disease (SAR)	2015-16 to 2019-20	83.00	113.80	72.30	73.60	64.00	65.50	69.50	76.45	66.20	80.30	73.90	76.70	69.90	90.31	76.22	78.00	100.00
Emergency hospital admissions for stroke (SAR)	2015-16 to 2019-20	78.60	73.00	80.80	76.00	78.00	76.50	77.80	77.02	76.70	91.60	87.40	89.70	91.10	100.13	89.44	90.20	100.00
Emergency hospital admissions for Myocardial Infarction (heart attack) (SAR)	2015-16 to 2019-20	75.20	117.90	68.50	69.50	62.90	68.10	70.20	76.18	63.70	82.80	77.80	86.20	69.70	80.80	76.83	85.10	100.00
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD) (SAR)	2015-16 to 2019-20	78.90	120.50	63.20	55.30	47.10	42.30	56.10	64.08	56.00	57.40	60.00	86.50	69.90	80.86	68.44	72.90	100.00
Incidence of lung cancer (SIR per 100)	2015 to 2019	101.60	129.70	81.70	66.60	59.40	59.60	78.40	79.23	82.90	78.90	73.80	93.30	105.80	85.72	86.74	85.70	100.00
Deaths from all cancer under 75 years (Standardised mortality ratio (SMR))	2016 to 2020	104.40	151.10	84.90	82.80	84.60	83.20	83.30	94.98	92.90	92.50	83.10	99.70	107.20	91.78	94.53	93.40	100.00
Deaths from circulatory disease under 75 years (Standardised mortality ratio (SMR))	2016 to 2020	85.50	114.40	76.50	73.80	61.70	63.90	60.40	75.12	82.40	80.20	70.70	89.20	96.90	92.50	85.32	82.40	100.00
Deaths from causes considered preventable under 75 years (Standardised mortality ratio (SMR))	2016 to 2020	99.80	129.20	77.80	71.90	60.60	66.20	70.50	79.37	86.40	79.20	70.60	94.10	111.80	90.62	88.79	84.50	100.00

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Deaths from all cancer all ages (Standardised mortality ratio (SMR))	2016 to 2020	102.40	133.90	88.80	90.10	90.30	88.20	85.30	96.10	94.50	95.20	87.70	101.40	108.80	89.82	96.24	95.20	100.00
Deaths from circulatory disease all ages (Standardised mortality ratio (SMR))	2016 to 2020	94.00	94.70	91.30	81.10	81.60	80.60	76.90	84.37	105.10	90.50	84.50	94.20	98.90	92.50	94.28	91.90	100.00
Deaths from coronary heart disease all ages (Standardised mortality ratio (SMR))	2016 to 2020	88.80	117.80	78.50	66.30	70.90	72.30	66.60	78.73	80.60	85.80	74.90	86.00	86.30	88.45	83.68	83.50	100.00
Deaths from respiratory diseases all ages (Standardised mortality ratio (SMR))	2016 to 2020	113.60	105.80	102.90	96.30	80.30	74.50	83.40	90.53	84.80	86.50	88.70	102.30	93.30	92.74	91.39	89.70	100.00

2.2 Noise

Table 2.2.1: Health indicators relevant to health determinant: noise

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
The rate of complaints about noise (per 1000)	2020/21	NA	11.77	2.22	4.13	5.87	1.73	4.67	5.07	7.67	7.05	5.69	6.21	9.80	27.51	10.65	7.51	12.01
The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime (%)	2016	NA	NA	NA	NA	NA	NA	NA	-	5.67	4.34	6.23	4.87	7.23	11.12	6.58	4.93	5.50
The percentage of the population exposed to road,	2016	NA	NA	NA	NA	NA	NA	NA	-	7.02	6.63	12.90	8.05	8.87	14.58	9.67	8.56	8.48

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
rail and air transport noise of 55 dB(A) or more during the night-time (%)																		
Self reported wellbeing: people with a high anxiety score (16+ yrs) (%)	2021/22	NA	NA	NA	NA	NA	NA	NA	-	26.02	23.92	20.17	22.03	28.54	27.37	24.68	22.33	22.55
Under 75 mortality rate from cardiovascular diseases considered preventable (2019 definition) per (100 000)	2017 - 19	NA	25.78	18.28	19.16	15.25	18.10	13.74	18.38	22.68	21.21	17.93	24.33	26.73	26.62	23.25	22.09	28.06
Suicide rate (10+ yrs) (per 100 000)	2019 - 21	NA	11.76	11.57	8.63	11.03	10.08	13.80	11.15	12.13	11.53	10.10	11.65	14.09	6.22	10.95	10.62	10.43
Years of life lost due to suicide, age-standardised rate 15-74 years: per 10,000 population (3 year average)	2019 - 21	NA	NA	NA	NA	NA	NA	NA	-	38.54	35.39	32.90	38.99	46.03	20.37	35.37	NA	34.60
Hypertension: QOF prevalence (all ages) (%)	2021/22	NA	12.81	12.96	13.70	14.69	14.91	14.79	13.98	17.06	15.65	13.15	14.95	9.56	12.42	13.80	14.14	13.97
CHD: QOF prevalence (all ages) (%)	2021/22	NA	2.75	2.55	3.17	3.11	3.27	2.95	2.97	3.67	3.53	2.62	2.87	2.08	2.15	2.82	2.82	3.01
Depression: QOF incidence (18+ yrs) - new diagnosis (%)	2021/22	NA	NA	NA	NA	NA	NA	NA	-	1.60	1.46	1.32	1.87	1.67	1.26	1.53	NA	1.53
Depression: QOF prevalence (18+ yrs) (%)	2021/22	NA	12.75	11.07	12.65	12.69	10.75	10.75	11.77	15.29	13.11	11.32	14.64	12.86	9.13	12.73	13.13	12.65
Mental Health: QOF prevalence (all ages) (%)	2021/22	NA	NA	NA	NA	NA	NA	NA	-	1.17	0.93	0.74	0.87	1.31	1.21	1.04	NA	0.95
Stroke: QOF prevalence (all ages) (%)	2021/22	NA	1.41	1.69	1.94	2.12	2.01	2.06	1.87	2.48	2.17	1.67	1.88	1.32	1.31	1.80	1.82	1.81
Depression and anxiety prevalence (GP Patient Survey): % of respondents aged 18+ (%)	2016/17	NA	NA	NA	NA	NA	NA	NA	-	13.25	11.97	10.40	13.69	18.52	11.49	13.22	NA	13.74
Emergency hospital admissions for intentional self harm (SAR)	2016/17 - 2020/21	127.30	127.70	98.60	84.00	110.00	84.70	92.70	99.62	115.50	119.70	88.90	105.40	148.10	48.87	104.41	108.30	100.00

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Deaths from circulatory disease under 75 years (Standardised mortality ratio (SMR))	2016/17 - 2020/21	85.50	114.40	76.50	73.80	61.70	63.90	60.40	75.12	82.40	80.20	70.70	89.20	96.90	92.50	85.32	82.40	100.00
Deaths from circulatory disease all ages (Standardised mortality ratio (SMR))	2016/17 - 2020/21	94.00	94.70	91.30	81.10	81.60	80.60	76.90	84.37	105.10	90.50	84.50	94.20	98.90	92.50	94.28	91.90	100.00
Deaths from coronary heart disease all ages (Standardised mortality ratio (SMR))	2016/17 - 2020/21	88.80	117.80	78.50	66.30	70.90	72.30	66.60	78.73	80.60	85.80	74.90	86.00	86.30	88.45	83.68	83.50	100.00

2.3 Transport

Table 2.3.1: Health indicators relevant to health determinant: transport

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Killed and seriously injured (KSI) casualties on England's roads (per billion vehicle miles)	2021	NA	NA	NA	NA	NA	NA	NA	-	140.19	117.82	90.10	88.78	239.11	199.03	145.84	97.72	95.64
Percentage of physically active children and young people (5-16 yrs) (%)	2021/22	NA	43.59	-	50.20	49.58	-	51.04	32.40	48.84	45.78	48.85	45.52	46.61	-	47.12	48.09	47.20
Percentage of physically active adults (19+ yrs) (%)	2020/21	NA	61.91	71.59	76.57	74.46	73.80	74.77	72.18	69.69	70.15	72.19	68.32	69.04	63.40	68.80	69.18	65.94
Percentage of adults walking for travel at least three days per week (16+ yrs) (%)	2019/20	NA	11.98	14.33	13.18	14.21	12.52	10.57	12.80	15.49	13.00	13.71	14.44	33.41	19.15	18.20	14.86	15.14

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Percentage of adults cycling for travel at least three days per week (16+ yrs) (%)	2019/20	NA	3.92	1.18	1.79	0.27	0.71	0.56	1.40	1.42	2.49	1.54	1.10	5.19	1.32	2.18	2.41	2.33
Depression: QOF prevalence (18+ yrs) (%)	2021/22	NA	12.75	11.07	12.65	12.69	10.75	10.75	11.77	15.29	13.11	11.32	14.64	12.86	9.13	12.73	13.13	12.65

2.4 Lifestyle

Table 2.4.1: Health indicators relevant to health determinant: lifestyle

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Violent crime - violence offences per 1,000 population	2021/22	NA	39.62	24.34	19.73	15.93	17.86	19.26	22.79	26.25	24.11	22.31	42.59	33.89	29.93	29.85	32.29	34.95
Reception: Prevalence of overweight (including obesity) (4-5 yrs) (%)	2021/22	NA	21.53	16.41	16.90	16.92	17.06	14.75	17.26	19.84	19.98	15.63	21.31	19.91	22.04	19.79	20.34	22.25
Year 6: Prevalence of overweight (including obesity) (10-11 yrs) (%)	2021/22	NA	37.46	28.82	27.50	29.23	25.09	20.74	28.14	32.83	33.08	24.96	35.83	33.62	41.89	33.70	33.97	37.76
Percentage of adults (aged 18+) classified as overweight or obese (18+ yrs) (%)	2020/21	NA	66.52	60.95	56.68	65.31	63.23	54.54	61.21	64.88	63.85	59.19	63.17	58.81	61.81	61.95	62.35	63.45
Percentage of physically active children and young people (5-16 yrs) (%)	2021/22	NA	43.59	-	50.20	49.58	-	51.04	32.40	48.84	45.78	48.85	45.52	46.61	NA	47.12	48.09	47.20

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Percentage of physically active adults (19+ yrs) (%)	2020/21	NA	61.91	71.59	76.57	74.46	73.80	74.77	72.18	69.69	70.15	72.19	68.32	69.04	63.40	68.80	69.18	65.94
Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults) (16+ yrs) (%)	2019/20	NA	54.44	56.08	59.48	62.30	61.72	57.91	58.66	61.01	60.56	57.48	56.32	65.29	52.19	58.81	58.29	55.43
Emergency hospital admissions due to falls in people aged 65 and over (SAR)	2020/21	NA	2,266.25	2,243.41	2,240.92	2,106.42	2,125.46	2,350.30	2,222.12	2,314.00	2,279.77	2,096.87	2,337.63	2,382.18	1,857.98	2,211.40	2,135.30	2,022.98
Under 75 mortality rate from cardiovascular diseases considered preventable (2019 definition) (PER 100 000)	2017 - 19	NA	25.78	18.28	19.16	15.25	18.10	13.74	18.38	22.68	21.21	17.93	24.33	26.73	26.62	23.25	22.09	28.06
Under 75 mortality rate from cancer considered preventable (2019 definition) (PER 100 000)	2017 - 19	NA	51.68	44.22	40.30	34.46	36.49	43.06	41.70	47.00	44.50	39.77	53.10	60.21	45.88	48.41	47.67	54.06
Access to woodland (%)	2020	NA	NA	NA	NA	NA	NA	NA	-	20.08	14.33	17.15	7.16	11.89	27.76	16.39	15.59	15.00
Hypertension: QOF prevalence (all ages) (%)	2021/22	NA	12.81	12.96	13.70	14.69	14.91	14.79	13.98	17.06	15.65	13.15	14.95	9.56	12.42	13.80	14.14	13.97
CHD: QOF prevalence (all ages) (%)	2021/22	NA	2.75	2.55	3.17	3.11	3.27	2.95	2.97	3.67	3.53	2.62	2.87	2.08	2.15	2.82	2.82	3.01
Depression: QOF prevalence (18+ yrs) (%)	2021/22	NA	12.75	11.07	12.65	12.69	10.75	10.75	11.77	15.29	13.11	11.32	14.64	12.86	9.13	12.73	13.13	12.65
Emergency hospital admissions for coronary heart disease (SAR)	2015/16 - 2019/20	83.00	113.80	72.30	73.60	64.00	65.50	69.50	76.45	66.20	80.30	73.90	76.70	69.90	90.31	76.22	78.00	100.00

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Emergency hospital admissions for stroke (SAR)	2015/16 - 2019/20	78.60	73.00	80.80	76.00	78.00	76.50	77.80	77.02	76.70	91.60	87.40	89.70	91.10	100.13	89.44	90.20	100.00
Emergency hospital admissions for Myocardial Infarction (heart attack) (SAR)	2015/16 - 2019/20	75.20	117.90	68.50	69.50	62.90	68.10	70.20	76.18	63.70	82.80	77.80	86.20	69.70	80.80	76.83	85.10	100.00
Emergency hospital admissions for intentional self harm (SAR)	2016/17 - 2020/21	127.30	127.70	98.60	84.00	110.00	84.70	92.70	99.62	115.50	119.70	88.90	105.40	148.10	48.87	104.41	108.30	100.00

2.5 Socio-economic

Table 2.5.1: Health indicators relevant to health determinant: socio-economic factors

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Inequality in life expectancy at birth (Male) (years)	2018 - 20	NA	7.80	4.10	8.10	4.60	5.20	4.50	5.72	8.10	6.90	6.20	7.80	9.10	9.20	7.88	7.90	9.70
Inequality in life expectancy at birth (Female) (years)	2018 - 20	NA	2.70	5.40	4.70	3.80	2.40	5.10	4.02	5.00	5.80	5.40	5.60	7.70	6.50	6.00	6.00	7.90
Children in absolute low income families (under 16s) (%)	2020/21	NA	17.00	8.50	8.30	7.40	8.50	7.60	9.55	13.90	11.70	7.60	13.80	11.90	12.90	11.97	11.60	15.10
16 to 17 year olds not in education, employment or training (NEET) or	2021	NA	NA	NA	NA	NA	NA	NA	-	4.90	5.99	7.91	5.07	3.80	4.94	5.43	5.40	4.70

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
whose activity is not known (%)																		
19-24 year olds not in education, employment or training (%)	2021	NA	NA	NA	NA	NA	NA	NA	-	NA	NA	NA	NA	NA	NA	-	11.80	NA
Percentage of people in employment (16-64 yrs) (%)	2021/22	NA	83.70	85.80	89.10	84.50	74.80	77.30	82.53	77.10	79.00	80.20	74.20	77.20	73.90	76.93	78.10	75.40
Average Attainment 8 score (15-16+ yrs) (mean score)	2020/21	NA	47.80	53.30	52.50	54.00	55.60	55.20	53.07	49.90	51.60	55.10	51.00	52.40	52.20	52.03	52.10	50.90
Depression: QOF prevalence (18+ yrs)	2021/22	NA	12.75	11.07	12.65	12.69	10.75	10.75	11.77	15.29	13.11	11.32	14.64	12.86	9.13	12.73	13.13	12.65
Affordability of home ownership (ratio*)	2021	NA	9.89	12.14	12.62	11.67	11.93	14.69	12.16	10.66	11.64	12.68	10.20	12.57	11.42	11.53	10.74	9.05
Population who cannot speak English well or at all (%)	2011	2.00	2.70	0.60	0.30	0.30	0.30	0.40	0.77	2.00	0.80	0.70	0.90	0.90	2.49	1.30	0.90	1.70
Child Poverty Income Deprivation Affecting Children (%)	2019	13.90	17.70	9.10	9.00	6.50	6.60	6.40	9.22	16.10	11.00	8.30	15.80	15.30	18.49	14.17	12.40	17.10
Older People in poverty Income deprivation affecting older people (%)	2019	11.50	13.60	7.60	6.80	6.80	6.60	6.30	7.95	11.40	9.50	7.30	11.60	18.70	15.63	12.35	10.20	14.20

Notes:

*Affordability of home ownership -Ratio of median house price to median gross annual residence-based earnings (A higher ratio indicates that on average, it is less affordable for a resident to purchase a house in their local authority district).

Table 2.5.2: Health indicators relevant to vulnerable groups (relevant across all health determinants)

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Population aged 0 to 15 years (%) - children and young people	2020	21.60	23.80	20.70	19.40	19.60	18.10	17.50	19.85	16.90	18.30	19.80	19.50	15.40	22.09	18.67	19.30	19.20
Population aged 16 to 64 years (%) - working age	2020	62.80	63.70	61.00	59.70	59.80	58.90	58.60	60.28	56.90	58.50	61.10	60.10	71.30	64.00	61.98	61.10	62.30
Population aged 65 years and over (%) - older people	2020	15.60	12.40	18.30	20.90	20.60	22.90	23.90	19.83	26.10	23.20	19.20	20.30	13.40	13.91	19.35	19.70	18.50
Income deprivation (%)	2019	9.80	12.40	6.70	6.30	5.30	5.60	5.40	6.95	11.90	8.40	6.10	11.40	12.30	13.65	10.62	9.10	12.90
Limiting long-term illness or disability (%)	2011	15.80	15.50	14.00	14.80	14.20	14.80	14.70	14.67	20.30	17.20	13.50	17.60	16.30	14.62	16.59	15.70	17.60

2.6 Light

Table 2.6.1: Health indicators relevant to health determinant: light exposure

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)							Regional	National
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Incidence of breast cancer (SIR per 100)	2020/21	108.60	114.00	104.80	116.30	107.00	110.20	108.60	110.46	100.30	105.30	11.70	103.70	102.50	97.21	86.79	NA	100.00
Percentage of adults (aged 18+) classified as overweight or obese (years) (%)	2020/21	NA	66.52	60.95	56.68	65.31	63.23	54.54	61.21	64.88	63.85	59.19	63.17	58.81	61.81	61.95	62.35	63.45

2.7 Healthcare

Table 2.7.1: Health indicators relevant to health determinant: healthcare

Indicator name	Time period	Site Specific	Health Local Study Area (HLSA) (District level data)							Six Authority Area (SAA) (County level data)						Regional	National	
		9 Ward Area	Crawley	Reigate & Banstead	Tandridge	Mid Sussex	Horsham	Mole Valley	HLSA Average	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Access to NHS dental services - successfully obtained a dental appointment (18+ yrs) (%)	2020/21	NA	NA	NA	NA	NA	NA	NA	-	76.40	77.00	80.60	73.90	80.00	83.00	78.48	77.30	77.00
Percentage of people who said they had good experience when making a GP appointment (18+ yrs) (%)	2020/21	NA	NA	NA	NA	NA	NA	NA	-	72.40	74.40	73.50	67.40	76.70	73.40	72.97	-	70.70
Emergency hospital admissions for all causes (SAR)	2015/16 - 2019/20	90.00	131.90	89.00	80.60	79.40	78.10	86.10	90.85	90.50	92.90	86.70	95.50	77.50	90.44	88.92	92.00	100.00

2.8 Risk Perception

Table 2.8.1: Health indicators relevant to health determinant: risk perception

Indicator name	Six Authority Area (SAA) (County level data)							Regional	National
	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Self reported wellbeing: people with a high anxiety score (16+ yrs) (%)	NA	NA	NA	NA	28.54	27.37	24.68	22.33	22.55
Suicide rate (10+ yrs) (per 100,000)	NA	NA	NA	NA	14.09	6.22	10.95	10.62	10.43
Years of life lost due to suicide, age-standardised rate 15-74 years: per 10,000 population (3 year average)	NA	NA	NA	NA	46.03	20.37	35.37	NA	34.60
Hypertension: QOF prevalence (all ages) (%)	NA	NA	NA	NA	9.56	12.42	13.80	14.14	13.97

Indicator name	Six Authority Area (SAA) (County level data)							Regional	National
	East Sussex	West Sussex	Surrey	Kent	Brighton & Hove	Croydon	SAA Average	South East	England
Depression: QOF incidence (18+ yrs) - new diagnosis (%)	NA	NA	NA	NA	1.67	1.26	1.53	NA	1.53
Depression: QOF prevalence (18+ yrs) (%)	NA	NA	NA	NA	12.86	9.13	12.73	13.13	12.65
Mental Health: QOF prevalence (all ages) (%)	NA	NA	NA	NA	1.31	1.21	1.04	NA	0.95
Depression and anxiety prevalence (GP Patient Survey): % of respondents aged 18+ (%)	NA	NA	NA	NA	18.52	11.49	13.22	NA	13.74
Population who cannot speak English well or at all (%)	NA	NA	NA	NA	0.90	2.49	1.30	0.90	1.70
Emergency hospital admissions for intentional self harm (SAR)	NA	NA	NA	NA	148.10	48.87	104.41	108.30	100.00

3 References

OHID. (2021). *Local Health: Small Area Public Health Data*. Retrieved 02 07, 2023, from <https://fingertips.phe.org.uk/profile/local-health/data#page/1/gid/1938133184/pat/401/par/E09000004/ati/8/are/E05011218/yrr/1/cid/4/tbm/1>

OHID. (2022). *Public Health Outcomes Framework*. Retrieved 02 07, 2023, from <https://fingertips.phe.org.uk/static-reports/public-health-outcomes-framework/at-a-glance/E09000025.html?area-name=Newham>