

Gatwick Airport Northern Runway Project

Statement of Common Ground Between Gatwick Airport Limited and Environment Agency – Tracked Version

Book 10

VERSION: 2.0

DATE: JUNE 2024

Application Document Ref: 10.1.12

PINS Reference Number: TR020005



Table of Contents

1	Intr	oduction	3
2	Cui	rrent Position	5
	2.1.	Agricultural Land Use and Recreation	5
	2.2.	Air Quality	6
	2.3.	Capacity and Operations	7
	2.4.	Climate Change	8
	2.5.	Construction	9
	2.6.	Cumulative Effects and Interrelationships	10
	2.7.	Draft DCO and Explanatory Memorandum	11
	2.8.	Ecology and Nature Conservation	12
	2.9.	Forecasting and Need	<u>21</u> 20
	2.10.	Geology and Ground Conditions	<u>22</u> 21
	2.11.	Greenhouse Gases	<u>24</u> 23
	2.12.	Health and Wellbeing	<u>25</u> 24
	2.13.	Historic Environment	<u>26</u> 25
	2.14.	Landscape, Townscape and Visual	<u>27</u> 26
	2.15.	Major Accidents and Disasters	<u>28</u> 27
	2.16.	Noise and Vibration	<u>29</u> 28
	2.17.	Planning and Policy	<u>30</u> 29
	2.18.	Project Elements and Approach to Mitigation	<u>31</u> 30
	2.19.	Socio-Economics and Economics	<u>32</u> 31
	2.20.	Traffic and Transport	<u>33</u> 32
	2.21.	Waste and Materials	<u>34</u> 33
	2.22.	Water Environment	<u>35</u> 34
3	Sig	natures	<u>47</u> 45
Ap	pend	ix 1: Record of Engagement Undertaken	48 46



1 Introduction

- 1.1.1 This Statement of Common Ground (SoCG) has been prepared in support of the examination phase for the proposed Gatwick Northern Runway Project (NRP). The Application was made by Gatwick Airport Limited (the Applicant) to the Secretary of State for the Department for Transport (the Secretary of State) pursuant to Section 37 of the Planning Act 2008 (PA 2008).
- 1.1.2 The Application comprises alterations to the existing northern runway which, together with the lifting of the current restrictions on its use, would enable dual runway operations. It also includes the development of a range of infrastructure and facilities which, with the alterations to the northern runway, would enable an increase in the airport's passenger throughput capacity. This includes substantial upgrade works to certain surface access routes which lead to the airport. A full description of the Proposed Development is included in **ES Chapter 5: Project Description** (Doc Ref. 5.1).
- 1.1.3 SoCGs are an established means in the planning process of allowing all parties to identify and focus on specific issues that may need to be considered during the Examination. The purpose and possible content of SoCG is detailed in the Department for Communities and Local Government's guidance entitled 'Planning Act 2008: examination of applications for development consent' (2015), stating:
 - "A statement of common ground is a written statement prepared jointly by the applicant and another party or parties, setting out any matters on which they agree. As well as identifying matters which are not in real dispute, it is also useful if a statement identifies those areas where agreement has not been reached. The statement should include references to show where those matters are dealt with in the written representations or other documentary evidence."
- 1.1.4 The SoCGs between the Applicant and the local authorities comprises several documents, to which this document is one. The Statement of Commonality provides details of the structure and status of the SoCG between all the relevant Interested Parties, including the local authorities. Naturally, the level of detail across the suite of SoCG varies to reflect the nature and complexity of the matter, as well as the position between the parties.
- 1.1.5 This document solely relates to matters between the Applicant and Environment Agency. A summary of the meetings and correspondence that has taken place between the parties is detailed in **Appendix 1** of this document.
- 1.1.6 The engagement between the parties across the breadth of matters is ongoing. Therefore, the SoCG is an evolving document and the detailed wording within it is still being discussed in detail between the parties. Future iterations will be submitted at each deadline; and both parties reserve the right to supplement the matters identified as discussions progress, to ensure it is comprehensive and up to date.
- 1.1.7 This SoCG has been produced to confirm to the Examining Authority (ExA) where agreement has been reached between the parties, and where agreement has not (yet) been reached, and is presented in a tabular form. This SoCG does not seek to replicate information that is available elsewhere, either within the Application and/or Examination documents, referring out where



appropriate. The terminology used within the SoCG to reflect the status between the parties is either:

- "Agreed" to indicate where a matter has been resolved to the satisfaction of the parties.
- "Not Agreed" to indicate a final position where parties cannot agree.
- "Under discussion" to indicate where matters are subject of on-going discussion with the aim to either resolve or refine the extent of disagreement between the parties.
- 1.1.8 It can be assumed that any matters not specifically referred to in Section 2 of this SoCG are not of material interest or relevance to Environment Agency; and therefore, have not been the subject of any discussions between the parties. As such, those matters should be assumed to be agreed, unless otherwise raised in due course by any of the parties.



2 Current Position

2.1. Agricultural Land Use and Recreation

2.1.1 **Table 2.1** sets out the position of both parties in relation to agricultural land use and recreation matters.

Table 2.1 Statement of Common Ground – Agricultural Land Use and Recreation Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status	
There are no is	There are no issues relating to Agricultural Land Use and Recreation within this Statement of Common Ground.					



- 2.2. Air Quality
- 2.2.1 **Table 2.2** sets out the position of both parties in relation to air quality matters.

Table 2.2 Statement of Common Ground – Air Quality Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status		
There are no	There are no issues relating to Air Quality within this Statement of Common Ground.						



2.3. Capacity and Operations

2.3.1 **Table 2.3** sets out the position of both parties in relation to capacity and operations matters.

Table 2.3 Statement of Common Ground – Capacity and Operations Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status		
There are no	There are no issues relating to Capacity and Operations within this Statement of Common Ground.						



2.4. Climate Change

2.4.1 **Table 2.4** sets out the position of both parties in relation to climate change matters.

Table 2.4 Statement of Common Ground – Climate Change Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status			
There are no is	There are no issues relating to Climate Change within this Statement of Common Ground.							



2.5. Construction

2.5.1 **Table 2.5** sets out the position of both parties in relation to construction matters.

Table 2.5 Statement of Common Ground – Construction Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status			
There are no is	There are no issues relating to Construction within this Statement of Common Ground.							



2.6. Cumulative Effects and Interrelationships

2.6.1 **Table 2.6** sets out the position of both parties in relation to cumulative effects and interrelationships matters.

Table 2.6 Statement of Common Ground – Cumulative Effects and Interrelationships Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status	
There are no	There are no issues relating to Cumulative Effects and Interrelationships within this Statement of Common Ground.					



- 2.7. Draft DCO and Explanatory Memorandum
- 2.7.1 **Table 2.7** sets out the position of both parties in relation to Draft DCO and Explanatory Memorandum matters.

Table 2.7 Statement of Common Ground – Draft DCO and Explanatory Memorandum Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status	
There are no is	There are no issues relating to the Draft DCO and Explanatory Memorandum within this Statement of Common Ground.					



2.8. Ecology and Nature Conservation

2.8.1 **Table 2.8** sets out the position of both parties in relation to ecology and nature conservation matters.

Table 2.8 Statement of Common Ground – Ecology and Nature Conservation Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
Baseline					•
There are no	issues relating to the baseline for	or this topic within this Statement of Common Ground.			
Assessment	Methodology				
2.8.2.1	Biosecurity and invasive non-native species management plan	We note that considerations have not been addressed in the submission. There is minimal reference to invasive non-native species impact within Chapter 9: Ecology and Nature Conservation.	A suitable management plan with respect to INNS will be produced and will be included within the CoCP. Updated Position (April 2024): draft of the INNS Management Plan to be provided at Deadline 4.		Agreed
2.8.2.2	The widening of the road bridge over Burstow stream	The proposal for permanent loss of habitat and increased overshadowing is a tangible impact on the watercourse although argued in the submission as minor due to other encroaching elements. We would expect to see this captured through a River Condition Assessment and the river metric adjusted accordingly. We request clarification of how this impact has been assessed, the methods and justification if omitted. Furthermore, if it has been reflected in the Biodiversity Net Gain balance.	Noted. A River Condition Assessment of this stretch of the watercourse will be completed by GAL in 2024 and the BNG assessment updated accordingly.		Agreed
Assessment	<u> </u>				
2.8.3.1	Museum field: retaining existing mature habitat where it is compatible with the function of flood compensation area	There are existing mature trees situated within in the Museum Field, which were discussed in a previous joint consultation meeting whether these might be retained and could be assessed for compatibility with the function of that flood compensation feature. The landscaping plans refers to a clear space with new grassland being created within the flood compensation area and note the landscaping design approach which will test the suitability of existing habitat features for incorporation and retention. However, it remains unclear about the fate of these trees within the Museum field flood compensation area, and therefore request clarification. The approach is welcome with established river corridor habitat structures and commitments to protect these sensitive receptors from light pollution at all phases of development.	The flood compensation area has been sized and designed to ensure that the majority of trees that surround the area are retained. The only exception will be a small section on the eastern boundary to facilitate connection to the River Mole. An Arboriculture Impact Assessment and Tree Protection Plan are being produced and will be shared once available.		Agreed



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
2.8.3.2	Tree survey schedule' – ref no G29	The proposal must consider whether the 'poor quality' Robina pseudoacacia will be managed/removed (Ref 'Tree survey schedule' – ref no G29)	Noted. An Arboriculture Impact Assessment and Tree Protection Plan are being produced and will be shared with the local authorities once available. This will consider whether it is appropriate to remove the Robina. The presence of INNS such as Robina will be considered in the next iteration of the outline LEMP.		Agreed
Mitigation an	d Compensation				
2.8.4.1	Biosecurity and invasive non-native species management plan	There are no details of a proposed management plan in either Appendix 8.8.1: Outline Landscape and Ecology Management Plan or Chapter 9 and whether this will be secured later.	A suitable management plan with respect to INNS will be produced and will be included within the CoCP. Updated Position (April 2024): draft of the of the INNS Strategy to be provided at Deadline 4.		Agreed
2.8.4.2	Biosecurity and invasive non-native species management plan	Appendix 5.3.2: Code of Construction Practice Biosecurity or invasive non-native species management has not been included in this document.	A suitable management plan with respect to INNS will be produced and will be included within the CoCP. Updated Position (April 2024): draft of the of the INNS Strategy to be provided at Deadline 4.		Agreed
2.8.4.3	Measures to intercept and treat suspended fine sediments	Appendix 5.3.2: Code of Construction Practice Annex 1 - Water Management Plan Paragraph 10.5.4 describes biosecurity measures are required to minimise the risk of introducing undesirable invasive non-native species plants. The document describes the main pathways for spread via machine and people, although a recommendation would be to label it under its own sub-heading in this document and the main Code of Construction Practice Ecology & Conservation Objectives. There is also room to enhance references for best biosecurity practice within the Soil Management Strategy (currently, there is one relevant line that if invasive plants are encountered, the relevant legislation will be adhered to – but not consideration of a biosecurity-based response).	A suitable management plan with respect to INNS will be produced and will be included within the CoCP. Updated Position (April 2024): draft of the INNS Strategy to be provided at Deadline 4. Additionally, the final Soil Management Strategy will also be updated to reference best biosecurity practices.		Agreed
2.8.4.4	Measures to intercept and treat suspended fine sediments	The water environment statement refers to Appendix 8.8.1: Outline Landscape and Ecology Management Plan for further details; however, it is not clear how this benefits the outcome. It demonstrates landowner and procurement management in principle, such as preventing plant disease and pests to establish	A suitable management plan with respect to INNS will be produced and will be included within the CoCP and oLEMP. Updated Position (April 2024): draft of the INNS Strategy to be provided at Deadline 4.		Agreed
2.8.4.5	Biosecurity	Biosecurity practice should feature during every phase of development, ensuring that where known invasive non-native species plants occur – no	A suitable management plan with respect to INNS will be produced and will be included within the CoCP. This will include reference to		Agreed



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
		new potential spread pathways are created due to the construction and	the biosecurity protocols to be adopted throughout the construction		
		development activity. A good standard of biosecurity provision at depots	period.		
		and compounds will also contribute towards maintaining best efforts to			
		reduce the risk of either introducing or spreading pests and diseases.	Updated Position (April 2024): draft of the INNS Strategy to be		
			provided at Deadline 4.		
		Biosecurity protocols should be clearly reiterated for all documents			
		supporting construction plans and activities and will be expected when			
		determining environmental permit applications.			
		accession of the second of the			
		If any activity or construction plans overlap with areas of known INNS			
		contamination, a potential spread pathways analysis should be carried			
		out.			
		out.			
2.8.4.6	Biosecurity	Environmental Statement - Appendix 8.8.1 Outline Landscape and	The 8m buffer has been included as the distance required for		Agreed
2.0.4.0	Diococarity	Ecology Management Plan	notification to the EA of works to a watercourse. As such, it was		rigitoda
		Section 7.2.7 - The airfield satellite construction compound will occupy	considered appropriate for a temporary buffer during construction.		
		land outside of the River Mole diversion footprint to allow the new river	In the long term, there will be no development within 10m of the		
		channel to establish early in the Project. A minimum 8 metre buffer will be	River Mole and, as such the 10m minimum for absence of		
		created along the channel to allow for this.	development would be achieved.		
		We ask for justification on why this is not set to be a minimum of 10m	Undeted Decition (April 2024). The One buffer is previded for		
		buffer in line with the Natural England Biodiversity Net Gain metric	Updated Position (April 2024): The 8m buffer is provided for		
		requirements.	within section 7.7.2 of ES Appendix oLEMP which is secured via		
			DCO Requirement 8.		
2.8.4.7	Artificial lighting ethos and	The document describes the importance to connect habitats and people	Details identifying the light-sensitive receptors will be provided	Code of Construction	Agreed
	future strategy	throughout the approach, but to also recognise the criticality of controlling	within the lighting strategies for both the construction and	Practice (CoCP)	
		artificial light spill onto natural habitats and wildlife foraging corridors.	operational phases of the Project. This will include, for example,	[REP1-021]	
			consideration for the European Eel.		
		This ethos is expected to be retained particularly to protect the river			
		corridors, their buffer zones and associated wetland habitats from any	Updated position (April 2024): Construction lighting will be		
		disturbances.	controlled via the Section 4.7 of the Code of Construction		
		Further details are requested that identify the priority light-sensitive	Practice (CoCP) [REP1-021], secured via Requirement 7 of the		
		receptors for the site when refining the lighting strategy.	dDCO (Doc Ref. 2.1), which includes details of light-sensitive		
			receptors and the principles that must be followed to protect		
		This should address impacts and mitigation for all phases of development.	ecology. All construction activities must be carried out in		
		Any non- mitigated effects will be expected to amend the Environmental	accordance with the CoCP.		
		Impact Assessment accordingly. This has been included in the Code of	Operational lighting forms part of the Design Principles for the		
		Construction Practice Ecology objectives.	Project (Design Principle LA9) (Appendix 1 to the Design and		
			Access Statement (Doc Ref. 7.3 v3). This sets out that lighting in		
		We recommend minimising artificial light spill onto river corridors to a	the vicinity of sensitive receptors should ensure that potential		
		range of 0-2lux, which is comparable to background light levels.	adverse effects are identified, controlled and mitigated. Mitigation		
			should typically be provided in the form of lighting equipment		
			utilising precise optics and lenses, baffles and light shields, in		
			conjunction with a suitable lighting control regime. Individual habitat		
			requirements may necessitate the specification of a particular		
			ioqui omono may nococontate the opcomedition of a particular		



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
			lighting spectrum, however this should be proportionate and not at the expense of safety. It will be a requirement of the design for any phase of the development to accord with this Design Principle. As such, the presence of any light-sensitive receptors would be identified by the Project Ecologist during the design stage for that phase and any necessary mitigation included, as per the Design Principle. Detailed designs must be in accordance with the Design Principles under DCO Requirements 4 and 5		
2.8.4.8	River Mole alignment and recovery post storm damage	The document describes the commitment to re-naturalise this section of the River Mole and represents a significant gain for the water environment and ecology. It states in the summary that an appropriate design of the two-stage channel will allow for floodplain features to occur. The indicative dimensions are unclear, it is expected that any wet grassland habitats able to establish are managed in response to their development over time.	Full details of the habitat design and management will be set out within the relevant LEMP to be produced for the River Mole area based on the principals set out in Appendix 8.8.1 of the output based on the principals set out in Appendix 8.8.1 of the output based on the principals set out in Appendix 8.8.1 of 		



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
				and Ecology Management Plan Part 2 [APP-114] ES Appendix 8.8.1 Outline Landscape and Ecology Management Plan Part 3 [APP-115] ES Appendix 8.8.1 Outline Landscape and Ecology Management Plan Part 4 [APP-116]	
2.8.4.11	Requirement outlining principles within an invasive non-native species management plan	Introduction or spread of invasive species: invasive non-native species management and Biosecurity plan. It is expected to see a targeted invasive non-native species management and biosecurity plan produced for the known invasive non-native species plant and pest species on site, this may be a chapter within the management plan required to uphold Biodiversity Net Gain implementation and/or a document. Consideration for non-chemical means and collaboration with catchment partners and experts is strongly encouraged to feature.	A suitable management plan with respect to INNS will be produced and will be included within the CoCP. This will include reference to the biosecurity protocols to be adopted throughout the construction period. Updated Position (April 2024): draft of the of the INNS Strategy to be provided at Deadline 4.		Agreed
2.8.4.12	Awareness for novel invasive non-native species and rapid response	We encourage the continual appreciation and awareness of good biosecurity practice and tree pest/disease prevention, with the ability to adapt management and supply chain scrutiny. We further recommend that invasive non-native species and landscape management approaches and plans also incorporate awareness and readiness for dealing with potential incidents where a rapid response to isolate and eradicate a new invasive non-native species related threat is detected on site. Depending on the species there may be DEFRA issued Plant/Species Control Orders issued for immediate response. For other species, it may simply be a wise choice of action for the sake of preserving the highest cost-benefit outcome by rapid intervention for site eradication, i.e., versus long term management and disposal.	A suitable management plan with respect to INNS will be included within the LEMPs to be produced for each development area. This will include details of how any new discoveries will be isolated and managed with details of where information with respect to different species can be obtained.		Agreed
2.8.4.13	Relevant invasive non- native species documents and legislation to consider	Where invasive non-native species management can contribute to tackling a wider catchment approach for that species, e.g., riparian invasive non-native species. The applicant should consider opportunities to liaise with catchment partners for forming a coherent treatment and management plan, and to also use the forum for sharing distribution information and tracking spread and management effectiveness trends. We would also be	A suitable management plan with respect to INNS will be included within the LEMPs to be produced for each development area. This will include details of how any new discoveries will be isolated and managed with details of where information with respect to different species can be obtained (the NNSS, for example).		Agreed



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
		interested to be informed of management progress for invasive non-			
		native species within the river corridor and wetland environments and can			
		support technical queries through the customer engagement team.			
		The Non-Native Species Secretariat hosts a very useful resource for all			
		knowledge and novel species Alert needs, it is recommended to sign up to			
		mailing lists. There are also biosecurity training resources that can be			
		incorporated into induction sessions for operational field staff.			
2.8.4.14	Other invasive non-native	The landscaping- invasive non-native species sections may also want to	Noted. A suitable management plan with respect to INNS will be		Agreed
	species legislation	reflect awareness for consideration around The Invasive Alien Species	included within the LEMPs to be produced for each development		
		(Enforcement and Permitting) Order 2019 and maintaining compliance.	area. The CoCP will refer to the INNS management plan for		
			construction.		
		Invasive non-native (alien) plant species: rules in England and Wales -			
		GOV.UK			
2.8.4.15	Pesticides: Use near to	Section 10.15 describes a default approach that pesticides for plant	Noted.		Agreed
	water	control are reserved for situations where plant species are classed as			
		infestations and that non- chemical means of management is the primary			
		approach.			
		The agreement can be found here - Application to use herbicides in or			
		near water			
2.8.4.16	Pesticides: Use near to	We agree with the recommendations around triggers for seeking advice	Noted. This will be included in the final LEMPs.		Agreed
	water	and agreement for use near to water, another consideration is where the			
		chosen product label instructs the user to do so.			
2.8.4.17	Appendix 8.8.1: Outline	Table A3. 10: Ornamental Shrubs	Rosa Rugosa will be removed from the next draft of the oLEMP.		Agreed
	Landscape and Ecology	Consideration and justification should be given whether Ruso rugosa in			
	Management Plan - Part 3	the 'Ornamental planting mix' is compliant with Schedule 9 of the Wildlife	Updated Position (April 2024): A revised version of the oLEMP		
		and Countryside Act 1981 (See Table A3.10)	with R. Rugosa removed submitted at Deadline 3.		
2.8.4.18	Landscape design and	Paragraph 5.9 describes an intention to utilise a mix of native marginal	Noted. The recommendations opposite will be incorporated into the		Agreed
	management approach	and aquatic plants. We would like to further support awareness within the	final landscape designs. A suitable management plan with respect		
		landscape design and management approach that native species will be	to INNS will be included within the LEMPs to be produced for each		
		the preferred basis for all natural areas, and these should be prioritised.	development area.		
		It should be noted that we would expect only native plant species, of			
		appropriate genetic province and suited to the catchment character to be			
		intended for river and connected wetland habitats. This includes planting			
		of the 'daylighted' culvert (River Mole), where the open grill will limit light			
		availability and appropriate species choices are required.			



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
		 We would recommend highlighting some precaution where invasive non-native plant species may be considered for landscaping design, in particular those chosen for climate change resilience and that those selected species are appropriate for the potential environmental risk of escape (and establishment) into the wild. One specific example for appropriate consideration is the mention of Climbers (section 5.6), virginia creeper and false virginia creeper for example are listed on Schedule 9 of WCA legislation. Similarly, Vinca major (Greater periwinkle) features in the plant lists and is a non-native invasive perennial plant of the UK, typically found growing in woodland, hedgerows and waste ground, it has an invasive habit that could succeed well in the wild. Euphorbia amygdaloides robbiae The subspecies robbiae is commonly grown in gardens and often escapes or is deliberately planted in the wild. The flowers are the same, but the 1st year stem leaves are leathery, often shiny, dark green and smooth. The native plant (subspecies amygdaloides) has 1st year stem-leaves which are hairy on margins and underside, usually pale- to mid-green, and dull in 			
2.8.4.19	Design & Access - General comment & query:	A commitment to integrate nature-based solutions is promising, however it doesn't state if any options for Natural Flood Management opportunities have been scoped in and/or assessed.	The realignment of the River Mole and associated flood storage provides natural flood management.		Agreed
2.8.4.20	Biodiversity Net Gain Statement	When looking at the Biodiversity Net Gain units it seems apparent that Irreplaceable habitat units (including Hedgerows) are not specified. However, throughout the Landscape and Ecology Management Plan hedgerows are mentioned frequently as a removed/reinstated/managed element, including for native hedgerow planting. Are all hedgerow elements related to mitigation, rather than additional for Biodiversity Net Gain?	Hedgerows are not considered irreplaceable habitats. These are ancient woodlands and similar. No such habitats are within the Project order limits and those that occur nearby will be protected. The Project results in the temporary loss of a number of species poor hedgerows from within existing carparks during reconfiguration activities. These will be replaced with new species-rich hedgerows once works are complete. The BNG assessment will be updated to account for the hedgerows. Updated position (April 2024): An updated BNG Assessment that includes hedgerows has been provided at Deadline 3. In the absence of a detailed landscape design, this assumes that sufficient hedgerow will be planted within the final design to ensure the Project delivers at least 10% net gain with respect to hedgerows. These hedgerows will be planted in appropriate		Agreed



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
			locations to include along Crawters Brook, to the south of Car Park		
			X along with around areas of new car parking.		
2.8.4.21	Fisheries	We need to ensure delivery of the fish pass on the southern exit of the	Noted. The fish pass will be designed in consultation with the		Agreed
		culverts. This needs to be a multispecies fish pass appropriate to the fish	Environment Agency and delivered at the same time as the culvert		3
		species and life-stages found in the Mole both up and downstream of the	- this will be the subject of a Requirement.		
		airport. It also needs to provide safe passage for eels. The detailed,			
		technical design of such a pass can be agreed later, but the delivery of	Updated position (April 2024): Construction of the fish pass is		
		this is a key element of their mitigation.	secured in the Draft Development Consent Order (Doc Ref. 2.1)		
			Works No. 42.		
2.8.4.22	Fisheries	We would seek for the fish pass to be delivered before, or when, the	Noted. The fish pass will be designed in consultation with the		Agreed
		culvert extension is implemented, so Gatwick will need to incorporate the	Environment Agency and delivered at the same time as the culvert		
		planning and delivery of this within their work programme. The delivery of	- this will be the subject of a Requirement.		
		an appropriate fish pass and any necessary clearance and maintenance			
		required for it to function as designed needs to be stated as a deliverable	Updated position (April 2024): Construction of the fish pass is		
		element to the project.	secured in the Draft Development Consent Order (Doc Ref. 2.1)		
			Works No. 42.		
		<u>Updated position (Deadline 5)</u>			
		A good timing for this to take place would be around End of June to			
		around September, October latest. This would ensure we miss Close			
		seasons for Trout and Coarse fish as well as missing out spawning times			
		for all species weather dependent and having little impact on fish			
		migration during this period. We request that the DCO is updated with the			
		timings.			
2.8.4.23	Fisheries	Requirement: A fish pass shall be installed either before, or when, the	A new requirement will be added to confirm the timing of the		Under
		culvert extension is implemented. The applicant shall incorporate the	construction of the fish pass in the updated dDCO to be submitted		discussion
		planning and delivery of the fish pass within their work programme. The	to examination at Deadline 5.		
		delivery of an appropriate fish pass and any necessary clearance and			
		maintenance required for it to function as designed shall be stated as a			
		deliverable element to the project. The design and maintenance			
		programme the fish pass shall be agreed in writing with the Environment			
		Agency prior to its installation.			
		Reason: To ensure fish and other aquatic species can freely move			
		through the water course.			
		Updated position (Deadline 5)			
		A good timing for this to take place would be around End of June to			
		around September, October latest. This would ensure we miss Close			
		seasons for Trout and Coarse fish as well as missing out spawning times			



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
		migration during this period. We request that the DCO is updated with the			
		timings.			
Other					
2.8.5.1	Relevant invasive non- native species documents and legislation to consider	We have reviewed The Great Britain Invasive-non-native-species Strategy 2015-2030. Every audience has a role to play, and co-ordinated catchment working is often more successful at managing invasive non-native species overall. Furthermore, the HM Government's Environmental Improvement Plan 2023 introduces a determined Biosecurity target to tackle and reduce the rate of introduction and establishment of invasive non-native species by at least 50% by 2030 (compared to 2000 trends). With supporting plant biosecurity policy and strategies rapidly forming. The applicant is a key stakeholder in this aspect, as part of border control, however a continued sense of responsibility should be applied including for landowners. It would therefore be appropriate to demonstrate due diligence in this respect.	Noted.		Agreed



2.9. Forecasting and Need

2.9.1 **Table 2.9** sets out the position of both parties in relation to forecasting and need matters.

Table 2.9 Statement of Common Ground – Forecasting and Need Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status			
There are no is	There are no issues relating to Forecasting and Need within this Statement of Common Ground.							



2.10. Geology and Ground Conditions

2.10.1 **Table 2.10** sets out the position of both parties in relation to geology and ground conditions matters.

Table 2.10 Statement of Common Ground – Geology and Ground Conditions Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
Baseline					•
There are no	issues relating to the baseline	for this topic within this Statement of Common Ground.			
Assessment	Methodology				
There are no	issues relating to the assessm	ent methodology for this topic within this Statement of Common Ground.			
Assessment					
2.10.3.1	5.3 Environmental Statement - Appendix 10.9.1 Preliminary Risk Assessment	This document contains various sources of information, including previous investigations and a contemporary site walkover. This has identified numerous potential areas of concern that represent potential sources of contamination resulting from existing and historical land uses. A range of potential contaminants have been identified from these areas. Further investigation is proposed for these areas, with the scope of works to be agreed with the Environment Agency and Local Authority. Areas not identified as potential areas of concerns but within the Project area will be subject to a discovery strategy. Considering the proposed mitigation measures, the short-term impacts of the Project on groundwater and surface water are assessed as negligible/insignificant. We acknowledge the content, conclusions and recommendations of this Environmental Statement Chapter and the Preliminary Risk Assessment. We acknowledge and agree that further work will be required, but that at present these recommendations address, or will address, our main areas of concern in relation to land contamination and impacts to controlled waters.	Noted.		Agreed
Mitigation an	nd Compensation				
2.10.4.1	Environmental Statement - Appendix 5.3.2 Code of Construction Practice	This document outlines the environmental mitigation measures to be employed during construction of the project as authorised by the DCO and includes as annexes additional management plans (including water management and soil management, etc.). These mitigation measures are applicable to both activities and risks identified in the 'Geology and Ground Conditions' and 'Water Environment' ES Chapters. The Code of Construction Practice includes the requirement for additional ground investigations in areas of potential concern, followed by remediation (if necessary) and verification. It also outlines requirements for a discovery strategy, and production of a pollution prevention plan.	Noted.	Requirement 7 and Requirement 9 of the Draft DCO [AS-004]	Agreed



There are no other issues relating to this topic within this Statement of Common Ground.



2.11. Greenhouse Gases

2.11.1 **Table 2.11** sets out the position of both parties in relation to greenhouse gases matters.

Table 2.11 Statement of Common Ground – Greenhouse Gases Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status			
There are no	There are no issues relating to Greenhouse Gases within this Statement of Common Ground.							



2.12. Health and Wellbeing

2.12.1 **Table 2.12** sets out the position of both parties in relation to health and wellbeing matters.

Table 2.12 Statement of Common Ground – Health and Wellbeing Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status			
There are no	There are no issues relating to Health and Wellbeing within this Statement of Common Ground.							



2.13. Historic Environment

2.13.1 **Table 2.13** sets out the position of both parties in relation to historic environment matters.

Table 2.13 Statement of Common Ground Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status			
There are no	There are no issues relating to Historic Environment in this Statement of Common Ground.							



- 2.14. Landscape, Townscape and Visual
- 2.14.1 **Table 2.14** sets out the position of both parties in relation to landscape, townscape and visual matters.

Table 2.14 Statement of Common Ground – Landscape, Townscape and Visual Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status			
There are no	There are no issues relating to Landscape, Townscape and Visual within this Statement of Common Ground.							



- 2.15. Major Accidents and Disasters
- 2.15.1 **Table 2.15** sets out the position of both parties in relation to major accidents and disasters matters.

Table 2.15 Statement of Common Ground Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
There are no is	ssues relating to Major Accider	nts and Disasters within this Statement of Common Ground.			



- 2.16. Noise and Vibration
- 2.16.1 **Table 2.16** sets out the position of both parties in relation to noise and vibration matters.

Table 2.16 Statement of Common Ground Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status	
There are no is	There are no issues relating to Noise and Vibration within this Statement of Common Ground.					



2.17. Planning and Policy

2.17.1 **Table 2.17** sets out the position of both parties in relation to planning and policy matters.

Table 2.17 Statement of Common Ground – Planning and Policy Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status	
There are no is	There are no issues relating to Planning and Policy within this Statement of Common Ground.					



2.18. Project Elements and Approach to Mitigation

2.18.1 **Table 2.18** sets out the position of both parties in relation to project elements and approach to mitigation matters.

Table 2.18 Statement of Common Ground – Project Elements and Approach to Mitigation Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
There are no issues relating to Project Elements and Approach to Mitigation within this Statement of Common Ground.		ents and Approach to Mitigation within this Statement of Common Ground.			



2.19. Socio-Economics and Economics

2.19.1 **Table 2.19** sets out the position of both parties in relation to socio-economics and economics matters.

Table 2.19 Statement of Common Ground – Socio-Economics and Economics Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status	
There are no	There are no issues relating to Socio-Economics and Economics within this Statement of Common Ground.					



2.20. Traffic and Transport

2.20.1 **Table 2.20** sets out the position of both parties in relation to traffic and transport matters.

Table 2.20 Statement of Common Ground – Traffic and Transport Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status	
There are no	There are no issues relating to Traffic and Transport within this Statement of Common Ground.					



2.21. Waste and Materials

2.21.1 **Table 2.21** sets out the position of both parties in relation to waste and materials matters.

Table 2.21 Statement of Common Ground – Waste and Materials Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status	
There are no is	There are no issues relating to Waste and Materials in this Statement of Common Ground.					



2.22. Water Environment

2.22.1 **Table 2.22** sets out the position of both parties in relation to water environment matters.

Table 2.22 Statement of Common Ground – Water Environment Matters

Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
Baseline					
There are no	issues relating to the baseline	for this topic within this Statement of Common Ground.			
Assessment	Methodology				
2.22.2.1	ES Appendix 11.9.6 Flood	The document states climate change and the associated increase in peak	The incorporation of the predicted impact of climate change is	ES Appendix 11.9.6:	Under
	Risk Assessment	river flows for the River Mole Management catchment. Table 3.7.1 is	addressed in Section 3.7 of the FRA.	Flood Risk	discussion
		reflective of the most up to date peak river flow climate change allowances		Assessment [APP-	
		from 2022. The applicant should consider the impact of climate change,	The adopted lifetime for the airfield works of 40 years (up to 2069),	147]	
		clearly stating the development lifetime over which the assessment has	and the adopted lifetime of the surface access works is 100 years		
		been made.	(up to 2132).		
		Updated position (Deadline 5)	The fluvial and surface water flood risk assessment of the Project		
		We note the submission of an updated fluvial modelling report to support	and its mitigation strategies were completed using the +20%/25%		
		the operation and functionality of the proposed Flood Compensation	climate change uplift for the Central allowance, as well as +40%		
		Areas. We would wish to review the FCA Delivery Plan. update to the	uplift for the Upper End allowance in accordance with Environment		
		fluvial modelling report and response to the queries below prior to	Agency guidance.		
		agreeing this point, so we would consider 2.22.2.1 as still Under			
		Discussion.	Section 7 of the FRA demonstrates that through the provision of		
			additional attenuation storage, floodplain connections (syphons)		
		The adopted lifetime for the airfield works is given as 40 years. During	and floodplain compensatory storage the Project will not increase		
		previous discussion, the applicant highlighted that although these have	flood risk to other parties for its lifetime taking climate change into		
		been assigned a 40-year lifetime, consideration of these elements as part	account.		
		of the wider 100 year lifetime for the overall development has also been			
		undertaken. We request confirmation on this.	A Technical Note will be provided to the EA for discussion.		
		In addition, it is noted the first full year of opening is considered to be	Updated Position (Deadline 5):		
		2032, giving the surface access work an adopted lifetime of 100 years up	The Floodplain Compensation Area Delivery Plan (FCDP) and		
		to 2132. We note the climate change figures for the 2080's epoch cover	an update to the fluvial modelling report (ES Appendix 11.9.6 –		
		the period up to the year 2125. Wer require confirmation what	Annex 5) will describe the philosophy and functionality of the		
		consideration has been given to the time period between 2125 and the	proposed River Mole diversion and the two FCAs and the		
		first full year of opening in relation to the design of the flood	relationship of proposed works with these. The FCDP will be		
		compensation/mitigation strategy.	submitted to examination at Deadline 5, and the fluvial modelling		
			report was shared with the EA in advance of Deadline 5 on 17 May		
		Relating to the adopted lifetime of the airfield works of 40 years, we have	2024.		
		requested further information on why this lifetime was chosen and whether			
		the airfield works are considered within the overall flood mitigation for the	Project design life: GAL met with the EA on 23 May 2024 to		
		site which has a 100 year design life.	discuss the rationale for the airfield component of the Northern		
			Runway Project being given a design life of 40 years. At this it was		
			explained that the combination of the fluvial flood storage provided		
			by the River Mole and the proposed FCAs at Museum Field and Car		



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
			Park X will provide off-site flood protection in excess of 100 years		
			plus 40% climate change (the credible maximum scenario) for the		
			Project as a whole – ie to beyond 2025. The FRA will be updated to		
			make this clearer and shared with the EA for comment in advance		
			of formal submission to the examination at Deadline 6		
2.22.2.2	ES Appendix 11.9.6 Flood	Paragraphs 3.7.6, 3.7.8, 3,7.9 and 3.7.10, describe the design life and	Noted.		Agreed
	Risk Assessment – Climate Change	subsequent peak river flow climate change allowance percentages assessed. The surface access works as described in paragraph 2.2.3, have been given an adopted lifetime of 100 years whilst the airfield and associated works as described in paragraph 2.2.2 have been given an adopted lifetime of 40 years. Peak river flow allowance uplifts of 20% and 12% have been applied to the applicants 1% AEP modelled flood events within their 'with-scheme' fluvial hydraulic model to represent future increases in flood risk. These peak river flow allowances are in line with the most up to date information for the River Mole management catchment for the Higher Central allowance in both the 2050s and 2080s epochs. Works are also proposed within the 2020s epoch which require assessing against the peak flow allowance uplift of 16%. Although many of these works are temporary in nature, such as access bridges, a suitable			
2.22.2.3	ES Appendix 11.9.6 Flood Risk Assessment – Fluvial Flood Risk	assessment that also uses the Higher Central allowance is necessary. This is noted in paragraph 3.7.12). Paragraphs 5.2.20 to 5.2.25 describe the differences between the outputs of the applicant's model and the Flood Zones as shown by the Environment Agency's Flood Map for Planning (Rivers and Sea). The applicants flood risk model contains features more specific to the Airport than the Environment Agency's flood risk model and offers a more detailed picture of the site within the DCO boundary. However, the flood extents shown by the Environment Agency's Flood Map for Planning should still be considered by the applicant for resilience planning and future proofing of the proposed development.	The FRA has been informed by both the published EA flood zones and outputs from the Upper Mole Hydraulic Model as it is considered to provide a more realistic and informative approach to assessing fluvial flood risk to the Project. The Environment Agency Flood Zones would offer the worst-case scenario for the assessment as it ignores the presence of flood defences, therefore considered for residual risks/future proofing the development.	Para 5.5.21 to 5.2.26 of ES Appendix 11.9.6: Flood Risk Assessment [APP-147]	Agreed
Accocamont					
2.22.3.1	ES Appendix 11.9.6 Flood Risk Assessment – Climate Change	We would consider the proposed development of the airfield and surface element to have a flood risk vulnerability classification of essential infrastructure in line with Table 2 Flood and Costal Risk Change of the National Planning Policy Framework Planning Practice Guidance. Therefore, the Higher Central Allowance climate change figure(s) should be adopted when considering climate change for development in Flood Zones 2, 3 and 3b. This is noted by the applicant in paragraph 3.7.8. This	The FRA demonstrates that through the provision of additional attenuation storage and floodplain compensatory storage the Project will not increase flood risk for its lifetime taking credible maximum scenario climate change (+40%) into account.	Para 7.2.28 to 7.2.30 of ES Appendix 11.9.6: Flood Risk Assessment [APP-147]	AgreedUnder discussion



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
Reference	Matter	proposal must consider the credible maximum scenario as a sensitivity test to assess how sensitive the proposal is to changes in the climate for future scenarios. For this proposal, the credible maximum scenario would be the Upper End climate change figure of a 40% increase in peak river flows. This requirement is noted by the applicant in paragraph 3.7.11. Updated position (Deadline 5) As highlighted in 2.22.2.1, the overall lifetime of the development sits outside of the end of the 2080's climate change allowance epoch (2125). Can the applicant confirm the time period between 2125 and the first full	Gatwick Airport Limited Position	Para 7.3.20 to 7.3.23 of ES Appendix 11.9.6: Flood Risk Assessment [APP-147]	Status
		year of opening has been fully considered as part of the assessment of the credible maximum scenario?			
2.22.3.2	ES Appendix 11.9.6 Flood Risk Assessment – Climate Change	Paragraphs 3.7.8 to 3.7.78 describe the total percentage uplifts to be applied in terms of peak river flows for various elements of the proposal. As the proposed works would take place over a period with the various project elements having suggested development design lives ranging from 40 to 100 years, this would span different epochs of predicted climatic change. Therefore, there is a need to consider a range of increases in peak river flow as part of the Flood Risk Assessment. Updated position (Deadline 5) As per 2.22.2.1 and 2.22.3.1, our comment around the overall lifetime of the development and the end of the 2080's epoch also applies.	The FRA demonstrates the Project and its fluvial mitigation strategy was assessed for the 12% and 20% climate change scenarios and there will be no increase flood risk for its lifetime. Updated Position (April 2024): The FRA also includes consideration of the impacts of the Credible Maximum Scenario in accordance with Environment Agency guidance as a more extreme impact of climate change on peak river flow. The FRA demonstrates that the Project would not give rise to new significant effects under such a scenario.	Para 7.2.15 to 7.2.30 of ES Appendix 11.9.6: Flood Risk Assessment [APP-147]	AgreedUnder discussion
2.22.3.3	ES Appendix 11.9.6 Floor Risk Assessment – Fluvial Flood Risk	Section 6.2 concludes that fluvial flood risk would be increased by the development proposals due to floodplain losses and the displacement of flood waters. As the proposal encroaches on the existing floodplain.	The conclusion of Section 6.2 of the FRA is based on the impacts of the Project without the consideration of the proposed mitigation measures. The section refers to Section 7.2 that summarises the mitigation strategy. The FRA demonstrates that through the provision of additional attenuation storage, floodplain connectivity and floodplain compensatory storage the Project will not increase flood risk for its lifetime taking climate change into account. Updated Position (April 2024): It is understood that the Environment Agency is awaiting their acceptance of the Applicants with -scheme hydraulic modelling before commenting on the proposed fluvial mitigation strategy. The	Section 6.2 and 7.2 of ES Appendix 11.9.6 Flood Risk Assessment [APP- 147]	Under discussion



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
			Applicant intends to respond to the review comments provided by		
			the Environment Agency in February 2024 in early May 2024.		
2.22.3.4	ES Appendix 11.9.6 Flood	Paragraphs 7.2.39 and 7.2.40 conclude the proposed fluvial mitigation	The Environment Agency has been provided with all information to	ES Appendix 11.9.6:	Under
	Risk Assessment – Flood	measures would not result in an increase in flood risk off-site, though	enable them to review the Applicant's assessment of with-Project	Flood Risk	discussion
	Risk During Construction –	there are some increases in flood risk within the DCO boundary. However,	impacts. The Applicant awaits their comments.	Assessment [APP-	
	Areas Outstanding	we cannot comment in any detail on these conclusions at the present time		147] - Annex 5	
		and whether we agree with the applicants' findings, as a detailed review of	Updated Position (April 2024):		
		the applicants 'with-scheme' flood risk modelling has yet to be completed.	It is understood that the Environment Agency is awaiting their		
		Appendix 11.9.6 Flood Risk Assessment Annex 5 (Document Reference	acceptance of the Applicants with -scheme hydraulic modelling		
		5.3 details the build of the applicants 'with-scheme' model, which we will	before commenting on the proposed fluvial mitigation strategy. The		
		use as part of the model review. We are working with the applicant to	Applicant intends to respond to the review comments provided by		
		obtain all the relevant data to enable this review to take place.	the Environment Agency in February 2024 in early May 2024.		
2.22.3.5	ES Appendix 11.9.6 Floor	Section 7.5 of the Flood Risk Assessment discusses flood risk during	The Environment Agency has been provided with all information to	ES Appendix 11.9.6:	Under
	Risk Assessment – Flood	construction. It is essential that flood risk is managed throughout all	enable them to review the Applicant's assessment of construction	Flood Risk	discussion
	Risk During Construction –	phases of the proposed development, and the construction of the flood	impacts. The Applicant awaits their comments.	Assessment [APP-	
	Areas Outstanding	compensation areas early in the development phasing is essential.		147] - Annex 5	
			Updated Position (April 2024):		
		Table 7.5.1 sets out the proposed phases of construction, the inclusion by	It is understood that the Environment Agency is awaiting their		
		the applicant of the flood compensation areas and River Mole diversion in	acceptance of the Applicants with -scheme hydraulic modelling		
		the Initial Construction Period 2024 up to 2029 is noted.	before commenting on the proposed fluvial mitigation strategy. The		
			Applicant intends to respond to the review comments provided by		
		The applicant has carried out modelling for all the construction phases,	the Environment Agency in February 2024 in early May 2024.		
		the outputs of which are shown in mapping included in the Flood Risk			
		Assessment. As stated above, we have not yet completed a detailed			
		review of the applicants 'with-scheme' modelling and cannot comment			
		further on this aspect at the present time. We are working with the			
		applicant to obtain all the relevant data to enable this review to take place.			
2.22.3.6	ES Appendix 11.9.6 Floor	We have also requested details of the Integrated Hydraulic Model the	The Environment Agency has been provided with all information	ES Appendix 11.9.6:	Under
	Risk Assessment – Flood	applicant has developed to support their proposal; this model is discussed	(including the integrated hydraulic model) to enable them to review	Flood Risk	discussion
	Risk During Construction –	in Annex 4 of the Flood Risk Assessment. Although our focus is around	the Applicant's assessment of with-Project impacts. The Applicant	Assessment [APP-	
	Areas Outstanding	fluvial flood risk, the integrated model assesses a combination of fluvial	awaits their comments.	147] - Annex 4	
		and surface water flood risk, we have therefore requested further details			
		on this modelling and will seek to carry out a model review. We are	Updated Position (April 2024):		
		working with the applicant to obtain all the relevant data to enable this	It is understood that the Environment Agency is awaiting their		
		review to take place and cannot comment in further detail on the	acceptance of the Applicants with -scheme hydraulic modelling		
		conclusions of this modelling at the present time.	before commenting on the proposed fluvial mitigation strategy. The		
			Applicant intends to respond to the review comments provided by		
			the Environment Agency in February 2024 in early May 2024.		



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
2.22.3.7	11.8.4 Aquatic Ecology Improvement Measures	We support this option to send most flow down the western box culvert by the installation of 300mm weir on the eastern culvert. This should also reduce siltation and the need to dredge the eastern culvert as frequently.	The Applicant notes the Environment Agency's positive response to this enhancement.		Agreed
2.22.3.8	Table 11.7.1: Maximum Design Scenarios	We do not agree with the use of the word daylighted. The document states 26 m of daylighted channel which indicates that existing culverted channel is to be reopened to the air. This is not the case. Existing natural channel is to be changed into an open box culvert with a metal mesh roof, reducing the biodiversity value and reducing the likelihood of fish passage through the existing 550 m culvert. Mitigations for this are included.	The comment from the Environment Agency is noted and GAL accepts the change in terminology, noting that with the inclusion of the mitigation measures the Project would not result in significant environmental effects. Open lidded culvert with substrate.	Table 11.8.1 of ES Chapter 11 Water Environment [APP- 036]	Agreed
2.22.3.9	Geomorphological mitigation for River Mole channel extension within the Juliet taxiway planform	Misuse of the word 'daylighted': No existing culverted channel is to be reopened to the air.	This requirement will be added to the Design and Access Statement Design Principles using the term open lidded culvert with substrate.	Design and Access Statement Volume 5, Appendix 1 [APP- 259]	Agreed
2.22.3.10	Environmental Statement - Chapter 11 Water Environment	Various aspects of the assessment have assumed no penetration into the Tunbridge Wells Sands. While we can accept this at present, further detailed ground investigations may be required for certain aspects of the Project, which may alter the risk level to that receptor (Tunbridge Wells Sand).	Additional GI and a piling risk assessment will be undertaken to inform the detailed design. This is stated in the Code of Construction Practice which is secured via Requirement 7 of the draft DCO.	ES Chapter 11 Water Environment [APP- 036] ES Appendix 5.3.2: Code of Construction Practice (REP3-006) Section 8.7, 9.3 of ES Appendix 5.3.2: Code of Construction Practice Annex 1 - Water Management Plan [APP-083] Draft DCO (REP3- 006)	Agreed
2.22.3.11	Environmental Statement - Chapter 11 Water Environment	We are pleased to see groundwater (in superficial deposits) and surface water interactions have been included within the assessment, and potential impacts from dewatering on mobilisation of existing contamination.	Noted.		Agreed
2.22.3.12	Environmental Statement - Chapter 11 Water Environment	We would also recommend additional site investigations/watching briefs in areas proposed for dewatering to ensure any existing contamination is not mobilised	Additional GI will be undertaken to inform the detailed design. This is stated in the Code of Construction Practice which is secured via Requirement 7 of the draft DCO.	ES Appendix 5.3.2: Code of Construction Practice (REP1-021)	Agreed



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
			Detailed site-specific dewatering assessments would be developed	Section 8.6, 9.3 and	
			for construction excavations as required to inform the detailed	10.10 of ES Appendix	
			design, temporary works and subsequent permit applications.	5.3.2: Code of	
				Construction	
			Additionally, subject to the scope and results of the remediation	Practice Annex 1 -	
			strategy, groundwater monitoring will be undertaken where	Water Management	
			appropriate to inform construction activities and the detailed design	Plan [<u>APP-083</u>]	
			of buildings (Section 5.5.10 of Appendix 5.3.2: Code of Construction		
			Practice).	Draft DCO (REP3-	
				006)	
2.22.3.13	Environmental Statement -	It is understood that all foul drainage is proposed to discharge to local	Noted-Updated position at Deadline 5		Under
	Chapter 11 Water	Thames Water Wastewater Treatment Works, subject to assessment and	The EA's comments are noted.		discussion
	Environment	approval from Thames Water. As no discharges to the environment are			
		proposed, and therefore no environmental permit required, we have no	In its Relevant Representations [RR-4518] and Written		
		further comment to make on wastewater plans for the Project.	Representations [REP1-103], TWUL requested a Requirement to		
		Tartier comment to make on nacionator plane for the risgon	be included in the Draft DCO that specifies that no airport growth arising from the Project can be implemented (and wastewater flows		
		Updated position (Deadline 5)	discharged) until any necessary upgrade works to TW's network and		
		The new proposal for an onsite foul sewage treatment facility significantly	processing facilities have been implemented. Whilst this request was		
		changes this element. The new treatment facility would require a bespoke	not repeated in TWUL's most recent submission at Deadline 3 in		
		environmental permit with a full assessment and review by our Permitting	response to ExQ1 WE.1.8 [REP3-149], it is understood that this		
			remains TWUL's position. The Applicant is resistant to including such		
		team and would likely be a matter of significant public interest. It would	a requirement in the Draft DCO for several reasons as stated in its		
		introduce another discharge into the Mole of material previously	response to ExQ1 WE.1.8 [REP3-105].		
		discharged via Crawley STW to the Gatwick Stream. We are unsure			
		whether this could be granted in an area which is served by an	The Applicant is submitting a Second Change Application for an		
		established sewerage network.	'alternative' option in the DCO, were the Secretary of State to be		
			minded to include the restriction of the nature sought by TWUL. The		
		From www.gov.uk Discharges to surface water:	bespoke airport facility would obviate the need for such a		
		Planning new developments	requirement, as all additional flows generated by the Project (and		
		If you're planning a new development, plan your foul sewerage at an early	indeed all airport flows more generally) would now be serviced by		
		stage and consult with the local council and sewerage undertaker. If you	this facility. This would mean there would be no adverse impact on		
		got planning permission on the basis that the development will be	the TWUL network facilities, and indeed there would be a beneficial		
		connected to the public foul sewer, this indicates it's likely to be	impact as current airport flows would be removed from TWUL's		
		reasonable to do so.	network and diverted away from the existing processing facilities.		
		The Environment Agency will not normally give you a permit for use of a	The effluent from the new works would meet the best current		
		private sewage treatment system based on the nearest public foul sewer	industry standards. The Applicant will engage with the EA on the		
		not having enough capacity. If necessary, you should agree improvements	issues identified opposite and provide a response by Deadline 6.		
		to the sewerage network with the sewerage undertaker so you can			
		connect to it. These improvements must be put in place before the			
		development is occupied. This reflects planning practice guidance and			
		building regulations.			
		It was apparent at the Hearing (ISH7) on 1 May 2024 there was some			
		work to be done on overall modelling before TWUL were comfortable with			



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
		the proposal. There is potential for a permit application to be considered if		3 1 2 3	
		there is no capacity in the network or sufficient treatment capacity and			
	Thames Water have no plans to make treatment capacity available to				
		cover the development.			
		The information supplied regarding the potential new facility lacks detail.			
		For example, flows, population equivalent. We would ask how has the			
		planned layout been sized?			
		The flow profile for an international airport with near 24 hour operation			
		would differ from a normal domestic STW.			
		We request confirmation of the following:			
		if this would be foul sewage only or whether there would be other			
		contributary sources (trade effluent).			
		What is the specific treatment process.			
		Would chemical dosing be required as part of the process.			
		if a permit application was successful, options include the inclusion of an			
		improvement condition stating that connection to the sewerage network			
		would be required at the point at which capacity became available or if			
		Thames Water adopt the facility in the future.			
2.22.3.14	Environmental Statement -	Overall, the assessed impacts to all aspects of the water environment are	Noted.		Agreed
	Chapter 11 Water	deemed not significant when proposed mitigation measures are			
	Environment	considered.			
2.22.3.15	Appendix 11.9.3 - Water	Whilst recognising the 'minor adverse' classification we encourage every	Noted.		Agreed
	Quality HEWRAT	effort to minimise impact of road run-off to future-proof any development			
	Assessment	wherever possible.			
Mitigation and	Compensation				
2.22.4.1	ES Appendix 11.9.6 Flood	The fluvial mitigation strategy consists of two flood compensation areas,	These proposed fluvial mitigation features will be refined as they are	ES Appendix 11.9.6	Under
	Risk Assessment – Flood	and several syphons to maintain floodplain connectivity. In addition, it is	developed further during detailed design after the DCO application.	Flood Risk	discussion
	Mitigation	proposed to divert a section of the River Mole to allow for the increase in	The DCO is based on an outline design. There are Requirements in	Assessment – Annex	
	Ü	length of the River Mole culvert and syphon, with the diverted section of	the DCO which require sign-off by the EA. Further information will	1 [APP-148]	
		river channel being designed to accommodate higher flows. High level	be provided to the EA within the Flood Compensation Area delivery		
		concepts of the two flood compensation areas and the River Mole	plan.	Design and Access	
		diversion are shown in the Flood Risk Assessment - Annex 1 (Doc Ref		Statement Volume 5,	
		5.3), with some description given in Section 7.2. We cannot comment in	Updated Position (April 2024):	Appendix 1 [APP-	
		any detail on these proposed fluvial mitigation features at the present	The Applicant will provide the Flood Compensation Delivery Plan	259]	
		stage as further information is required.	(DCO Requirement 23), which is to be approved by CBC in		
			consultation with the EA.		



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
			Syphons design principles are summarised in the Design and		
			Access Statement and therefore will be approved through		
			Requirements 10 and 11 which require consultation with the EA.		
			The Applicant is also currently responding to the EA's with-scheme		
			fluvial modelling review comments.		
2.22.4.2	Table 11.8.1 Provision of compensatory flood storage	The provision of swales or similar low flow channels will be critical in enabling fish to return to the main channel when the FCA drains, we	Swales or low flow channels have been incorporated into the mitigation in principle at this stage, and detailed design of the	Table 11.8.1: Mitigation, Monitoring	Agreed
	Page 11-97	would seek that these are incorporated into the final design and agreed	swales/channels is required as the project progresses.	and Enhancement	
		with us.	As stated in Requirement 23 of the draft DCO states that the	Measures of ES	
			authorised development must be constructed in accordance with	Chapter 11: Water	
			the flood compensation delivery plan which will be submitted for	Environment [APP-	
			approval to the relevant planning authority in consultation with the	036]	
			Environment Agency.		
				Draft Development	
			The proposed floodplain compensation works would be subject to	Consent Order	
			the Environment Agency's acceptance of a Flood Risk Activity	(<u>REP3-006</u>)	
			Permit application following completion of the detailed design and		
			prior to construction.		
2.22.4.3	Table 11.8.1 Provision of	Agree that water levels should be reduced slowly, but the flow control	Flow structures that allow for fish passage have been incorporated	Table 11.8.1:	Agreed
	compensatory flood storage	structures that achieve this must allow fish to move freely through them.	into the mitigation in principle at this stage, and detailed design of	Mitigation, Monitoring	
	Page 11-97	Weirs or bottom hinged sluices will stop fish movements, top closing	the flow structures is required as the project progresses. This is	and Enhancement	
		penstocks or fixed orifice discharge points that close to bed level without	stated in the Design and Access Statement Design Principle	Measures of ES	
		any weiring of water through the structure would be preferable	DDP16.	Chapter 11: Water	
				Environment [APP-	
			The proposed floodplain compensation works would be subject to	036]	
			the Environment Agency's acceptance of a Flood Risk Activity		
			Permit application following completion of the detailed design and	Design and Access	
			prior to construction.	Statement Volume 5	
				[APP-257]	
2.22.4.4	Table 11.8.1 Provision of	Loss of aquatic habitat for fish should be mitigated for, however any new	This is covered off within the BNG assessment. The impact of the	ES Chapter 11: Water	Agreed
	compensatory flood storage	fish habitat created in mitigation needs to be explicitly identified and linked	scheme on ecology and the water environment is fully assessed in	Environment [APP-	
	Page 11-97	back to the loss to demonstrate that it has been addressed and to prevent	the ES. The specific lengths of habitat created and lost in relation to	036]	
		any new habitat created being counted more than once	culverting of the watercourses and re-naturalisation of the River		
			Mole are provided in the ES Chapter 11 Water Environment	ES Appendix 11.9.1	
			Appendix 11.9.1 Geomorphology Assessment. The impact on fish is	Geomorphology	
			assessed in ES Chapter 9 Ecology and nature Conservation and	Assessment [APP-	
			water quality in ES Chapter 11 Water Environment Appendix 11.9.2	142]	
			WFD Compliance Assessment. The length of habitat created via re-		
			naturalisation to the River Mole is approximately 300m. Habitat lost	ES Appendix 11.9.2	
			due to the extension of the runway culvert is 26m length, and	WFD Compliance	
			modifications to the siphon is 13m length. Overall, approximately an	Assessment [APP-	
			additional 260m length of aquatic habitat is created when taking into	143]	
			account habitat lost. Mitigation provided for aquatic habitat lost		



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
2.22.4.5	Table 11.8.1 Provision of	New section of River Mole channel at existing runway culvert exit – These	through the culvert have been provided for in ES Chapter 11 Water Environment Table 11.8.1 and secured through the DAS to minimise the adverse effects on aquatic habitat. Noted.	ES Chapter 9 Ecology and Nature Conservation [APP- 034]	Agreed
	compensatory flood storage Page 11-97	mitigation measures have been discussed with us and we support the channel improvements and creation of a fish resting area. These, and the grid for the new section of culvert will also partially mitigate its impact upon fish movements.			
2.22.4.6	Table 11.8.1 Provision of compensatory flood storage — Page 11-97	The applicant also discussed with us the creation of a multi-species fish and eel pass at an upstream weir on the southern end of the culvert. Provision of this fish passage at this structure also forms an important part of the fisheries mitigation to offset the increase in culvert length. The mechanisms for future maintenance and any debris clearance necessary for the pass to function should also be identified.	The mechanisms for future maintenance and any debris clearance necessary for the pass to function will be identified in an updated Design Principles in the Design and Access Statement.	Design and Access Statement Volume 5 [APP-257]	Agreed
2.22.4.7	Table 11.8.1: Mitigation, Monitoring and Enhancement Measures - Page 102	The fish pass and creation of the 300mm weir on the eastern culvert entrance to divert flows are both mitigation measures for the impact of the increase in culvert length therefore we do not agree that they should be described as Enhancements, as they currently are in.	The BNG tools should ensure this is adequately captured. From this point onwards GAL will not refer to these measures as "enhancements". The small diversion weir and addition of the fish pass are within the DCO as Work no. 42 in Schedule 1. The methodology for the assessment does not identify these as mitigation for the extension of the Mole Channel. Rather, this will be mitigated to the extent possible by the use of a road traffic specification grid to soften the transition between open watercourse and the runway culvert, and incorporation of a designed substrate to allow marginal planting to establish. Additionally, a fish resting pool will also be provided at the exit to the extended channel.	Table 11.8.1 of ES Chapter 11 Water Environment [APP- 036]	Agreed
2.22.4.8	Table 11.8.1: Mitigation, Monitoring and Enhancement Measures New section of River Mole channel at existing runway culvert exit	 The table is missing the further mitigations for the culvert extension (it is such but with an open metal mesh roof and baffles on the bed) which have been discussed and confirmed elsewhere in the submission. Addition of a small diversion weir on one of the 2 box culverts under the runway. This will ensure water depths are deeper during low flows to help allow fish passage and to ensure that both box culverts don't silt up as quickly. The act of desilting is an environmental risk. Addition of a fish pass to an existing 1 m high weir upstream of the culvert 	From this point onwards GAL will not refer to these measures as mitigation and not enhancements. The small diversion weir and addition of the fish pass are within the DCO as Work no. 42 in Schedule 1. The methodology for the assessment does not identify these as mitigation for the extension of the Mole Channel. Rather, this will be mitigated to the extent possible by the use of a road traffic specification grid to soften the transition between open watercourse and the runway culvert, and incorporation of a designed substrate to allow marginal planting to establish. Additionally, a fish resting pool will also be provided at the exit to the extended channel.	Table 11.8.1 of ES Chapter 11 Water Environment [APP- 036]	Agreed
2.22.4.9	Geomorphological mitigation for Flood	Requirement: Soft/bio engineering within riverbanks should avoid plastics to prevent the release of microplastics into the watercourse.	This requirement will be added to the Design and Access Statement Design Principles	Design and Access Statement Volume 5, [APP-257] Appendix 1	Agreed



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
	Compensation Area) and paragraph 11.9.98	Reason: Many geotextiles contain plastic strands that will release microplastics that will impact the aquatic biodiversity.	Updated Position (April 2024): Requirement is DDP16 in the Deadline 3 Submission of the Design and Access Statement Design Principles	Updated Position (April 2024): Design and Access Statement Appendix 1 – Design Principles [REP3-056]	
2.22.4.10	Geomorphological mitigation for Burstow Stream Tributary culvert extension	We have a no culverting policy including culvert extensions on main river. The 4 m culvert extension on the Burstow Stream ideally should be a clear span extension, however, because it is at the point of becoming ordinary watercourse, it is beyond our jurisdiction to object. We strongly advise that this extension should still be in the form of a clear span bridge. Culverts often cause siltation/gravel deposition issues, erosion downstream and connectivity issues for flora and fauna. A 4 m wide clear span bridge would be easy to build.	This is an ordinary watercourse at this location and therefore not within the scope of this SoCG between Gatwick and the EA.		Agreed
2.22.4.11	Paragraph 11.9.96	Requirement: The re-naturalised channel shall not be netted. Reasons: Netting would impinge on tree growth and natural movement of the channel impacting the biodiversity of the water course and its corridor.	Gatwick accepts that the renaturalised section of the River Mole will not be netted. This approach will be added to the design principles in the Design and Access Statement.	Design and Access Statement Volume 5, [APP-257] Appendix 1	Agreed
2.22.4.12	Paragraph 11.9.104	East Bridge on the Man's Brook: this channel is undergoing significant adjustment since changes made to the River Mole alignment in the 1990s. Around 1 metre depth of incision is expected with associated bank collapses. It is advised to make sure the access bridges have a wider clear span than would be otherwise required in a more stable channel.	This will be considered as part of the detailed design following the DCO application process. It will be added to the design principles in an updated Design and Access Statement.	Design and Access Statement Volume 5, [APP-257] Appendix 1	Agreed
2.22.4.13	Paragraph 11.9.104	This section is missing the footbridge to be installed in Church Meadows over the River Mole at grid reference TQ2754242634 which has been shown in recent meetings. This bridge is at risk of erosion of the right bank due to it's position on an meander bend. The Mole in general is quite a dynamic river. We recommend either a wider bridge clear span or better still repositioning of the bridge slightly further upstream to avoid the outside of the meander bend	An assessment of the potential impacts of the footbridge at Church Meadows on the geomorphology has been completed as an addendum to the ES. This found Minor Adverse effects arising from the design with the bridge positioned at the meander bend. However, repositioning of the bridge downstream of the meander or a wider bridge span will be considered at detailed design. Therefore this does not alter the overall conclusions of no environmentally significant effects on the water environment. This will be added to the design principles in the Design and Access Statement.	Design and Access Statement Volume 5, Appendix A1 [APP- 257]	Agreed
2.22.4.14	Paragraph 11.9.140	Example of response to monitoring: excessive erosion: this is only a bad things if receptors are at risk of erosion. Channel movement and dynamism should otherwise be welcomed because it has biodiversity benefits.	The ES Chapter 11 Water Environment Appendix 11.9.1 Geomorphology Appendix Section 6.6 Monitoring describes the approach to the monitoring. Should excessive erosion be observed through monitoring it would only be mitigated if receptors were placed at risk as channel movement and dynamism should be allowed due to biodiversity benefits unless receptors are at risk of erosion.	ES Chapter 11 Water Environment [APP- 036] ES Appendix 11.9.1 Geomorphology [APP-142]	Agreed



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
2 22 4 45	Environmental Otatament	This chapter has cuttined the natential impacts of the Desiret (inch. Pro-	Decign principle DDDE states Catwield will and to a significant of the	Decima and Access	Agreed
2.22.4.15	Environmental Statement - Chapter 11 Water Environment	This chapter has outlined the potential impacts of the Project (including highways works) on groundwater and surface waters, which includes deterioration in quality resulting from construction works, mobilisation of existing contamination (which should include river and attenuation pond sediments), and contaminated surface water runoff. As part of the assessment, it has been assumed there will be no discharges to ground, and that any new attenuation ponds will be lined. We accept these assumptions on the basis that we would expect both these details to be included in the final designs.	Design principle DDP5 states Gatwick will seek to prioritise natural runoff where practicable though the current assumption is infiltration of runoff will be impracticable due to ground conditions. Design Principle DDP9 states that ground and groundwater conditions will be taken into account in the detailed design to minimise risk to groundwater quality, to minimise impedance to groundwater flow and to minimise risk of groundwater flooding.	Design and Access Statement Volume 5, [APP-257] Appendix A1	Agreed
2.22.4.16	Environmental Statement - Chapter 11 Water Environment	It has also been assumed that water quality measures for car park runoff will be considered 'embedded mitigation' and therefore be integrated into future detailed designs.	The provision of treatment of runoff from car parks is addressed in design principle DDP8 will ensure there is no detrimental impact on water quality from car park runoff.	Design and Access Statement Volume 5, Appendix A1 [APP- 257]	Agreed
2.22.4.17	Environmental Statement - Chapter 11 Water Environment	Mitigation measures have been proposed to address potential impacts, both short and long term. These include construction of a new de-icer treatment system, water quality (groundwater and surface water) monitoring, temporary drainage systems to contain surface water during construction (e.g., at compounds), piling risk assessments, and general good practice	Noted.		Agreed
2.22.4.18	Environmental Statement - Chapter 11 Water Environment	These mitigation proposals are to be implemented via various documents, including the Code of Construction Practice. Overall, we are satisfied these mitigation measures address or will address our main areas of concern but appreciate that further details and plans will be required at detailed design stage.	Noted.		Agreed
2.22.4.19	Environmental Statement - Appendix 5.3.2 Code of Construction Practice Annex 1 - Water Management Plan	We are satisfied that the contents of the Code of Construction Practice and Water Management Plan address out main areas of concern from a groundwater and land contamination perspective. Further details, for example site investigations or monitoring, will be agreed later.	Noted.		Agreed
Other	FO A			I = 0.4	
2.22.5.1	ES Appendix 11.9.6 Flood Risk Assessment – Flood Risk During Construction – Areas Outstanding	Annex 6 of the Flood Risk Assessment on the suitability of flood evacuation routes are primarily for other organisations to comment on. We are aware that the applicant benefits from a bespoke flood alert and warning service from the Environment Agency, which was developed following the flooding at the Airport in 2013. There are a range of proposed works, including the diversion of the River Mole, proposed bridges and elements of the flood compensation areas would require Flood Risk Activity Permits. Any works in, over, under or	The proposed highway drainage works and Floodplain Compensation Areas will be subject regulatory acceptance via Ordinary Watercourse consent and Flood Risk Activity Permits respectively following completion of the detailed design.	ES Appendix 11.9.6: Flood Risk Assessment - Annex 6 [APP-147] Draft Development Consent Order	Agreed



Reference	Matter	Stakeholder Position	Gatwick Airport Limited Position	Signposting	Status
		within 8 metres of a main river would require a Permit prior to works commencing.		(<u>REP3-006</u> Doc Ref. 2.1)	
2.22.5.2	Environmental Statement - Appendix 5.3.2 Code of Construction Practice Annex 1 - Water Management Plan	The Code of Construction Practice and Water Management Plan Annex have identified that additional permits/consents will be required for specific activities. It is indicated that these will be obtained when necessary. A list of permits, licence and consent requirements is presented in section 8 of the Water Management Plan. Foul effluent from temporary compounds that are discharged to the environment would likely require an environment permit, although we expect connection to the mains sewer network to be sought in the first instance.	The proposals for temporary construction drainage will evolve as the Project progresses through detailed design. It is anticipated that further liaison will be undertaken with the Environment Agency to discuss proposed approaches to temporary site drainage at that time.		Agreed
2.22.5.3	Table 11.8.1 Mitigation, Monitoring and Enhancement Measures	Details of the new on-site treatment facility to be supplied as soon as possible if the DCO is granted to enable modelling/permitting application to take place	GAL will coordinate a presentation on concept to EA to explain the forced aeration reedbed system proposed. Comment otherwise noted and a new permit will be required. Updated Position (April 2024) The design philosophy and operation of the nature-based active treatment system (reed beds) was presented to the EA by GAL on 3 April 2024. GAL has commenced pre-application discussions with the EA consenting team on their likely requirements for a new discharge consent for the outflow from the new treatment system.		Under discussion
2.22.5.4	Paragraph 11.9.2	The interaction with Thames Water Utilities Limited is critical to ensure that any required upgrades at Crawley Sewage Treatment Works are completed in sequence with the increased wastewater output from any Gatwick redevelopment.	Discussions with Thames Water are ongoing and continue with regard to the impact of the proposed scheme on Crawley WwTW. No impediment has been raised by TW to date.		Agreed
2.22.5.5	Section 11.11 - Cumulative impacts	The degree of housing proposed in the Crawley area, particularly Forge Wood, Kilnwood Vale and Crabbett Park, as well as proposals for a northwestern ring road which will open up land for further development, will during construction, inevitably make temporary changes to the flow and geomorphological regime (e.g., increased fine sediment input) which will in turn have impacts within the DCO red line boundary e.g., increased siltation of culverts.	Noted. It is agreed that the weir will reduce sedimentation in the Mole culvert. The ES Chapter 11 Water Environment Section 11.11 Cumulative Impacts to include impact of new housing developments on geomorphology. All impacts would be temporary during construction of the housing development and not considered to be environmentally significant.	Section 11.11 Cumulative Impacts of ES Chapter 11 Water Environment [APP- 036]	Agreed



3 Signatures

3.1.1 The above SoCG is agreed between the following:

Duly authorised for and on behalf of Gatwick Airport Limited, The	Name
Applicant	Job Title
	Date
	Signature
Duly authorised for and on behalf of	Name
Environment Agency	
	Job Title
	Date
	Signature



Appendix 1: Record of Engagement Undertaken

Date	Form of Contact (meeting or correspondence)	Overview of the Matters Discussed and Key Outcomes
15 August 2019	Meeting	
25 November 2019	Meeting	Presentation of proposed fluvial flood risk mitigation measures
28 January 2021	Virtual Meeting	Reintroduction to the Project following Covid hiatus
29 April 2021	Virtual Meeting	Presentation of emerging PEIR findings (flood risk)
25 May 2021	Virtual Meeting	Presentation of emerging PEIR findings (excluding flood risk)
24 March 2022	Virtual Meeting	Presentation of water quality and Water Framework Directive impacts
24 November 2022	Virtual Meeting	Presentation of design update of River Mole culvert and mitigations
24 February 2023	Virtual Meeting	Presentation of emerging findings of Environmental Statement for water
6 October 2023	Virtual Meeting	General discussion of water matters and EA relevant representation
8 March 2023	Virtual Meeting	Discussion on SoCG matters