

PLANNING ACT 2008
INFRASTRUCTURE PLANNING (EXAMINATION PROCEDURE)
RULES 2010


PROPOSED PORT TERMINAL AT FORMER TILBURY POWER STATION

TILBURY2

TR030003

UPDATED ES GLOSSARY - CLEAN

TILBURY2 DOCUMENT REF: PoTLL/T2/EX/179







GLOSSARY

Term	Acronym	Definition
Above Ordnance	AOD	Height of land above Ordnance Datum Newlyn.
Datum		,
the Act	PA2008	The Planning Act 2008 (as amended).
Action Level 1	AL1	In the UK, national Action Levels (ALs) for dredge sediment contamination have been established by Cefas. AL1 is the lower action level. Chemical analysis results that are below this level are deemed to have low levels of contamination and the material is chemically acceptable for dredging and disposal at sea.
Action Level 2	AL2	AL2 is the upper action level used to determine to establish the suitability of material for dredging and disposal at sea. Sediment with levels of contaminants above AL2 are considered unacceptable for uncontrolled disposal at sea without special handling and containment
Affected road network	ARN	The road network exceeding certain traffic change criteria defined for air quality assessment purposes
Air Pollution Information System	APIS	An information system that provides a comprehensive source of information on air pollution and the effects on habitats and species, and their critical levels and loads.
Air quality assessment level	AQAL	A general term used in IAQM guidance to refer to an air quality objective, EU limit or target value
Air Quality Limit Value Regulations 2010		UK regulations to limit the levels of air borne pollutants emitted from industries.
Air Quality Management Area	AQMA	An area designated by a local authority as being at risk of not meeting air quality standards.
Air Quality Standards	AQS	Mandatory air quality criteria that apply to the UK as specified by the 2007 Air Quality Strategy (AQS) for the UK and the 2008 European Directive limit values, which are incorporated into regulations.
Air Quality Strategy	AQS	The AQS for England, Scotland, Wales and Northern Ireland provides details of national air quality standards and objectives for a number of local air pollutants.
Amber List of Birds of Conservation Concern		Bird species population status lists, with the latest update published by British Birds in 2015.
Ambient Air		The air (or concentration of a pollutant) that occurs at a particular time and place outside of built structures. Often used interchangeably with "outdoor air".
Anglian Water Authority	AWA	Supply water and water recycling services to more than six million domestic and business customers in the east of England.
Annoyance (dust)		Loss of amenity due to dust deposited or visible plumes, often related to people making complaints, but not necessarily sufficient to be a legal nuisance.
Annual Average Daily Traffic	AADT	Measurement of the total volume of vehicles on a road on average throughout the year
Annual mean (air quality)		The average of concentrations measured for a pollutant for one year (usually a calendar year, from January to December). Sometimes it may be reported for a pollution year (April to March) which avoids splitting a

July 2018 Page i



winter season, useful for pollutants with higher concentrations during the winter months. The application	Term	Acronym	Definition
the Application The application by PoTLL for a DCO for the proposals Aquaculture The farming of fish, crustaceans, molluscs, aquatic plants, algae, and other aquatic organisms. Aquaculture The farming of fish, crustaceans, molluscs, aquatic plants, algae, and other aquatic organisms. Archaeological Character Zone ACZ An area with distinct key characteristics based on interpretation of the archaeological evidence. Asbestos Containing Materials ACM Any material or item that as part of its design contains asbestos. ASDA Roundabout site ASDA Land around and including a roundabout to the north of the existing Port of Tilbury where highway improvements are required. Automated Detector Bat activity survey carried out by deploying a remote bat detector at a specific location for a period of time (usually at least several days). Automatic monitoring (air quality) Anionizing is usually termed "automatic" or "continuous" if it produces real-time measurements of pollutant concentrations. Automatic fixed point monitoring methods exist for a number of pollutants, providing high resolution data averaged over very short time periods. Automatic Urban and AURN National network of air quality monitoring sites overseen by Defra. A-weighting A-weighting A-weighting area of a provided for environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of height with respect to the overlying ground level. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic ecology Benthic ecology is the study of living things on the s		•	winter season, useful for pollutants with higher
Aquaculture The farming of fish, crustaceans, molluscs, aquatic plants, algae, and other aquatic organisms. Aquaculture The farming of fish, crustaceans, molluscs, aquatic plants, algae, and other aquatic organisms. Archaeological Character Zone ACZ An area with distinct key characteristics based on interpretation of the archaeological evidence. Asbestos Containing Materials ACM Any material or item that as part of its design contains asbestos. ASDA Roundabout site Land around and including a roundabout to the north of the existing Port of Tilbury where highway improvements are required. Automated Detector Bat activity survey carried out by deploying a remote bat detector at a specific location for a period of time (usually at least several days). Automatic monitoring (air quality) Automatic Traffic Count Monitoring is usually termed "automatic" or "continuous" if it produces real-time measurements of pollutant concentrations. Automatic fixed point monitoring methods exist for a number of pollutant providing high resolution data averaged over very short time periods. Automatic Traffic ATC Means of determining traffic levels and composition in the vicinity of a scheme Automatic Urban and Rural Network A-weighting data and additional and the vicinity of a scheme Automatic Traffic ATC Means of determining traffic levels and composition in the vicinity of a scheme Automatic Urban and Rural Network A-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic exervator will excavate the soil, and discharge it into a split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the ov			concentrations during the winter months.
plants, algae, and other aquatic organisms.	the Application		The application by PoTLL for a DCO for the proposals
Archaeological Archaeological Character Zone ACZ An area with distinct key characteristics based on interpretation of the archaeological evidence. Asbestos Containing Materials ASDA Roundabout site ASDA Roundabout site Automated Detector Survey Automatic monitoring (air quality) Automatic Traffic Count Automatic Traffic Count Automatic Traffic Count Automatic Traffic Count Automatic Urban and Rural Network A-weighting A-weighting AB(A) Backhoe dredging AB(A) Backhoe dredging Backhoe dredging Backhoe dredging Bellow ground level Bellow ground level Bellow ground level Benthic Berth A CZ An area with distinct key characteristics based on interpretation of the archaeological evidence. An area with distinct key characteristics based on interpretation of the archaeological evidence. An area with distinct key characteristics based on interpretation of the archaeological evidence. An area with distinct key characteristics based on interpretation of the archaeological evidence. Area with distinct key characteristics based on interpretation of the archaeological evidence. Assessing Army material or item that as part of its design contains assessed. Assessing Port of Tilbury where highway improvements are required. Baseline assessment or a period of time (usually at least several days). Automatic monitoring Automatic Traffic ATC Means of determining traffic levels and composition in the vicinity of a scheme National network of air quality monitoring sites overseen by Defra A-weighting AB(A) The most widely used weighting mechanism that best corresponds to the response of the human ear is the "A-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic exavator will excavate the soil, and discharge it into a split hopper barge unloads the soil at the deposit area. The conditions that exist without a			The farming of fish, crustaceans, molluscs, aquatic
Archaeological Archaeological Character Zone ACZ An area with distinct key characteristics based on interpretation of the archaeological evidence. Asbestos Containing Materials ASDA Roundabout site ASDA Roundabout site Automated Detector Survey Automatic monitoring (air quality) Automatic Traffic Count Automatic Traffic Count Automatic Traffic Count Automatic Traffic Count Automatic Urban and Rural Network A-weighting A-weighting AB(A) Backhoe dredging AB(A) Backhoe dredging Backhoe dredging Backhoe dredging Bellow ground level Bellow ground level Bellow ground level Benthic Berth A CZ An area with distinct key characteristics based on interpretation of the archaeological evidence. An area with distinct key characteristics based on interpretation of the archaeological evidence. An area with distinct key characteristics based on interpretation of the archaeological evidence. An area with distinct key characteristics based on interpretation of the archaeological evidence. Area with distinct key characteristics based on interpretation of the archaeological evidence. Assessing Army material or item that as part of its design contains assessed. Assessing Port of Tilbury where highway improvements are required. Baseline assessment or a period of time (usually at least several days). Automatic monitoring Automatic Traffic ATC Means of determining traffic levels and composition in the vicinity of a scheme National network of air quality monitoring sites overseen by Defra A-weighting AB(A) The most widely used weighting mechanism that best corresponds to the response of the human ear is the "A-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic exavator will excavate the soil, and discharge it into a split hopper barge unloads the soil at the deposit area. The conditions that exist without a	·		
Archaeological Character Zone ACZ An area with distinct key characteristics based on interpretation of the archaeological evidence. Asbestos Containing Materials ASDA Roundabout site ASDA Roundabout site ASDA Roundabout site Automated Detector Survey Automatic monitoring (air quality) Automatic Traffic Count Automatic Traffic Count Automatic Traffic ATC Automatic Traffic AUTO Automatic Traffic AUTO Automatic Traffic AUTO Automatic Traffic ATC Automatic Traffic ATC Automatic Urban and Rural Network A-weighting A-weighting A-weighting A-weighting A-weighting Backhoe dredging Below ground level bgl A measurement of height with respect to the overlying ground level Below ground level Below ground level Benthic Benthic Benthic A designated National network of lack be suffered in oceans, seas, or lakes. Benthic ecology Benthic ecology Benthic ecology Benthic ecology Benthic ecology Benthic ecology A designated nation for the microin in a port or hearbour used for benthing and their period in a port or hearbour used for the seadlor in a port or hearbour used for the seadlor in a port or hearbour used for the seadlor in a port or hearbour used for the seadlor in a port or hearbour used for the seadlor in a port or hearbour used for the seadlor in a port or hearbour used for the seadlor in a port or hearbour used for the seaflor in a port or hearbour used for the seaflor in a port or hearbour used for the seaflor in a port or hearbour used for the seaflor in a port or hearbour used for	Aquaculture		
Asbestos Containing Materials ASDA Roundabout site			
Asbestos Containing Materials ASDA Roundabout site			
Asbestos Containing Materials ACM Any material or item that as part of its design contains asbestos. ASDA Roundabout Site Land around and including a roundabout to the north of the existing Port of Tilbury where highway improvements are required. Automated Detector Survey Bat activity survey carried out by deploying a remote bat detector at a specific location for a period of time (usually at least several days). Automatic monitoring (air quality)	Archaeological	ACZ	An area with distinct key characteristics based on
ASDA Roundabout site ASDA Land around and including a roundabout to the north of the existing Port of Tilbury where highway improvements are required. Automated Detector Survey Automatic monitoring (air quality) Automatic monitoring (air quality) ATC Automatic Traffic Count Automatic Urban and Rural Network A-weighting A-weighting A-weighting A-weighting Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging by a portion and discharge it into a split hopper barge unloads the soil at the deposit area. Bathymetry Bathymetry Benthic The measurement of height with respect to the overlying ground level. Benthic Benthic ecology Benthic exelone in a port or harbour used for height with eir environmental nount of height with eir environmental the interact with their environmental the interact with their environmental contents as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment A designated location in a port or harbour used for			
ASDA Roundabout site ASDA Land around and including a roundabout to the north of the existing Port of Tilbury where highway improvements are required. Automated Detector Survey Automatic monitoring (air quality) Automatic monitoring (air quality) ATC Automatic Traffic Count Automatic Urban and Rural Network A-weighting A-weighting A-weighting A-weighting Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging by a portion and discharge it into a split hopper barge unloads the soil at the deposit area. Bathymetry Bathymetry Benthic The measurement of height with respect to the overlying ground level. Benthic Benthic ecology Benthic exelone in a port or harbour used for height with eir environmental nount of height with eir environmental the interact with their environmental the interact with their environmental contents as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment A designated location in a port or harbour used for			
ASDA Roundabout site ASDA Land around and including a roundabout to the north of the existing Port of Tilbury where highway improvements are required. Automated Detector Survey Automatic monitoring (air quality) Automatic monitoring (air quality) ATC Automatic Traffic Count Automatic Urban and Rural Network A-weighting A-weighting A-weighting A-weighting Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging Backhoe dredging by a portion and discharge it into a split hopper barge unloads the soil at the deposit area. Bathymetry Bathymetry Benthic The measurement of height with respect to the overlying ground level. Benthic Benthic ecology Benthic exelone in a port or harbour used for height with eir environmental nount of height with eir environmental the interact with their environmental the interact with their environmental contents as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment A designated location in a port or harbour used for	Ashestos Containing	ACM	Any material or item that as part of its design contains
ASDA Roundabout site ASDA		710111	·
Site the existing Port of Tilbury where highway improvements are required. Automated Detector			4625655
Site the existing Port of Tilbury where highway improvements are required. Automated Detector	ASDA Roundabout	ASDA	Land around and including a roundabout to the north of
Automated Detector Survey Surv		7.027.	
Automated Detector Survey Bat activity survey carried out by deploying a remote bat detector at a specific location for a period of time (usually at least several days). Automatic monitoring (air quality)			
detector at a specific location for a period of time (usually at least several days).	Automated Detector		
Automatic monitoring (air quality)			
Automatic monitoring (air quality)			
(air quality) if it produces real-time measurements of pollutant concentrations. Automatic fixed point monitoring methods exist for a number of pollutants, providing high resolution data averaged over very short time periods. Automatic Traffic Count Automatic Urban and Aurn Automatic Urban and Rural Network A-weighting dB(A) The most widely used weighting mechanism that best corresponds to the response of the human ear is the 'A'-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq. LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment A designated location in a port or harbour used for	Automatic monitoring		
concentrations. Automatic fixed point monitoring methods exist for a number of pollutants, providing high resolution data averaged over very short time periods. Automatic Traffic Count Means of determining traffic levels and composition in the vicinity of a scheme Automatic Urban and Rural Network Dy Defra A-weighting dB(A) The most widely used weighting mechanism that best corresponds to the response of the human ear is the 'A'-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge that is moored alongside the pontoon. The split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			
methods exist for a number of pollutants, providing high resolution data averaged over very short time periods. Automatic Traffic Count Means of determining traffic levels and composition in the vicinity of a scheme Automatic Urban and Rural Network A-weighting MB(A) The most widely used weighting mechanism that best corresponds to the response of the human ear is the 'A'-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for	(
Automatic Traffic Count Automatic Traffic Count Automatic Urban and Auromatic Urban and Rural Network A-weighting dB(A) The most widely used weighting mechanism that best corresponds to the response of the human ear is the 'A'-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic excavator will excavate the soil, and discharge it into a split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry Below ground level Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology Feschier AURN National network of air quality monitoring sites overseen by Defra National network of air quality monitoring sites overseen by Defra The most widely used weighting mechanism that best corresponds to the response of the human ear is the 'A'-weighting scale. This is widely used for environment the seafloor and how they interact with their environment at the seafloor and how they interact with their environment A designated location in a port or harbour used for			
Automatic Traffic Count Automatic Urban and Automatic Urban and Rural Network A-weighting dB(A) The most widely used weighting mechanism that best corresponds to the response of the human ear is the 'A'-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq. LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge that is moored alongside the pontoon. The split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment A designated location in a port or harbour used for			
Count Automatic Urban and Rural Network A-weighting A-weighting A-weighting A-weighting Backhoe dredging Backhoe dredging Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry Below ground level Benthic The benthic coology Benthic ceology AURN National network of air quality monitoring sites overseen by Defra National network of air quality monitoring sites overseen by Defra National network of air quality monitoring sites overseen by Defra National network of air quality monitoring sites overseen by Defra National network of air quality monitoring sites overseen by Defra National network of air quality monitoring sites overseen by Defra National network of air quality monitoring sites overseen by Defra National network of air quality monitoring sites overseen by Defra The most widely used weighting mechanism that best corresponds to the response of the human ear is the fair in the best or environment at the levels are and hydraulic excavator by LAGO, and discharge it into a split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology is the study of living things on the seafloor and how they interact with their environment A designated location in a port or harbour used for	Automatic Traffic	ATC	
Automatic Urban and Rural Network A-weighting dB(A) The most widely used weighting mechanism that best corresponds to the response of the human ear is the 'A'-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge that is moored alongside the pontoon. The split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment A designated location in a port or harbour used for			
Rural Network A-weighting dB(A) The most widely used weighting mechanism that best corresponds to the response of the human ear is the 'A'-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge that is moored alongside the pontoon. The split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment A designated location in a port or harbour used for	Automatic Urban and	AURN	
corresponds to the response of the human ear is the 'A'-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging ———————————————————————————————————	Rural Network		
corresponds to the response of the human ear is the 'A'-weighting scale. This is widely used for environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging ———————————————————————————————————	A-weighting	dB(A)	The most widely used weighting mechanism that best
environmental noise measurement, and the levels are denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging ———————————————————————————————————		, ,	corresponds to the response of the human ear is the
denoted as dB(A) or LAeq, LA90 etc., according to the parameter being measured. Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge that is moored alongside the pontoon. The split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			'A'-weighting scale. This is widely used for
Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge that is moored alongside the pontoon. The split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			environmental noise measurement, and the levels are
Backhoe dredging Backhoe dredging uses a pontoon equipped with a hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge that is moored alongside the pontoon. The split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment A designated location in a port or harbour used for			denoted as dB(A) or LAeq, LA90 etc., according to the
hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge that is moored alongside the pontoon. The split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			parameter being measured.
hydraulic excavator to excavate sediment from the seabed. The excavator will excavate the soil, and discharge it into a split hopper barge that is moored alongside the pontoon. The split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for	Backhoe dredging		Backhoe dredging uses a pontoon equipped with a
discharge it into a split hopper barge that is moored alongside the pontoon. The split hopper barge unloads the soil at the deposit area. Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			hydraulic excavator to excavate sediment from the
Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			seabed. The excavator will excavate the soil, and
Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			discharge it into a split hopper barge that is moored
Baseline The conditions that exist without a development at the time an assessment or survey is undertaken. The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			alongside the pontoon. The split hopper barge unloads
time an assessment or survey is undertaken. Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			
Bathymetry The measurement of depth of water in oceans, seas, or lakes. Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for	Baseline		The conditions that exist without a development at the
Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			
Below ground level bgl A measurement of height with respect to the overlying ground level. Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for	Bathymetry		The measurement of depth of water in oceans, seas, or
Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			
Benthic The benthic zone is one of the ecological regions of a body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for	Below ground level	bgl	A measurement of height with respect to the overlying
body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			
body of water. It comprises the bottom—such as the ocean floor or the bottom of a lake—the sediment surface, and some sub-surface layers Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for	Benthic		The benthic zone is one of the ecological regions of a
Denthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			
Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			1 '
Benthic ecology Benthic ecology is the study of living things on the seafloor and how they interact with their environment Berth A designated location in a port or harbour used for			
Berth seafloor and how they interact with their environment A designated location in a port or harbour used for	Benthic ecology		
Berth A designated location in a port or harbour used for	G J		
	Berth		
	= -		mooring vessels when they are not at sea.

July 2018 Page ii



nd advanced stage in the
<u> </u>
vities and their methods of operation
practical suitability of particular
ding the basis for emission limit
mit conditions designed to prevent
ot practicable, to reduce emissions
e environment as a whole.
substances, such as pesticides, or
n organism and occurs when an
substance at a rate faster than that
ice is lost by catabolism and
ice is lost by catabolism and
to d for you in the field of acception
ated for use in the field of aquatic
process by which a chemical
aquatic organism exceeds that in
exposure to a waterborne chemical.
sity of the earth's living organisms.
riability among systems and
owing levels of organisation:
pe, ecosystem, habitat,
s, populations, individuals, genes
d functional relationships within
different levels.
national, regional or local level
the Government's commitments
Treaty on the Conservation of
and setting out targeted and/or
chieving conservation of important
ts and species. Now superseded
) Biodiversity Framework (qv)
plans remain adopted as
ning guidance.
er to minimise the introduction or
species
neasures designed to reduce the
r spready of Invasive Non-Native
,
tat associated with a particular
ry.
ng geological survey and
ition.
by the BSI Group which is under a
ormally designated as the National
BB) for the UK.
ritable research institute combining
zen science aimed at using
in wildlife populations, particularly
public, opinion-formers and
and decision makers. Developer of
on Birds Census (CBC) bird survey
on bilds delisus (ODO) bild survey
rtohrato concernation charity which
rtebrate conservation charity which
rtebrate extinctions and maintain
of invertebrates in the united
ployee and employment estimates by and industry
denie in la sackside Tacto describe de la contracto de la cont

July 2018 Page iii



Term	Acronym	Definition
Capital dredging		Dredging carried out to create a new harbor, berth or
Capital dicaging		waterway, or to deepen existing facilities in order to
		allow larger ships access. In the UK, the removal of
		sediment from an area that has not been dredged for 10
		years or more is also considered capital dredging
Carbon Dioxide	CO2	A primary greenhouse gas emitted through human
Carbon Bloxide	002	activities as well as natural sources.
Centre for	Cefas	Cefas is an executive agency, sponsored by the
Environment Fisheries	Colas	Department for Environment, Food & Rural Affairs.
and Aquaculture		Cefas specialises is a broad range of applied marine
Science		and freshwater science and is a scientific advisor to the
•		MMO for Marine Licence applications
Cetacean		A marine mammal of the order Cetacea; a whale,
		dolphin, or porpoise.
Chartered Institute of	CIEEM	The leading professional membership body
Ecology and		representing and supporting ecologists and
Ecological		environmental managers in the UK and Ireland.
Management		ŭ
Classification,	CLP	A term used in the Classification, Labelling and
Labelling and		Packaging (CLP) Regulation (EC 1272/2008). The
Packaging		Regulation provides guidance on the application of the
		CLP criteria for hazards (physical, health and
		environmental).
Clean Air Zones	CAZs	Defines an area where targeted action is taken to
		improve air quality and resources are prioritised and
		coordinated in order to shape the urban environment in
		a way that delivers improved health benefits and
		supports economic growth.
Commercial and	C&I	A term used to describe waste arisings from the
Industrial		commercial and industrial sectors (i.e. offices and
		factories etc.).
Committed		All land with current planning permission or allocated in
development		adopted development plans for development
	0014545	(particularly residential development)
Committee on the	COMEAP	An advisory body that advises the UK government on all
Medical Effects of Air		matters concerning the health effects of air pollutants.
Pollutants	000	
Common Birds	CBC	A widely accepted standard bird survey methodology
Census	ODOE	devised by the British Trust for Ornithology (BTO).
Construction,	CD&E	A term used to describe waste arisings from
Demolition and		construction, demolition and excavation activities.
Excavation	CEMD	A plan describing how the environmental impacts of
Construction Environmental	CEMP	A plan describing how the environmental impacts of
		construction activities of a project will be minimised and mitigated (document reference 6.9).
Management Plan Construction Materials	CMAT	Area of the Tilbury2 site to be used for aggregate
and Aggregates	CIVIA	handling and processing.
Terminal		nanding and processing.
Construction Traffic	CTMP	A plan managing construction traffic that will be
Management Plan	J 1 1 1 1 1	submitted to the relevant Highway Authority for approval
managomont i an		pursuant to the CEMP – a draft is included as an
		appendix to the CEMP.
Consultation Report	CR	Report submitted with the Application which details the
- Soliouliulion Report		outcome of the statutory consultation process and,
		where relevant, how responses have been incorporated
		into the Environmental Statement and design.
	I	into the Environmental Statement and design.

July 2018 Page iv



Term	Acronym	Definition
Contaminated Land Report 11: The Model Procedures for the Management of Land	CLR11	A guidance document providing the technical framework for applying a risk management process when dealing with land affected by contamination.
Contamination Continuous monitoring station	CMS	An air quality monitoring station that houses analysers that continuously monitor the concentrations of air pollutants
Control of Major Accident Hazards	COMAH	2015 Regulations requiring site operator to produce internal emergency plans for establishments where a dangerous substance is stored in quantities listed in Schedule 1 of the Regulations or if a specified dangerous substance could be produced in threshold quantities following the loss of control of an industrial chemical process.
Core Strategy and Policies for Management of Development	CSPMD	Thurrock Council's development management policies which provide the policy framework against which planning applications are assessed.
Core Strategic Thematic Policies	CSTP	The CSPMD contains a number of core strategic thematic policies. The core strategic thematic policies are related to important themes or topics and each set out in detail how Thurrock Council intends to ensure the best outcomes are delivered.
Critical Level		Threshold for direct effects of pollutant concentrations on plants, according to present knowledge
Critical Load		Estimate of exposure to deposition of one or more pollutants, below which significant harmful effects on sensitive species do not occur, according to present knowledge
Cumulative effect		Effects that occur as a result of the combined action of a number of different projects cumulatively with the project being assessed and on a single resource or receptor
Current		The speed at which such flow moves.
Decibel	dB	Logarithmic scale for measuring sound levels.
Deep sea shipping		Refers to the maritime transport of goods on intercontinental routes, crossing oceans.
Department for Environment, Food and Rural Affairs	DEFRA	The UK Government department responsible for environmental protection, food production and standards, agriculture, fisheries and rural communities in the UK.
Department for Communities and Local Government	DCLG	The UK Government department for communities and local government in England and whose job it is to facilitate great places to live and work, and to give more power to local people to shape what happens in their area.
Department for Transport	DfT	The UK Government department responsible for the UK transport network and infrastructure.
Deposited dust		Dust that is no longer in the air and which has settled onto a surface. Sometimes called amenity dust or nuisance dust, with the term nuisance applied in the general sense rather than the specific legal definition.
Deposition		The main pathway for removing pollutants from the atmosphere, by settling on land. Measured in units of kilograms per hectare per year (kg/ha/yr)
Design Manual for Roads and Bridges	DMRB	A suite of technical documents produced by Highways England that include guidance for environmental

July 2018 Page v



Term	Acronym	Definition
		appraisal that are also used for non-highways schemes
		and as such are commonly used in EIA.
Detailed assessment		Refers to the use of complex dispersion modelling
(air quality)		software in order to estimate air pollutant concentrations
Detailed Quantitative	DQRA	A more detailed quantitative assessment of
Risk Assessment		contamination data to determine whether it poses an
		actual risk to an identified receptor, using site specific
		parameters / assessment criteria rather than generic
		parameters / assessment criteria. Undertaken if the
		generic quantitative assessment indicates that there
		may be a potentially unacceptable risk from
		contamination.
Development Consent	DCO	An order made under the Planning Act 2008 granting
Order		development consent for a Nationally Significant
		Infrastructure Project
Diffusion tube	DT	A simple, cost effective device for measuring long-term
		air pollutant concentrations
Disamenity		The government Planning Portal does not define
		disamenity, but its literal meaning would be "impaired
		amenity" and from its definition of amenity could be
		considered to be a negative element or elements that
		detract from the overall character or enjoyment of an
		area.
Dissolved oxygen	DO	Microscopic bubbles of gaseous oxygen (O2) that are
		mixed in water and available to aquatic organisms for
		respiration—a critical process for almost all organisms.
Dormouse Nest Tube		A plastic nest tube and wooden tray insert used as a
		standard tool for dormouse survey by encouraging any
		nearby dormice to build their nests within the tube, thus
		facilitating the location of nests. Wooden dormouse
		boxes were also used to supplement the survey
		coverage.
Draught		Distance from the water line to the bottom of a ship's
		hull
Dredging		An excavation activity usually carried out underwater, in
		shallow seas or freshwater areas with the purpose of
		gathering up bottom sediments and widening.
Dredge plume		A dredge plume is a cloud of debris that forms as a
		result of dredging. Such plumes usually begin either at
		the bottom where the dredging takes place, or at the
		surface from either overflow from the dredging
		equipment or disposal of the dredged material in a different location.
Dust flux		The quantity of particles travelling past a particular
Dust Hux	_ -	location in a given time, often expressed in units of
		mass per unit area in the vertical plane per unit time
		(mg/m2/day).
Duet management	DMP	A plan that describes how dust emissions will be
Dust management plan	DIVIE	prevented or minimised on site to avoid impacts beyond
ριαπ		the site boundary, including monitoring regime and
		record of complaints, as required by the CEMP or OMP,
		as relevant.
Dynamic sedimentary		Areas susceptible to changes in either suspended or
environmental		seabed sediment characteristics and variations in
on vironinoniai		seabed morphology.
Effects (air quality)		The consequences of the changes in airborne
Enocio (an quanty)		concentrations and/or dust deposition for a receptor.
		These may manifest as annoyance due to soiling,

July 2018 Page vi



Term	Acronym	Definition
		increased morbidity or mortality due to exposure to
		PM ₁₀ or PM _{2.5} or plant dieback due to reduced
		photosynthesis.
Emergence Survey /		Bat activity survey undertaken at dusk to look for bats
Dusk Survey		emerging from their roosts.
Emission		The direct or indirect release of substances, vibrations,
		heat or noise from individual or diffuse sources into air,
		water or onto land, e.g. pollution may be discharged into
		the atmosphere from a stack or vent.
Emission factor toolkit	EFT	Database of vehicle emission factors for use in air
		quality assessments, produced by DEFRA
Emission Limit Value	ELV	Legal enforcement limit on the physical, chemical or
		biological characteristics of a point source of emission
		to water or air.
Endoscope		A typically slender and tubular illuminated optical
•		instrument used to examine inaccessible cracks and
		crevices.
English Heritage	EH	The executive non-departmental public body that
		advises the public and other bodies on the care of the
		historic environment in England.
Environment Agency	EA	The non-departmental government body responsible for
,		protection and enhancement of the environment in
		England and Wales.
Environmental DNA	eDNA	Nuclear or mitochondrial DNA released from an
		organism into the environment. Recent research has
		shown that the DNA of a range of aquatic organisms
		(notably great crested newts) can be detected in water
		samples at very low concentrations using qPCR
		(quantitative Polymerase Chain Reaction) methods.
Environmental Health	EHO	A local authority health professional responsible for
Officer		carrying out measures for protecting public health.
Environmental Impact	EIA	The process of assessing the likely significant
Assessment		environmental impacts of a proposed project as part of
		gaining planning consent.
Environmental	EPR	Legislation that regulate practices that have pollution
Permitting Regulations		potential through a permitting system. Divided into Part
		A1, Part A2 and Part B activities. In England, Part A1
		operators require a permit from the Environment
		Agency; Part A2 and Part B require a permit from the
		local authority.
Environmental	EPA	An act that covers, amongst other things, the regulation
Protection Act 1990		of air quality and contaminated land in the UK.
Environmental	EPUK	A national charity that provides expert policy analysis
Protection UK		and advice on air quality, land quality, waste and noise
Environment Quality	EQSD	European policy which sets out environmental quality
Standards Directive		standards for the substances present in surface waters
		(river, lake, transitional and coastal).
Environmental	ES	The document which reports the process, findings and
Statement		recommendations of the EIA carried out to assess the
		environmental impacts of the Scheme.
Equilibrium partitioning	ESBs	A type of Sediment Quality Guideline (SQG) derived by
sediment benchmarks		the USEPA for the protection of benthic
		organisms. ESBs are based on
		the bioavailable concentration of contaminants in
		sediments rather than the dry-weight concentration.
Essex County Council	ECC	County Council governing the non-metropolitan country
Loosex County Council		of Essex in England.

July 2018 Page vii



Term	Acronym	Definition
Essex Bat Group	, ,	A voluntary group dedicated to bat conservation in
		Essex.
Essex Ecology	EECOS	The ecological consultancy division of Essex Wildlife
Services		Trust, and county biological records centre
Essex Field Club		A society for wildlife and geology enthusiasts in Essex.
Essex Wildlife Trust	EWT	Conservation charity based in Essex, and forming part
		of the nationwide Wildlife Trusts group.
Euro 6/VI		The latest European vehicle emission standards for cars/HDVs
European Commission	EC	The European Commission represents the general
		interest of the EU, rather than that of individual national
		governments or political parties. Its core responsibilities
		include proposing EU laws and policies and monitoring their implementation.
European Union	EU	The European Union is a political and economic union
·		of 28 member states that are located primarily in
		Europe.
European Sites		Sites which have been designated under the
		Conservation of Habitats and Species Regulations 2010
		(as amended), or pursuant to Directive 2009/147/EEC
		(The Birds Directive).
Euryhaline species		Species that can live in both fresh water and salt water
Examining Authority		The person or panel of persons appointed by the
		Secretary of State to examine the Application
Flood Risk	FRA	An assessment that determines the risk of flooding to a
Assessment	ETD	proposed project.
Framework Travel Plan	FTP	Long-term management strategies for sustainable travel for staff who use the Tilbury2 site.
Free-field		No reflective surfaces, other than the ground, within 3.5 metres of the microphone position
Fruticose		A lichen characterised by upright or pendulous branches.
Full Time Equivalents	FTE	The equivalent number of full time jobs provided by a project - e.g. two half-time jobs equates to one FTE.
Gross Floor Area	GFA	The total floor area inside the building envelope,
01033 1 1001 A104	Ol A	including the external walls, and excluding the roof.
General Permitted Development Order	GPDO	The Town and Country Planning (General Permitted Development) (England Order 2015 (as amended) sets out a number of classes of more minor development that are granted planning permission subject to the exceptions, limitations and conditions mentioned in the Order. Provided development is carried out in accordance with the terms of the Order no application for planning permission needs to be made. The GPDO does not affect the need for other consents other than planning permission.
Generic Quantitative Risk Assessment	GQRA	An initial quantitative assessment of chemical data against generic assessment criteria to identify potentially unacceptable risks from contamination.
Glare	gr	Condition of vision in which there is discomfort or a reduction in the ability to see details or objects, caused by an unsuitable distribution or range of luminance, or to extreme contrasts.
Gravesham Local Plan Core Strategy	GLPCS	The Local Plan Core Strategy is the main document in the Gravesham Local Plan. Its role is to: Set out a long- term vision for the future of the borough based on evidence of what is needed to support existing and

July 2018 Page viii



Term	Acronym	Definition
	,	future communities and what makes the borough a
		distinctive and attractive place in which to live and work.
Green Infrastructure	GI	A network of multi-functional green space, both new and existing, both rural and urban, which supports the natural and ecological processes and is integral to the health and quality of life of sustainable communities.
Greenhouse Gas	GHG	An atmospheric gas such as carbon dioxide, methane, chlorofluorocarbon, nitrous oxide, ozone, or water vapour that slows the passage of re-radiated heat through the Earth's atmosphere.
Gross Value Added	GVA	The value generated by any unit engaged in the production of goods and services
Ground investigation	GI	An intrusive investigation undertaken to determine the ground conditions (including soil, groundwater and ground gas) at a site. Involves the collection of samples for analysis.
Guiding Principles for Land Contamination	GPLC	A set of documents which provide technical guidance on the management of contaminated land.
Guidelines for the Environmental Assessment of Road Traffic	GEART	Guidelines for the assessment of environmental impact of road traffic associated with major new development.
Habitat		A place where an organism (e.g. human, animal, plant, micro-organism) or population of organisms live, characterised by its surroundings.
Habitats of Principal Importance	HPI	Habitats identified as being of principal importance under the Natural Environment and Rural Communities (NERC) Act 2006, and capable of being a material consideration in the determination of development proposals.
Habitats Regulations Assessment	HRA	A formal assessment of the implications of any new plans or projects which are capable of affecting the designated interest features of European Sites.
Haul route		On site roads designed during the construction stage to carry heavily loaded trucks at a reasonable speed.
Health and Safety Executive	HSE	Non-departmental public body responsible for the regulation and enforcement of workplace health, safety and welfare and for research into occupational risks in Great Britain.
Heavy Duty Vehicle	HDV	Defined in the DMRB as vehicles with a gross weight greater than 3.5 tonnes. Includes HGVs and buses and coaches.
Heavy Goods Vehicle	HGV	A truck that when laden has a total weight of more than 3500 kg.
Heavily Modified Water Body	HMWB	Waterbody such as a lake, river, estuary, or bay which is or has been intensively used by human activities.
Hectare	ha	A measurement unit for surface area, equal to 10,000 square metres
High sensitivity receptor (dust)		A receptor at which users can reasonably expect the enjoyment of a high level of amenity; or the appearance, aesthetics or value of the property would be diminished by soiling; and the people or property would reasonably be expected to be present continuously, or at least regularly for extended periods, as part of the normal pattern of use of the land.
Highway Authority	НА	The relevant highway authority responsible for the noncore road network (i.e. roads other than trunk roads and motorways), usually the county council in two-tier

July 2018 Page ix



Term	Acronym	Definition
		authority areas, and Thurrock Borough Council in
		Thurrock as it is a unitary authority.
Highways England	HEng	The strategic highways company appointed by the
		Secretary of State to be highways authority for the
		roads for which he was previously the highway authority
		(i.e. the strategic road network).
Historic England	HE	Executive non-departmental public body responsible for
		protecting the historical environment of England by
		preserving and listing historic buildings, ancient
		monuments and advising central and local government.
Hydrodynamic		Forces in or motions of liquids
Hydrodynamic		Assessment of the flow conditions at a specific location.
assessment		
Ichthyplankton		The eggs and larvae of fish drifting in the water column
Infrastructure	IPIP	Part of Thurrock Council's Local plan evidence base,
Prioritisation and		which identifies future infrastructure requirements to
Implementation		support anticipated growth over the Plan period.
Programme		FIA is a service contain a service service to the service serv
Institute of	IEA	EIA is a environmental health and safety consultancy
Environmental		that provides services including asbestos and lead,
Assessment	I E N A A	health and safety and indoor environmental quality.
Institute of	IEMA	The worldwide alliance of environment and
Environmental		sustainability professionals.
Management and Assessment		
Impacts (air quality)		The changes in airborne concentrations and/or
impacts (all quality)		deposition flux. A scheme can have an 'impact' on
		airborne dust without having any 'effects', for instance if
		there are no receptors to experience the impact.
Indices of Multiple	IMD	A method used by the Government to measure relative
Deprivation	INID	deprivation across small areas of England called Lower
Dop.iva.io.i		Super Output Areas. This information is updated every
		three years, and covers a wide range of issues or
		'domains'.
the infrastructure		The land containing the proposed highway and railway
corridor		links from the existing network to the Tilbury2 site
Institute of Air Quality	IAQM	IAQM is a professional body for air quality
Management		professionals, that publishes guidance.
Institute of Lighting	ILP	ILP is a professional body for lighting professionals with
Professionals		the key purpose to promote excellence in all forms of
		lighting.
Integrated Pollution	IPPC	An EU directive (2008/1/EC) on prevention and control
Prevention and Control	1075	of industrial emissions.
International Council	ICES	The International Council for the Exploration of the Sea
for the Exploration of		(ICES) is a global organisation that develops science
the Sea		and advice to support the sustainable use of the
		oceans. ICES coordinates oceanic and coastal
		monitoring and research, and advises international
		commissions and governments on marine policy and
Interstitial water		management issues.
interstitiai water		Water that might not have been the water present when
		the rock originally formed. In contrast, connate water is the water trapped in the pores of a rock during its
		formation, also called fossil water.
Intertidal		The area of a seashore which is covered at high tide
morada		and uncovered at low tide.
		and uncovered at low tide.

July 2018 Page x



Term	Acronym	Definition
Invasive Non-Native	INNS	Invasive Non-Native Species (INNS) are species that
Species		have been introduced to non-native environments either
		accidentally or deliberately.
Invertebrate		An animal lacking a backbone. The majority comprise
oriobrato		insects, though other groups represented include
		molluscs, crustacians, arachnids and worms.
Job Seekers	JSA	An unemployment benefit that can be claimed whilst
Allowance		looking for work.
Joint Nature	JNCC	A public body that advises the UK Government and
Conservation		devolved administrations on UK-wide and international
Committee		nature conservation.
Kilograms per hectare	kg/ha/yr	Measurement of nutrient deposition flux
per year	,	· ·
Knot	kn	A unit of speed equivalent to one nautical mile per hour
L		Totally encompassing sound in a given situation at a
		given time usually composite of sounds from many
		sources near and far.
Landscape Character	LCA	An assessment used to understand and articulate the
Assessment		character of a landscape, by identifying what give a
		locality it's 'sense of place' and what makes it different
		from neighbouring areas carried out pursuant to the
		Landscape Character Assessment Guidance for
		England and Scotland.
Large ship		For air quality assessment purposes, DEFRA define
		theses as cross-channel ferries, RORO, bulk cargo,
		container ships, cruise liners. This roughly translates to
		a ship with a draught of over 6 metres.
Lead Local Flood	LLFA	The authority responsible for developing, maintaining
Authority		and applying a strategy for local flood risk management
•		in their areas and maintaining a register of flood risk
		assets. In the case of the proposals, this is Thurrock
		Council.
Light Emitting Diode	LED	A solid state semiconductor converting electric current
		into Radiant and Luminous Flux.
Leq,T		A noise level index called the equivalent continuous
		noise level over the time period T. This is the level of a
		notional steady sound that would contain the same
		amount of sound energy as the actual, possibly
		fluctuating, sound that was recorded.
Light Duty Vehicles	LDV	For air quality assessment purposes, this comprises
		vehicles with a weight less than 3.5 tonnes (gross
		weight). Includes cars and vans
Light source		Lamp or LED source/module/light engine designed
		to convert energy (typically electricity) into Radiant
		and Luminous flux
Listed Building		A building listed as being of special architectural or
		historic interest under Planning (Listed Building and
		Conservation Areas) Act 1990 (as amended).
Lmax, T		A noise level index defined as the maximum noise level
		during the period T. Lmax is sometimes used for the
		assessment of occasional loud noises, which may have
		little offeet on the everall Log noise level but will still
		little effect on the overall Leq noise level but will still
		affect the noise environment. Unless described
		affect the noise environment. Unless described otherwise, it is measured using the 'fast' sound level meter response
Local Air Quality	LAQM	affect the noise environment. Unless described otherwise, it is measured using the 'fast' sound level
Local Air Quality Management Local Character Area	LAQM	affect the noise environment. Unless described otherwise, it is measured using the 'fast' sound level meter response

July 2018 Page xi



Term	Acronym	Definition
Local Development	LDF	A spatial planning strategy introduced by the Planning
Framework		and Compulsory Purchase Act 2004.
Local Transport Plan	LTP	A plan by the local authority that sets out a strategy for
200ai Fransport Ian		the future of transport in the area.
Local Wildlife Site	LoWS	Non-statutory designated sites selected for their local or
200ai Triidiii o Cito	2011.0	county nature conservation value in accordance with set
		criteria.
London Gateway		Is a fully integrated logistics facility, comprising a semi-
		automated, deep-sea container terminal on the same
		site as the UK's largest land bank for development of
		warehousing, distribution facilities and ancillary logistics
		services.
London Thames Port	LTP	One of the UK's busiest container ports, located in
		South East England. LTP is a member of the Hutchison
		Ports Group.
Low Emission Zone	LEZ	An area covering most of Greater London that prevents
		entry of certain polluting, heavy diesel vehicles.
Low sensitivity		A receptor at which the enjoyment of amenity would not
receptor (dust)		reasonably be expected; or property would not
()		reasonably be expected to be diminished in
		appearance, aesthetics or value by soiling; or there is
		transient exposure, where the people or property would
		reasonably be expected to be present only for limited
		periods of time as part of the normal pattern of use of
		the land.
Lower Layer Super	LSOA	A geographical area, designed to improve the reporting
Output Area		of small area statistics.
Lower Thames	LTC	Is a proposed new crossing of the Thames estuary
Crossing		linking the county of Kent with the county of Essex
		through Thurrock.
Luminaire		Apparatus and/or enclosure which contains and
		optically influences one or more light sources (lamps).
		The luminaire excludes the light source itself (with the
		exception integral LED examples) but contains all the
		part necessary for fixing and protecting the light source
		and connecting it to the appropriate power supply.
		Lamps are typically independent of the luminaire and
		inserted into a socket within the luminaire. LEDs may be
		removable or integral to the luminaire.
Lytag		A lightweight manufactured aggregate.
L10,T		A noise level index. The noise level exceeded for 10%
		of the time over the period T. L10 can be considered to
1.00 T		be the "average maximum" noise level.
L90,T		A noise level index. The noise level that is exceeded
		for 90% of the measurement time interval, T. L90 can
		be considered to be the "average minimum" noise level
B.A. a. a. Maria de la compansión de la		and is often used to describe the background noise
Magnitude		Refers to the change in pollutant concentration i.e.
Maintananananalisalis		impact, associated with the proposals
Maintenance dredging		Dredging to deepen or maintain navigable waterways or
		channels which are threatened to become silted with
		the passage of time, due to sedimented sand and mud,
Marina and Casatal	MCAA	possibly making them too shallow for navigation The Marine and Coastal Access Act 2009 is an Act of
Marine and Coastal	MCAA	
Access Act 2009		the Parliament of the United Kingdom. It provides a
		system of marine management and includes provisions
		for marine licensing, marine planning and marine conservation zones
		CONSCIVATION ZONES

July 2018 Page xii



Term	Acronym	Definition
Marine Conservation	MCZ	Conservation area designated under the Marine and
Zone		Coastal Access Act. MCZs protect a range of nationally
		important marine wildlife, habitats, geology and
		geomorphology, and can be designated anywhere in
		English and Welsh territorial and UK offshore waters.
recommended Marine	rMCZ	Sites that have been recommended for designation as
Conservation Zone		marine conservations zones, but which have not
		formally been designated.
Marine Mammal		Marine mammals are aquatic mammals that rely on the
		ocean and other marine ecosystems for their existence.
		They include animals such as seals, whales, and
		dolphins.
Marine Management	MMO	Executive non-departmental public body responsible for
Organisation		sustainable development in the English marine area.
Marine Policy	MPS	A framework for preparing, facilitating and supporting
Statement		Marine Plans.
Materials Management	MMP	A mechanism by which those who are developing a site
Plan		can comply with Environment Agency regulations for
		excavated ground materials.
Mean Absolute Error	MAE	is a quantity used to measure how close forecasts or
		predictions are to the eventual outcomes.
Medium sensitivity		A receptor at which users would expect to enjoy a
receptor (dust)		reasonable level of amenity, but would not reasonably
		expect to enjoy the same level of amenity as in their
		home; or the appearance, aesthetics or value of their
		property could be diminished by soiling; or the people or
		property wouldn't reasonably be expected to be present
		here continuously or regularly for extended periods as
		part of the normal pattern of use of the land.
Mean Low Water Mark	MLWM	The average level reached by tidal water at low tide.
micrograms per	μg/m³	Unit of concentration of pollutants in ambient air, used
normal cubic metre		for air quality standards
milligrams per normal	mg/ Nm³	Unit of concentration of pollutants in exhaust air, used
cubic metre		for emission limit values.
Mitigation		Measures that reduce and/or minimise impacts of the
		proposals.
Mosaic (Habitat)		A patchwork of habitats providing a wide range of
		opportunities for wildlife colonisation, and as such of
		importance for creating or maintaining biodiversity. A
		specific example is the Priority Habitat 'Open Mosaic
		Habitat on Previously Developed Land', which typically
		comprises a juxtaposition of bare ground and early
		successional vegetation communities.
Multi-Agency	MAGIC	A government website providing geographic information
Geographic		about the natural environment.
Information for the		
Countryside	NON	
National Cycle	NCN	Is a series of safe, traffic-free paths and quiet on-road
Network		cycling and walking routes that connect to every major
AL C. INI.	L L L L L L L L L L L L L L L L L L L	town and city.
National Nature	NNR	A statutory designation covering places selected for
Reserve		wildlife or geological features that are significant at a
		national level and exceptional examples of their type
Nie Caral Die	NDDE	suitable for public access.
National Planning	NPPF	The National planning policy framework for England,
Policy Framework	NDDO	dated March 2012. The Planning Practice Guidance web based resource
National Diagnina	NPPG	Line Planning Practice Guidance web based resource
National Planning Practice Guidancedmr	11110	for England first introduced in March 2014 (and which

July 2018 Page xiii



Term	Acronym	Definition
		largely superseded planning policy statements (PPGs))
		providing guidance on National planning policy and the
		operation of the planning system.
National Policy	NPS	Overarching legislative policy concerning the planning
Statement	•	and consenting of NSIPs in the UK.
National Policy	NPSP	Overarching legislative policy concerning the planning
Statements for Ports	INI OI	and consenting of port NSIPs in the UK.
National Vegetation	NVC	A system of classifying natural habitat types in Great
Classification	INVC	Britain according to the vegetation communities they
Ciassification		
N	NOID	contain.
Nationally Significant	NSIP	As defined by the Planning Act 2008, which includes
Infrastructure Project		new harbour facilities that will be able to handle the
		embarkation or disembarkation of quantities of material
		exceeding:
		0.5 million Twenty Foot Equivalent Units (TEU) for a
		container terminal;
		 250,000 movements for roll-on roll off (ro-ro);
		• 5 million tonnes for other (bulk and general) traffic; or
		a weighted sum equivalent to these figures taken
		together.
Natura 2000 sites		A network of European designated sites including
144444 2000 0100		Special Protection Areas and Special Conservation
		Areas as listed in Annex I and II of the EU Directive
		92/43/EEC (2Habitats Directive")
Noticed England	NIT	
Natural England	NE	The non-departmental government body responsible for
		England's natural environment.
Natural Environment	NERC	A 2006 Act of the Parliament of the United Kingdom.
and Rural		Section 40 places a duty on public authorities in
Communities Act		England to conserve biodiversity, and Section 41
		requires the Secretary of State to publish and maintain
		lists of species and habitats of 'principal importance' for
		the conservation of biodiversity.
Navigation Risk	NRA	Is a formal assessment of the hazards and risks to
Assessment		navigation within the port.
nitric oxide	NO	One of the combustion products discharged by vehicles
		and power generation plant
nitrogen dioxide	NO ₂	Formed by the oxidation of nitric oxide in ambient air
nitrous oxides	NO _x	Collective term for nitrogen dioxide and nitric oxide,
(oxides of nitrogen)	I NOx	released from the combustion of fuel and discharged by
(oxides of filtrogeri)		• •
Naiss Lavellediass		vehicles and power stations.
Noise Level Indices		Noise levels usually fluctuate over time, so it is often
		necessary to consider an average or statistical noise
		level. This can be done in several ways, so a number
		of different noise indices have been defined, according
		to how the averaging or statistics are carried out.
Noise Sensitive	NSR	Receptors principally residential dwellings (existing or
Receptor		for which planning consent is being sought/ has been
		given) and any building used for long term residential
		purposes.
Non-Road Mobile	NRMM	Machines used for purposes other than for passenger
Machinery		or goods transport that have engines, for example
- - -		excavators, bulldozers, front loaders, back loaders,
		compressors.
Non-Statutory		Early engagement undertaken to help raise awareness
Consultation		
Consultation		of the proposal and influence the formal statutory
New atatutes:		consultation process.
Non-statutory		Nature conservation sites with local policy protection
designated site		(e.g. LoWS)

July 2018 Page xiv



Term	Acronym	Definition
Non-Technical	NTS	The non-technical summary of the Environmental
Summary		Statement.
Objectively Assessed	OAN	The Objectively Assessed Need should be principally
Need Need	OAN	understood as a measure of future housing demand
Need		within a Housing Market Area, and helps to inform net
Obtavisivaliabt		additional dwellings to be provided over a Plan period.
Obtrusive light		This is an overarching term commonly thought of as
		light pollution. Spill light which because of quantitative,
		directional or spectral attributes in a given context gives
		rise to annoyance, discomfort, distraction or reduction in
		the ability to see essential information.
Odour		Most odours are mixtures of many chemicals that
		interact to produce what humans detect as a smell.
Office for National	ONS	The UK's largest independent producer of official
Statistics		statistics
Offshore disposal site		Designated area of the seabed where marine dredged
		material can be disposed subject to approval from the
		relevant regulator.
Operation		The routine day to day functioning of the proposals post
•		construction
Operational	OMP	A management plan which covers the operational
Management Plan		phase/ activities of a business/ facility.
the Order		The Development Consent Order applied for by PoTLL
the Order		for Tilbury2.
the Order Land		Land within the defined Order Limits boundary.
the Order Limits	 	The extent of land and rights over land that will be
the Order Limits		
		needed temporarily to construct the proposals, and
		permanently to operate, maintain and safeguard the
	00(1)	proposals (often referred to as 'the red line boundary').
Ordnance Datum	OD(N)	Mean sea level calculated from observation taken at Ne
Newlyn		wlyn, Cornwall, and used as the official basis forheight c
		alculation on British maps.
Ordnance Survey	OS	National mapping agency for Great Britain.
Organotin	ОТ	Chemical compounds based on tin with hydrocarbon
		substituents
OSPAR		OSPAR is the mechanism by which 15 Governments &
		the EU cooperate to protect the marine environment of
		the North-East Atlantic. Work areas including dumping
		at sea, biodiversity and ecosystems.
Outline Business Case	OBC	Sets out the preliminary thoughts regarding a proposed
		project. It should contain the information needed to help
		the institution make decisions regarding the adoption of
		the project. It should state envisaged outcomes,
		benefits and potential risks associated with the
		proposal.
Part IV		The section of EPA 1990 that deals with air quality
Particulate matter	PM ₁₀ , PM _{2.5}	Very small solid particles present in engine exhausts,
i artiodiato mattor	1 10110, 1 1012.5	categorised on the basis of the size of the particles (for
		example PM _{2.5} refers to the particle fraction with an
		average diameter of less than 2.5 µm)
Particle cize analysis	PSA	
Particle size analysis	FSA	Technical procedures, or laboratory techniques which
		determines the size range, and/or the average, or mean
Danabia Israelii	DDC	size of the particles in a sample.
Passive deposition	PDG	A means of measuring dust deposition
gauge		<u> </u>
Pathway		The route by which contamination moves from a source
İ	i	to a given receptor.

July 2018 Page xv



Term	Acronym	Definition
Pathway effectiveness		A term used to describe how likely it is that
·		contamination will move from a source to a given
		receptor
Peak ebb tide		Maximum current speed on a falling tide.
Peak flood tide		Maximum current speed on a rising tide.
Permanent Threshold	PTS	A permanent threshold shift is a permanent shift in the
Shift		auditory threshold. It may occur suddenly or develop
		gradually over time. A permanent threshold shift results
		in permanent hearing loss.
Permitted		Development that is deemed under the GPDO to have
Development		planning consent without the need to obtain planning
•		permission
Personal Injury	PIA	Is a legal term for an injury to the body, mind or
Accident		emotions, as opposed to an injury to property.it also
		incorporates medical and dental accidents and
		conditions that are often classified as industrial disease
		cases. The record of all PIAs for the road network in
		Thurrock are held by Essex County Council.
Perylene		Is a 20-carbon dibenz(de,kl) anthracene that can be
•		viewed as a naphthalene fused to a phenalene or as
		dinaphthalene. It is used as fluorescent lipid probe in
		the cytochemistry of membranes and is a polycyclic
		hydrocarbon pollutant in soil and water. Derivatives may
		be carcinogenic.
Phytoplankton		Plankton consisting of microscopic plants.
Pinniped		a carnivorous aquatic mammal of the order Pinnipedia,
•		such as a seal.
Plankton		Small and microscopic organisms drifting or floating in
		the sea or fresh water, consisting chiefly of diatoms,
		protozoans, small crustaceans, and the eggs and larval
		stages of larger animals. Plankton is a primary food
		source for many animals.
Planning Inspectorate	PINS	Executive agency supported by the Department for
		Communities and Local Government which deals with
		planning appeals, national infrastructure, planning
		applications, examinations of local plans and other
		planning related and specialist casework in England
		and Wales
Planning Policy	PPS	Statements from the UK government on national policy
Statement		and principles around certain aspect of the town
		planning framework. These have been replaced by the
		NPPF since 2012.
Point source		Source of pollution that is emitted from a single
		geographical point such as a stack (as opposed to
		fugitive emissions)
Policies for	PMD	Policies used in the determination of planning
Management of		applications to manage new development.
Development		·
Pollutants		Substances which, when present in the atmosphere
		under certain conditions and at certain concentrations,
		may have an adverse effect on human, animal, plant or
		microbial life, or to property, or which may interfere with
		the enjoyment of life or property.
Pollution climate	PCM	Modelling undertaken on behalf of Defra, as part of the
mapping		UK's annual compliance assessment reported to the
		European Commission each year
Pollution Prevention Guidance	PPG	European Commission each year Environment Agency published guidance on pollution prevention and best practice

July 2018 Page xvi



Term	Acronym	Definition
Polycyclic Aromatic	PAH	Organic compounds that contain hydrogen and carbon
Hydrocarbons		and more than one fused benzene ring. Released from
		burning coal, oil, gas, wood or other organic
		substances.
Polyaromatic	PAH	A group of more than 100 different chemicals that are
Hydrocarbon		released from burning coal, oil, gasoline, trash, tobacco,
		wood, or other organic substances such as charcoal-
		broiled meat.
Polychlorinated	PCB	Man-made organic compounds containing carbon,
Biphenyls		hydrogen and chlorine. Used in industrial and
		commercial applications e.g. electrical equipment.
Port of Tilbury		The existing Port of Tilbury is located on the River
		Thames at Tilbury in Essex, England.
Port of Tilbury London	PoTLL	The Port of Tilbury is located on the River Thames at
Limited		Tilbury in Essex, Éngland.
Port of London	PLA	IA self-funding public trust established by the Port of
Authority		London Act 1908 to govern the Port of London. Its
,		responsibility extends over the Tideway of the River
		Thames and its continuation (the Kent/Essex strait.
Port of London	MDP	To help establish a baseline position for the Thames in
Authority Maintenance		respect of these specific dredging operations and
Dredge Protocol		European sites.
Baseline Document		
Potential contaminant	PCL	A linkage between a contaminant and a receptor by the
linkages		means of a pathway.
Potential Roost	PRF	Features on a tree assessed to have some potential of
Features		being occupied by roosting bats, such as cracks,
		crevices and woodpecker holes.
Preliminary	PCSM	Provides a summary of a site including details of its
Conceptual Site Model		current land use, history, geology and hydrogeology
•		and details of potential contaminants, pathways and/or
		receptors. It is used to support the decision making
		process in the management of contaminated land and
		groundwater.
Preliminary	PEIR	A report describing the preliminary environmental
Environmental		assessment during the pre-application process of an
Information Report		NSIP and was available during the statutory
		consultation process.
Preliminary Risk	PRA	The first stage in a contaminated land site assessment.
Assessment		Undertaken to establish the previous uses of the site
		and surrounding area and to identify potential sources
		of contamination, receptors and pathways.
Priority Habitat		Habitats designated under UK Biodiversity Action Plan
,		(UK BAP). UK BAP priority habitats cover a wide range
		of semi-natural habitat types, and were those that were
		identified as being the most threatened and requiring
		conservation action.
Priority Species		See Species of Principal Importance (originating from
'		Biodiversity Action Plans, which have now been
		replaced by the UK Post-2010 Biodiversity Framework,
		though the lists of Priority Species have a parallel
		relationship with the lists of Species of Principal
		Importance identified under the Natural Environment
		and Rural Communities (NERC) Act 2006).
Process Guidance	PG	Statutory process guidance notes on best available
		techniques for the main industrial sectors to control
		emissions to air, under Part B of the Environmental
		Permitting Regulations
	L	Li cimilling izegulations

July 2018 Page xvii



Term	Acronym	Definition
the proposals		the development proposals for the Site and the ASDA Roundabout site as described in Chapter 5.
Public Health England	PHE	An executive agency, sponsored by the Department of Health that protect and improve the nation's health and wellbeing, and reduce health inequalities.
Public Right of Way	PRoW	Paths on which the public have legally protected rights to pass.
Pulverised fuel ash	PFA	Ash resulting from the burning of pulverised fuel (typically coal) in pulverised fuel fired power stations.
Ramsar site		A designation for wetlands of International importance.
Receptor		An identified aspect of the environment - e.g. a resident, protected species, heritage asset, controlled water etc - that may be affected by emissions during demolition, construction or operation. Human receptors include locations where people spend time and where property may be impacted. Ecological receptors are habitats that might be sensitive to changes in air quality.
Red Data Book	RDB	Species conservation status lists produced by the Joint
System		Nature Conservation Committee (JNCC).
Red line boundary		The area defined by the Development Consent Order. Also known as the 'Order Limits'
Red List of Birds of Conservation Concern		Bird species population status lists, with the latest update published by British Birds in 2015.
Re-entry Survey / Dawn Survey		Bat activity survey undertaken at dawn to look for bats returning to their roosts.
Refugia (singular Refugium)		Sheets of material, often bitumen roofing felt, used as a tool for reptile survey by providing habitat for reptiles to bask on and shelter under.
Rheinisch- Westfälische Elektrizitätswerke	RWE	A European electricity and natural gas supplier. The owner / operator of the power station that previously occupied the site.
Risk		The likelihood of an adverse event occurring.
River Basin Management Plan	RBMP	Government document that sets out how organisations, stakeholders and communities will work together to improve the water environment.
Rochdale Envelope		The Rochdale cases provide the basis upon which a project can be described by a series of maximum extents – the 'worst case' scenario - allowing the detailed design of the scheme to vary within this 'envelope' without invalidating the corresponding Environmental Impact Assessment.
Roll-on/Roll-off	RoRo	Is a ship that is designed so that vehicles can drive on at one end and off at the other.
Royal Society for the Protection of Birds	RSPB	England's largest conservation charity, originally focusing exclusively on birds, but now also extending to other wildlife and habitats.
Ruderal		A plant species which is an early coloniser of disturbed ground / wasteland.
Scheduled Ancient Monument	SAM	A "nationally important" archaeological site or historic building, protected under the Ancient Monuments and Archaeological Areas Act 1979.
Scoping		Determination of the extent of an assessment.
Secretary of State	SoS	A Cabinet minister in charge of a government department and the decision maker for the Application.
Sedimentation		The process of settling or being deposited as a sediment.
Sedimentological		The science that deals with the description, classification, and origin of sedimentary rock.

July 2018 Page xviii



Term	Acronym	Definition
Sediment flux		Quantification of magnitude and direction of sediment
Countent hax		through a unit area.
Short sea shipping		The movement of cargo by sea without crossing an
Chort sea shipping		ocean – including within the European Union and from
		the UK to continental Europe
Significant effects		The term 'significant effect' has a specific meaning in
olgrinicant chects		EIA regulations. The opposite is an insignificant effect.
		Professional judgement is necessary to determine
		whether an effect is significant based on the evidance
		presented.
Simple assessment		Refers to the use of simple calculation tools in order to
(air quality)		estimate air pollutant concentrations
SISYPHE		A state of the art sediment transport model.
the Site		• The Tilbury2 site
the one		The infrastructure corridor;
		The ASDA roundabout site; and
		Sections of the tidal Thames required for the
		construction of expanded berthing capacity and
		associated dredging.
the Site Boundary		The Order Limits for the Site.
Site of Special		A geological or biological conservation designation
Scientific Interest	SSSI	denoting a protected area in the UK.
Site Waste	SWMP	Contains an estimate of waste arisings from a
Management Plan	OVVIVII	construction project/ scheme, provides details on waste
Wanagement Flan		management and enables waste generation and
		management to be logged and audited throughout a
		project/ scheme; a draft of which is appended to the
		CEMP.
Skyglow		The variable brightness value of night-time sky caused
- Okygiow		by upward components of light from direct and inter-
		reflected light off the earth's surface (the brightness of
		sky glow is dependent on the amount of upward light
		and the presence and density of atmospheric particles
		and their distance above ground level)
Source Protection	SPZ	A zone designated to protect groundwater sources used
Zone	012	for public drinking water supply. The zones show the
20110		risk of contamination from activities that might cause
		pollution in the area.
Special Area of	SAC	Area of protected habitats and species as defined in the
Conservation	0/10	European Union's Habitat Directive (92/43/EEC).
Special Protection	SPA	A designated area for birds under the European Union
Area	017	Directive on the Conservation of Wild Birds.
Spill Light		Light falling outside of the target area for illumination
Opin Light		and/or outside of the illuminated property's boundary
Species of Principal	SPI	Species identified as being of principal importance
Importance	51 1	under the Natural Environment and Rural Communities
mportanoe		(NERC) Act 2006, and capable of being a material
		consideration in the determination of development
		proposals.
Spring tide		A tide just after a new or full moon, when there is the
opining due		greatest difference between high and low water.
Statutory decignated	 	Nature conservation sites with legal protection (includes
Statutory designated site		Ramsar sites, SPA, SAC, SSSI)
	SHMA	
Strategic Housing Market Assessment	SHIVIA	An evidence based document with the primary objective
warket Assessment		of providing a robust and strategic approach to
		establishing the full Objectively Assessed Need for
		housing in the Housing Market Area.

July 2018 Page xix



Term	Acronym	Definition
Strategic Road	SRN	The network of trunk roads and motorways managed by
Network	Orar	Highways England
Subtidal		Portion of a tidal-flat environment which lies below the
Cubildai		level of mean low water for spring tides. Normally it is
		covered by water at all states of the tide.
Succession		Ecological succession is the process of change in the
000000000000000000000000000000000000000		species structure of an ecological community over time.
Suction sampling		An invertebrate survey technique using a device similar
Cucuch campung		to a vacuum cleaner to suck up invertebrates.
Sulphur dioxide	SO2	One of the products of the combustion of sulphur
		containing fuels that can affect human health and the
		environment
Supplementary	SPD	a document that provides more detailed advice or
Planning Document		guidance on the policies in the Local Plan.
Suspended Sediments		Sediment transported by a fluid that it is fine enough for
		turbulent eddies to outweigh settling of the particles
		through the fluid so particles are held in suspension.
Sustainable	SDP	Sustainable distribution refers to any means of
Distribution Plan		transportation / hauling of goods between vendor and
		purchaser with lowest possible impact on the ecological
		and social environment, and includes the whole
		distribution process from storage, order processing and
		picking, packaging, improved vehicle loadings, delivery
		to the customer or purchaser and taking back
		packaging
Sustainable Urban	SUD	Urban design principles and practices bring together the
Design		ideas and plans to create enjoyable places to live, work
		and play while greatly reducing energy use. Designing
		away the need for cars is the most important step in
		creating sustainable places.
Sweep Netting		An invertebrate survey technique using a sweep net to
		gather invertebrates from plants and grasses.
Synergistic effects		Two or more effects that combine to have an effect on a
		single receptor (sometimes described as in-combination
		effects)
Temporary Threshold	TTS	Temporary shift in the auditory threshold. It may occur
Shift		suddenly after exposure to a high level of noise. A
		temporary threshold shift results in temporary hearing
		loss.
Thames Gateway	TGLB	Barking & Dagenham, Bexley, Havering, Lewisham,
London Boroughs		Greenwich, Newham and Tower Hamlets
Thurrock Council	TC	County Council governing the non-metropolitan country
		of Thurrock in England.
Thurrock Borough	TBC	The local council for the borough of Thurrock in Essex.
Council		
Tilbury Energy and	TEEC	Tilbury Power Station provides environment studies and
Environment Centre		power station visitor programmes to educational and
		community groups at the Centre sited within its
		grounds.
the Tilbury2 site		The site of the proposed RoRo and CMAT terminals
		and associated infrastructure.
Tonnes per Annum	TPA	
Total petroleum	TPH	Any mixture of compounds that are found in crude oil,
hydrocarbons		mainly comprising hydrogen and carbon.
Temporary Threshold	TTS	Temporary shift in the auditory threshold. It may occur
Shift		suddenly after exposure to a high level of noise. A
		temporary threshold shift results in temporary hearing
		loss.

July 2018 Page xx



Term	Acronym	Definition
Trackout		The transport of dust and dirt from the construction/demolition site onto the public road network, where it may be deposited and then resuspended by vehicles using the network.
Transport Analysis Guidance	TAG	Guidance from the Department for Transport on how to evaluate transportation schemes
Transport Assessment	TA	An in-depth assessment of the transport implications of a new scheme, separate from the EIA.
Turbidity		Turbidity is the cloudiness or haziness of a fluid caused by large numbers of individual particles that are generally invisible to the naked eye, similar to smoke in air. The measurement of turbidity is a key test of water quality.
UK Power Networks	UKPN	Distribution Network Operator Covering London, the South East and the East of England.
Unexploded Bomb	UXB	Bombs that did not explode when they were deployed, but may still pose a risk of detonation.
Unexploded Ordnance	UXO	Explosives that did not explode when they were deployed, but may still pose a risk of detonation.
United Nations Economic Commission for Europe	UNECE	One of the five regional commissions of the United Nations which aims to promote pan-European economic integration between its member states.
Verification		Process of verifying the robustness of modelled data by comparing with empirical measurements
Waste Electrical and Electronic Equipment	WEEE	A term used to describe Electrical and Electronic Equipment which has reached its end of life. The management of WEEE is covered by the Waste Electrical and Electronic Equipment (WEEE) Regulations 2006 (SI 2006/3289) as amended in 2007 (SI 2007/3454), 2009 (SI 2009/2957), 2010 (SI 2010/1155) and 2013 (SI 2013/3113).
Water Framework Directive	WFD	Binding European water policy which aims to ensure clean waters are kept clean and polluted waters are cleaned.
Waste and Resources Action Programme	WRAP	A UK registered charity who works with governments, businesses and communities to deliver practical solutions to improve resource efficiency and waste management.
Water Injection Dredging	WID	A hydrodynamic dredging technique in which large volumes of water are injected into the dredge sediment at low pressure. This fluidises the sediment by effectively overcoming the cohesion in fine grained (cohesive) soils or internal friction of coarse-grained (granular) soils. This fluidised sediment then remains close to the river or channel bed, flowing down to deeper areas.
The Water Resources Act	WRA	An Act of the UK Parliament which came into force in 1991. It regulates water resources, water quality and pollution and flood defences.
Wave climate		Wave climate is defined as the distribution of wave height, period, and direction averaged over a period of time for a particular location.
World Health Organisation	WHO	A United Nations agency concerned with public health

July 2018 Page xxi



Term	Acronym	Definition
Zone of Influence	ZOI	The study area defined by the proposals activities and impacts including those associated with construction, operation, decommissioning and restoration phases of the project.
Zone of Significant Visibility	ZSV	An area within a ZTV from which a proposed development is likely to draw the eye of a casual observer, based on field observations.
Zone of Theoretical Visibility	ZTV	A map, usually digitally produced, showing areas of land within which a development is theoretically visible.
Zooplankton		Plankton consisting of small animals and the immature stages of larger animals

July 2018 Page xxii