

**From:** [NI Enquiries](#)  
**To:** [Immingham Green Energy Terminal](#)  
**Subject:** FW: TR030008 – Immingham Green Energy Terminal - Interested Party IMGN-AFP036 and 20047067  
**Date:** 05 December 2024 15:47:40  
**Importance:** High

---

**From:** Darl Sweetland [REDACTED]@anglianwater.co.uk>  
**Sent:** Thursday, December 5, 2024 3:12 PM  
**To:** NI Enquiries <NIEnquiries@planninginspectorate.gov.uk>  
**Cc:** [REDACTED]  
**Subject:** RE: TR030008 – Immingham Green Energy Terminal - Interested Party IMGN-AFP036 and 20047067  
**Importance:** High

Dear National Infrastructure and Planning Inspectorate teams

Thank you for your consultation letter and emails dated 21 November 2024.

The submissions by the Green Energy Terminal Project (the applicant) and the positions of other statutory consultees which are summarised in the consultation documents do not directly engage the interests of Anglian Water Services or our customers. Anglian Water therefore has no comments on those matters.

The Statement of Common Ground (SoCG) between the applicant and Anglian Water dated 15 August 2024 set out Anglian Water’s support for the project given its planned contribution to net zero transition. The SoCG set out that two matters were not agreed. The first of these relates to the supply of water to the project which is a matter that is ‘ongoing’ given Anglian Water’s regulatory limits which mean that there is no guarantee that water will be able to be supplied to the project and their selected water retailer either during construction or operation. The second matter is ‘not agreed’ as the applicant disagrees with Anglian Water on the need for a Water Resources Assessment (WRA) pre commencement Requirement in the DCO Order. That inclusion of a Requirement in DCO Orders and a similar planning condition in TCPA planning permissions will now be mandatory for nationally significant and major development which requires a significant volume of water for non- domestic purposes such as cooling or process water. The WRA Requirement provides a mechanism for the applicant to show they have maximised water efficiency as part of final post approval design work and so provide evidence to Anglian Water, the decision maker, the Environment Agency, and others that the provision of that quantum of non- domestic water supply to the project would not compromise future supply to domestic customers. The ability to ensure uninterrupted water supplies to domestic customers is Anglian Water’s and other water companies’ primary regulatory duty.

**Darl Sweetland DMS, MRTPI**

Spatial Planning Manager – Sustainable Growth

[REDACTED]

Web: [www.anglianwater.co.uk](http://www.anglianwater.co.uk)

Pronounced: dahl-sweetlund [REDACTED]

**Anglian Water Services Limited**

Lancaster House, Lancaster Way, Ermine Business Park, Huntingdon, Cambridgeshire, PE29 6XU



---


**From:** NI Mail Distribution <[ni.mail.distribution@notifications.service.gov.uk](mailto:ni.mail.distribution@notifications.service.gov.uk)>

**Sent:** 21 November 2024 14:59

**To:** Darl Sweetland [REDACTED] <[\[REDACTED\]@anglianwater.co.uk](mailto:[REDACTED]@anglianwater.co.uk)>

**Subject:** TR030008 – Immingham Green Energy Terminal

**\*EXTERNAL MAIL\*** - Please be aware this mail is from an external sender - THINK BEFORE YOU CLICK



## **Application by Associated British Ports for an Order Granting Development Consent for the Immingham Green Energy Terminal Project**

### **Consultation by the Secretary of State for Transport**

### **Interested Party Reference number: IMGN-AFP036**

(You must quote your Interested Party Reference number in all correspondence with the Planning Inspectorate).

Dear Sir/Madam

Please find below a link to a letter from the or Secretary of State for Transport (SoS) that has been published on the National Infrastructure Planning website.

The letter invites comments from all Interested Parties in relation to the Applicant's letter dated 11 November and its Appendices. The deadline for the receipt of comments is 6 December 2024. It also requests a further update from the Applicant on outstanding matters. The deadline for the receipt of this information is 16 December 2024.

<https://infrastructure.planninginspectorate.gov.uk/document/TR030008-001395>

You can also view the letter and related documents under the Documents tab on the project webpage of the National Infrastructure Planning website:

Immingham Green Energy Terminal – Project information

Yours faithfully

Immingham GET Case Team

National Infrastructure Planning

Helpline: 0303 444 5000

Email: [ImminghamGET@planninginspectorate.gov.uk](mailto:ImminghamGET@planninginspectorate.gov.uk)

Web: <https://infrastructure.planninginspectorate.gov.uk/> (National Infrastructure Planning)

Web: <https://www.gov.uk/government/organisations/planning-inspectorate> (The Planning Inspectorate)

X (formally known as Twitter): @PINSgov

This communication does not constitute legal advice.

Please view our Privacy Notice before sending information to the Planning Inspectorate.

<https://infrastructure.planninginspectorate.gov.uk/help/privacy-and-cookie/>

-----\*

The information contained in this message is likely to be confidential and may be legally privileged. The dissemination, distribution, copying or disclosure of this message, or its contents, is strictly prohibited unless authorised by Anglian Water. It is intended only for the person named as addressee.

Anglian Water cannot accept any responsibility for the accuracy or completeness of this message, and does not authorise any contract to be made using the Internet.

If you have received this message in error, please immediately return it to the sender at the above address and delete it from your computer.

Anglian Water Services Limited

Registered Office: Lancaster House, Lancaster Way, Ermine Business Park, Huntingdon,

Cambridgeshire, PE29 6XU  
Registered in England No 2366656  
Please consider the environment before printing this email.

*Please note that the contents of this email and any attachments are privileged and/or confidential and intended solely for the use of the intended recipient. If you are not the intended recipient of this email and its attachments, you must take no action based upon them, nor must you copy or show them to anyone. Please contact the sender if you believe you have received this email in error and then delete this email from your system.*

*Recipients should note that e-mail traffic on Planning Inspectorate systems is subject to monitoring, recording and auditing to secure the effective operation of the system and for other lawful purposes. The Planning Inspectorate has taken steps to keep this e-mail and any attachments free from viruses. It accepts no liability for any loss or damage caused as a result of any virus being passed on. It is the responsibility of the recipient to perform all necessary checks.*

*The statements expressed in this e-mail are personal and do not necessarily reflect the opinions or policies of the Inspectorate.*

DPC:76616c646f72

