




To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

 A TRITAX BIG BOX COMPANY	Grid Coordinates: 446831, 294576	Horizontal Field of View: 90°	Direction of View: NW
	Date and Time: 18/02/2019 @ 20:32	Height of Camera: 1.6m	Distance: 232m
	Projection: Cylindrical	Make, Model, Sensor: Canon 5D MK2, FFS	aOD: 97m
	Visualisation Type: 1	Enlargement Factor: 96% @ A1 width	Focal Length: 50mm

HINCKLEY NATIONAL RAIL FREIGHT INTERCHANGE	APFP Regulation: 5(2)(a)	Revision: F
	Document Ref: 6.3.11.12	Drawn by: JFr
	Drawing Number: edp3267_d135f	Approved by: FMc
	Drawing Status: FINAL	
Date: 05-12-2022		

Figure 11.12: Night-time Views and Photomontages PVP 9 (Sheet 1 of 2)



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

TRITAX SYMMETRY
A TRITAX BIG BOX COMPANY

Grid Coordinates:	446831, 294576	Horizontal Field of View:	90°	Direction of View:	NW
Date and Time:	18/02/2019 @ 20:32	Height of Camera:	1.6m	Distance:	232m
Projection:	Cylindrical	Make, Model, Sensor:	Canon 5D MK2, FFS	aOD:	97m
Visualisation Type:	3	Enlargement Factor:	96% @ A1 width	Focal Length:	50mm

**HINCKLEY NATIONAL
RAIL FREIGHT INTERCHANGE**

Date: 05-12-2022


APFP Regulation: 5(2)(a)
Document Ref: 6.3.11.12
Drawing Number: edp3267_d135f
Drawing Status: FINAL

Revision: F
Drawn by: JFr
Approved by: FMc

Figure 11.12: Night-time Views and Photomontages PVP 9 (Sheet 1 of 2)



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

 A TRITAX BIG BOX COMPANY	Grid Coordinates: 446831, 294576	Horizontal Field of View: 90°	Direction of View: NW
	Date and Time: 18/02/2019 @ 20:32	Height of Camera: 1.6m	Distance: 232m
	Projection: Cylindrical	Make, Model, Sensor: Canon 5D MK2, FFS	aOD: 97m
	Visualisation Type: 1	Enlargement Factor: 96% @ A1 width	Focal Length: 50mm

**HINCKLEY NATIONAL
RAIL FREIGHT INTERCHANGE**

APFP Regulation: 5(2)(a)
Document Ref: 6.3.11.12
Drawing Number: edp3267_d135f
Drawing Status: FINAL

Revision **F**
Drawn by: JFr
Approved by: FMc

Date: 05-12-2022

Figure 11.12: Night-time Views and Photomontages PVP 9 (Sheet 2 of 2)



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

TRITAX SYMMETRY
A TRITAX BIG BOX COMPANY

Grid Coordinates:	446766, 293563	Horizontal Field of View:	90°	Direction of View:	N
Date and Time:	18/02/2019 @ 21:13	Height of Camera:	1.6m	Distance:	0m
Projection:	Cylindrical	Make, Model, Sensor:	Canon 5D MK2, FFS	aOD:	104m
Visualisation Type:	1	Enlargement Factor:	96% @ A1 width	Focal Length:	50mm

**HINCKLEY NATIONAL
RAIL FREIGHT INTERCHANGE**

APFP Regulation: 5(2)(a)
Document Ref: 6.3.11.12
Drawing Number: edp3267_d135f
Drawing Status: FINAL

Revision: F
Drawn by: JFr
Approved by: FMc

Date: 05-12-2022

Figure 11.12: Night-time Views and Photomontages PVP 12



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

TRITAX SYMMETRY
A TRITAX BIG BOX COMPANY

Grid Coordinates:	446766, 293563	Horizontal Field of View:	90°	Direction of View:	N
Date and Time:	18/02/2019 @ 21:13	Height of Camera:	1.6m	Distance:	0m
Projection:	Cylindrical	Make, Model, Sensor:	Canon 5D MK2, FFS	aOD:	104m
Visualisation Type:	3	Enlargement Factor:	96% @ A1 width	Focal Length:	50mm

**HINCKLEY NATIONAL
RAIL FREIGHT INTERCHANGE**

APFP Regulation: 5(2)(a)
Document Ref: 6.3.11.12
Drawing Number: edp3267_d135f
Drawing Status: FINAL

Revision: F
Drawn by: JFr
Approved by: FMc

Date: 05-12-2022

Figure 11.12: Night-time Views and Photomontages PVP 12



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

TRITAX SYMMETRY
A TRITAX BIG BOX COMPANY

Grid Coordinates:	446072, 296493	Horizontal Field of View:	90°	Direction of View:	S
Date and Time:	18/02/2019 @ 19:28	Height of Camera:	1.6m	Distance:	880m
Projection:	Cylindrical	Make, Model, Sensor:	Canon 5D MK2, FFS	aOD:	110m
Visualisation Type:	1	Enlargement Factor:	96% @ A1 width	Focal Length:	50mm

**HINCKLEY NATIONAL
RAIL FREIGHT INTERCHANGE**

APFP Regulation: 5(2)(a)
Document Ref: 6.3.11.12
Drawing Number: edp3267_d135f
Drawing Status: FINAL

Revision: F
Drawn by: JFr
Approved by: FMc

Date: 05-12-2022

Figure 11.12: Night-time Views and Photomontages PVP 19



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

TRITAX SYMMETRY
A TRITAX BIG BOX COMPANY

Grid Coordinates:	446072, 296493	Horizontal Field of View:	90°	Direction of View:	S
Date and Time:	18/02/2019 @ 19:28	Height of Camera:	1.6m	Distance:	880m
Projection:	Cylindrical	Make, Model, Sensor:	Canon 5D MK2, FFS	aOD:	110m
Visualisation Type:	3	Enlargement Factor:	96% @ A1 width	Focal Length:	50mm

HINCKLEY NATIONAL RAIL FREIGHT INTERCHANGE

APFP Regulation:	5(2)(a)	Revision:	F
Document Ref:	6.3.11.12	Drawn by:	JFr
Drawing Number:	edp3267_d135f	Approved by:	FMc
Drawing Status:	FINAL		

Date: 05-12-2022


Figure 11.12: Night-time Views and Photomontages PVP 19



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

 A TRITAX BIG BOX COMPANY	Grid Coordinates: 447422, 295559	Horizontal Field of View: 90°	Direction of View: SW
	Date and Time: 18/02/2019 @ 19:42	Height of Camera: 1.6m	Distance: 120m
	Projection: Cylindrical	Make, Model, Sensor: Canon 5D MK2, FFS	aOD: 87m
	Visualisation Type: 3	Enlargement Factor: 96% @ A1 width	Focal Length: 50mm

**HINCKLEY NATIONAL
RAIL FREIGHT INTERCHANGE**

APFP Regulation: 5(2)(a)
Document Ref: 6.3.11.12
Drawing Number: edp3267_d135f
Drawing Status: FINAL


Revision **F**
Drawn by: JFr
Approved by: FMc

Date: 05-12-2022

Figure 11.12: Night-time Views and Photomontages PVP 20



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

 A TRITAX BIG BOX COMPANY	Grid Coordinates: 448373, 294333	Horizontal Field of View: 90°	Direction of View: W
	Date and Time: 18/02/2019 @ 19:58	Height of Camera: 1.6m	Distance: 0m
	Projection: Cylindrical	Make, Model, Sensor: Canon 5D MK2, FFS	aOD: 94m
	Visualisation Type: 1	Enlargement Factor: 96% @ A1 width	Focal Length: 50mm

HINCKLEY NATIONAL RAIL FREIGHT INTERCHANGE	APFP Regulation: 5(2)(a)	Revision: F
	Document Ref: 6.3.11.12	Drawn by: JFr
	Drawing Number: edp3267_d135f	Approved by: FMc
	Drawing Status: FINAL	
Date: 05-12-2022		

Figure 11.12: Night-time Views and Photomontages PVP 22



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

TRITAX SYMMETRY
A TRITAX BIG BOX COMPANY

Grid Coordinates:	448373, 294333	Horizontal Field of View:	90°	Direction of View:	W
Date and Time:	18/02/2019 @ 19:58	Height of Camera:	1.6m	Distance:	0m
Projection:	Cylindrical	Make, Model, Sensor:	Canon 5D MK2, FFS	aOD:	94m
Visualisation Type:	3	Enlargement Factor:	96% @ A1 width	Focal Length:	50mm

**HINCKLEY NATIONAL
RAIL FREIGHT INTERCHANGE**

APFP Regulation: 5(2)(a)
Document Ref: 6.3.11.12
Drawing Number: edp3267_d135f
Drawing Status: FINAL

Revision: F
Drawn by: JFr
Approved by: FMc

Date: 05-12-2022

Figure 11.12: Night-time Views and Photomontages PVP 22



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

 A TRITAX BIG BOX COMPANY	Grid Coordinates: 447482, 293450	Horizontal Field of View: 90°	Direction of View: NW
	Date and Time: 18/02/2019 @ 20:09	Height of Camera: 1.6m	Distance: 235m
	Projection: Cylindrical	Make, Model, Sensor: Canon 5D MK2, FFS	aOD: 101m
	Visualisation Type: 1	Enlargement Factor: 96% @ A1 width	Focal Length: 50mm

**HINCKLEY NATIONAL
RAIL FREIGHT INTERCHANGE**

APFP Regulation: 5(2)(a)
Document Ref: 6.3.11.12
Drawing Number: edp3267_d135f
Drawing Status: FINAL

Revision **F**
Drawn by: JFr
Approved by: FMc

Date: 05-12-2022

Figure 11.12: Night-time Views and Photomontages PVP 24



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

TRITAX SYMMETRY
A TRITAX BIG BOX COMPANY

Grid Coordinates: 447482, 293450	Horizontal Field of View: 90°	Direction of View: NW
Date and Time: 18/02/2019 @ 20:09	Height of Camera: 1.6m	Distance: 235m
Projection: Cylindrical	Make, Model, Sensor: Canon 5D MK2, FFS	aOD: 101m
Visualisation Type: 3	Enlargement Factor: 96% @ A1 width	Focal Length: 50mm

HINCKLEY NATIONAL RAIL FREIGHT INTERCHANGE

APFP Regulation: 5(2)(a)	Revision: F
Document Ref: 6.3.11.12	Drawn by: JFr
Drawing Number: edp3267_d135f	Approved by: FMc
Drawing Status: FINAL	

Date: **05-12-2022**

Figure 11.12: Night-time Views and Photomontages PVP 24



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

TRITAX SYMMETRY
A TRITAX BIG BOX COMPANY

Grid Coordinates: 444419, 296463	Horizontal Field of View: 90°	Direction of View: SE
Date and Time: 18/02/2019 @ 19:11	Height of Camera: 1.6m	Distance: 630m
Projection: Cylindrical	Make, Model, Sensor: Canon 5D MK2, FFS	aOD: 116m
Visualisation Type: 1	Enlargement Factor: 96% @ A1 width	Focal Length: 50mm

HINCKLEY NATIONAL RAIL FREIGHT INTERCHANGE

APFP Regulation: 5(2)(a)	Revision: F
Document Ref: 6.3.11.12	Drawn by: JFr
Drawing Number: edp3267_d135f	Approved by: FMc
Drawing Status: FINAL	
Date: 05-12-2022	

Figure 11.12: Night-time Views and Photomontages PVP 25



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

 A TRITAX BIG BOX COMPANY	Grid Coordinates: 444419, 296483	Horizontal Field of View: 90°	Direction of View: SE
	Date and Time: 18/02/2019 @ 19:11	Height of Camera: 1.6m	Distance: 630m
	Projection: Cylindrical	Make, Model, Sensor: Canon 5D MK2, FFS	aOD: 116m
	Visualisation Type: 3	Enlargement Factor: 96% @ A1 width	Focal Length: 50mm


**HINCKLEY NATIONAL
RAIL FREIGHT INTERCHANGE**

APFP Regulation: 5(2)(a)
Document Ref: 6.3.11.12
Drawing Number: edp3267_d135f
Drawing Status: FINAL

Revision **F**
Drawn by: JFr
Approved by: FMc

Date: 05-12-2022

Figure 11.12: Night-time Views and Photomontages PVP 25



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

TRITAX SYMMETRY
A TRITAX BIG BOX COMPANY

Grid Coordinates:	445210, 294340	Horizontal Field of View:	90°	Direction of View:	NE
Date and Time:	18/02/2019 @ 20:58	Height of Camera:	1.6m	Distance:	165m
Projection:	Cylindrical	Make, Model, Sensor:	Canon 5D MK2, FFS	aOD:	96m
Visualisation Type:	1	Enlargement Factor:	96% @ A1 width	Focal Length:	50mm

**HINCKLEY NATIONAL
RAIL FREIGHT INTERCHANGE**

APFP Regulation: 5(2)(a)
Document Ref: 6.3.11.12
Drawing Number: edp3267_d135f
Drawing Status: FINAL


Revision: F
Drawn by: JFr
Approved by: FMc

Date: 05-12-2022

Figure 11.12: Night-time Views and Photomontages PVP 36



To be viewed at comfortable arm's length. Accuracy within the limits of photostitching software at low light levels.

 A TRITAX BIG BOX COMPANY	Grid Coordinates: 445210, 294340	Horizontal Field of View: 90°	Direction of View: NE
Date and Time: 18/02/2019 @ 20:58	Height of Camera: 1.6m	Distance: 165m	
Projection: Cylindrical	Make, Model, Sensor: Canon 5D MK2, FFS	aOD: 96m	
Visualisation Type: 3	Enlargement Factor: 96% @ A1 width	Focal Length: 50mm	

**HINCKLEY NATIONAL
RAIL FREIGHT INTERCHANGE**

APFP Regulation: 5(2)(a)
Document Ref: 6.3.11.12
Drawing Number: edp3267_d135f
Drawing Status: FINAL

Revision **F**
Drawn by: JFr
Approved by: FMc

Date: 05-12-2022

Figure 11.12: Night-time Views and Photomontages PVP 36