


Fens Reservoir

**Environmental Impact Assessment
Scoping Report
Volume 3
Part 2: Appendix 7.4**

October 2024



Document Control

Document title	EIA Scoping Report – Volume 3 – Part 2
Revision	C01
Date	October 2024

Version History

Revision	Suitability	Date	Description
C01	A3	October 2024	For submission to the Planning Inspectorate

Contents

APPENDIX 7.4: Scoping sources of supply and upstream water transfers and downstream treated water transfers panoramas	1
--	----------

APPENDIX 7.4: Scoping sources of supply and upstream water transfers and downstream treated water transfers panoramas

Appendix 7.4 Scoping Sources of Supply and Upstream Water Transfers and Downstream Treated Water Transfers Panoramas

Notes


1. This appendix document should be read in conjunction with Chapter 7: Landscape and visual of the EIA Scoping Report, Figure 7.3 Preliminary representative viewpoints and Appendix 7.5 Scoping representative viewpoint tables.
2. The panoramas provide contextual information of typical landscape character baseline, and of views within that landscape. They are not intended to be representative of a specific viewpoint, or to a scale that would be representative of the view from that location. The panoramas have not been developed to follow Landscape Institute Technical Guidance Note 06/19 Visual Representative of Development Proposals (Landscape Institute 2019). Photographs that comply with the guidance will be produced for the assessment once viewpoints have been agreed with stakeholders.
3. The panoramas do not show the extent of the Scoping boundary although they do show the current extent of land required for the proposed locations of the above ground infrastructure for construction and operation. The extent of land required permanently for the above ground infrastructure will be refined as the proposals are developed.

Upstream


Upstream River Nene and its Counter Drain:





VP2A - 180° Located within the Scoping boundary. View south and east from Stangground Lock, Bridleway Stangground South 3, Peterborough Annual Maintenance Bridleway 85 and National Cycle Route (NCR) 21.




VP7A - 180° View south-west from Willow Hall Lane at its junction with Northey Lane and the Peterborough Green Wheel Regional Cycle Route 21. Viewpoint is located approximately 750m from the Scoping boundary.



VP14A - 145° View west from North Bank, Dog-in-a-Doublet Farm, Thorney Pedestrian Route 1 and Footpath Thorney 7. Viewpoint is located approximately 70m from the Scoping boundary.

PROJECT TITLE Fens Reservoir	DRAWING TITLE EIA Scoping Report - Appendix 7.4 Scoping source of supply and upstream water transfers and downstream treated water transfers panoramas	REVISION P02	STATUS CODE S1	SCALE	Author YZ	Checker AR	Reviewer KP	Approver LN	 	DRAWING No. 07634-XXX-OUSFWIWA-RWT-GAR-C-001
		SHEET NUMBER 1 of 8	ISSUE NO		COMMENTS	DATE	AUTH	<small>Thorp Wood House, Thorpe Wood, Peterborough, Cambridgeshire, PE3 6WT Tel: 01773 414100 Fax: 01773 414111</small>		
Partner Company: JACOBS https://anglianwater.sharepoint.com/					<small>90 F.Boam Rd. Cambridge CB1 3JF Tel: 01223 706050</small>					Template version: P01





VP21A - 100° View south-west from B1040 North Side at its junction with Thorney Dyke. Viewpoint lies approximately 1.53km to the north-east of the Scoping boundary.

Upstream Ouse Washes (River Delph) to Fens Reservoir:




VP24A - 180° View south from Fallow Corner Drove, Manea. Viewpoint is located approximately 1.95km from the Scoping boundary.


PROJECT TITLE Fens Reservoir	DRAWING TITLE EIA Scoping Report - Appendix 7.4 Scoping source of supply and upstream water transfers and downstream treated water transfers panoramas	REVISION P02	STATUS CODE S1	SCALE	Author YZ	Checker AR	Reviewer KP	Approver LN	 	DRAWING No. 07634-XXX-OUSFWIWA-RWT-GAR-C-001	
		SHEET NUMBER 2 of 8	ISSUE NO		COMMENTS	DATE	AUTH				
			P01		INITIAL ISSUE	30/07/2024	YZ				
			P02		SECOND ISSUE	06/09/2024	YZ				
<small>Partner Company: JACOBS https://anglianwater.sharepoint.com/</small>					<small>Thorppe Wood House, Thorpe Wood, Peterborough, Cambridgeshire, PE3 6WT Tel: 01733 414100 Fax: 01733 414111</small>					<small>50 F. Bourne Rd, Cambridge CB1 3JF Tel: 01223 706050</small>	

Upstream and Downstream

Upstream River Great Ouse at Earith to Fens Reservoir Pipeline, inter-catchment water treatment, Potential Water Treatment, Pumping Station, and Downstream Fens Reservoir to Madingley via Bluntisham Pipeline and Service Reservoir:





VP28A&B - 180° View east from the B1050 London Road, Chatteris. Viewpoint is located approximately 560m from the Scoping boundary.




VP32A&B - 180° View south-west from Warner's Drove, Somersham. Viewpoint is located approximately 90m from the Scoping boundary.



VP38A&B - 180° View south from Footpath Colne 51/2, Somersham. Viewpoint is approximately 1.63km from the Scoping boundary.


PROJECT TITLE Fens Reservoir	DRAWING TITLE EIA Scoping Report - Appendix 7.4 Scoping source of supply and upstream water transfers and downstream treated water transfers panoramas	REVISION P02	STATUS CODE S1	SCALE	Author YZ	Checker AR	Reviewer KP	Approver LN	 	DRAWING No. 07634-XXX-OUSFWIWA-RWT-GAR-C-001
		SHEET NUMBER 3 of 8			ISSUE NO	COMMENTS	DATE	AUTH		
					P01	INITIAL ISSUE	30/07/2024	YZ		
					P02	SECOND ISSUE	06/09/2024	YZ		
				<small>Thorppe Wood House, Thorpe Wood, Peterborough, Cambridgeshire, PE3 6WT Tel: 01733 414100 Fax: 01733 414111</small>		<small>50 F.Boam Rd, Cambridge, CB1 5JF Tel: 01223 706050</small>				




VP45A&B - 180° View south from A1123 Rectory Road, Bluntisham. Viewpoint is located approximately 200m from the Scoping boundary.

Downstream



Downstream Fens Reservoir to Bexwell:



VP3B - 180° View west from New Road and Footpath Crimplesham FP3. Viewpoint is located approximately 340m from the Scoping boundary.



VP5B - 180° View east from Bridleway Wimbotsham BR14, Downham Market. Viewpoint is located approximately 290m from the Scoping boundary.


PROJECT TITLE Fens Reservoir	DRAWING TITLE EIA Scoping Report - Appendix 7.4 Scoping source of supply and upstream water transfers and downstream treated water transfers panoramas	REVISION P02	STATUS CODE S1	SCALE	Author YZ	Checker AR	Reviewer KP	Approver LN	 	DRAWING No. 07634-XXX-OUSFWIWA-RWT-GAR-C-001
		SHEET NUMBER 4 of 8			ISSUE NO	COMMENTS	DATE	AUTH		
					P01	INITIAL ISSUE	30/07/2024	YZ		
					P02	SECOND ISSUE	06/09/2024	YZ		





VP8B - 180° View south-east from Lynn Road, Wimbotsham. Viewpoint is located approximately 460m from the Scoping boundary.



VP14B - 180° Located within the Scoping boundary. View west from Birchfield Road, Nordelph.



VP19B - 180° Located within the Scoping boundary. View south-west from Wisbech Road, Tipps End.

PROJECT TITLE Fens Reservoir	DRAWING TITLE EIA Scoping Report - Appendix 7.4 Scoping source of supply and upstream water transfers and downstream treated water transfers panoramas	REVISION P02	STATUS CODE S1	SCALE	Author YZ	Checker AR	Reviewer KP	Approver LN	 	DRAWING No. 07634-XXX-OUSFWIWA-RWT-GAR-C-001
		SHEET NUMBER 5 of 8			ISSUE NO	COMMENTS	DATE	AUTH		
					P01	INITIAL ISSUE	30/07/2024	YZ		
					P02	SECOND ISSUE	06/09/2024	YZ		
<small>Partner Company: JACOBS https://anglianwater.sharepoint.com/</small>					<small>Thorp Wood House, Thorpe Wood, Peterborough, Cambridgeshire, PE3 6WT Tel: 01733 414100 Fax: 01733 414111</small>			<small>50 F.Boam Rd, Cambridge, CB1 5JF Tel: 01223 706050</small>		

Downstream Fens Reservoir to Madingley via Bluntisham:



VP54B - 180° Located within Scoping boundary. View south from High Street, Needingworth.



Indicative location of pipeline corridor Scoping boundary



VP60B - 120° View west from the Cambridgeshire Guided Busway, Bridleway Swavesey 225/21, Bridleway Swavesey 225/5, Pathfinder Long Distance Walk Long Distance Path and National Cycle Route (NCR) 51. Viewpoint lies approximately 160m from the Scoping boundary.




VP64B - 180° View north-east from Swavesey Road, Fen Drayton. Viewpoint lies approximately 300m from the Scoping boundary.



PROJECT TITLE Fens Reservoir	DRAWING TITLE EIA Scoping Report - Appendix 7.4 Scoping source of supply and upstream water transfers and downstream treated water transfers panoramas	REVISION P02	STATUS CODE S1	SCALE	Author YZ	Checker AR	Reviewer KP	Approver LN	 	DRAWING No. 07634-XXX-OUSFWIWA-RWT-GAR-C-001
		SHEET NUMBER 6 of 8	ISSUE NO		COMMENTS	DATE	AUTH	<small>Thorp Wood House, Thorp Wood, Peterborough, PE3 6WT Tel: 01733 414100 Fax: 01733 414111</small> <small>50 F. Bourn Rd, Cambridge CB1 5JF Tel: 01223 706050</small>		
Partner Company: JACOBS https://anglianwater.sharepoint.com/										Template version: P01



VP67B - 180° Located within Scoping boundary. View north from Elsworth Road, Boxworth.



VP76B - 90° View south from Saint Neots Road, Hardwick. Viewpoint lies approximately 10m from the Scoping boundary.




PROJECT TITLE Fens Reservoir	DRAWING TITLE EIA Scoping Report - Appendix 7.4 Scoping source of supply and upstream water transfers and downstream treated water transfers panoramas	REVISION P02	STATUS CODE S1	SCALE	Author YZ	Checker AR	Reviewer KP	Approver LN	 	DRAWING No. 07634-XXX-OUSFWIWA-RWT-GAR-C-001
		SHEET NUMBER 7 of 8	ISSUE NO		COMMENTS	DATE	AUTH	<small>Thorp Wood House, Thorp Wood, Peterborough, Cambridgeshire, PE3 6WT Tel: 01733 414100 Fax: 01733 414111</small> <small>50 F. Bourne Rd, Cambridge CB1 3JF Tel: 01223 706050</small>		
Partner Company: JACOBS https://anglianwater.sharepoint.com/					Template version: P01					



Indicative location of pipeline corridor Scoping boundary

Madingley Antenna

VP82B - 90° View north-west from Whitwell Way, Coton and the Harcamlow Way LDP. Viewpoint lies approximately 1km from the Scoping boundary.

PROJECT TITLE Fens Reservoir	DRAWING TITLE EIA Scoping Report - Appendix 7.4 Scoping source of supply and upstream water transfers and downstream treated water transfers panoramas	REVISION P02	STATUS CODE S1	SCALE	Author YZ	Checker AR	Reviewer KP	Approver LN	  <small>Thorppe Wood House, Thorpe Wood, Peterborough, Cambridgeshire, PE3 6WT Tel: 01773 414100 Fax: 01773 414111</small>	 <small>80 F. Bourne Rd, Cambridge CB1 5JF Tel: 01223 706050</small>	DRAWING No. 07634-XXX-OUSFWIWA-RWT-GAR-C-0001
		SHEET NUMBER 8 of 8	ISSUE NO		COMMENTS	DATE	AUTH				
					P01	INITIAL ISSUE	30/07/2024	YZ			
					P02	SECOND ISSUE	06/09/2024	YZ			

Get in touch

You can contact us by



Email info@fensreservoir.co.uk



Call Freephone on **0800 915 2492**



Write to us at Freepost Fens Reservoir



Visit our website at www.fensreservoir.co.uk
You can view all our DCO application documents and updates
on the application on The Planning Inspectorate website
[https://national-infrastructure-
consenting.planninginspectorate.gov.uk/projects/](https://national-infrastructure-consenting.planninginspectorate.gov.uk/projects/)