

**Application for Development Consent for
Nationally Significant Infrastructure Projects
under the Planning Act 2008**

* required information

Application Form

Please read guidance documents relating to the submission of applications prior to completing this form including [government guidance](#) and the Planning Inspectorate's [Advice Note Six: Preparation and submission of application documents](#).

* Do you have a reference number?

 Yes No

* Reference number

WS010005

1. Applicant

* Organisation

Augean South Ltd

Address

* Building number or name

* Street

* City or town

County or administrative
area

* Postcode

* Country

United Kingdom

* Name of contact

Gene Wilson

* Telephone number

Fax number

* Email

2. Agent

* Are you an agent acting on behalf of the Applicant?

 Yes No

* Organisation

MJCA

Continued from previous page...

Address

* Building number or name	Baddesley Colliery Offices
* Street	
* City or town	
County or administrative area	
* Postcode	
* Country	United Kingdom
* Name of contact	Leslie Heasman
* Telephone number	
Fax number	
* Email	

3. Fee

* State the arrangement for the application fee payment:

- BACS CHAPS Cheque

* Please provide payment reference details	East Northants Resource Management Facility DCO. Project Reference WS010005
--	---

4. Confirming why the Planning Inspectorate should receive the application

* Brief statement to explain why this application is, or is to be treated as, a development for which development consent is required under the Planning Act 2008

These works fall within the definition of an NSIP for the purposes of section 14(1)(p), 30(1) and 30(3) for the reasons set out below:

Work No.1 is a hazardous waste landfill facility split into two parts:

Work No. 1A, the construction of the Existing Landfill Facility which was granted consent under the Original Order, subject to an increase in void space. This is a hazardous waste facility for the disposal of waste by landfill and has a capacity of more than 100,000 tonnes per year which satisfies section 30(1) and section 30(2)(a).

Work No. 1B, the construction of the Proposed Western Extension which satisfies section 30(1) and section 30(2)(a) as it is a hazardous waste facility for the disposal of hazardous waste by landfill and has a capacity of over 100,000 tonnes per year

Both Work No. 1A and Work No. 1B will also accept a relatively small proportion of LLW alongside hazardous waste.

Work No. 2 - An alteration to the Existing Waste Treatment and Recovery Facility, which will increase the capacity for hazardous waste from 200,000 tonnes per year consented under the Original Order to 250,000 tonnes per year. This is an increase greater than 30,000 tonnes per year and as the facility does not facilitate the disposal of hazardous waste facility by landfill, it satisfies the threshold in section 30(4)(b) and therefore satisfies section 30(3).

5. Non-technical description of the Proposed Development

Continued from previous page...

*** Brief non-technical description of the Proposed Development**

- The construction of new landfill void in the Proposed Western Extension for the continued disposal of the same range of predominantly hazardous wastes and a limited amount of low level radioactive waste (LLW) as deposited at the Existing ENRMF with a capacity of greater than 100,000 tonnes per annum (tpa) of hazardous waste which satisfies section 30(1) and section 30(2)(a) of the Act.
- A proposal for a coherent landform for the restoration of the Existing Landfill Facility and the Proposed Western Extension resulting in the construction of new landfill void in the Existing Landfill Facility to connect with the Proposed Western Extension with a capacity of greater than 100,000 tonnes per annum (tpa) of hazardous waste which satisfies section 30(1) and section 30(2)(a) of the Act.
- A total additional landfill void to be constructed of approximately 2.5 million cubic metres.
- The winning and working of minerals in the Proposed Development in order to create the landfill void and provide extracted materials for use on site as well as the exportation of clay and overburden for use in engineering, restoration and general fill at other sites.
- The temporary stockpiling of clay, overburden and soils for use in the construction of the engineered containment system at the site and restoration of the site.
- The direct input of waste into the Existing Landfill Facility and the Proposed Western Extension will continue at a rate of up to 150,000 tpa.
- An increase to the hazardous waste throughput of the Existing Waste Treatment and Recovery Facility from 200,000tpa to 250,000tpa which comprises an increase of 50,000tpa compared with the rate consented in the Original Order and the extension of the treatment area to the south while remaining within the Existing ENRMF footprint which satisfies section 30(3) and section 30(4)(b) of the Act.
- A combined total waste importation rate limit to site for the Proposed Development of 300,000tpa which is an increase of 50,000tpa compared with the rate consented in the Original Order.
- The LLW which will continue to be disposed of at the ENRMF and will be disposed of in the Proposed Western Extension will be limited to that which is at the lower end of the activity range and typically will have a level of radioactivity of up to 200 Bq/g.
- The diversion of the overhead electricity cable that crosses the Proposed Western Extension to a trench which follows the route of the water pipes across the Proposed Western Extension and then follows the western margin of the site to the northern corner.
- The operational hours of the site will not change from those already consented in the Original Order.
- Restoration of the whole site to generally domed profiles to create a coherent restoration landform.
- Restoration of the site to improved biodiversity and nature conservation interest using the soils available at the site as well as suitable imported materials. The site will be restored to a mosaic structure of woodland with shrubby edges, flower meadow grassland, scattered trees, hedgerows and waterbodies.
- Completion of the landfilling and restoration operations by December 2046 and removal of the Existing Waste Treatment and Recovery Facility.
- Retention of infrastructure until 2046 and the retention of long term management infrastructure beyond this date.

6. Location or route of the Proposed Development



*** Description of location of application site(s), or route of development (reference to appropriate plans)**

The site is located in the council area of North Northamptonshire. The application boundary lies approximately 1.1km east south east of Duddington village and approximately 2km north north west of Kings Cliffe village at its closest points. The application boundary is centred on NGR TL 004 999 and includes the existing ENRMF site.

*** Is the site a single site or a linear site?**

- Single site Linear site

Grid reference

* Easting

* Northing

Continued from previous page...

* Document reference

7. Associated Development



* Associated Development is included within this application:

Yes No

* Document reference

8. a) Consultation Report



* Document reference

* Document reference

8. b) Copies of newspaper notices



* Document reference

9. Draft Development Consent Order



* Document reference

10. Explanatory Memorandum



* Document reference

11. Land Plan



* Document reference

12. Works Plan



* Document reference

Continued from previous page...

Add another reference

13. Compulsory Acquisition of land or an interest in land or right over land



* Issues are relevant for this application:

Yes No

14. a) Environmental Impact Assessment (EIA)



* Environmental Statement (ES) required:

Yes No

* ES Document Reference

5.1

* ES Document Reference

5.2

Remove this reference

* ES Document Reference

5.3 (5.3.1.1 to 5.3.23.3)

Remove this reference

* ES Document Reference

5.4 (5.4.1.1 to 5.4.22.4)

Remove this reference

Add another reference

14. b) Screening Opinion/ Direction and Scoping Opinion/ Direction



* Screening Opinion sought, or direction received:

Yes No

* Scoping Opinion sought:

Yes No

Document reference

5.4.2.1 and 5.4.2.2

Add another reference

14. c) Publicity required under Regulation 13 of The Infrastructure Planning (Environmental Impact Assessment) Regulations 2017 (or where the transitional provisions apply, Regulation 11 of The Infrastructure Planning (Environmental Impact Assessment) Regulations 2009)



In addition to publishing the notice, a copy of the notice was sent to:

Continued from previous page...

* the consultation bodies

* Yes

* the persons notified to the Applicant in accordance with Regulation 11(1)(c) of The Infrastructure Planning (Environmental Impact Assessment) Regulations 2017 (or where the transitional provisions apply, Regulation 9(1)(c) of The Infrastructure Planning (Environmental Impact Assessment) Regulations 2009):

Yes No, not applicable

15. European sites (to which Regulation 63 of The Conservation of Habitats and Species Regulations 2017 and/ or Regulation 28 of the Conservation of Offshore Marine Habitats and Species Regulations 2017 applies) or a Ramsar site.



* Report required for this application:

Yes No

* Document reference

5.5

Add another reference

16. A plan, with accompanying information, identifying any statutory or non statutory sites or features of nature conservation, geological or landscape importance; habitats of protected species, important habitats or other diversity features; and water bodies in a River Basin Management Plan - together with an assessment of any effects likely to be caused by the Proposed Development.



* Issues are relevant for this application:

Yes No

* Document reference

2.11, 2.13, 5.2 and 5.4.13.1

Add another reference

17. A plan, with accompanying information, identifying any statutory or non statutory sites or features of the historic environment such as scheduled monuments, World Heritage sites, listed buildings and other historic structures, archaeological sites and registered battlefields, together with an assessment of any effects likely to be caused by the Proposed Development



* Issues are relevant for this application:

Yes No

* Document reference

2.12. 5.2 and 5.4.16.1

Add another reference

18. Flood Risk Assessment



* Flood Risk Assessment required:

Yes No

Continued from previous page...

* Document reference

19. Matters set out in section 79(1) (statutory nuisances etc) of the Environmental Protection Act 1990



* Statement required for this application:

Yes No

* Document reference

20. A plan with any accompanying information identifying any Crown land



* Issues are relevant for this application:

Yes No

21. A plan identifying new or altered means of access, stopping up of streets or any diversions, extinguishments or creation or rights of way or public rights of navigation



* Issues are relevant for this application:

Yes No

22. Additional information for specific types of infrastructure



* Additional information is required to be submitted in accordance with Regulation 6 of The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009:

Yes No

* Provide a brief description

If the application is for the construction or alteration of a hazardous waste facility the application must be accompanied by a statement detailing the proposed purpose of the facility and an estimate of the annual capacity of the plant for the final disposal or recovery of hazardous waste in accordance with Regulation 6(5) of APFP 2009.

* Document reference

* Document reference

Continued from previous page...

Regulation 6 of the Infrastructure Planning (Applications: Prescribed Forms and Procedures) Regulations 2009 requires additional information to be submitted with the following types of development.

* Please check any of the following boxes that apply:

- Construction or extension of a non offshore generating station (Reg. 6 (1a))
- Construction or extension of an offshore generating station (Reg. 6 (1b))
- Highway related development (Reg. 6 (2) (part 1))
- Construction or alteration of a railway (Reg. 6 (2) (part 2))
- Construction or alteration of harbour facilities (Reg. 6 (3))
- Construction of a pipeline (Reg. 6 (4))
- Construction or alteration of a hazardous waste facility (Reg. 6 (5))
- Construction of a dam or reservoir (Reg. 6 (6))

Construction or alteration of a hazardous waste facility (Reg. 6 (5))

* Provide a statement which details the proposed purpose of the facility

The overarching purpose of this DCO application and the proposed development is to continue to meet the established need for the management of hazardous wastes and low level radioactive wastes generated primarily in the centre and south of the UK beyond the consented life of the current site. The proposed development is designed to satisfy all relevant legal, policy and regulatory considerations and to make sure that people and the environment are properly protected in the short, medium and long term. The proposed development also must be commercially viable and provide business security in order for it to support the needs of the businesses generating the wastes managed at the site.

* Provide an estimate of the annual capacity of the plant for the final disposal or recovery of hazardous waste

300,000 tonnes per annum

23. Any other plans, drawings and sections necessary to describe the proposal for which development consent is sought, and any other documents, reports or information to support the application



Provide a brief description of any other plans, drawings and sections that are being submitted with this application

Location Plan (Document 2.1)
General arrangement plan: Work No. 1A and Work No. 1B (Document 2.4)
General arrangement plan: Work No. 2 (Document 2.5)
General arrangement plan: Work No. 3 (Document 2.6)
Access plan showing existing access (Document 2.7)
Restoration Concept Scheme (Document 2.8)
Restoration Profile Contour Plan (Document 2.9)
Hedgerow removal plan(Document 2.10)

Document reference

2.1

Document reference

2.4

Remove this reference

Continued from previous page...

Document reference

Document reference

Document reference

Document reference

Document reference

Document reference

Provide a brief description of any other documents considered necessary to support the application

Planning Statement with appendices (Document 6.1, 6.2.2.1, 6.2.4.1, 6.2.4.2, 6.2.4.3)
Statutory Nuisance Statement (Document 6.3)
Draft Section 106 Agreement (Document 6.4)
DCO Environmental Commitments (Document 6.5)
Book of Reference (Document 3.4)

Document reference

Document reference

Document reference

Document reference

Continued from previous page...

Document reference

Document reference

Document reference

Document reference

Document reference

Provide a brief description of any other information provided that is in support of the application, but which has not been explicitly required

Document reference

24. Other consents/ licences required under other legislation



* Other consents/ licences are required:

Yes No

* Provide a list of consents/licences

As outlined in Section 8 of the ES, the site is subject to three Environmental Permits issued by the Environment Agency. The Environmental Permits are for the hazardous waste landfill, the waste treatment and recovery facility and the LLW disposal. The Environmental Permit for the hazardous waste landfill and the LLW disposal will be extended to cover the proposed western extension.

You must cite the document references as appropriate

* Document reference

Continued from previous page...



25. Declaration

I declare to the best of my knowledge that the information given in this form and enclosed maps, plans and other documents are true.

Please note there is a requirement for one hard copy of the form to be signed. Please ensure that when you submit you include at least one signed copy. Further copies do not require the hand written signature.

Signature

(For and on behalf of the Applicant)

* Name

LESLIE HEASMAN

(In block letters)

* Date

07 / 09 / 2021
dd mm yyyy

* Organisation

MJCA

* Position within the organisation

Managing Director