



NON MATERIAL CHANGE CONSULTATION REPORT

PINS project reference: WS010005

PINS document reference: 14.7

July 2022



Baddesley Colliery Offices, Main Road, Baxterley, Atherstone,
Warwickshire, CV9 2LE.

Telephone : 01827 717891, Fax : 01827 718507



Consultation Report

Contents

Section 1 - Introduction	3
Section 2 - Background to non material change request.....	4
Section 3 - Rationale for and scope of the consultation	5
Section 4 - Consultation documents.....	8
Section 5 - Consultation	10
Section 6 - Responses to the consultation	12
Section 7 - Conclusions.....	19

Appendices

Appendix CRA	Lists of consultees
Appendix CRB	Consultation proposals letters and responses
Appendix CRC	Consultation website screenshots
Appendix CRD	Cover emails to consultees
Appendix CRE	Kings Cliffe Liaison Group presentation and minutes
Appendix CRF	Consultation responses

1. Section 1 – Introduction

- 1.1 This Consultation Report has been prepared on behalf of Augean South Ltd (Augean).
- 1.2 Augean as the Applicant has submitted a request for a non material change to the Development Consent Order (DCO) application submitted for examination.
- 1.3 As part of the submission of the request for the non material change (the NMC proposals) the Applicant has approached most of the former Section 42,44 and 47 consultees to inform them of the proposed changes and to seek their views on the proposed changes.
- 1.4 This Consultation Report details the scope and methodology of how the Applicant has consulted on the NMC proposals, gives details of responses that have been received and the account taken of them

2. Section 2 - Background to non material change request

- 2.1 Prior to the submission of the DCO application, discussions were held with the statutory undertakers whose apparatus crosses the proposed western extension. Standoffs were agreed with them and incorporated into the site design before the finalisation of the proposed development and submission of the application.
- 2.2 The utilities which cross the proposed western extension area of the application site include two parallel water pipes operated by Anglian Water. In March 2022 concerns were raised by Anglian Water regarding the need for a greater standoff distance which they consider necessary to provide suitable access to carry out maintenance and repairs to the pipes in the unlikely event that it becomes necessary.
- 2.3 As this matter has been raised at a late stage in the Examination process and in order to allow the Examination to progress to a decision the Applicant has proposed that the application is amended to allow for a greater standoff from the water pipes of up to 30m. The documents provided to the Examining Authority so that they can consider the need for and the impacts associated with the proposed change have been made available also to the consultees as part of the consultation process.

2.4 In order to ensure that the Applicant is fair in its approach to all parties that may be affected or may feel they are affected by the proposed change, it was determined that a consultation exercise would be carried out and that the views of other parties would be welcomed.

3. Section 3 - Rationale for and scope of the consultation

3.1 The Applicant considered the guidance about consultation in PINS Advice Note 16 (How to request a change which may be material) which states that:

“...even if a requested change is not considered to be material there may still be a need, in the interests of fairness, to carry out consultation. An applicant will still need to consider (and ultimately the ExA to decide) whether, without re-consultation on the requested change(s), any of those entitled to be consulted or who were consulted on the original application (including persons who are not an Interested Party in the Examination) would be deprived of the opportunity to make any representations on the changed application. Whether or not further consultation is required would depend, amongst other things, on the nature and extent of the proposed changes and their potential significance to those who might be consulted “

and that

“The ExA may request that further consultation is undertaken if it considers that the steps taken by an applicant have not been adequate to safeguard the interests of and/ or inform those potentially impacted by the material change.”

- 3.2 Therefore based on Advice note 16 and in accordance with the Applicant's normal practice at all of its sites where there has been an ongoing commitment to consultation with both statutory consultees, technical consultees, local authorities and the local community, the Applicant concluded that, even though the proposed change is considered non material, a consultation should be carried out. The consultation is intended to ensure that the proposed change to the application could be considered by any parties that it is considered are entitled to be or could reasonably expect to be consulted with, in the interests of fairness, to enable an opportunity for them to make representations on the changes if they wished.
- 3.3 The Applicant gave careful thought to the request of the ExA at the ISH3 that consideration should be given to the possibility of the reduction of the consultation period from 28 days. As it was not possible to wait until a formal direction had been given by the ExA on whether the change was considered as non material or material and because of the limited time available before the conclusion of the Examination period and the need to run the consultation before a formal direction had been received, the Applicant decided to take a precautionary approach to consultation and allow a period of up to 28 days (between 17 June 2022 and the 15 July 2022)
- 3.4 In determining the scope of the consultation it was proposed that all previous S44 consultees would be consulted but that a more targeted approach was to be taken regarding those prescribed in S42 to limit the consultation to those

who may be affected by the proposed amendment.

3.5 The S42 Councils that were consulted included the host council, North Northamptonshire Council (NNC) and adjoining County and Unitary Councils as well as any other local Councils that engaged previously in the consultation process.

3.6 The S42 bodies that were not consulted were those whose function would not be affected by the change.

3.7 The Applicant has a long-standing principle of openness with local communities in the vicinity of ENRMF (and any other community in proximity to the company's operations) and those who have taken an interest in the site and any applications made relating to the site over a considerable period of time. However, based on the level and nature of interest shown during the previous statutory consultation and to keep the consultation proportionate it was determined that this consultation exercise would include the Town and Parish Councils, Councillors from the host and adjacent authorities, Members of Parliament, the Kings Cliffe Liaison Group, special interest groups and individuals who had responded previously that were identified in the S47 list of consultees for the full DCO pre-application consultation. It was determined that a full scale consultation with all households and businesses as conducted as part of the pre-application consultation need not be repeated.

- 3.8 The consultee lists for the NMC proposals are presented at **Appendix CRA**
- 3.9 The proposed consultee list was provided to the Planning Inspectorate and to North Northamptonshire District Council for their opinion on the proposed approach together with a request for any other inclusions that should be considered .
- 3.10 As a result of a request from Anglian Water during the Hearing on 8 June 2022, an additional body, The Drinking Water Inspectorate (DWI) and the UKHSA were added. Additionally, the ExA requested the inclusion of an Interested Party who had attended the site inspection. The UKHSA and the Interested Party had already been included in the consultation lists.
- 3.11 The ExA gave a preliminary view on 23 June 2022 that the proposed change is likely to be considered non-material under Rule 9.
- 3.12 The letters and responses regarding the consultation proposals can be found at **Appendix CRB**

3. Section 4 - Consultation documents

- 4.1 The Applicant ensured that the consultation documents and information could be easily accessible to those likely to be affected by the NMC proposals as described below.

4.2 The dedicated project website www.augeanconsultation.co.uk was refreshed so that it contained only information on the NMC proposals . The full suite of documents was uploaded to the website on the same day that the consultation notifications were circulated with easy and obvious links on the main pages.

4.3 The documents included:

- The non technical summary.
- An updated guide to the application.
- The non material change request.
- A Supplementary Environmental Statement.
- Appendices to the Supplementary Environmental Statement.
- Plans.
- Draft development consent order.
- Explanatory memorandum.
- Schedule of changes to the draft development consent order.
- Development Consent Order environmental commitments (V1).

4.4 Although this opportunity was based solely on digital technology it was made clear that the Applicant would work with any individual to ensure that they could access and respond to the information in a way that was appropriate for their needs.

- 4.5 Comments could be made to the Applicant by e-mail, telephone or via the consultation website or by letter in order to provide maximum opportunity for responses on the NMC proposals and the relevant contact details were included in several places on the website.
- 4.6 A link to the project webpages on the PINS website was included additionally.
- 4.7 Screenshots of the consultation website can be found at **Appendix CRC**

5 Section 5 - Consultation

- 5.1 Cover emails and an attached copy of the non technical summary were emailed together with an internet link to the documentation for the NMC proposals to all the identified consultees as detailed above and at **Appendix CRA** on 16 June 2022.
- 5.2 Given the limited time remaining for the Examination period, comments were requested by Friday 8 July 2022 if possible and by an absolute deadline of Friday 15 July 2022. This would give the consultees a full 28 day period in which to respond to the consultation.
- 5.3 Copies of the cover emails can be found at **Appendix CRD**

- 5.4 A request was received from one member of the local community who wished to receive hard copies of the principal consultation documents. These were dispatched by post on 29 June 2022.
- 5.5 The Applicant has actively participated in the Kings Cliffe Liaison Group since 2005 which includes representatives from the surrounding parishes local authorities and the Environment Agency. Participation in the group provides reassurance through openness and transparency, has generated an understanding of site operations and any planning applications and has assisted in building a good relationship with the local community.
- 5.6 The need for the NMC proposals and the consequent consultation was discussed with the Kings Cliffe Liaison Group members at a meeting held on 22 June 2022. The meeting attendees included two of the three Oundle Ward Councillors from NNC and representatives from Kings Cliffe Parish Council and Collyweston Parish Council.
- 5.7 A copy of the PowerPoint presentation given at the Kings Cliffe Liaison Group meeting and a copy of the minutes can be found at **Appendix CRE**
- 5.8 No issues of concern about the NMC proposals were raised verbally during the meeting.

5.9 Providing the information and documents on the Augean consultation website has proved an effective way of providing information in an accessible form that can be accessed at times convenient to individuals. The website analytics show that over the 28 day consultation period there was a total of 618 unique visits to the website with a peak of 152 visits the day after circulation of the consultation notification email.

6 Section 6 - Responses to the consultation

6.1 In total four responses were received within the consultation period that ended on 15 July 2022. These have all been from Statutory Consultees:

- North Northamptonshire Council.
- Environment Agency.
- Huntingdonshire Council.
- Anglian Water.

6.2 No responses were received from Town or Parish Councils, Councillors Members of Parliament, special interest groups or from members of the local community.

6.3 Copies of the responses can be found at **Appendix CRF**, the reply from the Applicant and how the Applicant has taken any comments into account are presented in Table 1 below

Table 1. Responses from the S42 and S44 Consultees who were consulted as part of the Non Material Change request on 16 June 2022.

All responses are listed in the table below together with comments from the Applicant on how the comments have been addressed (where appropriate). A few standard acknowledgements of receipt were received following the provision of the consultation materials but these did not include any response to the information provided therefore are not included in the table below. Copies of the full responses are provided at Appendix CRF

Organisation	Response	Comments from the Applicant
The Environment Agency	<p>Thank you for consulting us on the non-material change to the East Northants Resource Management Facility DCO on 16 June 2022.</p> <p>We have reviewed the documents provided and have no comments to make.</p>	The response is noted.
North Northamptonshire Council	<p>I refer to the submission by Augean South Limited of a non-material change to the submitted DCO application by introducing more flexibility relating to the standoff distance for the water pipelines.</p> <p>I note that it is proposed that the application is amended to include the option of increasing the standoff distances in the area of the water mains from the 7m (as in the original submitted design) up to a maximum of 30m from each water main. The exact standoff and management details will be agreed with the planning authority in consultation with Anglian Water and will be</p>	The response is noted.

Organisation	Response	Comments from the Applicant
	<p>determined prior to the design and construction of the adjacent landfill phases.</p> <p>I have considered the submitted application and associated documents and am satisfied that the proposals do not give rise to any significant material environmental or amenity issues. I can therefore confirm that North Northamptonshire Council has no objection to the non-material change proposals.</p>	
<p>Anglian Water <i>Paragraph numbering has been added for ease of referencing.</i></p>	<p>Please find below Anglian Water’s response to Augean consultation.</p> <p>a. Anglian Water welcomes the consultation on non- material change application by Augean which seeks to increase the stand-off distances from Anglian Water’s two high pressure water mains pipelines which supply drinking water to customers in the Peterborough area.</p> <p>b. Anglian Water has considered the revised protective provisions drafted by Augean. We have sent Augean an updated set of provisions to ensure that they provide clarity on the protection provided for the public water supply and enable safe and effective access to the two pipelines in the event of a pipe leak or burst.</p> <p>c. Anglian Water’s position is that the 30m standoff distance either side of the two pipes needs to be free of limitations to access and safety. This includes fencing and the relocation of the high voltage cable. The draft protective provisions enable an agreement between the</p>	<p>a. As is clear in the documentation provided for consultation, the Non Material Change request seeks to include the option to increase the stand-off distances from the Anglian Water pipelines, it does not in itself seek to change the standoff distance.</p> <p>In the absence of an agreed standoff distance during the period of the Examination, the final standoff distance would be agreed with the Local Planning Authority in consultation with Anglian Water as set out in Requirement 19 in the draft DCO (V3) which states: <i>‘19.—(1) Subject to sub-paragraphs (2) and (3), no part of phases 18, 19 and 20 of the authorised development must commence until the water pipe standoff has been agreed in writing by the relevant planning authority in consultation with Anglian Water acting reasonably.</i> <i>(2) The water pipe standoff as approved in sub-paragraph (1) must be between 7 and 30 metres.</i> <i>(3) In default of agreement regarding the water pipe standoff in sub-paragraph (1) between the undertaker, relevant planning authority and Anglian Water, the water pipe standoff will be settled by arbitration in accordance with article 20 (arbitration)’.</i></p> <p>b. and d. The agreement of the wording of the Protective Provisions does not relate directly to the consultation on the Non Material Change request. Responses to the drafting of the Protective</p>

Organisation	Response	Comments from the Applicant
	<p>parties on works within the 30m including crossing location, design, construction and operation.</p> <p>d. Anglian Water welcomes the agreement with Augean to include indemnification in the protective provisions as this ensures that in the event of a pipe leak or burst caused by the development the cost is not passed on to Anglian Water customers.</p> <p>e. Anglian Water confirms that all works required as a result of the project by Augean including monitoring of the pipes' condition and the flow of surface water into the area around the pipes will be notified to Augean in order that the costs of those works can be charged to or funded by Augean.</p> <p>f. Subject to the agreement on the protective provisions we would welcome Augean drafting and sending Anglian Water a draft statement of common ground on or before 13 July so that this can be agreed and submitted by Augean ahead of deadline 7 on 20 July.</p> <p>This emails has also been copied to the Examining Authority for completeness</p>	<p>Provisions is set out in the correspondence bundle provided at document reference 12.2.8.5 (REP5-007) submitted at Deadline 5 and document reference 15.2.6.1 (REP6-016) submitted at Deadline 6 and document reference 16.2.1 submitted at Deadline 7. Protective Provisions (as incorporated in the dDCO (V4) submitted at Deadline 7, have now been agreed between the Applicant and Anglian Water.</p> <p>c. As stated above, it is clear in the documentation provided for consultation that the Non Material Change request seeks to include the option to increase the stand-off distances from the Anglian Water pipelines, it does not in itself seek to change the standoff distance.</p> <p>It is demonstrated clearly in the Pipeline Risk Assessment (AS-025) and the pipeline engineering report (AS-026) submitted with the Non Material Change request documents that the original design stand-off dimension proposed by Augean of 7m from the fence line and a total of 9.5m from the landfill excavation is more than adequate in all cases to make sure that the pipelines will be unaffected by any excavations taking place, and the presence of the excavation activity will not increase the likelihood of pipe failure from any shrink/swell effects associated with the excavation of the clay. In addition, the risk assessments demonstrate that based on the original design standoff from the water pipes, the calculated crater diameter following a catastrophic failure event would not result in any effect on the structural integrity of the landfill containment.</p> <p>It is understood from discussions with Anglian Water on 5 July 2022 that they do not propose to present any challenges to the evidence presented in the form of the findings of the risk assessments, and no challenges to or comments on the risk assessments are provided by Anglian Water in this consultation response. Accordingly, no clear evidence has been presented by Anglian Water to support their concerns or to disagree with the risk assessments and conclusions presented in the Non Material Change proposals. It is therefore</p>

Organisation	Response	Comments from the Applicant
		<p>assumed that Anglian Water accept the findings of the risk assessments presented with the Non Material Change application.</p> <p>It is clear from the risk assessments presented in the Pipeline Risk Assessment (AS-025) that the standoff distances needed for access for repairs is the limiting factor (ie the greatest distance) to determine the standoff from the water pipes. This is because the standoff distance needed so that there is no effect from the landfill activities on the structural integrity of the pipes is less (ie shorter) than the distance identified as necessary for repair access purposes.</p> <p>The evidence presented in the risk assessments demonstrate that the original standoff proposed of 7m from each pipeline together with an additional 2.5m to the nearest point of the landfill excavation is appropriate for the protection of the pipes and the adjacent landfill. The final standoff design needs to be agreed on the basis of the space needed for access for maintenance and repairs in the low probability event of a failure. It is demonstrated that safe access could easily be accommodated in a standoff of 8.5m and Anglian Water have stated that a distance of up to 20m from each pipeline would be 'ideal'(paragraph 17, REP5-011) and state in paragraph 22 of the Statement dated 11 May 2022 (REP5-011) that a total distance of 18.5m from each pipe would be adequate for access as summarised in the table at paragraph 7.2.2 of the Pipeline Risk Assessment. Accordingly, the proposed Non Material Change readily allows for a reasonable agreement of a suitable and safe standoff distance through Requirement 19 which was added to the dDCO (V3) (AS-011).</p> <p>There is therefore no justified requirement for a fixed standoff of 30m either side of each pipe. The Applicant is content that no evidence has been presented which contradicts the findings of the risk assessments that they have carried out. The request for a fixed standoff of 30m contradicts Anglian Water's own evidence regarding</p>

Organisation	Response	Comments from the Applicant
		<p>the access requirements and the evidence submitted by the Applicant demonstrates that a maximum standoff of 20m from each pipeline is more than adequate to allow safe access.</p> <p>Anglian Water has now agreed to a 20m standoff from the water pipelines and this has been incorporated into a revised version of Table DEC B1 of Appendix B of the DCO Environmental Commitments document (PINS document reference 6.5. (V3) submitted at Deadline 7)</p> <p>The outer limit of 30m included in the Non Material Change proposals allows for the location of the diverted electricity cable outside of the standoff which is now agreed of 20m from the northern of the two water pipes should that be deemed necessary. It is concluded that, subject to final agreement of the location of the diverted cable, which is allowed for in the relevant Protective Provisions agreed, the diverted electricity cable could be located either inside or wholly or partly outside the agreed standoff from the northern of the two water pipes and well within the 30m limit provided for in the Non Material Change proposals.</p> <p>e. Reference to the works including monitoring of leaks from the pipes and of the flow of surface water in the pipe bedding is included in the agreed wording of the Protective Provisions. As demonstrated in the assessments presented in the Pipeline Risk Assessment report (AS-025), the results of which have not been challenged by Anglian Water, it is considered that any monitoring for the presence of leaks from the pipes or of the water flow in the pipeline bedding is not necessary as mitigation as it is not required to control environmental impacts or effects. The option of such monitoring is suggested by the Applicant to provide additional comfort to Anglian Water in order to reach agreement on a sensible standoff distance. Accordingly, the option of a commitment relating to monitoring which might be undertaken would be secured through the Protective Provisions with</p>

Organisation	Response	Comments from the Applicant
		<p>Anglian Water.</p> <p>f. The Statement of Common Ground had been substantially agreed with Anglian Water in February 2022 subject to final confirmation of the agreed standoff distances. There are therefore limited further changes needed. The Applicant awaited confirmation of a number of points of principle with regard to the comments from Anglian Water on the draft Protective Provisions in their emails of 13 and 15 July 2022 (see correspondence bundle reference 16.2.1 submitted at Deadline 7) before further progress could be made. Following very recent agreement to the approach set out above and the standoff distance, a final Statement of Common Ground between Anglian Water and the Applicant is being prepared and it is hoped will be submitted very shortly.</p>
<p>Huntingdonshire Council</p>	<p>I am responding on behalf of Huntingdonshire District Council (HDC), to your email below dated 16th June 2022.</p> <p>Thank you for updating us on the Non Material Change request to PINS to address matters raised by Anglian Water during the Examination Period.</p> <p>I can confirm that Huntingdonshire District Council has no comment to make on the Non Material Change and, as outlined in previous correspondence, does not intend to participate in the DCO process further.</p>	<p>The response is noted.</p>

7 Section 7 - Conclusions

- 7.1 The Consultation Report demonstrates that the Applicant has complied with relevant advice regarding either a non material or a material change to the application and in the spirit of consultation best practice to enable all those who may be affected by the proposed change to have an opportunity to comment.
- 7.2 While only a few responses were received, it is evident from the web site data that the information provided had been accessed many times.
- 7.3 The report explains the consultation that has been undertaken and how the responses have been considered and any issues raised have been taken into account as appropriate.
- 7.4 The Applicant continues to be committed to discussions on any outstanding matters to ensure they can be effectively resolved and would like to thank those who have participated in the consultation process.

APPENDIX CRA
Consultee Lists

List of parties consulted on the Non Material Change Request

Section 44 and Section 46

S44 & S46 Description	Organisation	Contact	Method of contact and attachments/enclosures
S46 Secretary of State	Planning Inspectorate	[REDACTED]	Email Link to documents provided and non technical summary attached
S44 Person with an interest in the land	Howard Farms Ltd	[REDACTED]	Post Link to documents provided and non technical summary enclosed
S44 Person with an interest in the land	Western Power Distribution (East Midlands) plc	[REDACTED]	Email Link to documents provided and non technical summary attached
S44 Person with an interest in the land	National Grid Gas Plc	[REDACTED]	Email Link to documents provided and non technical summary attached
S44 Person with an interest in the land	Freehold owner of title NN240859	[REDACTED]	Post Link to documents provided and non technical summary enclosed
S44 Person with an interest in the land	Freehold owner of title NN240859	[REDACTED]	Post

S44 & S46 Description	Organisation	Contact	Method of contact and attachments/enclosures
		[REDACTED]	Link to documents provided and non technical summary enclosed
S44 Person with an interest in the land	Freehold owner of title NN240859	[REDACTED]	Post Link to documents provided and non technical summary enclosed
S44 Person with an interest in the land	Freehold owner of title NN240859	[REDACTED]	Post Link to documents provided and non technical summary enclosed
S44 Person with an interest in the land	Freehold owner of title NN240859	[REDACTED]	Post Link to documents provided and non technical summary enclosed
S44 Person with an interest in the land	[REDACTED] Howard	[REDACTED]	Post Link to documents provided and non technical summary enclosed
S44 Person with an interest in the land	[REDACTED] Howard	[REDACTED]	Post Link to documents provided and non technical summary enclosed

S44 & S46 Description	Organisation	Contact	Method of contact and attachments/enclosures
S44 Person with an interest in the land	Freehold owner of title NN159190	[REDACTED]	Post Link to documents provided and non technical summary enclosed
S44 Person with an interest in the land	Borghley House Preservation Trust Limited	[REDACTED]	Email and post Link to documents provided and non technical summary attached
S44 Person with an interest in the land	Forestry Commission	[REDACTED]	Email and post Link to documents provided and non technical summary attached
S44 Person with an interest in the land	The trustees of the A F Goddard-Jackson Duddington 1983 Settlement: [[REDACTED]	Email and post Link to documents provided and non technical summary attached
S44 Person with an interest in the land	The trustees of the A F Goddard-Jackson	[REDACTED]	Email and post Link to documents provided and non

S44 & S46 Description	Organisation	Contact	Method of contact and attachments/enclosures
	(Duddington 1983 Settlement:	[REDACTED]	technical summary attached

Section 42 consultees

Schedule 1 Description	Organisation	Contact	Method of contact and attachments/enclosures
The Health and Safety Executive	Health and Safety Executive	[REDACTED]	Email Link to documents provided and non technical summary attached
Natural England	Natural England	[REDACTED]	Email Link to documents provided and non technical summary attached
The relevant fire and rescue authority	Northamptonshire Fire and Rescue	[REDACTED]	Email Link to documents provided and non technical summary attached
The relevant police and crime commissioner	Northamptonshire Police and Crime Commissioner	[REDACTED]	Email Link to documents provided and non technical summary attached
The relevant parish councils	Kings Cliffe Parish Council	[REDACTED]	Email Link to documents provided and non technical summary attached

Schedule 1 Description	Organisation	Contact	Method of contact and attachments/enclosures
The relevant parish councils	Duddington-with-Fineshade Parish Council	[REDACTED]	Email Link to documents provided and non technical summary attached
The relevant parish councils	Collyweston Parish Council	[REDACTED]	Email Link to documents provided and non technical summary attached
The Environment Agency	The Environment Agency	[REDACTED]	Email Link to documents provided and non technical summary attached
The relevant highways authority	West Northamptonshire Council (for NNC and WNC)	[REDACTED]	Email Link to documents provided and non technical summary attached
Public Health England, an executive agency of the Department of Health	Public Health England Now UKHSA	[REDACTED]	Email Link to documents provided and non technical summary attached
The Secretary of State for Defence	Ministry of Defence	[REDACTED]	Email Link to documents provided and non technical summary attached

Relevant Statutory Undertakers			
Statutory Undertaker	Organisation	Contact	Method of contact and attachments/enclosures
The relevant Environment Agency	The Environment Agency	[REDACTED]	See above
The relevant water and sewage undertaker	Anglian Water	[REDACTED] [REDACTED]	Email Link to documents provided and non technical summary attached
The relevant public gas transporter	National Grid Gas Plc	[REDACTED]	See above
The relevant electricity distributor with CPO Powers	Western Power Distribution (East Midlands) plc	[REDACTED]	See above

Section 43 Consultees (for the purposes of Section 42 (1) (b))		
Local Authority	Contact	Method of contact and attachments/enclosures
West Northamptonshire Council	[REDACTED]	Email Link to documents provided and non technical summary attached
North Northamptonshire Council (formerly Northamptonshire County Council)	[REDACTED]	Email Link to documents provided and non technical summary attached
Huntingdonshire District Council	[REDACTED]	Email Link to documents provided and non technical summary attached
South Kesteven District Council	[REDACTED]	Email Link to documents provided and non technical summary attached
Bedford Borough Council	[REDACTED]	Email Link to documents provided and non technical summary attached
Peterborough City Council	[REDACTED]	Email Link to documents provided and non

Section 43 Consultees (for the purposes of Section 42 (1) (b))		
Local Authority	Contact	Method of contact and attachments/enclosures
		technical summary attached
Rutland County Council	[REDACTED]	Email Link to documents provided and non technical summary attached
Milton Keynes Council	[REDACTED]	Email Link to documents provided and non technical summary attached
Leicestershire County Council	[REDACTED]	Email Link to documents provided and non technical summary attached
Lincolnshire County Council	[REDACTED]	Email Link to documents provided and non technical summary attached
Cambridgeshire County Council	[REDACTED]	Email Link to documents provided and non technical summary attached









EAST NORTHANTS RESOURCE MANAGEMENT FACILITY WESTERN EXTENSION

PROJECT REFERENCE: WS010005

List of Section 47 Consultees

Consultee	Contact	Email	Date and method of dispatch	Documents dispatched or link provided	Delivery Receipt	Comments
Oundle Town Council	[Redacted]	[Redacted]	Email	Link	✓	
Stamford Town Council	[Redacted]	[Redacted]	Email	Link	✓	
Ailsworth Parish Council	[Redacted]	[Redacted]	Email	Link	✓	

July 2022

<p>Apethorpe Parish Council</p>			<p>Email</p>	<p>Link</p>	<p>✓</p>	
<p>Ashton Parish Council</p>			<p>Email</p>	<p>Link</p>	<p>✓</p>	
<p>Bainton and Ashton Parish Council</p>			<p>Email</p>	<p>Link</p>	<p>✓</p>	
<p>Barnack Parish Council</p>			<p>Email</p>	<p>Link</p>	<p>✓</p>	

Barrowden Parish Council	[Redacted]	[Redacted]	Email	Link	✓	
Benefield Parish Council	[Redacted]	[Redacted]	Email	Link	✓	
Blatherwycke Parish Meeting	[Redacted]	[Redacted]	Email	Link	✓	
Bulwick Parish Council	[Redacted]	[Redacted]	Email	Link	✓	
Castor Parish Council	[Redacted]	[Redacted]	Email	Link	✓	

	[REDACTED]					
Cotterstock Parish Meeting	[REDACTED]	[REDACTED]	Email	Link	✓	
Deene and Deenethorpe Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Easton on the Hill Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Edith Weston Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	

Elton Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Fotheringhay Parish Meeting	[REDACTED]	[REDACTED]	Email	Link	✓	
Glaphorn Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Glaston Parish Meeting	[REDACTED]	[REDACTED]	Email	Link	✓	

Glington Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Gretton Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Harringworth Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Ketton Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Laxton Parish Meeting	[REDACTED]	[REDACTED]	Email	Link	✓	

	[REDACTED]					
Morcott Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Nassington Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Normanton Parish Meeting	[REDACTED]	[REDACTED]	Email	Link	✓	
North Luffenham Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	

Seaton Parish Council	[Redacted]	[Redacted]	Email	Link	✓	
Sibson cum Stibbington Parish Council	[Redacted]	[Redacted]	Email	Link	✓	
South Luffenham Parish Council	[Redacted]	[Redacted]	Email	Link	✓	
Southorpe Parish Council	[Redacted]	[Redacted]	Email	Link	✓	
Southwick Parish Meeting	[Redacted]	[Redacted]	Email	Link	✓	

	[REDACTED]					
Sutton Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Tansor Parish Meeting	[REDACTED]	[REDACTED]	Email	Link	✓	
Thornhaugh Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Tinwell Parish Meeting	[REDACTED]	[REDACTED]	Email	Link	✓	

Tixover Parish Meeting	[REDACTED]	[REDACTED]	Email	Link	✓	
Ufford Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Upton Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Wakerley Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Wansford Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	

	[REDACTED]					
Warmington Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Water Newton Parish Meeting	[REDACTED]	[REDACTED]	Email	Link	✓	
Weldon Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Wittering Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	

	[REDACTED]					
Woodnewton Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Wothorpe Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Yarwell Parish Council	[REDACTED]	[REDACTED]	Email	Link	✓	
Local Elected Representatives						
Tom Pursglove MP	[REDACTED]	[REDACTED]	Email	Link	✓	
Shailesh Vara MP	[REDACTED]	[REDACTED]	Email	Link	✓	

	[REDACTED]					
Alicia Kearns MP	[REDACTED]	[REDACTED]	Email	Link	✓	
Gareth Davies MP	[REDACTED]	[REDACTED]	Email	Link	✓	
Cllr Charlie Best	[REDACTED]	[REDACTED]	Email	Link	✓	
Cllr Helen Harrison	[REDACTED]	[REDACTED]	Email	Link	✓	
Cllr Jason Smithers	[REDACTED]	[REDACTED]	Email	Link	✓	
Cllr Gavin Elsey	[REDACTED]	[REDACTED]	Email	Link	✓	

July 2022
13

	[REDACTED]					
Cllr Saqib Farooq	[REDACTED]	[REDACTED]	Email	Link	✓	
Cllr Gordon Brown	[REDACTED]	[REDACTED]	Email	Link	✓	
Cllr Karen Payne	[REDACTED]	[REDACTED]	Email	Link	✓	
Cllr Kenneth Bool	[REDACTED]	[REDACTED]	Email	Link	✓	
Cllr Gale Waller	[REDACTED]	[REDACTED]	Email	Link	✓	

Kings Cliffe Liaison Group						
Helen Harrison	Details as above					
Andrew Howard	[REDACTED]	[REDACTED]	Email	Link	✓	
Michael Day	[REDACTED]	[REDACTED]	Email	Link	✓	
[REDACTED]	[REDACTED]	[REDACTED]	Email	Link	✓	
[REDACTED]	[REDACTED]	[REDACTED]	Email	Link	✓	
[REDACTED]	[REDACTED]	[REDACTED]	Email	Link	✓	

July 2022
15

			Email	Link	✓	
David Teall	Details as above					
Jo Williams	Details as above					
Others						
Kings Cliffe Endowed School			Email	Link	✓	
Transition Kings Cliffe			Email	Link	✓	
Kings Cliffe Active			Email	Link	✓	
Friends of Fineshade			Email	Link	✓	
Northamptonshire Wildlife Trust			Email	Link	✓	

Butterfly Conservation	[REDACTED]	[REDACTED]	Email	Link	✓	
Amphibian and Reptile Conservation Trust	[REDACTED]	[REDACTED]	Email	Link	✓	
Peoples Trust for Endangered Species	[REDACTED]	[REDACTED]	Email	Link	✓	
Northants Diptera	[REDACTED]	[REDACTED]	Email	Link	✓	
Back from the Brink	[REDACTED]	[REDACTED]	Email	Link	✓	
The Woodland Trust	[REDACTED]	[REDACTED]	Email	Link	✓	
Respondees to Augean 2020/2021 consultation		80 email addresses collected during the consultation process.	Email	Link	✓	Unable to deliver to two recipients.

APPENDIX CRB
Letters and Responses on the
Consultation Proposals

From: Leslie Heasman [REDACTED]
Sent: Monday, 13 June 2022 16:58
To: [REDACTED]
Cc: [REDACTED]
ENRMFextension@planninginspectorate.gov.uk
Subject: ENRMF Western Extension - NMC Consultation

13 June 2022

Dear Tracey

ENRMF Western Extension - NMC Consultation

Further to the Hearing on 8 June 2022 please find attached the proposed consultee lists for the NMC consultation for your information and any comment. We should be grateful if you would provide us with any comments you may have by the end of **14 June 2022** at the latest.

The Applicant has taken the following steps when preparing the consultation tables:

- The Applicant has considered the guidance in PINS Advice Note 16 (How to request a change which may be material). Based on the advice note consultation will be carried out by the Applicant to ensure that the proposed amendment to the application can be considered by any parties that are entitled to or could reasonably expect to be consulted with, in the interests of fairness, to enable an opportunity for them to make representations on the changes if they wish.
- It is proposed that all previous S44 consultees will be consulted but that a more targeted approach is to be taken regarding those prescribed in S42 to limit the consultation to those who may be affected by the proposed amendment.
- The S42 Councils that will be consulted include the host council (NNC) and adjoining County and Unitary Councils as well as any other local Councils that have engaged previously in the consultation process.
- S42 bodies that will not be consulted are those whose function will not be affected by the change.
- An additional S42 body (The Drinking Water Inspectorate) has been added at the request of the Examining Authority (the ExA) at ISH3. We confirm that UKHSA is included in the proposed S42 consultation list.
- The Applicant has a long-standing principle of openness with local communities in the vicinity of ENRMF and those who have taken an interest in the site and any applications made relating to the site. Therefore, consultation will be undertaken with all those already identified by the previous S47 consultation and those who responded to it.

The Applicant and the legal team have given careful thought to the request of the ExA at the ISH3 that consideration should be given to the possibility of the reduction of the consultation period from 28 days. We have concluded that the most robust approach is to allow the full 28 day period in order to allow for the possibility that the ExA deems that the Non-Material Change proposed is considered a Material Change in which case a 28 day consultation period would be necessary. We shall encourage early responses to the consultation, in particular directly

from Anglian Water, within 21 days, which will be by 8 July if the submission is made on 17 June, but we will state that we will accept any responses up to 15 July (28 days). We hope that we will receive any responses by the first deadline, in particular the response from Anglian Water which we anticipate will be the most substantive, and therefore the time to produce the Consultation Report may be reduced so it can be provided earlier than 20 July.

We trust this information is of assistance and look forward to any comments you may have.

Regards

Leslie

Attachments

DRAFT NMC CONSULTATION ENRMF W Ext S42, 44 and 46
ENRMF Western Extension S47 Consultees List June 2022 (Redacted)

www.mjca.co.uk

Our ref:

AU/KCW/SPS/1724/01/28054

AU_KCWp28054 PINS cov FV

Baddesley Colliery Offices
Main Road
Baxterley
Atherstone
Warwickshire
CV9 2LE



Established in 1983
Over 35 years of reliability in a changing environment

From: Williams, Tracey [REDACTED]
Sent: Wednesday, 15 June 2022 17:05
To: Leslie Heasman [REDACTED]
Cc: Parker, Steven [REDACTED]; East Northants Resource Management Facility Western Extension <ENRMFextension@planninginspectorate.gov.uk>
Subject: RE: ENRMF Western Extension - NMC Consultation

Leslie

Thank you for your email.

The only comments that the ExA has is to suggest that you add [REDACTED] to the consultation list. As you know [REDACTED] attended ISH1 and ISH2 and the ASI. He may be on your list of s47 consultees, however the details are redacted.

Any further queries do not hesitate to get in contact.

Many Thanks

Tracey Williams
Case Manager Team Leader
National Infrastructure Planning
[REDACTED]

Helpline: 0303 444 5000

Email: [REDACTED]

Web: <http://infrastructure.planninginspectorate.gov.uk> (National Infrastructure Planning)

Web: www.gov.uk/government/organisations/planning-inspectorate (The Planning Inspectorate)

Twitter: @PINSgov

From: Leslie Heasman [REDACTED]
Sent: Wednesday, 15 June 2022 17:15
To: Williams, Tracey [REDACTED]
Cc: Parker, Steven [REDACTED]; East Northants Resource Management Facility Western Extension <ENRMFextension@planninginspectorate.gov.uk>
Subject: RE: ENRMF Western Extension - NMC Consultation

Thank you Tracey.

We confirm that [REDACTED] is included in the redacted list of S47 consultees and so he will be included in the consultation.

Kind regards
Leslie

Leslie Heasman
MJCA
Baddesley Colliery Offices
Main Road
Baxterley
Atherstone
Warwickshire
CV9 2LE

Current main contact number: [REDACTED]
Mobile: [REDACTED]
www.mjca.co.uk



Technical advisers on environmental issues

Established in 1983 - Over 35 years of reliability in a changing environment

From: Leslie Heasman [REDACTED]
Sent: 13 June 2022 16:59
To: Phil Watson [REDACTED]
Subject: ENRMF Western Extension - NMC Consultation

13 June 2022

Dear Phil

ENRMF Western Extension - NMC Consultation

Further to the Hearing on 8 June 2022 please find attached the proposed consultee lists for the NMC consultation for your review and any comment. We should be grateful if you would provide us with any comments you may have by the end of **14 June 2022** at the latest.

The Applicant has taken the following steps when preparing the consultation tables:

- The Applicant has considered the guidance in PINS Advice Note 16 (How to request a change which may be material). Based on the advice note consultation will be carried out by the Applicant to ensure that the proposed amendment to the application can be considered by any parties that are entitled to or could reasonably expect to be consulted with, in the interests of fairness, to enable an opportunity for them to make representations on the changes if they wish.
- It is proposed that all previous S44 consultees will be consulted but that a more targeted approach is to be taken regarding those prescribed in S42 to limit the consultation to those who may be affected by the proposed amendment.
- The S42 Councils that will be consulted include the host council (NNC) and adjoining County and Unitary Councils as well as any other local Councils that have engaged previously in the consultation process.
- S42 bodies that will not be consulted are those whose function will not be affected by the change.
- An additional S42 body (The Drinking Water Inspectorate) has been added at the request of the Examining Authority (ExA) at ISH3. We confirm that UKHSA is included in the proposed S42 consultation list.
- As you know, the Applicant has a long-standing principle of openness with local communities in the vicinity of ENRMF and those who have taken an interest in the site and any applications made relating to the site. Therefore, consultation will be undertaken with all those already identified by the previous S47 consultation and those who responded to it.

Augean and the legal team have given careful thought to the request of the ExA at the ISAH3 that consideration should be given to the possibility of the reduction of the consultation period from 28 days. We have concluded that the most robust approach is to allow the full 28 day period in order to allow for the possibility that the ExA deems that the Non-Material Change proposed is considered a Material Change in which case a 28 day consultation period would be necessary. We shall encourage early responses to the consultation, in particular directly from Anglian Water, within 21 days, which will be by 8 July if the submission is made on 17 June, but we will state that we will accept any responses up to 15 July (28 days). We would

be very grateful to receive the consultation feedback from NNC within 21 days if at all possible. We hope that we will receive any responses by the first deadline, in particular the response from Anglian Water which we anticipate will be the most substantive and the response from NNC, and therefore the time to produce the Consultation Report may be reduced so it can be provided to PINS earlier than 20 July.

We trust this information is of assistance and look forward to any comments you may have.

Regards

Leslie

Attachments

www.mjca.co.uk

Our ref:

AU/KCW/SPS/1724/01/28054

AU_KCWp28054 NCC cov FV

Baddesley Colliery Offices
Main Road
Baxterley
Atherstone
Warwickshire
CV9 2LE



Established in 1983
Over 35 years of reliability in a changing environment

From: Phil Watson [REDACTED]
Sent: Monday, 13 June 2022 17:32
To: Leslie Heasman [REDACTED]
Subject: RE: ENRMF Western Extension - NMC Consultation

Dear Leslie,

Just so I'm clear, are you saying you will be consulting all the S47 list, or just those who responded and who are on the first pdf attachment?

Regards

Phil Watson | Development Control Manager
Minerals and Waste Planning Service for Northamptonshire
North Northamptonshire Council
One Angel Square, Angel Street, Northampton NN1 1ED
[REDACTED]
[REDACTED]

In partnership with



**North
Northamptonshire
Council**



**West
Northamptonshire
Council**

From: Leslie Heasman [REDACTED]
Sent: 14 June 2022 08:34
To: Phil Watson [REDACTED]
Subject: RE: ENRMF Western Extension - NMC Consultation

Good morning Phil

We will be consulting with everyone on the S47 list which includes in the section 'Respondees to Augean 2020/2021 consultation' everyone who responded to the previous consultation. As you will see the list includes the Parish Councils but the main difference from the consultation for the original application is that we will not be sending leaflets round to all home owners and businesses in a wide area.

Do let us know if you have any queries.

Kind regards

Leslie

Leslie Heasman
MJCA
Baddesley Colliery Offices
Main Road
Baxterley
Atherstone
Warwickshire
CV9 2LE

Current main contact number: [REDACTED]
Mobile: [REDACTED]
www.mjca.co.uk



Technical advisers on environmental issues

Established in 1983 - Over 35 years of reliability in a changing environment

From: Phil Watson [REDACTED]
Sent: Tuesday, 14 June 2022 11:50
To: Leslie Heasman [REDACTED]
Cc: Mark Chant [REDACTED]
Subject: RE: ENRMF Western Extension - NMC Consultation

Dear Leslie,

Thanks for explaining. I can confirm that NNC consider that your consultation proposals are acceptable.

Regards

Phil Watson | Development Control Manager
Minerals and Waste Planning Service for Northamptonshire
North Northamptonshire Council
One Angel Square, Angel Street, Northampton NN1 1ED
[REDACTED]
[REDACTED]

In partnership with



**North
Northamptonshire
Council**



**West
Northamptonshire
Council**



National Infrastructure Planning
Temple Quay House
2 The Square
Bristol, BS1 6PN

Customer: 0303 444 5000
Services:

email: ENRMExtension@planninginspectorate.gov.uk

All Interested Parties, Statutory Parties and any other person invited to the Preliminary Meeting

Your Ref:

Our Ref: WS010005

Date: 23 June 2022

Dear Sir/ Madam

Planning Act 2008 and The Infrastructure Planning (Examination Procedure) Rules 2010 – Rule 8(3)

Application by Augean South Limited for an Order Granting Development Consent for the East Northants Resource Management Facility Western Extension

Applicant's request for a change to the original application and change to the Examination Timetable

The Applicant has submitted a request to the Examining Authority (ExA) to accept a proposed change to the original application. The request is supported by a number of documents which have been published by the Planning Inspectorate and will appear in the Examination Library in due course. The documents include a Supplementary Environmental Statement, a Risk Assessment and an updated version of the draft Development Consent Order (dDCO).

The changes seek to respond to concerns expressed by Anglian Water during the course of the Examination regarding the effect of the Proposed Development on two of its water pipelines which cross the western extension land. The changes were discussed at Issue Specific Hearing 3 (ISH3) on infrastructure and other matters which was held on the 8 June 2022 [EV4-010 to EV4-015]. In essence, the proposed change would increase the stand-off distance between the water pipelines and the adjoining proposed landfill from 7m, as originally specified, to up to 30m. The exact distance would be subject to further approval. The Applicant considers the proposed change to be minor and non-material.

Having regard to the Applicant's submissions, the discussion at ISH3 and relevant guidance¹ my provisional view is that the proposed change is non-material. This is based on the following considerations:

- The proposed change does not involve additional land and does not require the use of compulsory acquisition powers;
- The proportion of the site affected is relatively small and the change would be limited in scale and nature;

¹ in '[Planning Act 2008: examination of applications for development consent](#)' and '[PINS Advice Note 16: 'How to request a change which may be material'](#)'

- Subject to further consideration, the proposed change would not give rise to new or different likely significant environmental effects;
- The proposed amendments to the dDCO would be limited in extent; and
- There have been no other substantive changes to the original application.

The Applicant has chosen to undertake consultation on the proposed change. The Applicant's submissions set out the scope of the consultation. Please note that any responses to the consultation should be sent directly to the Applicant using the contact details it has provided. Responses should not be sent to the Planning Inspectorate.

The Applicant intends to submit a Consultation Report (CR) on the responses to its consultation exercise on or before 20 July 2022. The Inspectorate will publish the CR as soon as possible after its receipt. In order to allow parties to comment on the CR, the Examination Timetable has been amended to include an additional opportunity for submissions on this matter alone. Submissions for the new **Deadline 8** need to be made by **Friday 29 July 2022**. I appreciate that the time allowed for responses is fairly short. However, they must be received before the Examination closes on Tuesday 2 August. I trust that giving early notice of the deadline will help to offset its shortness.

Please contact the Case Team if you have any questions about this letter.

Yours faithfully

Simon Warder

Examining Authority

This communication does not constitute legal advice.
Please view our [Privacy Notice](#) before sending information to the Planning Inspectorate.

APPENDIX CRC
Consultation Website

**Non Material Change
Application**

**Non Material Change
Consultation**

**Responding to the
Non Material Change
Consultation**




Welcome

East Northants Resource Management Facility (ENRMF) DCO Application

Augean's application for an extension in the area and life of the ENRMF was accepted for examination by the Planning Inspectorate (PINS) on 24 September 2021. The examination period is in progress and will conclude on 2 August 2022.

This website provides updated information about the application and how you can participate.



Non Material Change Application

Non Material Change Consultation

Responding to the Non Material Change Consultation

1

Non Material Change Application

Prior to the submission of the DCO application, discussions were had with the statutory undertakers whose apparatus crosses the proposed western extension. Standoffs were agreed with them and incorporated into the site design before the finalisation of the proposed development and submission of the application.

The utilities which cross the proposed western extension area of the application site include two parallel water pipes operated by Anglian Water. In March 2022 concerns were raised by Anglian Water regarding the need for a greater standoff distance which they consider necessary to provide suitable access to carry out maintenance and repairs to the pipes in the unlikely event that it becomes necessary.

As this matter has been raised at a late stage in the Examination process and in order to allow the Examination to progress to a decision it is proposed that the application is amended. Therefore, Augean is requesting that the Examining Authority accepts a non material change to the application and has submitted the documents necessary for the Examining Authority to consider the need for and the impacts associated with the proposed change.

Additionally, Augean are seeking the views of other parties. All of the documents that relate to the proposed non material change to the application are available via the links below and we would welcome your comments.

No other changes to the application are proposed. This amendment to the application is considered to be a non material change to the proposed development as it is minor in nature, it produces no new or different environmental effects and it does not require any compulsory acquisition powers or changes to the Order Limits.

Non Material Change Application

Non Material Change Consultation

Responding to the Non Material Change Consultation

2

Non Material Change Consultation

Please find all the documents relating to the proposed non material change to the application available for you to review via the links presented here.

If you would like to view any of these documents in a different format or have any other questions please ring our **Telephone Helpline: 01904654989** or send us an **Email: ENRMF@augeanconsultation.co.uk** and we will be pleased to help you.

The full suite of application documents is available on the East Northants Resource Management Facility Western Extension project page on the PINS website via the link below:

<https://infrastructure.planninginspectorate.gov.uk/projects/east-midlands/east-northants-resource-management-facility-western-extension/>

Non Technical Summary ➤

Guide to the Application ➤

Non Material Change Request ➤

Supplementary Environmental Statement ➤

Appendices ➤

Plans ➤

Other Documents ➤

**Non Material Change
Application**

**Non Material Change
Consultation**

**Responding to the
Non Material Change
Consultation**

3

Responding to the Non Material Change Consultation

Please send your comments by **Email: ENRMF@augeanconsultation.co.uk** or you can write to **ENRMF Project Office, 52 The Tannery, Lawrence Street, York YO10 3WH**. You can also make verbal responses by calling our **Telephone Helpline: 01904654989**.

Given the limited remaining time for the Examination, any comments are requested by the end of **Friday 8 July 2022** if at all possible. However, any later comments will be accepted up to the end of **Friday 15 July 2022** at the latest.

Augean Consultation

ENRMF Project Office
52 The Tannery
Lawrence Street
York, YO10 3WH

Telephone helpline

01904 654989

Email us

ENRMF@augeanconsultation.co.uk

Website by See Green

APPENDIX CRD
Consultation Cover Emails

From: MJCA
To: [REDACTED]@mod.gov.uk"
Cc: [REDACTED]@mod.gov.uk"; [REDACTED]@mod.gov.uk"
Subject: East Northants Resource Management Facility DCO Application - PINS Project reference WS010005
Date: 16 June 2022 16:21:41
Attachments: [14.3 Non Technical Summary of the NMC.pdf](#)
[image001.jpg](#)

16 June 2022

Our ref: AU/KCW/SPS/1724/01/NMC

BY EMAIL ONLY

Dear Madam/Sir

East Northants Resource Management Facility DCO Application

PINS Project reference WS010005

In October 2021 we wrote to notify you of the acceptance of the application for examination for an extension in the area and life of the East Northants Resource Management Facility (ENRMF) in Northamptonshire. The examination of the application is underway and will close on 2 August 2022.

This document contains an important update. The Applicant has submitted a Non Material Change request to PINS to address matters raised by Anglian Water during the Examination Period. A summary of the Non Material Change request is provided with this document.

The documents that have been submitted as part of the Non Material Change request can be viewed and downloaded from this link: <http://www.augeanconsultation.co.uk>
The documents for the Non Material Change request will be uploaded to the PINS Project website in due course. The Project Website which includes all application documents and all documents related to the Examination process can be accessed at the link below:

<https://infrastructure.planninginspectorate.gov.uk/projects/east-midlands/east-northants-resource-management-facility-western-extension/?ipcsection=docs>

Augean are inviting views on the Non Material Change. We should be grateful if any comments you may have are provided to us **within 21 days which is by 8 July 2022** but we will accept comments on the Non Material Change up to 15 July 2022. We should be grateful if you would submit any comments you may have on the Non Material Change to ENRMF@augeanconsultation.co.uk.

Please do not hesitate to contact us if you have any difficulties accessing the documents or if you have any queries.

Yours faithfully

Gene Wilson

Director of Environmental Planning

Augean

East Northants Resource Management Facility

Stamford Road

Kings Cliffe

PE8 6XX



**NON TECHNICAL SUMMARY OF THE PROPOSED
NON MATERIAL CHANGE**

PINS project reference: WS010005

PINS document reference: 14.3

MJCA reference: AU/KCW/SPS/1724/01/NMCNTS

June 2022



**Baddesley Colliery Offices, Main Road, Baxterley, Atherstone,
Warwickshire, CV9 2LE.**

Telephone : 01827 717891, Fax : 01827 718507



Non technical summary of the non material change


1. Augean South Ltd (Augean) operates the integrated East Northants Resource Management Facility (ENRMF) located on Stamford Road, North Northamptonshire. The Development Consent Order (DCO) application by Augean South Limited for the proposed western extension to ENRMF was accepted for examination by the Planning Inspectorate (PINS) on 24 September 2021. The details of the development location and design are set out in the application documents, including in particular the Environmental Statement, and are available for review on the PINS project web site at the following link:

<https://infrastructure.planninginspectorate.gov.uk/projects/east-midlands/east-northants-resource-management-facility-western-extension/>
2. The application is currently proceeding through the Examination phase which ends on 2 August 2022. Prior to the submission of the DCO application discussions were undertaken with the statutory undertakers whose apparatus cross the proposed western extension and standoffs were agreed with the statutory undertakers prior to the finalisation of the design of the proposed development and submission of the application. The agreed standoffs were incorporated into the site design. The utilities which cross the proposed western extension area of the application site include two parallel water pipes operated by Anglian Water as shown on Figure ES3.3 in the Environmental Statement which accompanied the application, and which is provided in this summary as Figure NMC1. The proposed development is designed such that the water pipes remain in the natural ground in their current setting and the adjacent landfill areas are located a specified distance from the pipes. A 7 metre standoff from each of the water mains to the fence line for the operational area as well as an additional 2.5m to the edge of the nearest landfill area is specified in the design.
3. In March 2022 concerns were raised by Anglian Water regarding risks to the integrity of the pipelines, potential for contamination, the consequences of failure of the pipelines and the need for a greater standoff distance which they consider is necessary principally in order to provide suitable access to carry out maintenance and repairs. Augean has undertaken a range of risk assessments which address the concerns and show that the standoff distances needed for access for repairs is the limiting factor (ie the greatest distance) to determine the standoff from the water pipes. The estimates for the space needed for access vary depending on the amount of flexibility that is included in the assessments. It is concluded that the access included in the original agreed standoff is

adequate and that 20m is the maximum ideal distance that might be considered necessary (Appendix SES2.2 to the Supplementary Environmental Statement). However as a result of the late stage in the Examination process that these concerns have been raised and in order to allow the Examination to progress to a decision it is proposed that the application is amended to include the option of increasing the standoff distances in the area of the water mains from the 7m (as in the original submitted design) up to a maximum of 30m from each water main. The exact standoff and management details will be agreed with the planning authority in consultation with Anglian Water and will be determined prior to the design and construction of the adjacent landfill phases. These adjacent landfill phases will not be constructed for 8 to 10 years following commencement of the site operations if the DCO is granted therefore there is more than enough time to agree the approach.

4. In order to incorporate this flexibility in the standoff distance from the water pipes into the proposed development it is necessary to request that the Examining Authority accept a non material change to the application and to submit the documents necessary for the Examining Authority to consider the need for and the impacts associated with the proposed change. The area in which flexibility is requested is shown on the restoration contours in the area of the water pipes as shown on the site Restoration Profile Contour Plan (Figure NMC2).
5. The matters that were addressed in the Environmental Statement submitted with the application in September 2021 have been reviewed to determine whether any new or different likely significant environmental effects might be anticipated as a result of the proposed change. As a result of this review additional assessments have been carried out of the changes that may result to the landscape and visual impacts and the ecological impacts associated with the inclusion of an option for a wider standoff from the water pipelines. The findings of the assessments are presented in a Supplementary Environmental Statement.
6. It is concluded in the Supplementary Environmental Statement that there is no material change to the ecological effects and there is no change to the overall Biodiversity Net Gain (BNG) for the development as the result of an increased standoff up to 30m. It is also concluded that there are no new or materially different landscape or visual effects compared with those identified during the original assessment.

7. No other changes to the application are proposed. This amendment to the application is considered to be a non material change to the proposed development as it is minor in nature, it produces no new or different environmental effects and it does not require any compulsory acquisition powers or changes to the Order Limits.
8. All the documents relating to the proposed non material change to the application are available to review at www.augeanconsultation.co.uk
9. Please send your comments on the non material change to Augean via email to ENRMF@augeanconsultation.co.uk or in writing to ENRMF Project Office, 52 The Tannery, Lawrence Street, York. YO10 3WH. If you need any further help or have any questions, please ring the Telephone Helpline 01904 654989 or email ENRMF@augeanconsultation.co.uk and we will be pleased to assist.
10. Given the limited remaining time for the Examination, any **comments are requested to be sent to Augean by the end of Friday 8 July 2022** if at all possible. However, any later comments will be accepted up to the end of Friday 15 July 2022 at the latest.





Key / Notes

- Boundary of the area the subject of the application for the Development Consent Order
- The approximate area of the proposed extended waste treatment and recovery facility
- Approximate route of the water pipelines
- Footpaths
- Approximate location of a high pressure gas pipeline
- Approximate route of an oil pipeline
- Approximate route of an overhead electricity cable (to be diverted)
- Bridleways

	Final	TM	SPS	LH	16/06/22
Rev	Status	Drm	App	Chk	Date
Site EAST NORTANTS RESOURCE MANAGEMENT FACILITY					
Client 					
Title Site overview					
Figure NMC1				Scale 1:10,000@A3	
Drawing Ref AU/KCW/06-22/23198					

Key / Notes

- Boundary of the area of the application for the Development Consent Order
- Restoration contours (with a 7m standoff from the water pipelines) (mAOD)
- Restoration contours with a 30m standoff from the water pipelines (mAOD)



Note:
 Based on model reference
 7m standoff contours -
 MARCH21_ENRMF_FINAL_RESTORATION
 LANDFORM_SCENARIO 1B.LSS provided by DB
 Landscape Consulting on 1 March 2021.
 30m standoff contours -
 JUNE22_OPTION 1B RESTORATION CONTOURS
 WITH 30M STANDOFF_NO BASINS.LSS

Rev	Desc	Drn	App	Chk	Date
A	Addition of 30m standoff contours	KR	SPS	LH	13/06/22
	Final	KR	SPS	LH	26/07/21

Client: EAST NORTANTS RESOURCE MANAGEMENT FACILITY



Title: Restoration profile contour plan

Figure NMC 2

Drawing Ref: AUKOW06-22/23197 Scale: 1:2,500 @ A1
 Reproduced scale mapping by permission of Ordnance Survey on behalf of The Controller of Her Majesty's Stationery Office.
 © Crown copyright 2017. All rights reserved. Licence number 100017816.



Baddeley Colliery Offices,
 Main Road, Buxton, Atherstone,
 Warwickshire, CV3 2LE
 Telephone: 01827 717891
 Fax: 01827 716527

16 June 2022
Our ref: AU/KCW/SPS/1724/01/NMC



Dear Madam/Sir

East Northants Resource Management Facility DCO Application

PINS Project reference WS010005

In October 2021 we wrote to notify you of the acceptance of the application for examination for an extension in the area and life of the East Northants Resource Management Facility (ENRMF) in Northamptonshire. The examination of the application is underway and will close on 2 August 2022.

This document contains an important update. The Applicant has submitted a Non Material Change request to PINS to address matters raised by Anglian Water during the Examination Period. A summary of the Non Material Change request is provided with this document.

The documents that have been submitted as part of the Non Material Change request can be viewed and downloaded from this link: <http://www.augeanconsultation.co.uk>

The documents for the Non Material Change request will be uploaded to the PINS Project website in due course. The Project Website which includes all application documents and all documents related to the Examination process can be accessed at the link below:

<https://infrastructure.planninginspectorate.gov.uk/projects/east-midlands/east-northants-resource-management-facility-western-extension/?ipcsection=docs>

Augean are inviting views on the Non Material Change. We should be grateful if any comments you may have are provided to us **within 21 days which is by 8 July 2022** but we will accept comments on the Non Material Change up to 15 July 2022. We should be grateful if you would submit any comments you may have on the Non Material Change to ENRMF@augeanconsultation.co.uk.

Augean South Ltd | East Northants Resource Management Facility | Stamford Road | Kings Cliffe | PE8 6XX
Tel 01780 444 900

www.augean.co.uk



Please do not hesitate to contact us if you have any difficulties accessing the documents or if you have any queries.

Yours faithfully



Gene Wilson
Director of Environmental Planning

Enclosures: Non Technical Summary of the Non Material Change



**NON TECHNICAL SUMMARY OF THE PROPOSED
NON MATERIAL CHANGE**

PINS project reference: WS010005

PINS document reference: 14.3

MJCA reference: AU/KCW/SPS/1724/01/NMCNTS

June 2022



**Baddesley Colliery Offices, Main Road, Baxterley, Atherstone,
Warwickshire, CV9 2LE.**

Telephone : 01827 717891, Fax : 01827 718507



Non technical summary of the non material change


1. Augean South Ltd (Augean) operates the integrated East Northants Resource Management Facility (ENRMF) located on Stamford Road, North Northamptonshire. The Development Consent Order (DCO) application by Augean South Limited for the proposed western extension to ENRMF was accepted for examination by the Planning Inspectorate (PINS) on 24 September 2021. The details of the development location and design are set out in the application documents, including in particular the Environmental Statement, and are available for review on the PINS project web site at the following link:

<https://infrastructure.planninginspectorate.gov.uk/projects/east-midlands/east-northants-resource-management-facility-western-extension/>
2. The application is currently proceeding through the Examination phase which ends on 2 August 2022. Prior to the submission of the DCO application discussions were undertaken with the statutory undertakers whose apparatus cross the proposed western extension and standoffs were agreed with the statutory undertakers prior to the finalisation of the design of the proposed development and submission of the application. The agreed standoffs were incorporated into the site design. The utilities which cross the proposed western extension area of the application site include two parallel water pipes operated by Anglian Water as shown on Figure ES3.3 in the Environmental Statement which accompanied the application, and which is provided in this summary as Figure NMC1. The proposed development is designed such that the water pipes remain in the natural ground in their current setting and the adjacent landfill areas are located a specified distance from the pipes. A 7 metre standoff from each of the water mains to the fence line for the operational area as well as an additional 2.5m to the edge of the nearest landfill area is specified in the design.
3. In March 2022 concerns were raised by Anglian Water regarding risks to the integrity of the pipelines, potential for contamination, the consequences of failure of the pipelines and the need for a greater standoff distance which they consider is necessary principally in order to provide suitable access to carry out maintenance and repairs. Augean has undertaken a range of risk assessments which address the concerns and show that the standoff distances needed for access for repairs is the limiting factor (ie the greatest distance) to determine the standoff from the water pipes. The estimates for the space needed for access vary depending on the amount of flexibility that is included in the assessments. It is concluded that the access included in the original agreed standoff is

adequate and that 20m is the maximum ideal distance that might be considered necessary (Appendix SES2.2 to the Supplementary Environmental Statement). However as a result of the late stage in the Examination process that these concerns have been raised and in order to allow the Examination to progress to a decision it is proposed that the application is amended to include the option of increasing the standoff distances in the area of the water mains from the 7m (as in the original submitted design) up to a maximum of 30m from each water main. The exact standoff and management details will be agreed with the planning authority in consultation with Anglian Water and will be determined prior to the design and construction of the adjacent landfill phases. These adjacent landfill phases will not be constructed for 8 to 10 years following commencement of the site operations if the DCO is granted therefore there is more than enough time to agree the approach.

4. In order to incorporate this flexibility in the standoff distance from the water pipes into the proposed development it is necessary to request that the Examining Authority accept a non material change to the application and to submit the documents necessary for the Examining Authority to consider the need for and the impacts associated with the proposed change. The area in which flexibility is requested is shown on the restoration contours in the area of the water pipes as shown on the site Restoration Profile Contour Plan (Figure NMC2).
5. The matters that were addressed in the Environmental Statement submitted with the application in September 2021 have been reviewed to determine whether any new or different likely significant environmental effects might be anticipated as a result of the proposed change. As a result of this review additional assessments have been carried out of the changes that may result to the landscape and visual impacts and the ecological impacts associated with the inclusion of an option for a wider standoff from the water pipelines. The findings of the assessments are presented in a Supplementary Environmental Statement.
6. It is concluded in the Supplementary Environmental Statement that there is no material change to the ecological effects and there is no change to the overall Biodiversity Net Gain (BNG) for the development as the result of an increased standoff up to 30m. It is also concluded that there are no new or materially different landscape or visual effects compared with those identified during the original assessment.

7. No other changes to the application are proposed. This amendment to the application is considered to be a non material change to the proposed development as it is minor in nature, it produces no new or different environmental effects and it does not require any compulsory acquisition powers or changes to the Order Limits.
8. All the documents relating to the proposed non material change to the application are available to review at www.augeanconsultation.co.uk
9. Please send your comments on the non material change to Augean via email to ENRMF@augeanconsultation.co.uk or in writing to ENRMF Project Office, 52 The Tannery, Lawrence Street, York. YO10 3WH. If you need any further help or have any questions, please ring the Telephone Helpline 01904 654989 or email ENRMF@augeanconsultation.co.uk and we will be pleased to assist.
10. Given the limited remaining time for the Examination, any **comments are requested to be sent to Augean by the end of Friday 8 July 2022** if at all possible. However, any later comments will be accepted up to the end of Friday 15 July 2022 at the latest.




Key / Notes

- Boundary of the area the subject of the application for the Development Consent Order
- The approximate area of the proposed extended waste treatment and recovery facility
- Approximate route of the water pipelines
- Bridleways
- Approximate route of an oil pipeline
- Approximate route of an overhead electricity cable (to be diverted)
- Approximate location of a high pressure gas pipeline
- Footpaths

	Final	TM	SPS	LH	16/06/22
Rev	Status	Drm	App	Chk	Date
Site EAST NORTHANTS RESOURCE MANAGEMENT FACILITY					
Client 					
Title Site overview					
Figure NMC1				Scale 1:10,000@A3	
Drawing Ref AU/KCW/06-22/23198					

Key / Notes

- Boundary of the area subject of the application for the Development Consent Order
- Restoration contours (with a 7m standoff from the water pipelines) (mAOD)
- Restoration contours with a 30m standoff from the water pipelines (mAOD)



Note:
 Based on model reference
 7m standoff contours -
 MARCH21_ENRMF_FINAL_RESTORATION
 LANDFORM_SCENARIO 1B.LSS provided by DB
 Landscape Consulting on 1 March 2021.
 30m standoff contours -
 JUNE22_OPTION 1B RESTORATION CONTOURS
 WITH 30M STANDOFF_NO BASINS.LSS

Rev	Desc	Drn	App	Chk	Date
A	Addition of 30m standoff contours	KR	SPS	LH	13/06/22
	Final	KR	SPS	LH	26/07/21

Client: EAST NORTANTS RESOURCE MANAGEMENT FACILITY



Title: Restoration profile contour plan

Figure NMC 2
 Drawing Ref: AUKOW06-22/23197 Scale: 1:2,500 @ A1

Reproduced scale mapping by permission of Ordnance Survey on behalf of The Controller of Her Majesty's Stationery Office. © Crown copyright 2017. All rights reserved. Licence number 100017816.



Baddeley Colliery Offices,
 Main Road, Buxton, Atherstone,
 Warwickshire, CV9 2LE
 Telephone: 01827 717891
 Fax: 01827 716527



ENRMF Western Extension Non Material Change

16 June 2022

East Northants Resource Management Facility

PINS reference number WS010005.

You may remember that we wrote to you in October 2021 to notify you that Augean's application for a Development Consent Order (DCO) for an extension in the area and life of the East Northants Resource Management Facility (ENRMF) had been accepted for examination by the Planning Inspectorate (PINS) on behalf of the Secretary of State for Levelling Up, Housing and Communities. The examination has been ongoing since early February and will be completed by 2 August 2022.

We are writing to you now with an important update. Augean has submitted a Non Material Change request to PINS to address matters raised by Anglian Water during the Examination Period. A summary of the Non Material Change request is available [here](#).

The documents that have been submitted as part of the Non Material Change request can be viewed and downloaded from www.augeanconsultation.co.uk.

The documents for the Non Material Change request will also be uploaded to the PINS Project website in due course. The PINS Project website which includes all application documents and all documents related to the Examination process can be accessed at the link below:

<https://infrastructure.planninginspectorate.gov.uk/projects/east-midlands/east-northants-resource-management-facility-western-extension/?ipcsection=docs>

Augean are inviting views on the Non Material Change. As it is nearing the end of the examination process, we should be grateful if any comments you may have are provided to us **by 8 July 2022** but we will accept comments on the Non Material Change up to **15 July 2022**. Please submit any comments you may have on the Non Material Change to ENRMF@augeanconsultation.co.uk or in writing to ENRMF Project Office, 52 The Tannery, Lawrence Street, York. YO10 3WH.

Please do not hesitate to contact us if you have any difficulties accessing the documents or if you have any queries please ring the Telephone Helpline 01904 654989 or email ENRMF@augeanconsultation.co.uk and we will be pleased to assist.

Yours sincerely,

Gene Wilson

Director of Environmental Planning



ENRMF | Stamford Road | Kings Cliffe | PE8 6XX
Tel: 01904 654989
Email: ENRMF@augeanconsultation.co.uk
www.augean.co.uk

APPENDIX CRE
Minutes of the Kings Cliffe Liaison Group
and PowerPoint Presentation

Kings Cliffe Liaison Group Meeting

Wednesday 22 June 2022

Minutes

Present

Jason Smithers (JS)
Helen Harrison (HH)
Lucy Hawes (LH)
Michael Day (MD)
Chris Leuchars (CL)
Marie Cooper (MC)
Gary Bower (GB)
James Wathen (JW)
Peter Oldfield (PO)
Lottie Ball (LB)
Greg Wilkinson (GWk)
Alasdair McClellan (AM)
Eleanor Nicholson (EN)

Representing

North Northants Council (NNC)
NNC
NNC
King's Cliffe Parish Council
Kings Cliffe Parish Council
Collyweston Parish Council
Augean
Augean
Augean
Augean
Environment Agency
Environment Agency
Jennings Nicholson for Augean

1. Apologies

Apologies were received from Phil Watson (NNC)

2. Operator Update

2.1 PO welcomed everyone to the meeting, especially Helen Harrison (**HH**) and Marie Cooper (**MC**) who were attending for the first time. **HH** is the one of the Ward Councillors for the Oundle of NNC and is the Executive Member for Adults, Health and Wellbeing on the Council. **MC** is a new Parish Councillor for Collyweston who will represent the village on the Liaison Group. **PO** briefly introduced all the other members of the KCLG and explained the remit and purpose of the group.

2.2 GB reminded the group about the acquisition of the company by Ancala and Fiera Infrastructure in November 2021. He was pleased to report that the relationship between the new owners and the management team was exceptionally good and that the management team were being allowed to get on with business as usual. Augean's business plan was on track at the half year point despite the prevailing challenges of rising fuel and energy costs. During the Covid-19 pandemic, Augean had managed to keep all of its sites open and operational. **GB** wished to draw the group's attention to the Corporate Social Responsibility report which amongst other matters details the company's interaction with local communities. (*note The 2021 CSR report will be available shortly*):<https://augean.co.uk/csr/>

2.3 PO explained that the previous site manager, Simon Moyle had left the company last year and that having had **JW** acting as the interim site manager for ENRMF a new site manager had been appointed. **PO** introduced Lottie Ball (**LB**) who is an experienced site manager. **LB** takes responsibility for ENRMF and Thornhaugh and will be the main point of contact in respect of any questions or problems regarding the day to day management of the site from now on.

2.4 He reported that Phases 8 and 9 are now being used for landfill disposal. To orientate the group **GB** made available an aerial plan of the site to show the current operational areas.

2.5 No complaints had been received about site operations.

2.6 A new and more efficient gas flare had been installed. The new flare is more suited to managing the reducing amounts of landfill gas from the older part of the site dating back to a time when waste with more organic material was disposed of into the site.

2.7 The Environment Agency (EA) visited the site on 31 May 2022 for an inspection of both the landfill and soil treatment plant. No scores were issued for either part of the site and note had been made of the improvements since the last visit:

- *Additional new storage bays at the soil treatment plant*
- *Repairs made to the concrete surface of the pad.*
- *Soil treatment pad much cleaner*

2.8 PO reported that the EA had requested some minor actions:

- *Some pipework needed to be sited within the containment area. This had already been scheduled for the end of June.*
- *Part of the soil treatment plant infrastructure – the bag splitter housing needed repairing. This had already been actioned.*

2.9 Due to COVID it has not been possible to hold an open day at the site for the last two years. Now that restrictions have been lifted, it was hoped that the annual open day could be held in September 2022. It is an opportunity to see site operations, visit the laboratory and to ask the attending professional team any questions relating to the site or the planning and permit matters.

3. Proposed Site Extension Application

- 3.1 PO** updated the meeting on the progression of the Development Consent Order (DCO) application. He explained that the examination period was ongoing and was scheduled to end on 2 August 2022. Two Issue Specific Hearings had taken place and there had been 6 formal deadlines for responding to questions posed by the Examining Authority
- 3.2** A late objection during the examination had been received from Anglian Water. Anglian have two water pipes that cross the proposed extension to ENRMF. Augean had been liaising with Anglian for 2 years and had agreed in principle a 7m stand off from the pipelines, however, the late objection from Anglian Water was against the proposed standoff distances. As a result, Augean were proposing amendments to the application known as a non material change that would give the flexibility to agree the final standoff distances at a later point. The proposed standoff distances would be somewhere between 7m and 30 m. **PO** showed the group a plan of the pipeline corridor with the proposed area of potential greater flexibility marked on the plan together with the restoration contours which easily could be adapted according to the standoff required. The non material change had been submitted to the Examining Authority and was the subject of a consultation that would run until 15 July 2022.
- 3.3 MC** having reviewed the consultation documents asked whether this situation was of concern and if would it be resolved through a separate agreement?
- 3.4 PO** explained that there was no risk to the pipeline, the issue was centred on allowing access for maintenance or repairs to the pipeline. There was plenty of time to come to an agreement as that area of the extension would not be worked for another eight to ten years. In the overall scheme of the extension application the non material change represented a relatively minor change. **GB** commented that the water pipes already went along the southern boundary of the site with no impact from site activities.
- 3.5** Applications to vary the Environmental Permits for the landfill and soil treatment and recovery facility at ENRMF were being determined and consulted on at present. Some technical clarifications had been requested but the applications were progressing as expected. The variation of the permit for radioactive waste is in preparation and an Environmental Safety Case is being prepared to accompany the application.

4. Community Funds

- 4.1 PO** reminded the meeting that there were two community funds available; the community fund administered by Grantscape and the LLW fund which was part of a section 106 agreement. The LLW fund was set up with the intention of ensuring

a greater flexibility for funding community projects as it can contribute to ongoing costs like salaries and maintenance rather than being restricted to capital funding of projects. (*Details of the recent projects supported can be found on the accompanying PowerPoint presentation*). If any help was needed by anyone in accessing the funds **PO** was happy answer any questions.

4.2 LH explained that North Northants Council had changed the name of the fund to the Augean Revenue and Smaller Grants Fund. Applicants are invited to apply for revenue funds up to £10,000 and capital grants up to £5,000. There had been a few teething problems with the assessment of applications process but this had been resolved. There had been 4 applications by the May deadline and these projects would be told if they were successful by the beginning of July. The next deadline for application is 1 September 2022. Depending on the call on funds there may be a third round of funding in January 2023.

5. Environment Agency Update

5.1 From the radioactive perspective, **AM** reported that he had not been able to visit the site in person but was hoping to schedule a visit in the near future and would be able to report back at the next meeting. He had been going through the data submitted by the site which looked good.

5.2 GW said that most issues had already been covered in PO/s report. He was pleased that housekeeping matters at the site that had previously been identified had been actioned in a positive way. He thought that the combination of a new site manager and new manager at the soil treatment plant would be a positive change to keep the site progressing well in the future.

6. North Northants Council update

6.1 Unfortunately, **PW** was not present to give an update on Local Authority matters.

7. Any other business

7.1 No other business was raised.

8. Date of Next Meeting

8.1 A doodle poll about the date of the next meeting will be circulated.

Agenda – 22nd June 2022

1. Augean company update
2. ENRMF site operations update
3. Extension application update
4. Community funds
5. Environment Agency Update
6. NNC planning update
7. AOB
8. Date of next meeting



- New site manager employed - Lottie Ball
 - Experienced manager in waste industry
 - Responsible for ENRMF and Thornhaugh sites
- Landfill disposal continues in Cell 8/9
- No complaints received at the site
- New gas flare installed, more efficient and sized for the volume of gas being produced (gas quantity at the site declines over time as the organic matter in old cells is exhausted)
- Last EA visit 31st May 2022
 - No scores issued for either permit (landfill or treatment)
 - Recognised improvements made since last visit
 - Additional storage bays
 - Concrete repairs completed
 - STP Pad surface cleaner
 - Minor actions needed:
 - Pipework needed relocating inside containment (scheduled for repair by end of June?)
 - Bag Splitter housing needs repair (repair scheduled prior to visit)
- Annual site open day planned for September 2022

- Examination of application ongoing - (March – August 2022)
- Two hearings and 6 deadlines for submissions so far
- Late objection by Anglian Water to standoff distances from the pipeline
- Augean have submitted Non Material Change (NMC) to the application to address Anglian Water issues.
- 7-30m standoff from water pipes proposed
- Final distance to be agreed prior to works being undertaken in that area.
- Consultation on the NMC live at the moment. (closes 15/07/2022)
- Examination will still close on time (2nd August 2022)



- Permit variation applications for the Landfill and Treatment EPR permits have been submitted to the Environment agency.
 - Landfill application currently being determined by the Environment agency, consultation on the application has been undertaken.
 - Treatment application is currently being determined by the EA, consultation on the application has been undertaken.
 - Radioactive Permit (RSR) application being prepared for submission

Over £136,000 has been allocated in Round 1 of funding.

Round 1 allocated projects for 2022 are:

- Barnack Bowls Club, Mower – £7,318
- Burghley Park Cricket Club, New Scoreboard and Refurbishment of Scoreboard Area – £10,000
- Kings Cliffe Ex-Servicemen's and Social Club, Kitchen Facility – £35,000
- Langtoft Pearl Bowls Club, Mower and Premises Upgrades – £8,564
- South Luffenham Village Hall, Final Phase 3 Refurbishment – £15,000
- The Garford Foundation, Re-Purposing Building for Community Space – £44,000
- Woodnewton Parish Council, Woodnewton Playing Field Outdoor Gym and Table Tennis Installation – £17,015

Applications for Round 2 of funding need to be received by 16 November 2022 with decisions by end of January 2023.

Revenue and Small capital grants fund

- A simplified and easier application process came into operation in March 2022 with three rounds of funding per annum.
- The last round of funding closed on 18 May 2022 with decisions due to be made by mid-July.
- The next round of funding will commence in September 2022.
- Grants are available up to £5000 for capital costs and, unlike the Augean Community Fund, applications can also be made to cover running costs up to £10,000.
- Those within a 10-mile radius of the ENRMF site are eligible to apply, but with a preference to applications from within a 5-mile radius.

- Environment Agency Update
- NNC planning update
- AOB
- Date of next meeting

APPENDIX CRF
Responses to the Consultation

Robyn Northall

From: LN Planning <[REDACTED]@environment-agency.gov.uk>
Sent: 07 July 2022 09:58
To: MJCA
Subject: RE: ENRMF - non-material amendment
Attachments: 20220707 - Environment Agency.pdf

You don't often get email from [REDACTED]@environment-agency.gov.uk. [Learn why this is important](#)

Please find attached our response to your recent consultation.

Keri Monger AssocRTPI
Sustainable Places – Planning Adviser | Lincolnshire & Northamptonshire
Environment Agency | Nene House, Pytchley Road Industrial Estate, Pytchley Lodge Road, Kettering, NN15 6JQ

[REDACTED]@environment-agency.gov.uk

Direct Dial: [REDACTED] | Mobile: [REDACTED]

Working days: Monday to Friday



Creating a better place
for people and wildlife



From: MJCA <[REDACTED]@mjca.co.uk>
Sent: 16 June 2022 16:18
To: LN Planning <[REDACTED]@environment-agency.gov.uk>
Cc: Monger, Keri <[REDACTED]@environment-agency.gov.uk>; Holloway, Sally <[REDACTED]@environment-agency.gov.uk>; Wilkinson, Greg <[REDACTED]@environment-agency.gov.uk>
Subject: ENRMF - non-material amendment

Some people who received this message don't often get email from [REDACTED]@mjca.co.uk. [Learn why this is important](#)

Warning: The sender of this message could not be validated. Please use caution when opening any message content such as attachments or links

16 June 2022
Our ref: AU/KCW/SPS/1724/01/NMC

BY EMAIL ONLY

Dear Madam/Sir

East Northants Resource Management Facility DCO Application

PINS Project reference WS010005

In October 2021 we wrote to notify you of the acceptance of the application for examination for an extension in the area and life of the East Northants Resource Management Facility (ENRMF) in Northamptonshire. The examination of the application is underway and will close on 2 August 2022.

This document contains an important update. The Applicant has submitted a Non Material Change request to PINS to address matters raised by Anglian Water during the Examination Period. A summary of the Non Material Change request is provided with this document.

The documents that have been submitted as part of the Non Material Change request can be viewed and downloaded from this link: <http://www.augeanconsultation.co.uk>

The documents for the Non Material Change request will be uploaded to the PINS Project website in due course. The Project Website which includes all application documents and all documents related to the Examination process can be accessed at the link below:

<https://infrastructure.planninginspectorate.gov.uk/projects/east-midlands/east-northants-resource-management-facility-western-extension/?ipcsection=docs>

Augean are inviting views on the Non Material Change. We should be grateful if any comments you may have are provided to us **within 21 days which is by 8 July 2022** but we will accept comments on the Non Material Change up to 15 July 2022. We should be grateful if you would submit any comments you may have on the Non Material Change to [REDACTED] [@augeanconsultation.co.uk](mailto:[REDACTED]@augeanconsultation.co.uk).

Please do not hesitate to contact us if you have any difficulties accessing the documents or if you have any queries.

Yours faithfully
Gene Wilson
Director of Environmental Planning

Augean
East Northants Resource Management Facility
Stamford Road
Kings Cliffe
PE8 6XX



Please consider the environment before printing this email.

Augean Ltd, Incorporated in England and Wales under the Companies Act 2006, Registered Number 5199719. VAT Number: GB 865391983
The information contained in this email is intended for the named recipient(s) only. It may contain privileged and confidential information. If you are not the intended, you must not copy, distribute or take any action or reliance on it. If received please advise the sender by reply email and then delete it from your system. Please note that Augean accepts no responsibility for and it is your responsibility to scan the email and attachments (if any).

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.



FAO: Gene Wilson

Our ref: AN/2021/132400/02-L01

By email: [REDACTED]@mjca.co.uk

Your ref: WS010005

Date: 07 July 2022

Dear Gene

East Northants Resource Management Facility DCO Application - non-material change

Thank you for consulting us on the non-material change to the East Northants Resource Management Facility DCO on 16 June 2022.

We have reviewed the documents provided and have no comments to make.

Should you require any additional information, or wish to discuss these matters further, please do not hesitate to contact me on the number below.

Yours sincerely

Keri Monger
Sustainable Places - Planning Adviser

Direct dial [REDACTED]

Direct e-mail [REDACTED]@environment-agency.gov.uk

Environment Agency

Nene House (Pychley Lodge Industrial Estate),
Pychley Lodge Road, Kettering, Northants, NN15 6JQ
Email: LNplanning@environment-agency.gov.uk
www.gov.uk/environment-agency

Customer services line: 03708 506 506

Calls to 03 numbers cost the same as calls to standard geographic numbers (i.e. numbers beginning with 01 or 02).

End

Robyn Northall

Subject: FW: ENRMF - non-material amendment

Phil Watson <[REDACTED]@northnorthants.gov.uk>
to [REDACTED]@augeanconsultation.co.uk, Mark, Peter, Helen, Sophie

Dear Sir/Madam

I refer to the submission by Augean South Limited of a non-material change to the submitted DCO application by introducing more flexibility relating to the standoff distance for the water pipelines.

I note that it is proposed that the application is amended to include the option of increasing the standoff distances in the area of the water mains from the 7m (as in the original submitted design) up to a maximum of 30m from each water main. The exact standoff and management details will be agreed with the planning authority in consultation with Anglian Water and will be determined prior to the design and construction of the adjacent landfill phases.

I have considered the submitted application and associated documents and am satisfied that the proposals do not give rise to any significant material environmental or amenity issues. I can therefore confirm that North Northamptonshire Council has no objection to the non-material change proposals.

Regards

Phil Watson | **Development Control Manager**
Minerals and Waste Planning Service for Northamptonshire
North Northamptonshire Council
One Angel Square, Angel Street, Northampton NN1 1ED
T: 01604 366014: DD [REDACTED]
M: [REDACTED]

The information contained in this message is likely to be confidential and may be legally privileged. The dissemination, distribution, copying or disclosure of this message, or its contents, is strictly prohibited unless authorised by Anglian Water. It is intended only for the person named as addressee. Anglian Water cannot accept any responsibility for the accuracy or completeness of this message. Contracts cannot be concluded with us by email or using the Internet. If you have received this message in error, please immediately return it to the sender at the above address and delete it from your computer. Anglian Water Services Limited Registered Office: Lancaster House, Lancaster Way, Ermine Business Park, Huntingdon, Cambridgeshire, PE29 6XU Registered in England No 2366656 Please consider the environment before printing this email.--*-----

Robyn Northall

Subject: FW: East Northants Resource Management Facility DCO Application - PINS Project reference WS010005

From: **Claire Burton** [redacted] [\[redacted\]@huntingdonshire.gov.uk](mailto:[redacted]@huntingdonshire.gov.uk)>

Date: Fri, 1 Jul 2022 at 17:27

Subject: RE: East Northants Resource Management Facility DCO Application - PINS Project reference WS010005

To: [redacted] [@augeanconsultation.co.uk](mailto:[redacted]@augeanconsultation.co.uk) [redacted] [@augeanconsultation.co.uk](mailto:[redacted]@augeanconsultation.co.uk)>

Cc: [redacted] [@planninginspectorate.gov.uk](mailto:[redacted]@planninginspectorate.gov.uk) [redacted] [@planninginspectorate.gov.uk](mailto:[redacted]@planninginspectorate.gov.uk)>,
Implementation [redacted] [@huntingdonshire.gov.uk](mailto:[redacted]@huntingdonshire.gov.uk)>

Dear Sir/Madam

I am responding on behalf of Huntingdonshire District Council (HDC), to your email below dated 16th June 2022.

Thank you for updating us on the Non Material Change request to PINS to address matters raised by Anglian Water during the Examination Period.

I can confirm that Huntingdonshire District Council has no comment to make on the Non Material Change and, as outlined in previous correspondence, does not intend to participate in the DCO process further.

Yours sincerely

Claire Burton

Claire Burton

Implementation Team Leader

Huntingdonshire District Council

Temporary phone number: [redacted]

Email: [redacted] [@huntingdonshire.gov.uk](mailto:[redacted]@huntingdonshire.gov.uk)



One community of residents and businesses, **together** supporting our local town centres.



From: MJCA [REDACTED] [@mjca.co.uk](mailto:[REDACTED]@mjca.co.uk)>

Sent: 16 June 2022 16:24

To: Mail [REDACTED] [@huntingdonshire.gov.uk](mailto:[REDACTED]@huntingdonshire.gov.uk)>

Subject: East Northants Resource Management Facility DCO Application - PINS Project reference WS010005

Mimecast Attachment Protection has deemed this file to be safe, but always exercise caution when opening files.

16 June 2022

Our ref: AU/KCW/SPS/1724/01/NMC

BY EMAIL ONLY

Dear Madam/Sir

FAO: Head of Planning [REDACTED] [@huntingdonshire.gov.uk](mailto:[REDACTED]@huntingdonshire.gov.uk)

East Northants Resource Management Facility DCO Application

PINS Project reference WS010005

In October 2021 we wrote to notify you of the acceptance of the application for examination for an extension in the area and life of the East Northants Resource Management Facility (ENRMF) in Northamptonshire. The examination of the application is underway and will close on 2 August 2022.

This document contains an important update. The Applicant has submitted a Non Material Change request to PINS to address matters raised by Anglian Water during the Examination Period. A summary of the Non Material Change request is provided with this document.

The documents that have been submitted as part of the Non Material Change request can be viewed and downloaded from this link: <http://www.auganconsultation.co.uk>

The documents for the Non Material Change request will be uploaded to the PINS Project website in due course. The Project Website which includes all application documents and all documents related to the Examination process can be accessed at the link below:

<https://infrastructure.planninginspectorate.gov.uk/projects/east-midlands/east-northants-resource-management-facility-western-extension/?ipcsection=docs>

Augean are inviting views on the Non Material Change. We should be grateful if any comments you may have are provided to us **within 21 days which is by 8 July 2022** but we will accept comments on the Non Material Change up to 15 July 2022. We should be grateful if you would submit any comments you may have on the Non Material Change to [REDACTED] [@augeanconsultation.co.uk](mailto:[REDACTED]@augeanconsultation.co.uk).

Please do not hesitate to contact us if you have any difficulties accessing the documents or if you have any queries.

Yours faithfully

Gene Wilson
Director of Environmental Planning

Augean
East Northants Resource Management Facility
Stamford Road
Kings Cliffe
PE8 6XX



Please consider the environment before printing this email.

Augean Ltd, Incorporated in England and Wales under the Companies Act 2006, Registered Number 5199719. VAT Number: GB 865391983

The information contained in this email is intended for the named recipient(s) only. It may contain privileged and confidential information. If you are not the intended, you must not copy, distribute or take any action or reliance on it. If received please advise the sender by reply email and then delete it from your system. Please note that Augean accepts no responsibility for and it is your responsibility to scan the email and attachments (if any).

Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived