

Thames Tideway Tunnel
Thames Water Utilities Limited



Application for Development Consent

Application Reference Number: WWO10001

Code of Construction Practice Part B

Doc Ref: **7:19.2**

Heathwall Pumping Station

APFP Regulations 2009: Regulation **5(2)(q)**

Hard copy available in

Box **56** Folder **B**
January 2013

**Thames
Tideway Tunnel**



Creating a cleaner, healthier River Thames

This page is intentionally blank

Thames Tideway Tunnel

Code of Construction Practice Part B

Heathwall Pumping Station

List of contents

	Page number
1 Heathwall Pumping Station	1
1.1 General.....	1
2 General requirements	2
3 Communications and community/stakeholder liaison	2
4 Site operation	3
5 Public access, highway and river transport	3
6 Noise and vibration.....	4
7 Air quality	4
8 Water resources	5
9 Land quality.....	5
10 Waste management and resource use.....	5
11 Ecology (aquatic and terrestrial)	5
12 Historic environment	6
13 Other	6

List of figures

	Page number
Figure 1.1 Heathwall Pumping Station: Site context and location plan.....	2


This page intentionally left blank

1 Heathwall Pumping Station

1.1 General

- 1.1.1 All works covered within this document are to be managed and performed to the culture within the Thames Tideway Tunnel vision of 'Zero Accidents, Zero Harm, Zero Compromise'.
- 1.1.2 The *Code of Construction Practice (CoCP)* comprises two parts:
- a. Part A: General requirements. These measures are applicable project-wide.
 - b. Part B: Site-specific requirements. These are site-specific measures, where there are deviations from the general requirements indicated in Part A.
- 1.1.1 This document comprises the *CoCP* Part B for the Thames Tideway Tunnel project works at Heathwall Pumping Station site and identifies the detailed site-specific measures including working hours, site set up and servicing arrangements, taking into account the environmental issues and consultations with the London Borough of Wandsworth and other stakeholders.
- 1.1.2 For ease of reference the *CoCP* Part B mirrors the headings in Part A. The *CoCP* Part B sets out site-specific issues and deviations from Part A so where there are no site-specific measures reference should be made to the measures set out in Part A.
- 1.1.3 A plan showing the location of the site is shown in Figure 1.1 below.

Figure 1.1 Heathwall Pumping Station: Site context and location plan



Note: For detailed Limits of Land to be Acquired or Used, refer to drawings in the Book of Plans.

2 General requirements

2.1.1 As per text in CoCP Part A.

3 Communications and community/stakeholder liaison

3.1.1 As per text in CoCP Part A.

4 Site operation

Topic	Site-specific requirement
Working hours	<p>This site will adhere to the following working hours:</p> <ol style="list-style-type: none"> a. standard b. continuous for duration of the Heathwall/SWSR connection tunnel construction <p>Other working hours are subject to agreement with the local authority.</p>
Site layout	As per text in <i>CoCP</i> Part A.
Site security / hoarding requirements	The hoarding is to be as defined in <i>CoCP</i> Part A para. 4.3.4a incorporating suitable art work on public facing sections.
Other items	A site-specific lighting plan is required. The lighting will address the impact on terrestrial and aquatic ecology and include the use of low level directional lighting where possible whilst meeting safe work requirements.

5 Public access, highway and river transport

Topic	Site-specific requirement
Site access and gates	<p>The site access will be located as the existing access to the pumping station, and one of the existing accesses to the adjacent Middle Wharf.</p> <p>The contractor is required to put measures into place to prevent vehicles halting on Nine Elms Lane when entering the site. This may include the vehicle notifying the site in advance to ensure that the entrance gate is open, locating the security barrier at a distance within the site and use of a traffic marshal.</p> <p>For general construction vehicle access, no reversing to/from the site onto Nine Elms Lane is allowed. Thames Water operations will require 'business as usual' access to the pumping station.</p> <p>Pedestrian access will be maintained to and from Battersea Barge during construction, including during its temporary relocation.</p>

Topic	Site-specific requirement
Traffic management	<p>Access to the site is from the west with left turn into the site from Nine Elms Lane (A3035). Egress from the site will be left turn out travelling east towards Vauxhall.</p> <p>Due to the site being constrained, the contractor may need to consider the use of a turntable, or restrict lorry size to meet the requirement to prevent reversing onto Nine Elms Lane.</p> <p>Signage, safe crossing points, and other required measures will be provided for pedestrians and cyclists at site accesses to address the potential hazards.</p>
Event restrictions	As per text in <i>CoCP</i> Part A.
River transport	As per text in <i>CoCP</i> Part A.

6 Noise and vibration

Topic	Site-specific requirement
Control measures	<p>2.4m noise barrier on edges of temporary cofferdam.</p> <p>Compaction of material on site will be undertaken using machinery generating the lowest practicable vibration levels which still enables the required level of compaction to be completed. Specifically, the use of large twin-drum vibrating rollers will only occur on occasions where vibration levels can be controlled to less than the impact criteria.</p> <p>The loading and unloading of barges will only be carried out during standard working hours.</p>
Other	As per text in <i>CoCP</i> Part A.

7 Air quality

Topic	Site-specific requirement
Vehicle and plant emissions	As per text in <i>CoCP</i> Part A.
Dust emissions/control	As per text in <i>CoCP</i> Part A.
Odour	As per text in <i>CoCP</i> Part A.
Other	As per text in <i>CoCP</i> Part A.

8 Water resources

Topic	Site-specific requirement
Control of pollution: surface water / groundwater	All hardstanding (as far as reasonably practicable) on non-foreshore sites to incorporate permeable surfacing.
Control on abstraction	As per text in <i>CoCP</i> Part A.
Ground treatment / dredging	As per text in <i>CoCP</i> Part A.
Other	As per text in <i>CoCP</i> Part A.

9 Land quality

Topic	Site-specific requirement
Site works	As per text in <i>CoCP</i> Part A.
Site-specific issues / mitigation	As per text in <i>CoCP</i> Part A.

10 Waste management and resource use

Topic	Site-specific requirement
Excavated material	As per text in <i>CoCP</i> Part A.
Resource usage	As per text in <i>CoCP</i> Part A.
Other	As per text in <i>CoCP</i> Part A.

11 Ecology (aquatic and terrestrial)

Topic	Site-specific requirement
Protection of habitats	Membrane to be installed between the river bed and temporary back fill material to prevent contamination of juvenile fish habitat. Areas of foreshore used for temporary works will be restored to similar condition and material as was present prior to the works.
Protection of trees	As per text in <i>CoCP</i> Part A.
Other	As per text in <i>CoCP</i> Part A.

12 Historic environment

Topic	Site-specific requirement
Other	During construction of the new river wall including any in-river activities, the Contractor's method for the river works will minimise the risk of impact on the known Saxon fish trap located on the foreshore outside of the northeastern corner of the site, by selecting suitable river plant and operating procedures.

13 Other

Topic	Site-specific requirement
Other	As per text in <i>CoCP</i> Part A.

This page is intentionally blank

Copyright notice

Copyright © Thames Water Utilities Limited January 2013.
All rights reserved.

Any plans, drawings, designs and materials (materials) submitted by Thames Water Utilities Limited (Thames Water) as part of this application for Development Consent to the Planning Inspectorate are protected by copyright. You may only use this material (including making copies of it) in order to (a) inspect those plans, drawings, designs and materials at a more convenient time or place; or (b) to facilitate the exercise of a right to participate in the pre-examination or examination stages of the application which is available under the Planning Act 2008 and related regulations. Use for any other purpose is prohibited and further copies must not be made without the prior written consent of Thames Water.

Thames Water Utilities Limited

Clearwater Court, Vastern Road, Reading RG1 8DB

The Thames Water logo and Thames Tideway Tunnel logo are © Thames Water Utilities Limited. All rights reserved.

DCO-DT-000-ZZZZ-071902

