



# EAST CAMBRIDGESHIRE DISTRICT COUNCIL

THE GRANGE, NUTHOLT LANE,  
ELY, CAMBRIDGESHIRE CB7 4EE

Telephone: Ely (01353) 665555  
DX41001 ELY Fax: (01353) 665240  
[www.eastcambs.gov.uk](http://www.eastcambs.gov.uk)

Cambridge Waste Water Treatment Plant  
Relocation Project

FREEPOST  
CWWTPR

[info@cwwtpr.com](mailto:info@cwwtpr.com)

*This matter is being dealt with by:*

Toni Hylton

Telephone: [REDACTED]  
E-mail: [REDACTED]@eastcambs.gov.uk  
My Ref: EXT/00003/22  
Your ref: WW010003

3<sup>rd</sup> May 2023

Dear Emily

**Re: Cambridge Waste Water Treatment Plant Relocation Project – Adequacy of consultation**

Thank you for the opportunity to comment upon the adequacy of Consultation with regard to the Cambridge Waste Water Treatment Plant Relocation.

Having undertaken a review of the documents submitted, it would appear that Anglian Water have met with the requirements of the Planning Act 2008. In reviewing Section 42, it would appear all of the relevant Local Planning Authority had been identified and classified correctly.

Section 47 appears to have been complied with by notifying the respective Local Planning Authority; Parish Councils and other organisations relevant to the proposal.

Section 48 appears to have been complied with, the proposal has been advertised in accordance with the Act.

It is considered that the 'Adequacy of Consultation' has been implemented in accordance with the requirement of the Planning Act 2008.

**Yours sincerely**

Toni Hylton

**Toni Hylton (Mrs)  
Planning Team Leader**