



Cambridge Waste Water Treatment Plant Relocation Project
Anglian Water Services Limited

Appendix 14.3: Geoenvironmental Results – Proposed WWTP

Application Document Reference: 5.4.14.3
PINS Project Reference: WW010003
APFP Regulation No. 5(2)a


Revision No. 02
~~April~~ September 2023

Application Document 5.4.14.3

The table is a large grid with approximately 20 columns and 30 rows. The top portion of the table (rows 1-10) features a header area with yellow and red cells, and two red vertical bars. The middle portion (rows 11-20) contains various data points and patterns. The bottom portion (rows 21-30) is characterized by a large grey shaded area covering several columns. The table is bordered by a thick black line.

Acenaphthene	U	1800	µg/l	0.1	-	-	-	-	< 0.10	< 0.10	< 0.10	< 0.10
Fluorene	U	1800	µg/l	0.1	-	-	-	-	< 0.10	< 0.10	< 0.10	< 0.10
Phenanthrene	U	1800	µg/l	0.1	-	-	-	-	< 0.10	< 0.10	< 0.10	< 0.10
Anthracene	U	1800	µg/l	0.1	-	-	0.0001	0.1	< 0.10	< 0.10	< 0.10	< 0.10

The image shows a large grid table with multiple columns and rows. The top section contains yellow and red bars, and two red crosses. The bottom section contains grey bars. The grid is mostly empty with some faint markings.



Project: TE8364 Cambridge Waste Water Treatment Plant Relocation								Groundwater				
								infrastructure	infrastructure	infrastructure	infrastructure	
Client: Soil Engineering Geoservices Ltd				Chemtest Job No.:				21-40931	21-40934	21-40935	21-38515	
Quotation No.:				Chemtest Sample ID.:				1324639	1324646	1324647	1312486	
Order No.:				Client Sample Ref.:				2	2	2		
				Sample Location:				BH_TUN_011	BH_FE_001	BH_FE_002	BH_TUN_001A	
				Sample Type:				WATER	WATER	WATER	WATER	
				Top Depth (m):				4	3	5		
				Date Sampled:				17-Nov-2021	17-Nov-2021	17-Nov-2021	03-Nov-21	
				Strata				WMCK / CBG	RTD	WMCK	RTD	
					UK DWS mg/l	UK DWS ug/l						
Fluoranthene	U	1800	ug/l	0.1	0.000038	0.038	0.0000063	0.0063	< 0.10	< 0.10	< 0.10	< 0.10
Pyrene	U	1800	ug/l	0.1	-	-	-	-	< 0.10	< 0.10	< 0.10	< 0.10
Benzo(a)anthracene	U	1800	ug/l	0.1	-	-	-	-	< 0.10	< 0.10	< 0.10	< 0.10
Chrysene	U	1800	ug/l	0.1	-	-	-	-	< 0.10	< 0.10	< 0.10	< 0.10
Benzo(b)fluoranthene	U	1800	ug/l	0.1	0.001	1	-	-	< 0.10	< 0.10	< 0.10	< 0.10
Benzo(k)fluoranthene	U	1800	ug/l	0.1	0.001	1	-	-	< 0.10	< 0.10	< 0.10	< 0.10
Benzo(a)pyrene	U	1800	ug/l	0.1	0.00001	0.01	0.00000017	0.00017	< 0.10	< 0.10	< 0.10	< 0.10
Indeno(1,2,3-c,d)Pyrene	U	1800	ug/l	0.1	0.0001	0.1	-	-	< 0.10	< 0.10	< 0.10	< 0.10
Dibenzo(a,h)Anthracene	U	1800	ug/l	0.1	-	-	-	-	< 0.10	< 0.10	< 0.10	< 0.10
Benzo(g,h,i)perylene	U	1800	ug/l	0.1	0.001	1	-	-	< 0.10	< 0.10	< 0.10	< 0.10
Total Of 16 PAH's	U	1800	ug/l	2	-	-	-	-	< 2.0	< 2.0	< 2.0	< 2.0
Resorcinol	U	1920	mg/l	0.005	-	-	-	-	< 0.0050	< 0.0050	< 0.0050	< 0.0050
Phenol	U	1920	mg/l	0.005	0.0005	0.5	0.0077	7.7	< 0.0050	< 0.0050	< 0.0050	< 0.0050
Cresols	U	1920	mg/l	0.005	-	-	-	-	< 0.0050	< 0.0050	< 0.0050	< 0.0050
Xylenols	U	1920	mg/l	0.005	-	-	-	-	< 0.0050	< 0.0050	< 0.0050	< 0.0050
1-Naphthol	N	1920	mg/l	0.005	-	-	-	-	< 0.0050	< 0.0050	< 0.0050	< 0.0050
Trimethylphenols	U	1920	mg/l	0.005	-	-	-	-	< 0.0050	< 0.0050	< 0.0050	< 0.0050
Total Phenols	U	1920	mg/l	0.03	-	-	-	-	< 0.030	< 0.030	< 0.030	< 0.030

1,3-Dichloropropane	U	1760	µg/l	2	-	-	-	-	<2.0	<2.0	<2.0	<2.0
Dibromochloromethane	U	1760	µg/l	10	0.1	100	-	-	<10	<10	<10	<10
1,2-Dibromoethane	U	1760	µg/l	5	0.0004	0.4	-	-	<5	<5	<5	<5
Chlorobenzene	N	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
1,1,1,2-Tetrachloroethane	U	1760	µg/l	2	-	-	-	-	<2.0	<2.0	<2.0	<2.0
Ethylbenzene	U	1760	µg/l	1	0.3	300	-	-	<1.0	<1.0	<1.0	<1.0
m & p-Xylene	U	1760	µg/l	1	-	-	0.01	10	<1.0	<1.0	<1.0	<1.0
o-Xylene	U	1760	µg/l	1	-	-	0.01	10	<1.0	<1.0	<1.0	<1.0
Styrene	U	1760	µg/l	1	0.02	20	-	-	<1.0	<1.0	<1.0	<1.0
Tribromomethane	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
Isopropylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
Bromobenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichloropropane	N	1760	µg/l	50	-	-	-	-	<50	<50	<50	<50
N-Propylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
Tert-Butylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
Sec-Butylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	N	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
4-Isopropyltoluene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	U	1760	µg/l	1	0.3	300	-	-	<1.0	<1.0	<1.0	<1.0
N-Butylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	U	1760	µg/l	1	1	1000	-	-	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane	U	1760	µg/l	50	0.001	1	-	-	<50	<50	<50	<50
1,2,4-Trichlorobenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
Hexachlorobutadiene	U	1760	µg/l	1	0.0006	0.6	0.0001	0.1	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	U	1760	µg/l	2	-	-	-	-	<2.0	<2.0	<2.0	<2.0
Methyl Tert-Butyl Ether	N	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0	<1.0
Naphthalene	U	1800	µg/l	0.1	-	-	0.002	2	<0.10	<0.10	<0.10	<0.10
Acenaphthylene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10	<0.10
Acenaphthene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10	<0.10
Fluorene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10	<0.10
Phenanthrene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10	<0.10
Anthracene	U	1800	µg/l	0.1	-	-	0.0001	0.1	<0.10	<0.10	<0.10	<0.10

Project: TE8364 Cambridge Waste Water Treatment Plant Relocation								infrastructure infrastructure infrastructure infrastructure				
Client: Soil Engineering Geoservices Ltd				Chemtest Job No.:				21-38515	21-38515	21-38384	21-38384	
Quotation No.:				Chemtest Sample ID.:				1312387	1312388	1311775	1311776	
Order No.:				Client Sample Ref.:						1	1	
				Sample Location:				BH FE 001	BH FE 002	BH TUN 011	BH TUN 006	
				Sample Type:				WATER	WATER	WATER	WATER	
				Top Depth (m):						2	2	
				Date Sampled:				03-Nov-21	03-Nov-21	02-Nov-21	02-Nov-21	
				Strata				SUPD	WMCK	WMCK	MGR/RTD	
Fluoranthene	U	1800	µg/l	0.1	0.00038	0.038	0.000063	0.0063	<0.10	<0.10	<0.10	<0.10
Pyrene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10	<0.10
Benzo[a]anthracene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10	<0.10
Chrysene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10	<0.10
Benzo[b]fluoranthene	U	1800	µg/l	0.1	0.001	1	-	-	<0.10	<0.10	<0.10	<0.10
Benzo[k]fluoranthene	U	1800	µg/l	0.1	0.001	1	-	-	<0.10	<0.10	<0.10	<0.10
Benzo[a]pyrene	U	1800	µg/l	0.1	0.00001	0.01	0.00000017	0.00017	<0.10	<0.10	<0.10	<0.10
Indeno[1,2,3-c,d]Pyrene	U	1800	µg/l	0.1	0.0001	0.1	-	-	<0.10	<0.10	<0.10	<0.10
Dibenzo[a,h]Anthracene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10	<0.10
Benzo[g,h,i]perylene	U	1800	µg/l	0.1	0.001	1	-	-	<0.10	<0.10	<0.10	<0.10
Total Of 16 PAH's	U	1800	µg/l	2	-	-	-	-	<2.0	<2.0	<2.0	<2.0
Resorcinol	U	1920	mg/l	0.005	-	-	-	-	<0.0050	<0.0050	<0.0050	<0.0050
Phenol	U	1920	mg/l	0.005	0.0005	0.5	0.0077	7.7	<0.0050	<0.0050	<0.0050	<0.0050
Cresols	U	1920	mg/l	0.005	-	-	-	-	<0.0050	<0.0050	<0.0050	<0.0050
Xylenols	U	1920	mg/l	0.005	-	-	-	-	<0.0050	<0.0050	<0.0050	<0.0050
1-Naphthol	N	1920	mg/l	0.005	-	-	-	-	<0.0050	<0.0050	<0.0050	<0.0050
Trimethylphenols	U	1920	mg/l	0.005	-	-	-	-	<0.0050	<0.0050	<0.0050	<0.0050
Total Phenols	U	1920	mg/l	0.03	-	-	-	-	<0.030	<0.030	<0.030	<0.030

Dibromochloromethane	U	1760	µg/l	10	0.1	100	-	-	≤10	≤10	≤10	≤10
1,2-Dibromoethane	U	1760	µg/l	5	0.0004	0.4	-	-	≤5	≤5	≤5	≤5
Chlorobenzene	N	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
1,1,1,2-Tetrachloroethane	U	1760	µg/l	2	-	-	-	-	≤2.0	≤2.0	≤2.0	≤2.0
Ethylbenzene	U	1760	µg/l	1	0.3	300	-	-	≤1.0	≤1.0	≤1.0	≤1.0
m & p-Xylene	U	1760	µg/l	1	-	-	0.01	10	≤1.0	≤1.0	≤1.0	≤1.0
o-Xylene	U	1760	µg/l	1	-	-	0.01	10	≤1.0	≤1.0	≤1.0	≤1.0
Styrene	U	1760	µg/l	1	0.02	20	-	-	≤1.0	≤1.0	≤1.0	≤1.0
Tribromomethane	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
Isopropylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
Bromobenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
1,2,3-Trichloropropane	N	1760	µg/l	50	-	-	-	-	≤50	≤50	≤50	≤50
N-Propylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
2-Chlorotoluene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
1,3,5-Trimethylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
4-Chlorotoluene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
Tert-Butylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
1,2,4-Trimethylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
Sec-Butylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
1,3-Dichlorobenzene	N	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
4-Isopropyltoluene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
1,4-Dichlorobenzene	U	1760	µg/l	1	0.3	300	-	-	≤1.0	≤1.0	≤1.0	≤1.0
N-Butylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
1,2-Dichlorobenzene	U	1760	µg/l	1	1	1000	-	-	≤1.0	≤1.0	≤1.0	≤1.0
1,2-Dibromo-3-Chloropropane	U	1760	µg/l	50	0.001	1	-	-	≤50	≤50	≤50	≤50
1,2,4-Trichlorobenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
Hexachlorobutadiene	U	1760	µg/l	1	0.0006	0.6	0.0001	0.1	≤1.0	≤1.0	≤1.0	≤1.0
1,2,3-Trichlorobenzene	U	1760	µg/l	2	-	-	-	-	≤2.0	≤2.0	≤2.0	≤2.0
Methyl Tert-Butyl Ether	N	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0	≤1.0
Naphthalene	U	1800	µg/l	0.1	-	-	0.002	2	≤0.10	≤0.10	≤0.10	≤0.10
Acenaphthylene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10	≤0.10
Acenaphthene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10	≤0.10
Fluorene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10	≤0.10
Phenanthrene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10	≤0.10
Anthracene	U	1800	µg/l	0.1	-	-	0.0001	0.1	≤0.10	≤0.10	≤0.10	≤0.10

Project: TE8364 Cambridge Waste Water Treatment Plant Relocation													
Client: Soil Engineering Geoservices Ltd													
Quotation No.:													
Order No.:													
Sample Location:													
Sample Type:													
Top Depth (m):													
Date Sampled:													
Strata:													
Chemtest Job No.:													
Chemtest Sample ID.:													
Client Sample Ref.:													
										21-40932	21-40940	21-40941	21-40943
										1324640	1324663	1324664	1324669
										1	1	1	1
										BH_STW_026	BH_STW_001	BH_STW_009	BH_STW_015
										WATER	WATER	WATER	WATER
										8	8	10	10
										18-Nov-2021	18-Nov-2021	18-Nov-2021	18-Nov-2021
										WMCK	WMCK	WMCK	WMCK
Fluoranthene	U	1800	µg/l	0.1	0.000038	0.038	0.0000063	0.0063		≤0.10	≤0.10	≤0.10	≤0.10
Pyrene	U	1800	µg/l	0.1	-	-	-	-		≤0.10	≤0.10	≤0.10	≤0.10
Benzo[a]anthracene	U	1800	µg/l	0.1	-	-	-	-		≤0.10	≤0.10	≤0.10	≤0.10
Chrysene	U	1800	µg/l	0.1	-	-	-	-		≤0.10	≤0.10	≤0.10	≤0.10
Benzo[b]fluoranthene	U	1800	µg/l	0.1	0.001	1	-	-		≤0.10	≤0.10	≤0.10	≤0.10
Benzo[k]fluoranthene	U	1800	µg/l	0.1	0.001	1	-	-		≤0.10	≤0.10	≤0.10	≤0.10
Benzo[a]pyrene	U	1800	µg/l	0.1	0.00001	0.01	0.00000017	0.00017		≤0.10	≤0.10	≤0.10	≤0.10
Indeno[1,2,3-c,d]Pyrene	U	1800	µg/l	0.1	0.0001	0.1	-	-		≤0.10	≤0.10	≤0.10	≤0.10
Dibenzo[a,h]Anthracene	U	1800	µg/l	0.1	-	-	-	-		≤0.10	≤0.10	≤0.10	≤0.10
Benzo[g,h,i]perylene	U	1800	µg/l	0.1	0.001	1	-	-		≤0.10	≤0.10	≤0.10	≤0.10
Total Of 16 PAH's	U	1800	µg/l	2	-	-	-	-		≤2.0	≤2.0	≤2.0	≤2.0
Resorcinol	U	1920	mg/l	0.005	-	-	-	-		≤0.0050	≤0.0050	≤0.0050	≤0.0050
Phenol	U	1920	mg/l	0.005	0.0005	0.5	0.0072	7.2		≤0.0050	≤0.0050	≤0.0050	≤0.0050
Cresols	U	1920	mg/l	0.005	-	-	-	-		≤0.0050	≤0.0050	≤0.0050	≤0.0050
Xylenols	U	1920	mg/l	0.005	-	-	-	-		≤0.0050	≤0.0050	≤0.0050	≤0.0050
1-Naphthol	N	1920	mg/l	0.005	-	-	-	-		≤0.0050	≤0.0050	≤0.0050	≤0.0050
Trimethylphenols	U	1920	mg/l	0.005	-	-	-	-		≤0.0050	≤0.0050	≤0.0050	≤0.0050
Total Phenols	U	1920	mg/l	0.03	-	-	-	-		≤0.030	≤0.030	≤0.030	≤0.030

Dibromochloromethane	U	1760	µg/l	10	0.1	100	-	-	≤10	≤10	≤10
1,2-Dibromoethane	U	1760	µg/l	5	0.0004	0.4	-	-	≤5	≤5	≤5
Chlorobenzene	N	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
1,1,1,2-Tetrachloroethane	U	1760	µg/l	2	-	-	-	-	≤2.0	≤2.0	≤2.0
Ethylbenzene	U	1760	µg/l	1	0.3	300	-	-	≤1.0	≤1.0	≤1.0
m & p-Xylene	U	1760	µg/l	1	-	-	0.01	10	≤1.0	≤1.0	≤1.0
o-Xylene	U	1760	µg/l	1	-	-	0.01	10	≤1.0	≤1.0	≤1.0
Styrene	U	1760	µg/l	1	0.02	20	-	-	≤1.0	≤1.0	≤1.0
Tribromomethane	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
Isopropylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
Bromobenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
1,2,3-Trichloropropane	N	1760	µg/l	50	-	-	-	-	≤50	≤50	≤50
N-Propylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
2-Chlorotoluene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
1,3,5-Trimethylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
4-Chlorotoluene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
Tert-Butylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
1,2,4-Trimethylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
Sec-Butylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
1,3-Dichlorobenzene	N	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
4-Isopropyltoluene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
1,4-Dichlorobenzene	U	1760	µg/l	1	0.3	300	-	-	≤1.0	≤1.0	≤1.0
N-Butylbenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
1,2-Dichlorobenzene	U	1760	µg/l	1	1	1000	-	-	≤1.0	≤1.0	≤1.0
1,2-Dibromo-3-Chloropropane	U	1760	µg/l	50	0.001	1	-	-	≤50	≤50	≤50
1,2,4-Trichlorobenzene	U	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
Hexachlorobutadiene	U	1760	µg/l	1	0.0006	0.6	0.0001	0.1	≤1.0	≤1.0	≤1.0
1,2,3-Trichlorobenzene	U	1760	µg/l	2	-	-	-	-	≤2.0	≤2.0	≤2.0
Methyl Tert-Butyl Ether	N	1760	µg/l	1	-	-	-	-	≤1.0	≤1.0	≤1.0
Naphthalene	U	1800	µg/l	0.1	-	-	0.002	2	≤0.10	≤0.10	≤0.10
Acenaphthylene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10
Acenaphthene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10
Fluorene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10
Phenanthrene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10
Anthracene	U	1800	µg/l	0.1	-	-	0.0001	0.1	≤0.10	≤0.10	≤0.10

Project: TE8364 Cambridge Waste Water Treatment Plant Relocation											
Client: Soil Engineering Geoservices Ltd											
Quotation No.:											
Order No.:											
Sample Location:											
Sample Type:											
Esp. Depth (m):											
Date Sampled:											
Strata:											
Chemtest Job No.:											
Chemtest Sample ID.:											
Client Sample Ref.:											
Sample Location:											
Sample Type:											
Esp. Depth (m):											
Date Sampled:											
Strata:											
Fluoranthene	U	1800	µg/l	0.1	0.000038	0.038	0.0000063	0.0063	≤0.10	≤0.10	≤0.10
Pyrene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10
Benzo[a]anthracene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10
Chrysene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10
Benzo[b]fluoranthene	U	1800	µg/l	0.1	0.001	1	-	-	≤0.10	≤0.10	≤0.10
Benzo[k]fluoranthene	U	1800	µg/l	0.1	0.001	1	-	-	≤0.10	≤0.10	≤0.10
Benzo[a]pyrene	U	1800	µg/l	0.1	0.00001	0.01	0.00000017	0.00017	≤0.10	≤0.10	≤0.10
Indeno(1,2,3-c,d)Pyrene	U	1800	µg/l	0.1	0.0001	0.1	-	-	≤0.10	≤0.10	≤0.10
Dibenzo(a,h)Anthracene	U	1800	µg/l	0.1	-	-	-	-	≤0.10	≤0.10	≤0.10
Benzo[a,h]Fluorenylene	U	1800	µg/l	0.1	0.001	1	-	-	≤0.10	≤0.10	≤0.10
Total Of 16 PAH's	U	1800	µg/l	2	-	-	-	-	≤2.0	≤2.0	≤2.0
Resorcinol	U	1920	mg/l	0.005	-	-	-	-	≤0.0050	≤0.0050	≤0.0050
Phenol	U	1920	mg/l	0.005	0.0005	0.5	0.0072	7.2	≤0.0050	≤0.0050	≤0.0050
Cresols	U	1920	mg/l	0.005	-	-	-	-	≤0.0050	≤0.0050	≤0.0050
Xylenols	U	1920	mg/l	0.005	-	-	-	-	≤0.0050	≤0.0050	≤0.0050
1-Naphthol	N	1920	mg/l	0.005	-	-	-	-	≤0.0050	≤0.0050	≤0.0050
Trimethylphenols	U	1920	mg/l	0.005	-	-	-	-	≤0.0050	≤0.0050	≤0.0050
Total Phenols	U	1920	mg/l	0.03	-	-	-	-	≤0.030	≤0.030	≤0.030

Tetrachloroethene	U	1760	µg/l	1	0.01	10	0.01	10	<1.0	<1.0	<1.0
1,3-Dichloropropane	U	1760	µg/l	2	-	-	-	-	<2.0	<2.0	<2.0
Dibromochloromethane	U	1760	µg/l	10	0.1	100	-	-	<10	<10	<10
1,2-Dibromoethane	U	1760	µg/l	5	0.0004	0.4	-	-	<5	<5	<5
Chlorobenzene	N	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
1,1,1,2-Tetrachloroethane	U	1760	µg/l	2	-	-	-	-	<2.0	<2.0	<2.0
Ethylbenzene	U	1760	µg/l	1	0.3	300	-	-	<1.0	<1.0	<1.0
m & p-Xylene	U	1760	µg/l	1	-	-	0.01	10	<1.0	<1.0	<1.0
o-Xylene	U	1760	µg/l	1	-	-	0.01	10	<1.0	<1.0	<1.0
Styrene	U	1760	µg/l	1	0.02	20	-	-	<1.0	<1.0	<1.0
Tribromomethane	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
Isopropylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
Bromobenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
1,2,3-Trichloropropane	N	1760	µg/l	50	-	-	-	-	<50	<50	<50
N-Propylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
o-Chlorotoluene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
p-Chlorotoluene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
Tert-Butylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
Sec-Butylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	N	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
4-Isopropyltoluene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	U	1760	µg/l	1	0.3	300	-	-	<1.0	<1.0	<1.0
N-Butylbenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	U	1760	µg/l	1	1	1000	-	-	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane	U	1760	µg/l	50	0.001	1	-	-	<50	<50	<50
1,2,4-Trichlorobenzene	U	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
Hexachlorobutadiene	U	1760	µg/l	1	0.0006	0.6	0.0001	0.1	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	U	1760	µg/l	2	-	-	-	-	<2.0	<2.0	<2.0
Methyl Tert-Butyl Ether	N	1760	µg/l	1	-	-	-	-	<1.0	<1.0	<1.0
Naphthalene	U	1800	µg/l	0.1	-	-	0.002	2	<0.10	<0.10	<0.10
Acenaphthylene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10
Acenaphthene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10
Fluorene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10
Phenanthrene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10
Anthracene	U	1800	µg/l	0.1	-	-	0.0001	0.1	<0.10	<0.10	<0.10

Project: TE8364 Cambridge Waste Water Treatment Plant Relocation								Surface water			
								Qwy Fen main pond	Allicky Pond	Farrs	Black ditch
Client: Soil Engineering Geoservices Ltd				Chemtest Job No.:				21-40949	21-40950	21-40952	
Quotation No.:				Chemtest Sample ID.:				1324689	1324690	1324693	
Order No.:				Client Sample Ref.:				1	1	1	
				Sample Location:				SW01	SW02	SW03	
				Sample Type:				WATER	WATER	WATER	
				Top Depth (m):				0	0	0	
				Date Sampled:				#####	#####	#####	
				Strata				n/a	n/a	n/a	
Fluoranthene	U	1800	µg/l	0.1	0.000038	0.038	0.0000063	0.0063	<0.10	<0.10	<0.10
Pyrene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10
Benzo[a]anthracene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10
Chrysene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10
Benzo[b]fluoranthene	U	1800	µg/l	0.1	0.001	1	-	-	<0.10	<0.10	<0.10
Benzo[k]fluoranthene	U	1800	µg/l	0.1	0.001	1	-	-	<0.10	<0.10	<0.10
Benzo[a]pyrene	U	1800	µg/l	0.1	0.00001	0.01	0.00000017	0.00017	<0.10	<0.10	<0.10
Indeno[1,2,3-c,d]Pyrene	U	1800	µg/l	0.1	0.0001	0.1	-	-	<0.10	<0.10	<0.10
Dibenzo[a,h]Anthracene	U	1800	µg/l	0.1	-	-	-	-	<0.10	<0.10	<0.10
Benzo[g,h,i]perylene	U	1800	µg/l	0.1	0.001	1	-	-	<0.10	<0.10	<0.10
Total Of 16 PAH's	U	1800	µg/l	2	-	-	-	-	<2.0	<2.0	<2.0
Resorcinol	U	1920	mg/l	0.005	-	-	-	-	<0.0050	<0.0050	<0.0050
Phenol	U	1920	mg/l	0.005	0.0005	0.5	0.0077	7.7	<0.0050	<0.0050	<0.0050
Cresols	U	1920	mg/l	0.005	-	-	-	-	<0.0050	<0.0050	<0.0050
Xylenols	U	1920	mg/l	0.005	-	-	-	-	<0.0050	<0.0050	<0.0050
1-Naphthol	N	1920	mg/l	0.005	-	-	-	-	<0.0050	<0.0050	<0.0050
Trimethylphenols	U	1920	mg/l	0.005	-	-	-	-	<0.0050	<0.0050	<0.0050
Total Phenols	U	1920	mg/l	0.03	-	-	-	-	<0.030	<0.030	<0.030

Main data table with columns for Client, Quotation No., Order No., Sample Location, Sample Type, Top Depth (m), Sampled Date, Asbestos Lab, Strata, Determinand, LOD, and various chemical concentration results.

Vertical sidebar containing a list of 'Inserted Cells' and 'Deleted Cells' with corresponding icons, indicating cell status in the spreadsheet.

Main data table with columns for chemical names (e.g., 1,1,1,2-Tetrachloroethane, Ethylbenzene), units (e.g., µg/kg, mg/kg), and comparison values across multiple analytical methods.

Table of chemical names (e.g., Phenol, Cresols, Xylenols) and their corresponding analytical results, including detection limits and comparison values.

Summary table for 'Soil' results, including columns for 'Sample Location', 'Sample Type', and 'Results'. It lists various sites like 'Public Open Space (park)' and 'Commercial'.

Vertical sidebar on the right side of the page containing a series of buttons labeled 'Inserted Cells' and 'Deleted Cells' for each row in the tables.

Table with 20 columns for chemical substances and their concentrations in ug/kg. Includes compounds like cis-1,2-Dichloropropene, Toluene, Trans-1,3-Dichloropropene, 1,1,2-Trichloroethane, Tetrachloroethane, 1,3-Dichloropropane, Dibromochloromethane, 1,2-Dibromoethane, Chlorobenzene, 1,1,1,2-Tetrachloroethane, Ethylbenzene, m & p-Xylene, o-Xylene, Styrene, Tribromomethane, Isopropylbenzene, Bromobenzene, 1,2-3-Trichloropropane, N-Propylbenzene, 2-Chlorotoluene, 1,3,5-Trimethylbenzene, 4-Chlorotoluene, Tert-Butylbenzene, 1,2,4-Trimethylbenzene, Sec-Butylbenzene, 1,2-Dichlorobenzene, 4-Isopropyltoluene, 1,4-Dichlorobenzene, N-Butylbenzene, 1,2-Dichlorobenzene, 1,2-Dibromo-3-Chloropropane, 1,2,4-Trichlorobenzene, Hexachlorobutadiene, 1,2,3-Trichlorobenzene, Methyl Tert-Butyl Ether, Resorcinol, Phenol, Cresols, Xylenols, 1-Naphthol, Trimethylphenols, and Total Phenols.

Results - Soil table with columns: Project, Client, Quotation No., Order No., Client Sample Ref., Client Sample ID, Sample Location, Sample Type, Top Depth (m), Date Sampled, Asbestos Lab, Strata, Determined, and various chemical parameters (ACM Type, Asbestos Identification, Moisture, Soil Colour, Other Material, Soil Texture, pH, Boron, Sulphate, Total Sulphur, Cyanide, Iron, Arsenic, Barium, Beryllium, Cadmium) with measured values and limits.

Chromium	M	2450	mg/kg	1	-	-	-	-	24	3.5	1
Manganese	M	2450	mg/kg	2	-	-	-	-	330	470	430
Molybdenum	M	2450	mg/kg	2	2900	2900000	18000	18000000	<2	<2	<2
Antimony	N	2450	mg/kg	2	3300	3300000	7400	7400000	<2	<2	<2
Copper	M	2450	mg/kg	0.5	44000	44000000	68000	68000000	30	13	9.5
Mercury	M	2450	mg/kg	0.1	-	-	-	-	0.51	<0.1	<0.1
Nickel	M	2450	mg/kg	0.5	300	300000	980	980000	17	9.9	8.2
Lead	M	2450	mg/kg	0.5	1300	1300000	2300	2300000	26	7.7	4.8
Selenium	M	2450	mg/kg	0.5	1800	1800000	12000	12000000	<0.5	<0.5	<0.5
Vanadium	U	2450	mg/kg	5	5000	5000000	9000	9000000	37	6.3	5.5
Zinc	M	2450	mg/kg	0.5	170000	170000000	730000	730000000	90	11	6.8
Chromium (Trivalent)	N	2490	mg/kg	1	33000	33000000	8600	8600000	24	3.5	2
Chromium (Hexavalent)	N	2490	mg/kg	0.5	-	-	-	-	<0.5	<0.5	<0.5
Fraction of Organic Carbon	M	2625		0.001	-	-	-	-	0.005	0.003	0.002
Aliphatic TPH >C5-C6	N	2680	mg/kg	1	95000	95000000	3200	3200000	<1.0	<1.0	[B1]<1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1	150000	150000000	7800	7800000	<1.0	<1.0	[B1]<1.0
Aliphatic TPH >C8-C10	M	2680	mg/kg	1	14000	14000000	2000	2000000	<1.0	<1.0	[B1]<1.0
Aliphatic TPH >C10-C12	M	2680	mg/kg	1	21000	21000000	9700	9700000	<1.0	<1.0	[B1]<1.0
Aliphatic TPH >C12-C16	M	2680	mg/kg	1	25000	25000000	59000	59000000	<1.0	<1.0	[B1]<1.0
Aliphatic TPH >C16-C21	M	2680	mg/kg	1	-	-	-	-	<1.0	<1.0	[B1]<1.0
Aliphatic TPH >C21-C35	M	2680	mg/kg	1	-	-	-	-	<1.0	<1.0	[B1]<1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1	-	-	-	-	<1.0	<1.0	[B1]<1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5	-	-	-	-	<5.0	<5.0	[B1]<5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1	76000	76000000	26000	26000000	<1.0	<1.0	[B1]<1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1	87000	87000000	56000	56000000	<1.0	<1.0	[B1]<1.0
Aromatic TPH >C8-C10	M	2680	mg/kg	1	7200	7200000	3500	3500000	<1.0	<1.0	[B1]<1.0
Aromatic TPH >C10-C12	M	2680	mg/kg	1	9200	9200000	16000	16000000	<1.0	<1.0	[B1]<1.0
Aromatic TPH >C12-C16	M	2680	mg/kg	1	10000	10000000	36000	36000000	<1.0	<1.0	[B1]<1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1	7600	7600000	28000	28000000	<1.0	<1.0	[B1]<1.0
Aromatic TPH >C21-C35	M	2680	mg/kg	1	7800	7800000	28000	28000000	<1.0	<1.0	[B1]<1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1	7800	7800000	28000	28000000	<1.0	<1.0	[B1]<1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5	-	-	-	-	<5	<5	[B1]<5.0
Total Petroleum Hydrocarbons	N	2680	mg/kg	10	-	-	-	-	<10	<10	[B1]<1.0
Naphthalene	M	2700	mg/kg	0.1	1200	1200000	190	190000	<0.10	<0.10	<0.10
Acenaphthylene	M	2700	mg/kg	0.1	29000	29000000	83000	83000000	<0.10	<0.10	<0.10
Acenaphthene	M	2700	mg/kg	0.1	29000	29000000	84000	84000000	<0.10	<0.10	<0.10
Fluorene	M	2700	mg/kg	0.1	20000	20000000	63000	63000000	<0.10	<0.10	<0.10
Phenanthrene	M	2700	mg/kg	0.1	6200	6200000	22000	22000000	<0.10	<0.10	<0.10
Anthracene	M	2700	mg/kg	0.1	150000	150000000	52000	52000000	<0.10	<0.10	<0.10
Fluoranthene	M	2700	mg/kg	0.1	6300	6300000	23000	23000000	0.26	<0.10	<0.10
Pyrene	M	2700	mg/kg	0.1	15000	15000000	54000	54000000	0.32	<0.10	<0.10
Benzo(a)anthracene	M	2700	mg/kg	0.1	49	49000	170	170000	0.2	<0.10	<0.10
Chrysene	M	2700	mg/kg	0.1	93	93000	350	350000	0.29	<0.10	<0.10
Benzo(b)fluoranthene	M	2700	mg/kg	0.1	13	13000	44	44000	0.2	<0.10	<0.10
Benzo(k)fluoranthene	M	2700	mg/kg	0.1	370	370000	1200	1200000	0.41	<0.10	<0.10
Benzo(a)pyrene	M	2700	mg/kg	0.1	11	11000	35	35000	0.27	<0.10	<0.10
Indeno(1,2,3-cd)Pyrene	M	2700	mg/kg	0.1	150	150000	500	500000	0.35	<0.10	<0.10
Dibenz(a,h)Anthracene	M	2700	mg/kg	0.1	1.1	1100	3.5	3500	0.29	<0.10	<0.10
Benzo(g,h,i)perylene	M	2700	mg/kg	0.1	1400	1400000	3900	3900000	0.79	<0.10	<0.10
Total Of 16 PAHs	M	2700	mg/kg	2	-	-	-	-	2.9	<2.0	<2.0
Dichlorodifluoromethane	U	2760	ug/kg	1	-	-	-	-	<0.10	<0.10	[B1]<1.0
Chloromethane	M	2760	ug/kg	1	-	-	-	-	<0.10	<0.10	[B1]<1.0
Vinyl Chloride	M	2760	ug/kg	1	4.8	4800	0.059	59	<0.10	<0.10	[B1]<1.0
Bromomethane	M	2760	ug/kg	20	-	-	-	-	<20	<20	[B1]<20
Chloroethane	U	2760	ug/kg	2	154000	154000000	300	300000	<2.0	<2.0	[B1]<2.0

Results - Soil									
Project: T8364 Cambridge Waste Water Treatment Plant Relocation									
Client: Soil Engineering Geoservices Ltd									
Quotation No.: Q21-24797									
Order No.:									
Client Sample ID.:									
Sample Location:									
Sample Type:									
Top Depth (m):									
Date Sampled:									
Asbestos Lab:									
Strata:									
Determinand	Accred.	SOP	Units	LTD					
Trichlorofluoromethane	M	2760	ug/kg	1	-	-	-	-	<1.0
1,1-Dichloroethane	M	2760	ug/kg	1	3500	3500000	24	24000	<1.0
Trans 1,2-Dichloroethane	M	2760	ug/kg	1	-	-	-	-	<1.0
1,1-Dichloroethane	M	2760	ug/kg	1	20000	20000000	260	2600000	<1.0
cis 1,2-Dichloroethane	M	2760	ug/kg	1	-	-	-	-	<1.0

Bromochloromethane	U	2760	µg/kg	5	-	-	-	-	-	≤ 5.0	≤ 5.0	(B) ≤ 5.0
Trichloromethane	M	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,1,1-Trichloroethane	M	2760	µg/kg	1	57000	57000000	660	660000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Tetrachloromethane	M	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,1-Dichloroethene	U	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Benzene	M	2760	µg/kg	1	90	90000	27	27000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,2-Dichloroethane	M	2760	µg/kg	2	21	21000	0.67	670	-	≤ 2.0	≤ 2.0	(B) ≤ 2.0
Trichloroethene	N	2760	µg/kg	1	70	70000	1.2	1200	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,3-Dichloropropane	M	2760	µg/kg	1	160	160000	3.1	3100	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Dibromomethane	M	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Bromodichloromethane	M	2760	µg/kg	5	56	56000	2	2000	-	≤ 5.0	≤ 5.0	(B) ≤ 5.0
cis-1,3-Dichloropropene	N	2760	µg/kg	10	-	-	-	-	-	≤ 10	≤ 10	(B) ≤ 10
Toluene	M	2760	µg/kg	1	87000	87000000	56000	56000000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Trans-1,3-Dichloropropene	N	2760	µg/kg	10	-	-	-	-	-	≤ 10	≤ 10	(B) ≤ 10
1,1,2-Trichloroethane	M	2760	µg/kg	10	1100	1100000	89	89000	-	≤ 10	≤ 10	(B) ≤ 10
Tetrachloroethene	M	2760	µg/kg	1	810	810000	19	19000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,3-Dichloropropane	U	2760	µg/kg	2	-	-	-	-	-	≤ 2.0	≤ 2.0	(B) ≤ 2.0
Dibromochloromethane	U	2760	µg/kg	10	-	-	-	-	-	≤ 10	≤ 10	(B) ≤ 10
1,2-Dibromomethane	M	2760	µg/kg	5	-	-	-	-	-	≤ 5.0	≤ 5.0	(B) ≤ 5.0
Chlorobenzene	M	2760	µg/kg	1	1300	1300000	56	56000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,1,1,2-Tetrachloroethane	M	2760	µg/kg	2	1500	1500000	110	110000	-	≤ 2.0	≤ 2.0	(B) ≤ 2.0
Ethylbenzene	M	2760	µg/kg	1	17000	17000000	5700	5700000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
m & p-Xylene	M	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
o-Xylene	M	2760	µg/kg	1	17000	17000000	6600	6600000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Styrene	M	2760	µg/kg	1	5900	5900000	3200	3200000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Tribromomethane	U	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Isopropylbenzene	M	2760	µg/kg	1	23000	23000000	1300	1300000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Bromobenzene	M	2760	µg/kg	1	1800	1800000	92	92000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,2,3-Trichloropropane	N	2760	µg/kg	50	-	-	-	-	-	≤ 50	≤ 50	(B) ≤ 50
N-Propylbenzene	U	2760	µg/kg	1	36000	36000000	3900	3900000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
2-Chlorotoluene	M	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,3,5-Trimethylbenzene	M	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
4-Chlorotoluene	U	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Tert-Butylbenzene	U	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,4-Trimethylbenzene	M	2760	µg/kg	1	310	310000	39	39000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Sec-Butylbenzene	U	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,3-Dichlorobenzene	M	2760	µg/kg	1	390	390000	30	30000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
4-Isopropyltoluene	U	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,4-Dichlorobenzene	M	2760	µg/kg	1	36000	36000000	4200	4200000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
N-Butylbenzene	U	2760	µg/kg	1	-	-	-	-	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,4-Dichlorobenzene	M	2760	µg/kg	1	24000	24000000	2000	2000000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,2-Dibromo-3-Chloropropane	U	2760	µg/kg	50	-	-	-	-	-	≤ 50	≤ 50	(B) ≤ 50
1,2,4-Trichlorobenzene	M	2760	µg/kg	1	1700	1700000	220	220000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Hexachlorobutadiene	U	2760	µg/kg	1	48	48000	31	31000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
1,2,3-Trichlorobenzene	U	2760	µg/kg	2	-	-	-	-	-	≤ 2.0	≤ 2.0	(B) ≤ 2.0
Methyl Tert-Butyl Ether	M	2760	µg/kg	1	98000	98000000	7500	7500000	-	≤ 1.0	≤ 1.0	(B) ≤ 1.0
Resorcinol	M	2920	mg/kg	0.02	-	-	-	-	-	≤ 0.020	≤ 0.020	(B) ≤ 0.020
Phenol	M	2920	mg/kg	0.02	440	440000	440	440000	-	≤ 0.020	≤ 0.020	(B) ≤ 0.020
Cresols	M	2920	mg/kg	0.02	-	-	-	-	-	≤ 0.020	≤ 0.020	(B) ≤ 0.020
Xylenols	M	2920	mg/kg	0.02	-	-	-	-	-	≤ 0.020	≤ 0.020	(B) ≤ 0.020
1-Naphthol	N	2920	mg/kg	0.02	-	-	-	-	-	≤ 0.020	≤ 0.020	(B) ≤ 0.020
Trimethylbenzols	M	2920	mg/kg	0.02	-	-	-	-	-	≤ 0.020	≤ 0.020	(B) ≤ 0.020
Total Phenols	M	2920	mg/kg	0.1	-	-	-	-	-	≤ 0.10	≤ 0.10	(B) ≤ 0.1

Get in touch

You can contact us by:



Emailing at **info@cwwtpr.com**



Calling our Freephone information line on **0808 196 1661**



Writing to us at **Freepost: CWWTPR**



Visiting our website at **www.cwwtpr.com**

You can view all our DCO application documents and updates on the application on The Planning Inspectorate website:

<https://infrastructure.planninginspectorate.gov.uk/projects/eastern/cambridge-waste-water-treatment-plant-relocation/>