



Deborah Allen (Case Manager)
Casework Manager
National Infrastructure
The Planning Inspectorate
Temple Quay House
2 The Square
Bristol
BS1 6PN

**Anglian Water
Services Ltd**
Lancaster House
Lancaster Way
Ermine Business Park
Huntingdon
PE29 6XU

Tel 01480 323000
www.anglianwater.co.uk

Our ref: **Deadline 1 Submission**

Your ref WW010003

20th November 2023

Anglian Water Services Limited – The Cambridge Waste Water Treatment Plant Relocation Project - WW010003 Deadline 1 (D1)

Application Ref: WW010003

Dear Deborah,

Please find enclosed submissions from Anglian Water Services Limited (the Applicant), requested by the Examining Authority (ExA) in the Rule 8 Letter (dated 24th of October 2023) (PD-007), by Deadline 1 (20th November 2023).

Examining Authority's First Written Questions (ExQ1)

The Applicant has provided responses to the ExA's first written questions in Document 8.3 'Applicant's Responses to the Examining Authority's Written Questions'. Where the Applicant felt it would be helpful, it has also responded to questions assigned to Statutory Parties.

Where responses to questions have referenced a new source, we have provided these as appendices to Document 8.3.

Responses to Relevant Representations

The Applicant has provided responses to Relevant Representations in Document 8.2.

Written Summaries of Oral Submissions at Hearings (17th & 18th October)

The Applicant has provided in Document 8.6 'Post Hearing Submission', a written summary of the Applicant's oral submissions for the hearings that took place on the 17th and 18th October 2023. Additional submissions associated with the actions from the hearings have been provided as appendices to this document.



Actions arising Issue Specific Hearings 1 & 2

The table provided in **Annex A** of this covering letter sets out how the Applicant has responded to the action points from Issue Specific Hearing 1 [**EV-004b**] and Issue Specific Hearing 2 [**EV-005b**].

Statements of Common Ground (SoCG) & Principal Areas of Disagreement Statement (PADS)

The Applicant has provided initial versions of all Statements of Common Ground listed in Annex H of the ExA's Rule 6 Letter issued on the 19th of September 2023 (listed in the table below for ease of reference). A document summarising Initial 'Principal Areas of Disagreement' has also been provided (this replaces the 'Statement of Commonality' at Document Reference 7.7, as agreed with the ExA in the Preliminary Meeting).

Application Document Reference	Statement of Common Ground
7.14.1	Cadent
7.14.2	Cambridge City Council
7.14.3	Cambridge Water
7.14.4	Cambridgeshire County Council
7.14.5	The Emergency Services
7.14.6	Historic England
7.14.7	National Highways
7.14.8	Natural England
7.14.9	Network Rail
7.14.10	SLC Rail
7.14.11	South Cambridgeshire District Council
7.14.12	Save Honey Hill Group
7.14.13	Cam Conservators
7.14.14	The Environment Agency
7.14.15	Internal Drainage Board - Swaffam
7.14.16	The National Trust
7.14.17	The Wildlife Trust
7.14.18	UKPN
7.14.19	Waterbeach Development Company (WDC)
7.14.20	Internal Drainage Board - Waterbeach

Updated Book of Reference

The Applicant notes that Annex B of the Rule 8 Letter [**PD-007**] sets out that when the Applicant becomes aware that there has been a change in ownership, or a new interest in relevant land they should make the relevant person aware that they can make a request to the ExA to become an

Interested Party under section 102A of the Planning Act 2008 by completing the form available on the Project Webpage. It also sets out that an updated Book of Reference should include confirmation that relevant persons have been informed of their rights under section 102A.

The Applicant has been made aware of 66 new persons with an interest in the relevant land and has therefore made those persons aware that a request can be made to the ExA to become an Interested Party under section 102A of the Act. They were written to on either 7th or 14th November. SLC Rail Limited was written to because of its involvement in recent discussions relating to the proposed Waterbeach New Station (parcel 069a). Urban & Civic Plc was written to because of the results of a Land Registry update in relation to parcel 072b. The remaining letters were sent to Category 3 parties as a result of updates from the Land Registry. All of these parties are identified in the Book of Reference (App Doc Ref 3.3) and the Schedule of Changes to the Book of Reference (App Doc Ref 3.4) both documents have been included in the Applicant's submission at Deadline 01.

Compulsory Acquisition Schedule

As set out in Annex B of the Rule 8 Letter [PD-007] the Applicant has provided at Deadline 1 a Compulsory Acquisition (CA) Schedule (App Doc Ref 3.5) that accords with the table template set out in Annex A of the Examining Authority's Written Questions.

Updated dDCO & Updated Explanatory Memorandum

As discussed during Issue Specific Hearing 1, and pursuant to the Rule 8 Letter [PD-007], the Applicant encloses with its Deadline 1 submissions an updated draft DCO and Explanatory Memorandum together with a DCO Changes Tracker explaining the changes made at this Deadline.

Deadline 01 Examination Document Submissions

To assist the ExA and Interested Parties in navigating the latest submissions and to highlight where documents have either been superseded or where new documents have been provided, the Applicant has updated its Guide to the Application (App Doc Ref 1.3). Details of the documents submitted as part of Deadline 1 have been provided below along with the reason for the update.

Document Title and Application Document Reference (and where relevant previous PINs ref)	Reason for the update
Guide to application (App Doc Ref 1.3) [superseded AS-138]	Master Document List updated to reflect updated submissions made to the Planning Inspectorate for Deadline 1 on the 20 November 2023.
Draft Development Consent Order (App Doc Ref 2.1) [superseded AS-139]	Updated for deadline 1 to deal with post hearing actions and ExQ responses

Document Title and Application Document Reference (and where relevant previous PINs ref)	Reason for the update
Draft Development Consent Order (tracked) (App Doc Ref 2.1) [superseded AS-140]	Tracked changes against submission dated 16 October 2023 (version 04)
Explanatory memorandum (App Doc Ref 2.2) [superseded APP-010]	Updated for deadline 1 to deal with post hearing actions and ExQ responses
DCO Changes Tracker (App Doc Ref 2.4) [superseded AS-141]	Updated to reflect the changes made to the dDCO version 04
DCO Changes Tracker (tracked) (App Doc Ref 2.4) [superseded AS-142]	Tracked changes against submission dated 16 October 2023
Statement of Reasons (App Doc Ref 3.1) [Superseded AS-143]	Updated to reflect changes incorporated into other Deadline 1 submission documents.
Statement of Reasons (tracked) (App Doc Ref 3.1) [Superseded AS-144]	Tracked against the 16 th of October version
Book of Reference (App Doc Ref 3.3) [superseded AS-145]	Updated to reflect changes incorporated into other Deadline 1 submission documents.
Book of Reference (tracked) (App Doc Ref 3.3) [superseded AS-146]	Tracked against the 16 th of October version
Schedule of Changes to the Book of Reference (App Doc Ref 3.4) [superseded AS-147]	Updated to reflect changes incorporated into other Deadline 1 submission documents.
Compulsory Acquisition (CA) Schedule (App Doc Ref 3.5)	New document
Statutory Undertakers Progress Schedule (App Doc Ref 3.6)	New document
Land Plans (App Doc Ref 4.4.0 & 4.4.2) [AS-151]	Key plan & Sheet 2 amended to reflect changes to parcels 019a, 019k, 019l and the addition of 019n
Crown Land Plans (App Doc Ref 4.5.1 & 4.5.2) [AS-152]	Renamed at ExA's request
Rights of Way Plans - Sheet 2 (App Doc Ref 4.6.2) [AS-153]	Sheet 2 updated to show temporary closure between points R15 to R16
Design Plans - Proposed Waste Water Treatment Plant- Site Layout Plan (App Doc Ref 4.9.1) [APP-023]	Drawing 9800 amended to show the location of the Boiler Stack.
Design Plans - Proposed Waste Water Treatment Plant- Site Layout Plan Section C & D (App Doc Ref 4.9.3) [APP-023]	Drawing 9802 amended to refer to a 'boiler stack' instead of 'boiler chimney' in Section C.

Document Title and Application Document Reference (and where relevant previous PINs ref)	Reason for the update
Proposed Waste Water Treatment Plant, Phased Construction Layouts (App Doc Ref 4.18)	New document
Chapter 2 Project Description (App Doc Ref 5.2.2) [superseded APP-034]	Adjustments to 1.10.2 to align the size of the gateway building to the size that was assessed. Clarification on what is included in top sild strip on 2.1.4, 3.3.1, 3.3.2, 3.3.53, 3.3.77, 3.3.78, 3.3.79 and table 31
Comments on Relevant Representations (App Doc Ref 8.2)	New document
Responses to ExQ1 (App Doc Ref 8.3)	New document
Environmental Statement Errata (App Doc Ref 8.4)	New document to address comments in ExQ1 where a correction to previously submitted documents was raised, but which has not been addressed through submission of an amended document.
Code of Construction Practice Part A (App Doc Ref 5.4.2.1) [superseded APP-068]	Update to in response to Written Questions for Examination Deadline 1
Code of Construction Practice Part A (tracked) (App Doc Ref 5.4.2.1)	Tracked changes against original submission version dated April 2023
Code of Construction Practice Part B (App Doc Ref 5.4.2.2) [superseded AS-161]	Update to in response to Written Questions for Examination Deadline 1
Code of Construction Practice Part B (tracked) (App Doc Ref 5.4.2.2) [superseded AS-162]	Tracked changes against original submission version dated April 2023
Appendix 6.1 Baseline Agricultural Land Classification (App Doc Ref 5.4.6.1) [superseded AS-058]	To address comments raised in Natural England's Relevant Representation and ExQ1.
Appendix 6.2 Agricultural Impact Assessment (App Doc Ref 5.4.6.2) [superseded APP-082]	To include correct version of Appendix B as raised in ExQ1 3.8.
Appendix 6.3 Outline Soil Management Plan (App Doc Ref 5.4.6.3) [superseded AS-061]	To address comments raised in Natural England's Relevant Representation and ExQ1.
ES Chapter 13 Historic Environment (App Doc Ref 5.2.13) [superseded AS-030]	To address comments raised in ExQ1.


Document Title and Application Document Reference (and where relevant previous PINs ref)	Reason for the update
Appendix 13.4 Historic Environment Impact Assessment Tables (App Doc Ref 5.4.13.4) [superseded AS-085]	To include rows that were missing as raised in ExQ1 13.5.
Appendix 14.1 Preliminary Risk Assessment (App Doc Ref 5.4.14.1) [superseded APP-122]	To include Envirocheck reports for other parts of the Order Limits as raised in ExQ1 15.1.
Draft Outline Water Quality Monitoring Plan (App Doc Ref 5.4.20.13)	New document to include commitments to water quality monitoring.
Waterbeach Pipeline Arboricultural Impact Assessment (App Doc Ref 5.4.8.19) [superseded APP-104]	Root Protection Zone updated, and plans provided to reflect the Written Questions (ExQ1s)
Waterbeach Pipeline Arboricultural Impact Assessment (tracked) (App Doc Ref 5.4.8.19)	Tracked changes against original submission version dated April 2023
Preliminary Risk Assessment Report (App Doc Ref 5.4.14.1) [superseded AS-089]	To include Envirocheck reports for other parts of the Order Limits as raised in ExQ1 15.1.
Preliminary Risk Assessment Report (App Doc Ref 5.4.14.1) [superseded AS-090]	Tracked changes against submission version dated September 2023
Construction Traffic Management Plan (App Doc Ref 5.4.19.7) [superseded AS-109]	Update in response to Written Questions for Examination Deadline 1
Construction Traffic Management Plan (tracked) (App Doc Ref 5.4.19.7) [superseded AS-110]	Tracked changes against submission version dated September 2023
Outline Water Quality Monitoring Plan (App Doc Ref 5.4.20.13)	New Document
Planning Statement (App Doc Ref 7.5) [superseded AS-166]	Update in response to Written Questions for Examination Deadline 1
Planning Statement (tracked) (App Doc Ref 7.5) [superseded AS-167]	Tracked changes against submission version dated September 2023
NPSWW Accordance Table (App Doc Ref 7.5.1) [superseded AS-130]	Update in response to Written Questions for Examination Deadline 1
NPSWW Accordance Table (tracked) (App Doc Ref 7.5.1) [superseded AS-131]	Tracked changes against submission version dated September 2023
NPPF Accordance Table (App Doc Ref 7.5.4)	New Document

Document Title and Application Document Reference (and where relevant previous PINs ref)	Reason for the update
Local Policies Accordance Table (App Doc Ref 7.5.5)	New Document
Principal Areas of Disagreement (App Doc Ref 7.7)	New Document
Cadent (App Doc Ref 7.14.1)	7.14 Statements of Common Ground
Cambridge City Council (App Doc Ref 7.14.2)	
Cambridge Water (App Doc Ref 7.14.3)	
Cambridge County Council (App Doc Ref 7.14.4)	
The Emergency Services (App Doc Ref 7.14.5)	
Historic England (App Doc Ref 7.14.6)	
National Highways (App Doc Ref 7.14.7)	
Natural England (App Doc Ref 7.14.8)	
Network Rail (App Doc Ref 7.14.9)	
SLC Rail (App Doc Ref 7.14.10)	
South Cambridgeshire District Council (App Doc Ref 7.14.11)	
Save Honey Hill (App Doc Ref 7.14.12)	
Cam Conservators (App Doc Ref 7.14.13)	
Environment Agency (App Doc Ref 7.14.14)	
Internal Drainage Board - Swaffam (App Doc Ref 7.14.15)	
The National Trust (App Doc Ref 7.14.16)	
The Wildlife Trust (App Doc Ref 7.14.17)	
UKPN (App Doc Ref 7.14.18)	
Waterbeach Development Company (WDC) (App Doc Ref 7.14.19)	
Internal Drainage Board - Waterbeach (App Doc Ref 7.14.20)	
Post Hearing Submission (App Doc Ref 8.6)	New Document
Cambridge HIF bid submission (App Doc Ref 8.7)	New Document

Document Title and Application Document Reference <i>(and where relevant previous PINs ref)</i>	Reason for the update
HIF Grant Funding Agreement ("GDA") (App Doc Ref 8.8)	New Document
Master Development Agreement ("MDA") (App Doc Ref 8.9)	New Document
Assessment of the Cambridge HIF bid submission (App Doc Ref 8.10)	New Document

Should you have any questions please do not hesitate to contact me.

Yours sincerely



Karen Barclay
Head of Major Infrastructure Planning & Stakeholder Engagement



Registered Office
Anglian Water Services Ltd
Lancaster House, Lancaster Way,
Ermine Business Park, Huntingdon,
Cambridgeshire. PE29 6XU
Registered in England
No. 2366656.

an AWG Company

Annex A

Action No.	Directed to	Action	Response
ISH1.1	Applicant	Confirm what (if any) works could be carried out during the enabling phase prior to certain details being submitted and approved e.g. Requirement 9 (Construction environmental management plan), noting the definition of the term ‘commence’?	<p>The Project Description (App Doc Ref 5.2.2) has been updated to clarify the works to be carried during the enabling phase.</p> <p>This action has also been addressed in response to ExQ1 10.5 (see Applicant's Responses to the Examining Authority's Written Questions App Doc Ref 8.3, provided at Deadline 1).</p>
ISH1.2	Applicant	<p>Consider a potential “shortcut” along Low Fen Drove Way and whether this is likely or practical, and whether creating a new workplace and recreation destination could cause a traffic issue, taking account of existing traffic on the A14 and Horningsea Road and mitigation proposed by the Applicant such as restrictions on peak hour traffic to and from the proposed Waste Water Treatment Plant.</p> <p>Also consider whether resurfacing of the highway is necessary or justified in relation to this application?</p>	<p>A detailed response has been provided in Appendix B of the Post Hearing Submission (App Doc Ref 8.6) provided at Deadline 1.</p>
ISH1.3	Applicant	Correct error under Article 35(9) by removing provisions (a) and (b).	<p>The draft DCO has been amended and with the revised version submitted at Deadline 1, a response confirming this has also been provided in Post Hearing Submission (App Doc Ref 8.6) (Paragraph No. 2B.7) provided at Deadline 1.</p>
ISH1.4	Applicant	Consider the extent of works and rights sought (and implication for river users / navigation) under Article 44(b) regarding the River Cam and to engage with Conservators of River Cam on appropriate wording.	<p>A detailed response has been provided in Appendix A of the Post Hearing Submission (App Doc Ref 8.6) provided at Deadline 1.</p>

Action No.	Directed to	Action	Response
ISH1.5	Applicant	Update paragraph reference errors in Schedule 2 Part 1 relating to 'enabling works' and ES Chapter 2.	Please see ExQ1 10.15 (Applicant's Responses to the Examining Authority's Written Questions (App Doc Ref 8.3), provided at Deadline 1) for the applicants response to this action.
ISH1.6	Applicant	Make it clearer that the enabling works phase 2 referenced in paragraph 3.1.7 of ES Chapter 2 are not included within the enabling works defined within Schedule 2 Part 1.	Please see ExQ1 10.15, 10.5 and 10.25 (Applicant's Responses to the Examining Authority's Written Questions (App Doc Ref 8.3), provided at Deadline 1) for the applicants response to this action.
ISH1.8	Applicant, CCoC, CCC, SCDC	Discuss and come to a conclusion on how the discharge of requirements would work should they relate to land which crosses administrative boundaries. Clarify definition of 'relevant planning authority' in Article 2, noting that this may be CCoC, CCC, SCDC (or a combination of these).	The Applicant has provided a response to this action in question ExQ1 10.12 (Applicant's Responses to the Examining Authority's Written Questions (App Doc Ref 8.3), provided at Deadline 1).
ISH1.9	Applicant	Consider whether specifying overall maximum parameters would provide greater clarity within Schedule 14, rather than '+/- 0.5m'.	We have now clarified this in the answer to ExQ1 10.30.
ISH1.10	Applicant	Provide greater clarification regarding the disapplication of building regulations within schedule 17 3 and what this would apply to.	The Applicant has provided a response to this action in question ExQ1 10.34 (Applicant's Responses to the Examining Authority's Written Questions (App Doc Ref 8.3), provided at Deadline 1) and can confirm that the Applicant no longer seeks to disapply the Building Act 1984.

Action No.	Directed to	Action	Response
ISH1.11	Applicant, CCoC, CCC, SCDC	<p>Applicant - Review Schedule 17 5 regarding the disapplication of the Community Infrastructure Levy (CIL) and provide further justification for its disapplication for the Gateway Building and workshop.</p> <p>CCoC, CCC, SCDC - confirm whether the disapplication of CIL, including for the Gateway Building and workshop is acceptable, noting the current absence of a CIL charging schedule, or whether any other relevant s106 obligations in this regard would be appropriate.</p>	<p>The Applicant confirmed its position regarding the Community Infrastructure Levy (CIL) during Issue Specific Hearing 1 (ISH1), this approach has been reconfirmed in the Post Hearing Submission (App Doc Ref 8.6) and ExQ1 10.35 (Applicant's Responses to the Examining Authority's Written Questions (App Doc Ref 8.3), provided at Deadline 1).</p>
ISH1.12	Applicant	<p>Review limits of deviation, parameters and assessment within the ES to ensure that the Waterbeach pipeline would be constructed below ground, with reference to Article 6(d)(i).</p>	<p>This is amended in the dDCO in Article 6 where this limit of deviation has been amended to ensure the Waterbeach pipeline is constructed below ground where appropriate.</p>
ISH1.14	Applicant, CCoC, CCC, SCDC	<p>Provide update regarding the s278 agreement and impact on protective provisions.</p>	<p>The Applicant has provided an update regarding the s278 agreement in question ExQ1 10.6 (Applicant's Responses to the Examining Authority's Written Questions (App Doc Ref 8.3), provided at Deadline 1).</p>

Action No.	Directed to	Action	Response
ISH1.15	Applicant	Respond to Fen Ditton Parish Council's query regarding connection between sustainable drainage systems outside of the bund and drainage inside of the bund.	<p>The Applicant can confirm the internal drainage system is a gravity system that links correctly to external drainage attenuation and SuDS with no link to the areas of process plant or areas with a high potential for spills. Figure 5.1 of the drainage strategy (App Doc Ref 5.4.20.12) [APP-162] shows the gravity connection of the external drainage and SuDS.</p> <p>Figure 8.3, of the same strategy, shows the gravity connection of the internal drainage outside of the IED contained area that connects to the external attenuation and link to existing drainage ditch. This simulates the current drainage of the field into that ditch.</p> <p>Figures 8.5 and 8.6, of the Drainage Strategy, further show this connection, illustrating that the connection of the internal drainage system to the SuDs located north of the bund and the connection of that to the ditch system, include which areas would be linked to this.</p>

Action No.	Directed to	Action	Response
ISH1.16	Applicant	Provide details of the Environment Agency permit applications to Fen Ditton Parish Council.	The question of disclosing the Environmental permit applications submitted by the Applicant to the Environment Agency was raised as a request in the hearing. The Environment Agency confirmed that they would discuss this further with the Applicant. The Applicant has now discussed providing details of the Environmental Permits submitted to the Environment Agency to Fen Ditton Parish Council. At present the Applications have not been deemed to be "duly made" so are not yet validated. Once the Environment Agency has completed the validation process, the applications will be made public and a two month consultation period will begin before the Applications are then further determined. The release of unvalidated permits at this stage would be premature and potentially trigger the consultation phase on documents that have not yet been initially assessed by The Environment Agency.
ISH2.1	Applicant	Check the Planning Statement and update references to 'NSIP' where required.	The Planning Statement (App Doc Ref 7.5) has been reviewed and where required updated in line with this action. A revised version has been provided as part the Deadline 1 submission.
ISH2.2	Applicant	Clarify who the proposed office building would be occupied by (e.g. staff from the existing Waste Water Treatment Plant (WWTP) / other sites).	A table setting out the staff and their roles and responsibilities has been provided at Appendix A of the Applicant's Responses to the Examining Authority's Written Questions (App Doc Ref 8.3) in response to this action and ExQ1 1.25.

Action No.	Directed to	Action	Response
ISH2.3	Applicant	Clarify whether the Secretary of State was aware that the Proposed Development would occupy a Green Belt location when determining the s35 Direction application.	<p>As the Applicant explained during ISH2, in the s35 request letter to the Secretary of State, dated 01 December 2020, the Applicant stated: "The CWWTPR will be constructed on one of three potential sites shown on the plan at Appendix 4. Anglian Water will make its final site selection in early 2021 following further assessment work on these options, which will be informed by environmental baseline survey and responses to public consultation exercise which is currently taking place." Appendix 4 of the letter showed a plan of shortlisted sites and associated infrastructure options, clearly showing the locations of the three shortlisted sites. Furthermore, the Applicant shared with Defra during engagement on the s35 request and before a direction was granted, an update on site selection which was explicit that all three shortlisted sites were located in the Green Belt. Notwithstanding this, the Applicant would highlight that Green Belt is a planning policy designation which is relevant to the determination of individual proposals in the same way as other potential impacts highlighted throughout the National Policy Statement for Waste Water and to which the Examining Authority and the Secretary of State will need to have due regard in determining the current application. The Applicant does not believe that such planning policy considerations are to be weighed heavily by the Secretary of State in making a s35 direction for any particular project because they properly fall due to be assessed in determining any subsequent application.</p>

Action No.	Directed to	Action	Response
ISH2.4	Applicant	Confirm that it is the Applicant's view that the Proposed Development would not meet the thresholds set out under s29 of the PA2008, is not a Nationally Significant Infrastructure Project, and that the presumption in favour of development under the National Policy Statement for Waste Water would not apply.	The Applicant set out its position regarding whether or not the Proposed Development is a Nationally Significant Infrastructure Project (NSIP) during Issue Specific Hearing 2 and can confirm that it maintains this position and has nothing further to add. As noted in paragraph 2.1 of the Post Submission Hearing (App Doc Ref 8.6) the Applicants explanation as to why the Proposed Development is not an NSIP is set out in the Applicants Legal Submission on the Applicability of Section 104 and Section 105 of the Planning Act 2008 (App Doc Ref 7.15) [AS-126].
ISH2.5	Applicant, Cambridgeshire County Council (CCoC), Cambridge City Council (CCC), South Cambridgeshire District	Provide views on how the ExA should avoid prejudicing the outcome of the emerging Local Plan and Area Action Plan (AAP) examination processes when attributing weight to those documents, bearing in mind any unresolved objections in relation to either the principle or detail set out in those docs.	The Applicant has provided a response to this action in question ExQ1 2.11 (Applicant's Responses to the Examining Authority's Written Questions (App Doc Ref 8.3), provided at Deadline 1)

Action No.	Directed to	Action	Response
ISH2.7	Applicant, Homes England, CCC	To provide a document which sets out the Housing Infrastructure Fund application, the agreed arrangements and conditions, as well as the Master Development Agreement.	The Following documents have been provided as part of the Deadline 1 submission: <ul style="list-style-type: none"> • 8.7 Cambridge HIF bid submission • 8.8 HIF Grant Determination Agreement (“GDA”) • 8.9 Master Development Agreement (“MDA”)
ISH2.8	Applicant	Provide details on the Applicant’s working timetable for handing over the existing WWTP site and explanation on how this would be achievable (by stated obligation date of March 2028).	A response to this action has been provided in Appendix C of the Post Hearing Submission (App Doc Ref 8.6) provided as part of the Deadline 1 submission.
ISH2.11	Applicant	Clarify whether, if the Waterbeach pipeline were commenced / built and compulsory acquisition powers enacted, this would keep the remainder of the DCO alive indefinitely with the potential for other components, such as the proposed WWTP, to be delivered at a much later date?	A response to this action has been provided in Appendix D of the Post Hearing Submission (App Doc Ref 8.6) provided as part of the Deadline 1 submission.