

Cambridge Waste Water Treatment Plant Relocation Project


Anglian Water Services Limited

Appendix 8.13: Biodiversity Net Gain (BNG) Report

Application Document Reference: 5.4.8.13

PINS Project Reference: WW010003

APFP Regulation No. 5(2)a





Document Control

Document title	Biodiversity Net Gain (BNG) Report
Version No.	05
Date Approved	13.10.23
Date 1st Issued	30.01.23

Version History

Version	Date	Author	Description of change
01	30.01.23	-	DCO Submission
02	18.04.23	-	Updated to reflect s.51 advice letter
03	18.07.23	-	Formatting corrections
04	16.10.23	-	Re-run following Scheme Order Limit change and review of GIS data
<u>05</u>	06.12.23	<u>-</u>	Deadline 2 _ Update following ExQ1

Deleted: -	
Deleted:	

This document is issued for the party which commissioned it and for specific purposes connected with the above-captioned project only. It should not be relied upon by any other party or used for any other purpose.

We accept no responsibility for the consequences of this document being relied upon by any other party, or being used for any other purpose, or containing any error or omission which is due to an error or omission in data supplied to us by other parties.

This document contains confidential information and proprietary intellectual property. It should not be shown to other parties without consent from us and from the party which commissioned it.



Contents

1	Intr	oduction	1
	1.1	Anglian Water Services Limited	1
	1.2	Background	1
	1.3	The Proposed Development	4
	1.4	Biodiversity Net Gain overview	5
	1.5	Document purpose	5
	1.6	Biodiversity Net Gain Legislation, Policy and Guidance	6
2	Me	thods	9
	2.1	Data sources	9
	2.2	Competency statement	10
	2.3	Limitations and assumptions	11
	2.4	Assessment steps	15
3	Bas	eline Context	21
	3.2	Important ecological features	21
4	BN	G Good Practice Principles	22
5	BN	G Metric	29
	5.1	Value of baseline habitats	29
	5.2	Value of post-development habitats	30
	5.3	Habitat trading	30
6	Pro	ject Implementation	32
	6.1	Securing biodiversity net gain within the DCO	32
7	Мо	nitoring and Management	36
	7.2	BNG Audit reporting	40
8	Glo	ssary	41
R	eferen	ces	42
Α	ppend	ices	44
	Appei	ndix A: BNG Figures	45
	A.1	Figure A.1 Baseline Habitats	46
	A.2	Figure A.2 Proposed Habitats	47
	A.3	Figure A.3 Map of the High and Medium Distinctiveness Baseline Habitats	48
	A.4	Figure A.4 Map of Retained Habitats	49



Appendix B: Landscape Masterplan	. 50
Appendix C: Outline River and Reedbed Units Net Gain Strategy	. 51
Appendix D: Metric – Detailed Summary (excluding ditch and reedbed habitats propose in Appendix C)	
Appendix E: Summary Pre-development Baseline Habitat Units	. 77
Appendix F: Summary Pre-development Baseline Hedgerow Units	. 83
Appendix G: Summary Pre-development Baseline River Units	. 86
Appendix H: Summary Post-development Habitat Units	. 87
Appendix I: Summary Post-development Hedgerow Units	. 93
Appendix J: Summary Post-development River Units	. 96
Figure 1.1 Scheme Order Limits	3
Tables	
Table 2-1: Competency statement	13 14 16 ed
Table 4-2: BNG solutions agreed through Biodiversity TWG	
Table 5-1: Summary habitat loss resulting in trading down	. 31
reinstated habitate as part of the Proposed Development	27



Summary

Anglian Water Services Limited (the 'Applicant') is proposing to build a modern, low carbon waste water treatment for Greater Cambridge on a new site area north of the A14 between Fen Ditton and Horningsea.

This Biodiversity Net Gain (BNG) assessment report has been prepared for the development following the framework provided in the Chartered Institute of Ecology and Environmental Management (CIEEM) Biodiversity Net Gain Report & Audit Templates document (CIEEM, 2021). BNG will involve both a numerical increase in biodiversity unit value following development, compliance with the metric's trading rules and implementation of a 30-year management plan.

The aim is for this document to provide a 'Biodiversity Net Gain Design Stage Report', i.e., for it to be a report aimed at decision-makers, at the design consent stage of a project, in this case to form part of a Development Consent Order (DCO) application, with the decision makers being the Planning Inspectorate and Secretary of State. BNG will be secured through a number of DCO requirements,

The BNG assessment on this project has been undertaken in line with the BNG: Good Practice Principles for Development (CIEEM, CIRIA, IEMA, 2016), a set of ten guiding principles for delivering BNG in the UK. Section 4 of this BNG Design Stage Report provides statements on how each of these guiding principles has been applied to the project.

The boundary for the BNG assessment is the Scheme Order Limits (see Figure 1.1, in this document). The BNG metric calculation uses baseline habitat data from Phase 1 habitat surveys, National Vegetation Classification (NVC) surveys, Modular River Survey (MoRPh) surveys and ditch condition surveys completed by Mott MacDonald in 2020 and 2021. Post-development habitat types and distinctiveness scores were based on the Landscape Masterplan produced for the Proposed Development (Appendix B) as well as Works Plans (App Doc Ref 4.3), produced showing the temporary works areas for the Proposed Development.

To calculate the percentage change in 'habitat units' from the development, the predevelopment (baseline) and post-development (proposed) value of the habitats within the Proposed Development were entered into the Natural England Biodiversity Metric 3.0 calculation tool (Natural England, 2022). Although Biodiversity Metric 3.1 was published on 21 April 2022, the Natural England webpage (Natural England, 2022) for Biodiversity Metric 3.1 states that users of Biodiversity Metric 3.0 should continue to use the 3.0 metric for the duration of the project, this tool was used for full feasibility calculations for the project completed in January 2022. The conversion tool in the Biodiversity Metric 3.0 was used to inform translation of the baseline Phase 1 habitat survey and National Vegetation Classification (NVC) habitat data into the habitat types used in the metric which are based on UK Habitat Classification (UKHab).

The pre-development value of the site has been calculated using Biodiversity Metric 3.0 as:

Deleted: conditions

Deleted: figures

Deleted: by @One

Deleted:



- 492,58 habitat biodiversity units,
- <u>62,64</u> hedgerow biodiversity units and
- 12.13 river biodiversity units.

The post-development habitats <u>(excluding ditch and reedbed habitats proposed in the Outline River and Reedbed Units Net Gain Strategy (Appendix C))</u> have been calculated as having a predicted value of:

- 700,72 habitat biodiversity units,
- 80,52 hedgerow biodiversity units and
- 12.56 river biodiversity units.

When compared to the baseline, this equates to a predicted percentage change of:

- +42,25% in habitat biodiversity units,
- +28,55% in hedgerow biodiversity units and
- +3.49% in river biodiversity units.

High distinctiveness baseline (pre-development) habitats proposed to be lost during construction must be replaced with habitats that are of the same specific type, and medium value habitats by habitats of the same broad habitat type. Currently, the calculation completed for this assessment shows 'trading down', i.e., uncompensated habitat loss, of two high distinctiveness habitats ('Reedbeds' and 'Other rivers and streams') and can only be used to demonstrate net gain once this is resolved.

However, the Applicant is committed to achieving at least a 20% net gain in all unit types including river units, and to avoid trading down habitat value, proposed measures by which this will be achieved are presented in an Outline River and Reedbed Units Net Gain Strategy (Appendix C). This will involve creating additional ditch habitat (to:include reedbeds) within the Scheme Order Limit and funding river unit gain outside of the Scheme Order Limits. This approach has been taken to factor in emerging opportunities that are likely to arise for purchasing river units by funding off-site habitat restoration.

The post-development habitats including ditch and reedbed habitats outlined in Appendix C (but excluding the high distinctiveness river units to be delivered off-site) have been calculated as having a predicted value of:

- 700.80 habitat biodiversity units,
- 80.52 hedgerow biodiversity units and
- 14.57 river biodiversity units.

When compared to the baseline, this equates to a predicted percentage change of:

• +42.27% in habitat biodiversity units,

Deleted: 3	
Deleted: 46	
Deleted: 56	
Deleted: 59	

Deleted: 698
Deleted: 08
Deleted: 68
Deleted: 20

Deleted: 1	
Deleted: 47	
Deleted: 0	
Deleted: 1	



- +28.55% in hedgerow biodiversity units and
- +20.05% in river biodiversity units.

BNG as set out in the Biodiversity Metric 3.0 calculation will be secured through Schedule 2

Requirement 11 of the Draft DCO (App Doc Ref 2.1) for the proposed waste water treatment plant (WWTP), which requires, the Applicant to implement the 30-year Landscape

Masterplan and the Landscape Ecology and Recreational Management Plan (LERMP)
(Appendix 8.14, App Doc Ref 5.4.8.14). Schedule 2 Requirement 10(6)(e) of the Draft DCO (App Doc Ref 2.1), also sets out that the Detailed Operational Outfall Management and Monitoring Plan must accord with measures set out in the Outline Outfall Management and Monitoring Plan (App Doc Ref 5.4.8.24) and must include details of measures for the achievement, of 20% BNG, in river units within or outside of the Order limits, as outlined in Appendix C of this report. Schedule 2 Requirement 8 of the Draft DCO (App Doc Ref 2.1) secures BNG for the Waterbeach pipeline, treated effluent and storm pipelines, the transfer tunnel, and the existing Cambridge WWTP.

The Applicant is looking to clarify further how the monitoring and management of BNG habitats will be secured through the Draft DCO (App Doc Ref 2.1). The Applicant will confirm this at Deadline 3. The management period for habitats retained and created for BNG will be five to 30 years as detailed in Section 7 of this report.

Deleted: ¶

Deleted: DCO which includes a series of requirements

Deleted: obligate

Deleted: of the DCO will

Deleted: commit the Proposed Development to achieving

Deleted: gain

Deleted: and avoid a trading down in habitat value

Deleted: A Biodiversity Net Gain Audit Survey and Report will be undertaken at the end of construction and at the end of a 5-year aftercare period of all habitats on sitewithin the order limits, whether retained, enhanced or created. Its purpose will be to review the delivery of the habitat creationProposed Development d and enhancement and determine whether BNG is on track to be achieved at the end of the 30-year period.

Deleted:,

Deleted: and enhanced

Deleted: for



1 Introduction

1.1 Anglian Water Services Limited

- 1.1.1 Anglian Water Services Limited (the 'Applicant') is the largest regulated water and water recycling company in England and Wales by geographic area, supplying water and water recycling services to almost seven million people in the East of England and Hartlepool.
- 1.1.2 The Applicant is committed to bringing environmental and social prosperity to the region they serve, through their commitment to Love Every Drop. As a purpose-led business, The Applicant seeks to contribute to the environmental and social wellbeing of the communities within which they operate. As one of the largest energy users in the East of England, they are also committed to reaching net zero carbon emissions by 2030.

1.2 Background

- 1.2.1 The Applicant is proposing to build a modern, low carbon waste water treatment for Greater Cambridge on a new site area north of the A14 between Fen Ditton and Horningsea within the Cambridge drainage catchment area, to replace the plant on Cowley Road, hereafter referred to as the Existing Cambridge Waste Water Treatment Plant (WWTP). The area of land within the Scheme Order Limits is provided in Figure 1.1.
- 1.2.2 The relocation will enable South Cambridgeshire District Council and Cambridge City Council's long held ambition to develop a new low-carbon city district on Cambridge's last major brownfield site, known as North East Cambridge. The site is an important component of the First Proposals (preferred options) for the new Greater Cambridge Local Plan (GCP, 2022) that were subject to public consultation in 2021. The North East Cambridge Area Action Plan (GCP, 2022) has recently been agreed by the Councils in its Proposed Submission form and will be subject to public consultation prior to submission, once the Development Consent Order is determined. The relocation of the existing waste water treatment facility will enable this new district to come forward and deliver 8,350 homes, 15,000 new jobs and a wide range of community, cultural and open space facilities in North East Cambridge. Further details can be found in the Statement of Requirement (App Doc Reference 7.2) published in September 2019.
- 1.2.3 The relocation of the WWTP will allow The Applicant to continue providing vital waste water services to customers across Cambridge and Greater Cambridge. The new plant will continue storing and treating storm flows and treating sludge to produce renewable energy. It will be designed to deal with a growing population. It offers the opportunity for a joined-up solution for treating waste water from Cambridge and Greater Cambridge, including Waterbeach. The proposal is for both waste water from the Existing Waterbeach Waste Water Treatment Plant and



- future flows from Waterbeach New Town to be treated at the Proposed Cambridge Waste Water Treatment Plant.
- 1.2.4 The Proposed Development will be the first waste water project to seek a Development Consent Order that is not specifically named in the National Policy Statement (NPS). 'The Applicant' sought and obtained a direction from the Secretary of State under section 35 of the Planning Act 2008 ("the 2008 Act"), which confirms that the project will be treated as a Nationally Significant Infrastructure Project ("NSIP") when the application is submitted.





Figure 1.1 Scheme Order Limits



1.3 The Proposed Development

- 1.3.1 This section provides a high-level summary of the Proposed Development. The term Proposed Development refers to the Cambridge Waste Water Treatment Plant (WWTP) Relocation project in its entirety and all works associated with the development.
- 1.3.2 A detailed description of the Proposed Development can be found in Chapter 2 of the Environmental Statement (ES) (App Doc Reference 5.2.2).
- 1.3.3 The purpose of the Proposed WWTP is to treat all waste water and wet sludge from the Cambridge catchment just as the Existing Cambridge WWTP currently does, plus that from the growth indicated and being planned within the catchment in the Local Plan to 2041, with ability to expand beyond to deal with further growth.
- 1.3.4 As part of its statutory function, the Applicant operates the Existing Cambridge WWTP. The Existing Cambridge WWTP receives waste water from the Cambridge catchment either directly from the connected sewerage network or tankered to the plant from homes and businesses that are not connected. This waste water is then treated and the treated effluent discharged through an outfall to the nearby River Cam. The Existing Cambridge WWTP is an integrated WWTP, as would be the Proposed Development. Integrated WWTP incorporate a sludge treatment function, in the form of a Sludge Treatment Centre (STC), which treats the sludge derived from the waste water from the catchment, and the "wet sludge" produced by other satellite plants which do not have integrated STC.
- 1.3.5 The Waterbeach New Town development lies to the north of Cambridge. When built out Waterbeach new town will comprise some 11,000 new homes along with associated business, retail, community and leisure uses. Waste water from Waterbeach will ultimately be treated by the Proposed Cambridge WWTP once operational. However, the rate of development at Waterbeach New Town may require a new pipeline (rising main) to be built from Waterbeach to the Existing Cambridge WWTP to allow treatment of waste water in advance of the Proposed WWTP becoming operational. In that case, either a later connection would be made to the Proposed WWTP from a point on the pipeline route, or flows diverted from the Existing Cambridge WWTP via the transfer tunnel.
- 1.3.6 In summary the Proposed Development will comprise:
 - an integrated waste water and sludge treatment plant;
 - a shaft to intercept waste water at the Existing Cambridge WWTP on Cowley Road and a tunnel/ pipeline to transfer it to the new site and terminal pumping station;
 - a gravity pipeline arrangement taking treated waste water effluent to a discharge point on the River Cam;
 - a pipeline transferring waste water from Waterbeach to the Proposed Development;



- connection of the upgraded Fen Ditton rising main to the transfer tunnel;
- ancillary on-site buildings, including a Gateway Building with incorporated Discovery Centre, substation building, workshop, vehicle parking including electrical vehicle charging points, fencing and lighting;
- renewable energy generation via anaerobic digestion which is part of the sludge treatment process that produces gas that may feed directly into the local gas network heating homes;
- renewable energy generation via solar photovoltaic and battery energy storage system;
- other associated development such as site access, utilities, connection to the site drainage system, landscaping and off-site highway network alteration measures to reduce potential traffic impacts;
- a new vehicle access including for Heavy Goods Vehicles (HGV's) bringing sludge onto the site for treatment; and
- environmental mitigation and enhancements including habitats for wildlife;
- landscaping and increased recreational access and connectivity.

1.4 Biodiversity Net Gain overview

- 1.4.1 The Applicant has provided a Biodiversity Net Gain (BNG) assessment for the Proposed Development as part of the Development Consent Order (DCO) submission, which is set out in this report.
- 1.4.2 BNG is an approach for a development to achieve a measurable net gain in biodiversity. It follows the 'mitigation hierarchy' process of first avoiding and minimising biodiversity loss and providing positive habitat intervention, resulting in a net improvement to biodiversity. BNG means that the biodiversity value of a site brought forward for development must exceed the pre-development value of the site by a minimum percentage. The post-development value can include not just the value of the site itself, but registered offsite biodiversity gain and (when available from government) purchased biodiversity credits.
- 1.4.3 The net gain is measured using the Biodiversity Metric published by Natural England (Panks et al, 2021) which measures the net gains in 'biodiversity units'.

1.5 Document purpose

1.5.1 This report presents the BNG assessment of the Proposed Development, which included a biodiversity metric calculation using the Biodiversity Metric 3.0 User Guide (Panks et al, 2021) and the Biodiversity Metric 3.0 Calculation Tool (Panks et al, 2021). The updated Biodiversity Metric 3.1 was not used as the Natural England webpage (Natural England, 2022) for Biodiversity Metric 3.1 states that users of Biodiversity Metric 3.0 should continue to use the 3.0 metric for the duration of the



- project. This tool was used for full feasibility calculations for the project completed in January 2022.
- 1.5.2 BNG will involve both a numerical increase in biodiversity unit value following development, compliance with the metric's trading rules and implementation of a 30-year management plan.
- 1.5.3 This report has been prepared following the framework provided in the Chartered Institute of Ecology and Environmental Management (CIEEM) BNG Report & Audit Templates document (CIEEM, 2021), with the aim for this document to provide a 'Biodiversity Net Gain Design Stage Report', i.e., for it to be a report aimed at decision-makers, at the design consent stage of a project (in this case to form part of a DCO application), with the decision makers being the Planning Inspectorate and Secretary of State. BNG will be secured through DCO requirements, This BNG design stage report includes the:
 - approach, methods used and assumptions for the BNG assessment (Section 2);
 - baseline ecological context of the Proposed Development (Section 3);
 - good practice principles for BNG that have been applied (Section 4);
 - results of the BNG assessment for the Proposed Development 'as designed' and an overview of the BNG calculations (Section 5);
 - mechanisms the project will use to deliver BNG (Section 6); and
 - management and monitoring prescriptions (Section 7).
- 1.5.4 This document (and its associated figures and appendices) refers to the following application documents:
 - The ES Chapter 8: Biodiversity (App Doc Ref 5.2.8) and associated appendices.
 - The Landscape, Ecological and Recreational Management Plan which includes the landscape masterplan (Appendix 8.14, App Doc Ref 5.4.8.14).
 - The Construction Code of Practice Part A and B (Appendix 2.1 and 2.2, App Doc Ref 5.4.2.1 and 5.4.2.2).
 - The Outline Outfall Management and Monitoring Plan (App Doc Ref 5.4.8.24).

1.6 Biodiversity Net Gain Legislation, Policy and Guidance

1.6.1 This section provides a summary of the legislation, policy and guidance relevant to BNG.

Legislation

1.6.2 The Environment Act 2021 (UK Parliament, 2021) was granted Royal Assent on 9 November 2021 and contains provisions which will mandate achieving BNG for developments in England seeking planning permission (expected late 2023) and for **Deleted:** conditions

Deleted: (LERMP)

Deleted: &

Deleted: &



Nationally Significant Infrastructure Projects (expected 2025). These provisions will legally require developers to ensure that development sites are improved for biodiversity, or to ensure that off-site areas are improved as compensation, or a combination of both. These improvements must result in a 10% increase in habitat value for wildlife compared with the pre-development baseline. Mandatory BNG will be measured by the biodiversity metric published by the Secretary of State. This is expected to be a revision of the current Biodiversity Metric (V3.1) (Natural England, 2021) to version 4.0. Mandatory BNG is defined in numerical terms as a minimum 10% increase in each of the three types of habitat within the biodiversity metric: area-based habitat units; linear units; and river units.

1.6.3 BNG can be achieved through habitat creation or enhancement to existing habitats. All biodiversity enhancements will be required to be maintained for a minimum of 30 years.

Planning policy

- 1.6.4 The Government's 25 Year Environment Plan (DEFRA, 2021) describes an ambition to leave the environment in a better state than that which it inherited for the next generation. This ambition is supported by the National Planning Policy Framework (NPPF) (Ministry Housing, Community & Local Government, 2021), which makes general provisions for the delivery of BNG. The NPPF states that "planning policies and decisions should...identify and pursue opportunities for securing measurable net gains for biodiversity" although no numerical definition of "net gains for biodiversity" is provided.
- 1.6.5 Local planning documents relevant to BNG include the South Cambridgeshire District Council (SCDC) Doubling Nature Strategy (SCDC, 2021) which sets an aspirational (non-mandatory) goal of 20% BNG for developments within the district. BNG is also outlined in the Greater Cambridge Biodiversity Supplementary Planning Document (Greater Cambridge Shared Planning, 2022), this document does not set 20% BNG as a fixed target. However, it is noted although a mandatory requirement for 10% net gain in biodiversity value is within the Environment Act (applies in England only by amending the Town & Country Planning Act (TCPA) and to Nationally Significant Infrastructure Projects (NSIPs) consented under the Planning Act 2008 with a lead in period for each), a value of 20% is likely to be needed in order to meet the Natural Cambridgeshire target of doubling the amount of land managed for nature from 8% to 16% of the county's area. It also advises that local plans should instruct a higher level of BNG than mandated by national legislation.
- 1.6.6 The policy paper for sustainable growth in the Oxford-Cambridge Arc (Ministry of Housing, Community & Local Government, 2021) (a strategic area which includes five counties including Cambridgeshire) sets out a goal for developments to achieve lasting improvements to biodiversity and to achieve BNG but does not set out a specific BNG target for developments in the arc area.
- 1.6.7 The Scheme Order Limits for the Proposed Development lies within or closely adjacent to land identified as a 'Biodiversity and Geodiversity Broad Opportunity Area' in South Cambridgeshire District Council and Cambridge City Council's (CCC)



Greater Cambridges Green Infrastructure Opportunity Mapping document (SCDC & CCC, 2020). Areas within the Scheme Order Limits, for example around the River Cam, also lie within a 'Water Environment Broad Opportunity Area' identified in the Opportunity Mapping document. This document identifies areas with the potential to support multifunctional green infrastructure for a range of purposes including delivering BNG. The Cambridge Nature Network similarly identifies opportunity areas for biodiversity within 10km of the centre of Cambridge (Wildlife Trust for Bedfordshire, Cambridgeshire & Northamptonshire, 2021), most of the Scheme Order Limits lie within the Wicken Fen Vision South Priority Area or the River Cam Corridor Priority Area. These priority areas are targeted for habitat creation and management, with BNG identified as a potential way to enable this.

Guidance

- 1.6.8 The following publications have been used to inform the BNG assessment and this report:
 - Biodiversity Metric 3.0 User Guide (Panks et al, 2021) and Technical Supplement (Panks et al, 2021) (including the Condition Assessment Sheets for each habitat type).
 - The Good Practice Principles for Development, A Practical Guide for the assessment and delivery of BNG (CIEEM, CIRIA, IEMA, 2016). The guide contains ten principles that were published to provide a framework for developers to design and deliver BNG based on good practice.
 - BS 8683:2021, the British Standard for Biodiversity Net Gain (British Standards Institute, 2021).
 - CIEEM Biodiversity Net Gain Report & Audit Templates document (CIEEM, 2021).



2 Methods

2.1.1 The pre-development (baseline) and post-development (proposed) value of the habitats within the Scheme Order Limits has been calculated using Natural England's Biodiversity Metric 3.0 calculator tool (Natural England, 2021). The methodology for determining habitat distinctiveness and condition values follows the guidelines set out by the User Guide (Panks et al, 2021) and Technical Supplement for Biodiversity Metric 3.0 (Panks et al, 2021). Although Biodiversity Metric 3.1 was published on 21 April 2022 (and Biodiversity Metric 4.0, April 2023), the Natural England webpage (Natural England, 2022) for Biodiversity Metric 4.0 states that users of previous versions of the Biodiversity Metric should continue to use the same metric for the duration of the project. Biodiversity Metric 3.0 will therefore continue to be used for the project duration.

2.1 Data sources

2.1.1 The following data sources have been used to define the boundary for the BNG calculation and determine the relevant attributes for BNG (e.g., size, habitat type and condition) for the pre- and post-development habitats.

Boundary

2.1.2 The boundary used for the BNG assessment is the DCO Scheme Order Limits shown in Figure 1.1. The Scheme Order Limits contain an area of 208.89 ha.

Pre-development (baseline) habitats

- 2.1.3 In order to generate the site baseline habitat data (e.g., habitat type, condition) the following survey data were used:
 - Phase 1 habitat surveys completed in 2020 and 2021 covering the Scheme Order Limits (outlined in ES Chapter 8: Biodiversity, Document Ref 5.2.8).
 - Phase 2 national vegetation classification (NVC) surveys of specific habitats, including semi-natural woodland, floodplain grazing marsh and other grassland habitats around the River Cam completed in 2021 (Appendix 8.10, App Doc Ref 5.4.8.10).
 - Modular river survey (MoRPh) of the river habitats completed 2021 (Aquatic Technical Appendix (Appendices 8.1, App Doc Ref 5.4.8.1).
 - Ditch condition assessments completed in 2020 and 2021 (Aquatic Technical Appendices 8.1, App Doc Ref 5.4.8.1).
- 2.1.4 A map of baseline habitat types is displayed in Figure A.1, Appendix A.
- 2.1.5 Full details of the baseline ecology surveys undertaken are provided in the following baseline survey reports, which are technical appendices of ES Chapter 8: Biodiversity:



- Aquatic Technical Appendices (App Doc Ref 5.4.8.1).
- Appendix 8.7: Bats Baseline Technical Appendix (App Doc Ref 5.4.8.7)
- Appendix 8.8: Confidential Badger Baseline Technical Appendix (App Doc Ref 5.4.8.8).
- Appendix 8.4: Ornithology Technical Baseline Appendix (App Doc Ref 5.4.8.4)
- Appendix 8.11: Great Crested Newts Baseline Technical Appendix (App Doc Ref 5.4.8.11).
- Appendix 8.2: Hedgerow Baseline Technical Appendix (App Doc Ref 5.4.8.2).
- Appendix 8.6: Terrestrial Invertebrates Baseline Technical Appendix (App Doc Ref 5.4.8.6).
- Appendix 8.10: National Vegetation Classification Baseline Technical Appendix (App Doc Ref 5.4.8.10).
- Appendix 8.9: Otter Baseline Technical Appendix (App Doc Ref 5.4.8.9)
- Appendix 8.3: Water vole Baseline Technical Appendix (App Doc Ref 5.4.8.3).

Post-development habitats

- 2.1.6 Post-development habitat types, distinctiveness scores and condition scores have been based on the landscape masterplan design (Appendix B). The extent of newly created ditches is based on the length that will be created for mitigation under the water vole licence. The extents of new ditches to be created, including the ditch required for water vole mitigation, are shown in Appendix C.
- 2.1.7 Temporary habitat loss will occur during construction (for example because of land temporarily required for haul routes, access roads, compounds, spoil heaps, shafts as well as open cut areas for pipeline installation), the extent of these areas in the calculations is based on a Works Plans (App Doc Ref 4.3) and Land Information Plan (App Doc Ref 4.4). These habitats are planned to be reinstated post works, and the target habitat type, distinctiveness and condition scores of the recreated habitats will match those of habitats currently present. The condition of post-development habitats in the LERMP area has been assigned as 'moderate' which is considered most likely, given the proposed management, it is possible that these could achieve 'good' condition but as this is highly uncertain a precautionary approach has been taken. Where there is any risk that moderate condition will not be achieved, created habitats have been assigned a target of poor condition so as not to overstate the potential gains.

2.2 Competency statement

2.2.1 The metric calculations were undertaken by an experienced BNG practitioner with experience completing BNG calculations for several large development projects (using Biodiversity Metric 2.0, 3.0, 3.1 and 4.0), defined as a competent person

Deleted: likeliest

Deleted: botanist and

Deleted: both

Deleted: and



under British Standard BS 8683:2021, the technical standard for designing and implementing BNG.

2.2.2 The qualifications and experience of the BNG assessors are set out in the competency statement (Table 2-1 below).

Table 2-1: Competency statement

Name	Years Experience	Role	Qualifications	Experience summary
OG	7	Principal Botanist/ BNG Specialist	MCIEEM, MSc, BSc	BNG lead on several large-scale developments in different sectors (water, highways, mineral extraction, residential) undertaking calculations using Biodiversity Metric 2.0, 3.0, 3.1.
PH	10	Senior Ecologist/ BNG Specialist	MCIEEM, BSc	BNG lead on several large-scale developments (flood alleviation schemes, mixed-used developments, utilities and infrastructure projects), undertaking calculations using Biodiversity Metric 2.0, 3.0, 3.1, 4.0,
				BNG Co-Trainer for CIEEM.
тс	15	Senior Associate Ecologist	BSc (Hons), MSc, CEcol, MCIEEM	Chartered ecologist. Ecology lead on large scale infrastructure projects including experience as author of environmental statements, detailed design ecology lead, and construction phase ecology lead. Experienced in a range of metrics and fed into Natural England's 2022 stakeholder engagement workshops for the preparation of a Habitat Management and Monitoring Plan Template (HMMPT) for BNG. Led training courses for CIEEM on habitat design to support BNG proposals.

2.3 Limitations and assumptions

2.3.1 The following limitations and assumptions apply to this BNG assessment:

Deleted:



- Post-development target habitat condition scores are indicative and are dependent on the appropriate management and maintenance of the post-development habitats in accordance with the LERMP (Appendix 8.14, App Doc Ref 5.4.8.14). Effective implementation of this LERMP will ensure the created habitats achieve (or exceed) their target condition and retained habitats maintain their condition for the duration of the BNG requirement. The target condition scores are based on a reasonable worst-case scenario where the LERMP is correctly implemented but site conditions do not prove conducive to the habitats achieving good condition.
- The BNG metric accounts for the fact there are an inherent risk to all habitat creation and that some habitats are more difficult to create than others.
 Deviations from the standard risk multipliers for habitat creation used in Biodiversity Metric 3.0 have been avoided.
- Baseline habitat surveys were undertaken in 2020 and 2021, this data is considered still to be valid as protected species completed throughout the site in 2021 and 2022 have not identified any habitat changes in this time.
- A precautionary approach has been taken to assigning distinctiveness and condition for baseline habitats where condition was not assessed as part of the Phase 1 Habitat survey and where no NVC surveys were undertaken. In these cases, the baseline condition was precautionarily assessed as good. Because of the precautionary approach taken, the value (distinctiveness and condition) of some pre-development habitats may actually be lower than currently assessed. This mostly related to small areas of scrub and woodland where assigning precautionary habitat condition scores had minimal impact on overall net gain.
- According to UKHab, a ditch is described as an artificial standing-water linear feature less that 5m wide that is at least 20 times longer than its width and likely to contain water for at least four months of the year. Therefore, ditches that are dry (for at least nine months of the year) and adjacent to a hedgerow are covered under the hedgerow biodiversity units (e.g. a linear feature). Dry ditches that are not adjacent to a hedgerow have not been included in the metric calculations, instead the adjacent habitat has been mapped up to the central line of the ditch.
- The creation of the earth bank for the proposed WWTP will increase the surface area of the land within the landscape masterplan. The BNG assessment has not factored this in as the metric calculation tool does not currently cover 3D modelling; if the increased surface area was included this would increase the BNG percentage for area based habitats.
- The roof of the gateway building for the proposed WWTP will include solar
 panels and a green roof. The green roof is not factored into the metric
 calculations as its exact extent is not known. However, this is unlikely to
 significantly alter the BNG percentage.

Deleted: ,	
Deleted: but	
Deleted: area	



The temporal multiplier for ditches in the Site River Creation tab of the metric calculation tool has been set as zero. It is assumed that ditches within the land required for construction will be reinstated the same year as the works are temporary and the ditch (proposed in area Work No. 39 as shown on Works Plan Sheet 2 of the Work Plans (App Doc Ref 4.3)) created for water vole mitigation will be created in advance of construction in the River Cam outfall area (Work No. 32, as shown on Works Plan Sheet 2 of the Work Plans (App Doc Ref 4.3)). The ditch created for water vole mitigation could have its temporal multiplier for habitat created in advance/years set as one as shown in the timetable of proposed works in the water vole Natural England Ghost Licence Method Statement (App Doc Ref 5.4.8.22). However, taking a precautionary approach, this has been set as year zero in the metric calculation.

Land temporarily required

2.3.2 It is assumed, unless otherwise stated, that land temporarily required for the construction of the Proposed Development will be reinstated once construction is complete. The following durations for temporary loss have been assumed in this assessment (Table 2-2), however, for the metric calculation a precautionary two-year delay for the planned time between habitat clearance and creation has been applied to all habitats except for ditch creation under the temporal multiplier. Some habitats will be reinstated or created within two years of clearance, however a reasonable worst-case has been applied so as not to inflate the potential unit gains

Table 2-2: Maximum design scenario – land temporarily required

Component Maximum design scenario of Proposed Development

Waterbeach pipeline

Land required for the construction of the pipeline will be required for up to 12 months

Land required for the Waterbeach compounds will be required for up to 12 months

The entire length will be open cut construction with the exceptions of crossings for the River Cam, the railway, and the A14.

The construction width will be up to 30m, the entire width is assumed to be temporarily lost

Crossings of ditches and hedgerows will be by open cut and limited to

6m width and reinstated once construction has been completed There will be up to 16 above ground air valve structures the footprint of which will be minimal and is not considered in the assessment. Each air valve chamber footprint is a maximum of 600mm x 900mm clear opening (which equates to 0.54m²). Due to the small footprint area on what is classified as 'cereal crops' in the Metric (with one likely to be in modified grassland), this footprint generates zero biodiversity units (and shows as zero hectares) in the Biodiversity Metric 3.0 calculation tool.

The air valves will also be located below ground with an accessible

Deleted: up to 3.67ha and be

Deleted: and Horningsea Road



	manhole cover at ground level and be used during construction and
	occasionally during operation. Further information on air valves is
	provided in ES Chapter 2: Project Description (App Doc Ref 5.2.2).
Transfer tunnel	Land required for the construction of the transfer will be required for up to 24 months
carrier	The footprint of the shaft 3, 4, and 5 sites will be up to 3.47ha.
Treated effluent <u>and</u>	Land required for the construction of the pipeline will be required for up to 12 months
storm	The entire length will be by open cut construction.
pipelines	The construction width will be up to 50m, the entire width is assumed to be temporarily lost
	Crossings of ditches and hedgerows will, unless oftherwise stated will be
	by open cut and limited to 14m width and reinstated once construction
	has been completed
	The crossing of the ditch parallel to the River Cam will require a
	temporary loss of a 25m section of the ditch during the construction of the outfall
	Works to the ditch parallel to the River Cam will be subject to a water
	vole Conservation Licence from Natural England and will require the
	creation of new habitat in advance of the proposed works. A draft of the
	licence is included in the Application, Water Vole Natural England Ghost
	Licence Method Statement (Appendix 8.22 App Doc Ref 5.4.8.22).

Deleted: with the exceptions of crossings for Horningsea Road

Deleted: ,
Deleted: 6

Land permanently required

2.3.3 The following permanent loss is predicted as per the current design information, and has been included in the BNG assessment (Table 2-3).

Table 2-3: Maximum design scenario – land permanently required Component of Maximum design scenario

Component of	Maximum design scenario		
Proposed Development			
Landscape masterplan	The landscape masterplan will broadly comprise of;		
	 grassland 		
	woodland		
	• scrub/thicket		
	hard infrastructure		
	• <u>new and retained</u> hedgerow		
	trees and tree lines		
	Implementation will be in accordance with the LERMP		
	(Appendix 8.14, App Doc Ref 5.4.8.14)		
	Landscape management and monitoring will be for 30 years in		
	accordance with the Draft DCO (App Doc Ref 2.1)		
	Requirement 11 to implement the LERMP		
Proposed WWTP and	22ha of land required for the Proposed WWTP will be		
permanent access road	permanently lost (converted to hard standing)		
	Up to 3ha of land required for the permanent access will be		
	converted to hard standing.		

Deleted: be applied to up to 96.87ha and

Deleted: s

Deleted: 36ha

Deleted: 24.5ha

Deleted: 9.7ha

Deleted: 27ha

Deleted: 5.5km

Deleted: r
Deleted: s



	The creation of the earth bank will increase the surface area	
	of the land within the landscape masterplan. The BNG	
	assessment has not factored this in.	
	The roof of the gateway building may include solar panels and	Deleted: will
	a green roof. The green roof is not factored into the	
	calculations as its exact extent is not known.	
Outfall and riverbank	Land required for the construction outfall is up to 0.5km ²	
protection works	(permanent land take) <u>.</u>	
	The length of the river bed requiring bed protection to	
	prevent scour is approximately 40m in total length (with an	
	area of <u>up to 150m²</u>)	
	The length of the river bank requiring river bank protection	
	works (sheet piling) is 70m in total as a worst case	
	The creation of new ditch and reedbed habitat in area Work	
	No. 39 as shown on Works Plan Sheet 2 of the Work Plans	
	(App Doc Ref 4.3)) in advance of the proposed works to the	Deleted:
	ditch and River Cam will be monitored in accordance with the	
	conditions of the water vole Conservation Licence, this is	
	expected to be up to five years. Thereafter, it will be included	Deleted: would
	within monitoring activities required in relation to the 30 year	
	BNG commitment under the Outline Outfall Management and	
	Monitoring Plan (App Doc Ref 5.4.8.24).	
	Although the river bank design intends to re-establish riparian	
	vegetation (via the French drain linked to the River Cam with	
	wetland planting (shown in Design Plans – Outfall (App Doc	
	Ref 4.13), the river bank is assumed to be lost for the entirety	Deleted: natural
	of the bank section subject to protection works.	

2.4 Assessment steps

Baseline (pre-development)

Calculation of baseline habitat biodiversity units

- 2.4.1 The following steps were taken for the calculation of the baseline habitat biodiversity units:
 - The conversion tool in the Biodiversity Metric 3.0 was used to inform translation of the baseline Phase 1 habitat survey and National Vegetation Classification (NVC) habitat data into the habitat types used in the metric which are based on UK Habitat Classification (UKHab), this was undertaken with reference to guidance in the User Guide and Technical Supplement. Table 2-4 below outlines how habitats were converted between the two classification systems.



Table 2-4: Conversion between habitat classifications

Habitat Type (Phase 1)	Habitat Type (Biodiversity Metric 3.0)
Area Habitats	
A1.1.1 - Broadleaved woodland - semi-	Lowland mixed deciduous woodland
natural	
A1.1.2 - Broadleaved woodland -	Other woodland; broadleaved
plantation	
A1.2.2 - Coniferous woodland	Other coniferous woodland
plantation	
A1.3.2 - Mixed woodland _ plantation	Other woodland; mixed
A2.1 - Scrub - dense/continuous	Mixed scrub
A2.2 - Scrub – scattered	Mixed scrub
B2.2 - Neutral grassland - semi-improved	Other neutral grassland
B4 - Improved grassland	Modified grassland
B5 - Marsh/marshy grassland	Floodplain Wetland Mosaic (CFGM)/Other
	neutral grassland – dependent on HPI criteria
B6 - Poor semi-improved grassland	Other neutral grassland
C3.1 - Other tall herb and fern _ ruderal	Ruderal/Ephemeral
F2.2 - Marginal and inundation -	Reedbeds
inundation vegetation	
G1 - Standing water	Ponds (Non- Priority Habitat)
J1.1 - Cultivated/disturbed land _ arable	Cereal crops
J1.2 - Cultivated/disturbed land -	Modified grassland
amenity grassland	
J1.3 - Cultivated/disturbed land -	Ruderal/Ephemeral
ephemeral/short perennial	
J1.4 - Introduced shrub	Introduced shrub
J3.6 – Buildings	Developed land; sealed surface
J4 - Bare ground	Vacant/derelict land/bareground
J5 – Hardstanding	Developed land; sealed surface
Hedgerow Habitats	
A3.1 - Broadleaved parkland/scattered	Line of Trees/Line of Trees (Ecologically
trees	Valuable) - dependent on presence of
	ancient/veteran trees
A3.2 - Coniferous parkland/scattered	Line of Trees
trees	
J2.1.1 - Intact hedge - native species-rich	Native Species Rich Hedgerow
J2.1.2 - Intact hedge - species-poor	Native Hedgerow/ Native Hedgerow -
	Associated with bank or ditch - dependent on
	presence of bank/ditch
J2.2.2 - Defunct hedge - species-poor	Native Hedgerow/ Native Hedgerow -
	Associated with bank or ditch - dependent on
	presence of bank/ditch
J2.3.1 - Hedge with trees - native	Native Species Rich Hedgerow with trees -
species-rich	Associated with bank or ditch

Deleted: -			

Deleted: -

Deleted: -

Deleted: -



J2.3.2 - Hedge with trees - species-poor	Native Hedgerow with trees	
River Habitats		
G1 - Standing water	Ditches	
G2 - Running water	Ditches/Other Rivers and Streams	
	(dependent on whether drainage feature or	
	not)	

- The extent of area-based and linear habitats was defined (represented by polygons and lines in GIS, respectively). The metric includes three broad categories of habitats and biodiversity units for which scores are calculated differently:
 - area habitats (such as grasslands, woodlands and ponds);
 - linear hedgerows and lines of trees; and
 - linear rivers and ditches.
- Distinctiveness and condition scores were assigned to habitats based on the
 results of the Phase 1 and NVC habitat surveys and guidance in the Biodiversity
 Metric 3.0 User Guide and Technical Supplement (including the Condition
 Assessment Sheets (Panks et al, 2021) for each habitat type).
 - Distinctiveness: Each habitat type is pre-assigned a distinctiveness band which is a measure of habitat quality, relating to the distinguishing features of a habitat type such as rarity, conservation status and species assemblage. Habitat distinctiveness was preassigned in Biodiversity Metric 3.0 based on habitat type.
 - Condition: Each habitat area was assigned a condition score based on the number of assessment criteria (including essential criteria) that are passed/failed within the Biodiversity Metric 3.0 Condition Assessment Sheets. These provide a structured condition assessment process for each broad habitat type within the biodiversity metric. This is assessed with a range of criteria relating to the overall "biological working order of a habitat type, judged against the perceived ecological optimum state" (Panks et al, 2021). The habitat condition assessment applies to variation in quality within each habitat type, rather than between habitat types. As detailed in Section 2.3 Limitations and Assumptions, a precautionary approach has been taken to assigning condition for baseline habitats where condition was not assessed as part of the Phase 1 Habitat survey and where no NVC surveys were undertaken. In these cases, the baseline condition was precautionarily assessed as good.
 - Strategic significance: all baseline habitats (i.e. all area habitats, hedgerows, ditches, rivers) were assessed as having high strategic significance due to occurring in or having habitat connections to a



'Biodiversity and Geodiversity Broad Opportunity Area' in South Cambridgeshire District Council and Cambridge City Council's Green Infrastructure Opportunity mapping document (SCDC & CCC, 2020). This is in line with the User Guide which states that strategic significance should be assigned as high when the habitat location is identified in local plans, strategies, or policies. All greenspace within Cambridge is defined as strategically important within this document which is why all habitats of more than 'very low' distinctiveness have been assessed as strategically significant.

- River habitats are assigned either high or low strategic significance in Biodiversity Metric 3.0 based on the following:
 - High significance: delivery of river restoration actions within a Local Plan, River Basin Management Plan, Catchment Plans, Catchment Planning System, or Priority Habitats for Restoration.
 - Low significance low potential; action not identified in any plan
- The river habitats present in the Scheme Order Limits were assigned as high significance as they fall within a 'Biodiversity and Geodiversity Broad Opportunity Area' in South Cambridgeshire District Council and Cambridge City Council's Green Infrastructure Opportunity mapping document.

Biodiversity Unit Modifiers

- 2.4.2 Biodiversity Metric 3.0 applies additional unit modifiers to river habitats (pre and post-development) to account for levels of riparian zone and in-watercourse encroachment existing before and then by a development, reducing biodiversity units based on the level of encroachment.
- 2.4.3 In the Biodiversity Metric 3.0, the riparian zone is defined as a 10m zone from the top of a riverbank. In accordance with Biodiversity Metric 3.0, a riparian zone is the interface between land and a watercourse.
- 2.4.4 The riparian zone encroachment unit modifier accounts for the level of reduction in quality or quantity of riparian habitat, and the use of available habitat that forms a specific ecological function for riparian or aquatic species. The level of encroachment is identified on a scale of 'no encroachment/minor/moderate/major' based on criteria set out in the Biodiversity Metric 3.0 User Guide. The riparian zone is defined as a 10m zone from the top of the riverbank, this was determined using a 10m buffer in ArcMap. The bands reflect how far the development has encroached toward the river channel (distance) or how much of the 10m riparian zone (by % area) is covered by the development footprint. Pre-development riparian encroachment was based on the baseline habitat mapping and post development riparian encroachment was based on the post-development landscape masterplan. To account for an increase in riparian encroachment, the affected length of the associated watercourse has been marked as 'enhanced' and the encroachment level adjusted accordingly (from moderate to major encroachment). This results in a



- decrease in watercourse units that is considered more representative of the change than marking the watercourse as lost and created.
- 2.4.5 The watercourse encroachment unit modifier accounts for interventions that adversely affect a watercourse in terms of hydrological or geomorphological processes, which result in localised changes in habitat, species and the use of migratory pathways. The level of encroachment is identified on a scale of 'no encroachment/minor/major' based on criteria set out in the Biodiversity Metric 3.0 User Guide (Panks et al, 2021). These bands reflect how far the development has encroached into the river channel (% width) or along the bank (% length). The percentage length is measured as a percentage of the total length of the watercourse within the on-site boundary. Pre-development watercourse encroachment was based on the baseline habitat mapping and post development watercourse encroachment was based on the post-development landscape masterplan.

Use of GIS in calculation

- 2.4.6 Esri ArcGIS Pro was used to prepare the baseline survey data for entry into the Biodiversity Metric 3.0 Calculation Tool (Natural England, 2022). For each individual habitat parcel identified within the Scheme Order Limits, the attributes identified included the specific habitat type and its area (ha), or length (km) for linear habitats, the outcome of the habitat condition assessments and river unit modifiers, and comments such as which part of the Proposed Development the habitat parcel related to and an attribute for whether the habitat would be lost, temporarily impacted or retained post development. Habitats were mapped onsite using Esri ArcGIS Collector and edited by a GIS consultant to ensure there were no overlapping polygons. The River Cam and some ditches were mapped as both polygons and lines. Where linear watercourses (covered under the watercourse biodiversity units) are also mapped as polygons, the associated area has been assigned 'Urban - Developed land; sealed surface' to account for the area and avoid gaps in the mapping whilst not generating additional area habitat units. Other linear features (ditches, hedges) have been mapped purely as lines; adjacent polygons have been mapped up to the line.
- 2.4.7 GIS output was checked against baseline data collection before the data was added into the calculation tool for area-based, linear and river habitats. Each habitat type and condition combination was added as a separate row in the 3.0 Metric calculation tool.
- 2.4.8 The calculation tool produced a baseline biodiversity unit value for each habitat type and condition combination as well as for Scheme Order Limits as a whole.

Calculation of the post-development habitat biodiversity units

2.4.9 Quantification of post-development habitat biodiversity units was undertaken using habitat data derived from the post-development landscape masterplan and on extents of temporary habitat loss as part of the proposed works as shown in the works plans (App Doc Ref 4.3). Post development habitats were assigned metric



habitat types based on their planting mix and proposed management. A precautionary two-year delay was included in the metric to account for the planned time between habitat clearance and creation, some habitats will be reinstated or created within two years of clearance, however a reasonable worst-case has been applied so as not to inflate the potential unit gains.

- 2.4.10 Post-development target habitat condition has also been informed by the LERMP produced for the development which outlines long-term maintenance measures for habitats on the site. Precautionary post-development habitat condition scores have been assigned based on likely outcomes of management as set out in the LERMP (generally with a target of 'Moderate' condition for newly created habitats, and for reinstated habitats to be restored to their prior condition, which is considered feasible as none of the affected habitats has a high difficulty of creation). However, where there is any risk that moderate condition will not be achieved, created habitats have been assigned a target of poor condition so as not to over state the potential gains. Some reinstated habitats will take a significant time to mature however this is factored into the time to creation and difficulty of creation multipliers that are built into the metric and the overall unit gain score reflects this.
- 2.4.11 All post-development habitats were assessed as having high strategic significance due to occurring in a 'Biodiversity and Geodiversity Broad Opportunity Area' in South Cambridgeshire District Council and Cambridge City Council's Green Infrastructure Opportunity mapping document (SCDC & CCC, 2020). This follows the approach taken for the baseline habitats and aligns with the User Guide which states that strategic significance should be assigned as high when the habitat location is identified in local plans, strategies, or policies. All greenspace within Cambridge is defined as strategically important within the opportunity mapping document which is why all habitats have been assessed as strategically significant.
- 2.4.12 When developing the landscape plan and assigning target BNG habitat types to the habitats shown in the landscape masterplan, the feasibility of creating different habitats was based on the semi-natural habitats that are currently present within the Scheme Order Limits. For example, 'other neutral grassland' has been selected as a target habitat type for meadow grassland rather than 'lowland calcareous grassland' as the latter is a less realistic target habitat. The Proposed Development will not result in the loss of any lowland calcareous grassland, so it is not a requirement to create this habitat type as compensation. It is a more realistic aim to create 'other neutral grassland' as this is how the semi-natural grassland already present in the area of land required for the Proposed Development is classified (including along the disused railway line), despite some plant species indicative of calcareous conditions (calcicoles) being present.
- 2.4.13 The post-development GIS layer was formatted similarly to the pre-development habitat layer <u>and also</u> included an <u>attribute for each habitat polygon and line which</u> labelled them as being:
 - retained;
 - ____created;

Deleted: The planned time intervals between habitat clearance and creation were also included in the metric where there will be a gap between these.

Deleted: of more than 'very low' distinctiveness

Deleted: <#>Biodiversity Metric 3.0 only considers losses to be temporary when the baseline habitat is recreated/reinstated in the same or better condition within two years from the date of the impact occurring. This requires the habitat creation/restoration to be complete in this timeframe (i.e., that the time to target condition is two years or less). In these instances the reinstated habitats are included as retained habitats in the baseline post-development part of the metric rather than as newly created habitats in the post-development part of the metric. For habitats that will not return to their target condition within two years of the initial impact these are treated as newly created habitats in the postdevelopment part of the metric. This approach was followed in the scheme's BNG calculations, reinstated habitats were treated as retained if the interval between clearance and habitats reaching target condition was less than two years and treated as created habitats if not.¶

Deleted: but

Deleted: additional

Deleted: newly



- permanent loss (change in habitat type);or
- reinstated after temporary loss.
- 2.4.14 The post-development linear features have been mapped in the same way as the baseline linear features, with rivers mapped as both polygons and lines, while hedges and ditches have been mapped purely as lines, adjacent polygon features have been mapped as extending to these lines.
- 2.4.15 Data from the post-development GIS layer were inputted into the metric calculator. At this stage, the calculation tool produced a post-development biodiversity unit value for each habitat type and condition combination possible as well as for the Scheme Order Limits as a whole.
- 2.4.16 Once the calculation had been completed, the outputs were reviewed to understand the losses and gains for each habitat type and understand whether the development complies with the Biodiversity Metric 3.0 trading rules (no trading down in habitat value).
- 2.4.17 The User Guide for Biodiversity Metric 3.0 states as a rule (Rule 3) that schemes must avoid trading down of habitat value, <u>i.e.</u>, habitat replacement that is not "like for like" or "like for better" in terms of distinctiveness, condition, and total units. If this is not achieved then the metric will flag an error and the <u>percentage</u> gain shown will not be considered valid due to breaking this rule.

3 Baseline Context

3.1.1 This section provides an overview of the baseline of the area of land required for the Proposed Development.

3.2 Important ecological features

- 3.2.1 The majority of land included within the landscape masterplan has been assessed as being of low ecological value. However, there are three non-statutory designated sites for nature conservation within the Scheme Order Limits, including:
 - Milton Road Hedgerows City Wildlife Site (CityWS).
 - Low Fen Drove Way Grasslands and Hedges County Wildlife Site (CWS).
 - River Cam CWS.
- 3.2.2 The design of the landscape masterplan has sought to protect these features and in the case of the Low Fen Drove Way Grasslands and Hedges CWS to create similar habitats in close proximity so there is ecological connectivity between existing a newly created habitats and increased buffers between the CWS and intensive agricultural land.
- 3.2.3 Other habitats of ecological value include:

Deleted:

Deleted: In the case of reinstated habitats these also had an attribute for the time taken (in years) between habitat loss and reinstatement.

Deleted: i.e.

Deleted: %



- High distinctiveness Habitat of Principal Importance (HPI) marginal reedbed habitats around the River Cam.
- High distinctiveness HPI floodplain grazing marsh.
- High distinctiveness HPI lowland deciduous woodland.
- Ditches
- Hedgerows.
- 3.2.4 The scheme has sought to protect these features including avoiding direct impacts on floodplain grazing marsh and lowland deciduous woodland habitats, in the former case by using Horizontal Directional Drilling (HDD) for pipeline installation to avoid the need to dig trenches in the grazing marsh.
- 3.2.5 Most of the baseline area is arable land with only scattered higher value habitats.

 Extensive areas of hard standing are also present, constituting roads and paths including but not limited to sections of the A14, sections of Horningsea Road, sections of small roads and areas within the existing Cambridge WWTP.
- 3.2.6 The baseline habitat map (based on Phase 1 habitat descriptions) is provided in Figure A.1, Appendix A.

4 BNG Good Practice Principles

- 4.1.1 This delivery of BNG for the Proposed Development has been undertaken in line with the BNG Good Practice Principles for Development (CIEEM, CIRIA, IEMA, 2016), a set of ten guiding principles for delivering BNG in the UK.
- 4.1.2 Table 4-1 lists each of the good practice principles and provides a statement on how each has been applied as part of the BNG assessment for the Proposed Development.
- 4.1.3 Table 4-2 provides a record of BNG solutions agreed through Biodiversity Technical Working Group (TWG).

Deleted: r

Deleted:






Table 4-1: The BNG good practice principles for development and their application on the Proposed Development

Description	Application on the project
Do everything possible to first avoid and then minimise impacts on biodiversity. Only as a last resort, and in agreement with external decision-makers where possible, compensate for losses that cannot be avoided. If compensating for losses within the development footprint is not possible or does not generate the most benefits for nature conservation, then offset biodiversity losses by gains elsewhere.	 The Proposed Development will result in limited loss of high distinctiveness habitats, especially considering the relatively large area covered by the Scheme Order Limits. The losses of high distinctiveness habitat that will occur will be from the construction of the new outfall to the River Cam. The new outfall on the River Cam avoids impacts on the river habitats as much as possible (it is sited in a location where there is existing encroachment from hard structures and the extent of hard structure has been minimised as much as possible). Alternative locations would have similar or greater impacts on habitats. The most significant potential impacts on high distinctiveness habitats resulting from the Proposed Development will be avoided by HDD under the high distinctiveness HPI Floodplai Grazing Marsh. During construction there will be a requirement for the Waterbeach pipeline to cross the River Cam in these locations, to works will be undertaken by directional drilling and require temporary launch and recovery sites either side of the river. The closest pits for the launch and recovery of equipment an approximately 60m from the River Cam. Avoidance of impacts on high distinctiveness habitats has be considered in consultation with the CWWTRP Biodiversity Technical Working Group (TWG), representing major
	Do everything possible to first avoid and then minimise impacts on biodiversity. Only as a last resort, and in agreement with external decision-makers where possible, compensate for losses that cannot be avoided. If compensating for losses within the development footprint is not possible or does not generate the most benefits for nature conservation, then offset biodiversity losses by gains




Principle	Description	Application on the project
Avoid losing biodiversity that cannot be offset elsewhere	Avoid impacts on irreplaceable biodiversity – these impacts cannot be offset to achieve No Net Loss or Net Gain.	The Proposed Development will result in no loss of irreplaceable habitats, e.g., those categorised as 'very high' distinctiveness in Biodiversity Metric 3.0 or defined as irreplaceable habitats in the NPPF.
Be inclusive and equitable	Engage stakeholders early, and involve them in designing, implementing, monitoring, and evaluating the approach to Net Gain. Achieve Net Gain in partnership with stakeholders where possible and share the benefits fairly among stakeholders.	The Biodiversity TWG have been involved throughout the BNG assessment process and have helped to shape the Proposed Development's BNG strategy (see Table 4-2 for examples).
Address risk	Mitigate difficulty, uncertainty and other risks to achieving Net Gain. Apply well-accepted ways to add contingency when calculating biodiversity losses and gains in order to account for any remaining risks, as well as to compensate for the time between the losses occurring and the gains being fully realised.	• The difficulty of creating different habitat types and the time lag between initial habitat creation and habitats reaching target condition has been accounted for by the post-development habitat multipliers in the Biodiversity Metric 3.0 calculator and is reflected in the final BNG scores. In accordance with the CIEEM BNG Report & Audit Templates document (CIEEM, 2021) no deviations have been made from the calculator methodology. Furthermore, a precautionary assumption has been factored into the metric calculations to account for a worst case time period between habitat clearance and new habitat creation (based on the longest
		 duration from the proposed schedule of works), and as such multipliers have been applied to account for this temporal risk. A precautionary approach has been taken to assigning the distinctiveness and condition of created habitats in the calculations. There is generally a target for newly created habitats to be in 'Moderate' condition and for reinstated habitats to be restored to their prior condition. Where there is

Deleted: where relevant the

Deleted: has been factored into the metric calculations

Deleted: Targeted habitat types are realistic and representative of natural grassland types in the local area, e.g., 'other neutral grassland' has been targeted for created meadow grassland rather than 'lowland calcareous grassland' as this is more realistic.





Principle	Description	Application on the project
Make a measurable net gain contribution	Achieve a measurable, overall gain for biodiversity and the services ecosystems provide while directly contributing towards nature conservation priorities.	any risk that moderate condition may not be achieved, created habitats have been assigned a target of poor condition so as not to overstate the potential gains. Targeted habitat types are realistic and representative of natural grassland types in the local area, e.g., 'other neutral grassland' has been targeted for created meadow grassland rather than 'lowland calcareous grassland' as this is more realistic. The development will achieve a measurable net gain of over 20% in area and hedgerow biodiversity units as measured by the Biodiversity Metric 3.0 calculator (as demonstrated in Section 4 of this report). The development will also commit to achieving a 20% gain in river biodiversity units as measured by the Biodiversity Metric 3.0 calculator (see Appendix D). Created habitats such as woodland and grassland will provide ecosystem services including carbon sequestration and recreational benefits. The development has taken a multifunctional approach to deliver landscape enhancement, visual screening and recreational opportunities alongside BNG. Further details are provided in the LERMP (App Doc Ref 5.8.12.14). The development contributes to nature conservation priorities
Achieve the best	Achieve the best outcomes for	 through grassland creation in the Wicken Fen Vision area. The habitat creation as part of the Proposed Development has
outcomes for	biodiversity by using robust, credible	been targeted to avoid a trading down in habitat value (a
biodiversity	evidence and local knowledge to make clearly justified choices when:	replacement of higher with lower value habitats). When the Outline River and Reedbed Units Net Gain Strategy proposed
	 Delivering compensation that is 	in Appendix C has been implemented, all created habitats will
	ecologically equivalent in type,	have the same or higher distinctiveness and condition than
	amount and condition, and that	those lost and will be equivalent in type.

Deleted: and also exceeds the requirements of national BNG policy by targeting a 20% gain rather than 10%.

Deleted: o

Deleted: r

Deleted: u

Deleted: n

Deleted: g

Deleted: s

Deleted: (App Doc Ref 5.8.13d)



Principle	Description	Application on the project
	accounts for the location and timing of biodiversity losses. Compensating for losses of one type of biodiversity by providing a different type that delivers greater benefits for nature conservation. Achieving Net Gain locally to the development while also contributing towards nature conservation priorities at local, regional and national levels. Enhancing existing or creating new habitat Enhancing ecological connectivity by creating more, bigger, better and joined up areas for biodiversity	 Except for river units, habitat creation will be achieved within the Scheme Order Limits where possible, for all types of BNG unit. Some existing high distinctiveness river units will need to be compensated for offsite. Due to the highly constrained nature of the River Cam, there are limited opportunities for onsite river unit gain. The development contributes to local nature conservation policies such as grassland creation in the Wicken Fen Vision area and exceeds the requirements of national BNG policy by targeting a 20% rather than a 10% gain. Species of Principal Importance (SPI) are also defined as local priority species by the Greater Cambridge Biodiversity Supplementary Planning Document (Greater Cambridge Shared Planning, 2022). Several of these species will benefit from habitat creation as part of the Scheme including bats and water voles. Impacts on species are assessed in the ES Chapter 8: Biodiversity and associated appendices. The newly created habitats will improve habitat connectivity (the creation of 'stepping stones') between protected sites and in the Cambridge Nature Network Opportunity Areas (as detailed in the LERMP).
Be additional	Achieve nature conservation outcomes that demonstrably exceed existing obligations (i.e., do not deliver something that would occur anyway).	The Proposed Development will achieve a measurable net gain of over 20% in area and hedgerow biodiversity units as measured by the Biodiversity Metric 3.0 calculator (as demonstrated in Section 4 of this report). The development will also commit to achieving a 20% gain in river biodiversity units as measured by the Biodiversity Metric 3.0 calculator (see Appendix D). These exceed the 10% gains mandated by the Environment Act 2021.


Deleted:



Principle	Description	Application on the project
		The development has followed the recommendations of the Defra
		Consultation on Biodiversity Net Gain Regulations and
		Implementation (Defra, 2022) in requiring at least 10% of the habitat
		unit, hedgerow unit or river unit gain to be derived from sources
		other than protected species mitigation that would have occurred
		regardless of a net gain requirement (i.e., to be additional).
Create a net gain	Ensure Net Gain generates long-term	The Biodiversity TWG has been involved throughout the BNG process
legacy	benefits by:	and solutions agreed during this process are outlined in Table 4-2
	 Engaging stakeholders and jointly 	below.
	agreeing practical solutions that	Management of habitats within the proposed WWTP has been
	secure Net Gain in perpetuity	secured for the next 30 years through Schedule 2 Requirement 11 of
	 Planning for adaptive 	the <u>Draft DCO (App Doc Ref 2.1)</u> which includes a series of
	management and securing	requirements which obligate The Applicant to implement the
	dedicated funding for long-term	Landscape Masterplan and the Landscape Ecology and Recreational
	management	Management Plan (LERMP) (Appendix 8.14, App Doc Ref 5.4.8.14).
	 Designing Net Gain for biodiversity 	The proposed created habitats have been designed to be high
	to be resilient to external factors, especially climate change	diversity and, therefore, more resilient to climate change and other external factors.
	Mitigating risks from other land	
	uses	The potential risks of other land uses (e.g., recreational disturbance)
	Avoiding displacing harmful	and mitigation to counter these risks is outlined in the LERMP
	activities from one location to	(Appendix 8.14, App Doc Ref 5.4.8.14).
	another	
	Supporting local-level	
	management of Net Gain activities	
Optimise	Prioritise Biodiversity Net Gain and,	The development has taken a multifunctional approach to deliver
sustainability	where possible, optimise the wider	landscape enhancement, visual screening, recreational opportunities
	environmental benefits for a sustainable	along with BNG, as outlined in the LERMP (Appendix 8.14, App Doc
	society and economy	Ref 5.4.8.14).

Deleted: created

Deleted: DCO





Principle	Description	Application on the project
Be transparent	Communicate all Net Gain activities in a	The Biodiversity TWG has been involved throughout the BNG process.
	transparent and timely manner, sharing	They were presented interim results during the feasibility assessment
	the learning with all stakeholders.	and have inputted into the BNG process during the design stage (see
		Table 4-2).

Table 4-2: BNG solutions agreed through Biodiversity TWG

Feedback from during TWG meeting	Stakeholder	Date	Solutions implemented
The habitat created for BNG should be locally appropriate and provide a strategic link within the wider landscape.	Cambridgeshire County Council	7/10/2020	The created habitat is appropriate to local conditions and ensures ecological connectivity with neighbouring areas (described in more detail in the LERMP).
The target for created grassland should be calcareous loam grassland rather than strongly calcareous grassland.	Wildlife Trust	11/3/2021	This assumption is built into the assumptions of the BNG calculation.
The project should target a 20% rather than a 10% Biodiversity Net Gain.	GCP	11/3/2021	The project will achieve a >20% gain in all three habitat unit types.
For transparency the contents of the Biodiversity Metric 3.0 tool should be made available.	Cambridgeshire County Council	2/2/2022	Provided in this report (Appendix D).



5 BNG Metric

5.1 Value of baseline habitats

- 5.1.1 The baseline habitat values for the area of land within the Scheme Order Limits have been calculated using Biodiversity Metric 3.0 as having a baseline habitat value of:
 - 492.58 habitat biodiversity units,
 - 62.64 hedgerow biodiversity units and
 - 12.13 river biodiversity units.
- 5.1.2 Summaries of the pre-development habitats including their area, distinctiveness, condition, strategic significance, action to address habitat losses, and their biodiversity unit value are provided in tables in the following appendices:
 - Appendix E: Summary Pre-development Baseline Habitat Units.
 - Appendix F: Summary Pre-development Baseline Hedgerow Units.
 - Appendix G: Summary Pre-development Baseline River Units.
- 5.1.3 The tables in the appendices have been directly copied from the Biodiversity Metric 3.0 calculator tool.
- 5.1.4 A map of the pre-development baseline habitats is provided in Figure A.1, Appendix A. The majority of the area within the Scheme Order Limits is currently arable land, other habitats include a range of grassland types, some grazed and others unmanaged as well as plantation and semi-natural woodlands, scrub, hedges, ditches and sections of the River Cam.
- 5.1.5 Figure A.3, Appendix A shows the location of area habitats within the Scheme Order Limits recorded as high or medium distinctiveness. The high distinctiveness area habitats are: lowland mixed deciduous woodland, floodplain grazing marsh and reedbeds. The River Cam is a high distinctiveness river habitat and the 'native species rich hedgerows with trees associated with bank or ditch' on disused railway are 'very high' distinctiveness hedgerow habitats.
- 5.1.6 If high distinctiveness habitats are removed during construction, they must be replaced with habitats of the same specific type, worth at least the same number of biodiversity units or retained habitats of the same specific type must be enhanced to generate at least the same number of biodiversity units. There will a loss in units from two high distinctiveness habitats: the River Cam ('other rivers and streams') and reedbeds. The methods by which this loss will be compensated to avoid trading down is outlined in Appendix C.
- 5.1.7 Medium distinctiveness habitats removed during construction must be compensated with either the:

Deleted: 3.46

Deleted: 56.59



- Creation of habitats of the same general type (e.g., woodland, grassland) and distinctiveness, worth at least the same number of biodiversity units.
- Creation of any habitat of higher distinctiveness, worth at least the same number of biodiversity units.
- Enhancement of retained habitats of the same general type (or a habitat of higher distinctiveness) to generate at least the same number of biodiversity units.

5.2 Value of post-development habitats

5.2.1 The post-development habitats have been calculated as having a value of:

700.72 habitat units,

80.52 hedgerow units; and

12.56 river units.

5.2.2 When compared to the baseline this equates to a percentage change of:

42.25% net gain in habitat units;

- 28.55% net gain in hedgerow units; and
- 3.49% net gain in river units.
- 5.2.3 Summaries of the post-development habitats including their area, distinctiveness, condition, strategic significance, temporal multiplier, difficulty of creation, and their biodiversity unit value are provided in tables in the following appendices:
 - Appendix H: Summary Post-development Habitat Units.
 - Appendix I: Summary Post-development Hedgerow Units.
 - Appendix J: Summary Post-development River Units.
- 5.2.4 The tables in the appendices have been directly copied from the Biodiversity Metric 3.0 calculator tool.
- 5.2.5 A map of proposed post-development habitats is shown in Figure A.2, Appendix A and map of retained habitats is shown in Figure A.4, Appendix A. The retained habitats outside of the landscape masterplan area (but within the Scheme Order Limits which cover a wider area) will not be managed to produce an enhancement in BNG terms (i.e., an increase in condition score). Most of the retained habitats within the landscape masterplan area are hedges already in moderate condition, and it is not considered feasible to enhance these further.

5.3 Habitat trading

5.3.1 For high distinctiveness baseline (existing) habitat units proposed to be lost during construction these must be replaced with habitats that are of the same exact type

Deleted: 698.08

Deleted: 68.20

Deleted: 41.47

Deleted: 20.51



(e.g., priority habitat ponds, reedbeds) and medium value habitats by habitats of the same general type (e.g. grassland, woodland, scrub) or habitats of a higher distinctiveness. In these cases, to meet the trading rules the number of units generated by the created habitat should equal or exceed the value of the baseline habitat.

Deleted: re must also be a unit gain generated by the new habitat compared to the baseline (instead of just likefor-like in terms of the area covered).

- 5.3.2 In Biodiversity Metric 3.0 there is no trading error generated in the metric by trading down hedgerow or river distinctiveness and condition. However, trading down in these instances would still violate Rule 3 of the metric as defined in the User Guide, which states that losses of habitat must be compensated for on a 'like for like' or 'like for better' basis.
- 5.3.3 The location of habitats assessed as having a high and medium distinctiveness within the Scheme Order Limits is shown in Figure A.3, Appendix A. Based on the current design the development will result in the trading down due to a small net unit loss of these habitat types, these are:
 - Wetland Reedbeds.
 - Rivers Other Rivers and Streams.
- 5.3.4 The loss of river units and reedbed habitat units will occur at the proposed new outfall location on the River Cam as a result of increased riparian encroachment.
- 5.3.5 A summary of these habitats and the extent of units loss caused by trading down is provided in Table 5-1. These habitat trading issues will need to be resolved for the development to achieve an overall biodiversity net gain.

Table 5-1: Summary habitat loss resulting in trading down

Habitat Type	Distinctiveness	Uncompensated unit Loss	Required Habitat Compensation
Wetland _ Reedbeds	High	<u>0.17</u> Habitat	Wetland – Reedbeds
		units	(approximately
			0. <u>0245</u> ha)
Other Rivers and Streams	High	0.04 River units	Other Rivers and
			Streams (must be the
			same watercourse (<u>i.e.</u>
			the River Cam))

- 5.3.6 Measures to avoid trading down and achieve an increased net gain in river units and reedbed habitat units are outlined in the Outline River and Reedbed Units Gain Strategy (Appendix C). The Scheme will be committed to implementing this strategy and will therefore avoid any trading down in habitat value.
- 5.3.7 Measures to avoid or reduce impacts on habitats in line with the mitigation hierarchy have already been designed into the scheme, e.g., avoiding the Milton Road Hedgerows CityWS, and the Low Fen Drove Way Grasslands and Hedges CWS. The purpose of this has been both to prevent direct impacts on habitats of importance and to also avoid impacts on protected species such as badgers, bats, reptiles, and birds. Proposed access roads and pipelines within the extent of the

Deleted: <#>Heathland and Shrub – Mixed Scrub. ¶

Deleted: 1.06
Deleted: 16

Deleted: Mixed scrub



landscape masterplan have also been rerouted to avoid semi-natural woodland (a 'high distinctiveness' HPI).

6 Project Implementation

6.1 Securing biodiversity net gain within the DCO

- 6.1.1 Schedule 2 of the DCO includes a series of requirements which obligate the Applicant to implement the design and fulfil management and monitoring commitments.

 Those relevant to achieving BNG are listed and described in more detail below:
 - BNG for the proposed WWTP is secured through Requirement 11(2)
 (landscape, ecological and recreational management plan) of the draft DCO
 (App Doc Ref 2.1).
 - Compensatory habitat indicated in Works No. 39 (as shown on Works Plan Sheet 2 (App Doc Ref 4.3). BNG for the mitigation and compensation due to the proposed outfall at the River Cam is secured through Requirement 10(6)(e) of the draft DCO (App Doc Ref 2.1).
- For BNG and temporary works where habitats are retained and or reinstated for the
 Waterbeach pipeline, treated effluent and storm pipelines and outfall to the River
 Cam, transfer tunnel, existing Cambridge WWTP, Requirement 8 (code of
 construction practice) of the draft DCO (App Doc Ref 2.1) will apply for habitat
 reinstatement measures and monitoring for five years post-construction.

Landscape masterplan/ LERMP

- 6.1.2 BNG for the proposed WWTP is secured through Requirement 11(2) (landscape, ecological and recreational management plan) of the draft DCO (App Doc Ref 2.1), which states that the detailed LERMP will include details on how measures will contribute towards the achievement of twenty percent biodiversity net gain for the whole of the authorised development excluded any biodiversity net gain to be provided as river units under the operational outfall management and monitoring plan.
- 6.1.3 The landscape design for the Proposed Development will be implemented in line with the Code of Construction Practice (CoCP): Part A General Requirements, Code of Construction Practice: Part B Site Specific Measures (Appendix 2.1 & 2.2, App Doc Ref 5.4.2.1 & 5.4.2.2 and the LERMP (Appendix 8.14, App Doc Ref 5.4.8.14).
- 6.1.4 The LERMP and landscape masterplan (shown in Figure 3.1 within the Landscape, Ecological and Recreational Management Plan (App Doc Ref 5.4.8.14) provide a range of post-development habitats within the LERMP area. This will include mostly newly created habitats but an existing ditch and hedgerow will also be incorporated into this area.
- 6.1.5 The LERMP and landscape masterplan will deliver multiple functions (delivering landscape mitigation and screening, formalising existing access to the land,

Deleted: T

Deleted: activities

Deleted: described belo

Deleted: w.



supporting surface water drainage, replacing lost habitats (hedgerow), creating new higher value habitats, and providing benefits to protected animal and plant species).

- 6.1.6 The post-development habitats within the landscape masterplan will be managed to achieve the target habitat type and condition set out in the Biodiversity Metric 3.0 calculation completed for the Proposed Development. This will be achieved by a BNG management and monitoring plan implemented for a minimum of 30 years. Section 3 of the LERMP (Appendix 8.14, App Doc Ref 5.4.8.14) emphasises the need to apply ecological principles so that the long-term habitat creation and enhancement included within the BNG assessment remains realistic and deliverable based on local conditions (geology, hydrology, nutrient levels, water availability) and the complexity of future management requirements. It also outlines the application of adaptative management principles.
- 6.1.7 Management will be guided by appropriate expert ecological and landscape management advice throughout the 30-year management period. Good management practice does not, by itself, constitute restoration or enhancement, though reinstating certain management practices may contribute to achieving it, for example by improving condition.

Compensatory habitat – water vole ditch and created ditches in Works No. 39

- 6.1.8 Compensatory habitat indicated in Works No. 39 (as shown on Works Plan Sheet 2

 (App Doc Ref 4.3), will also provide a BNG function. BNG for the mitigation and compensation due to the proposed outfall at the River Cam is secured through Requirement 10(6)(e) of the draft DCO (App Doc Ref 2.1), which states that the detailed operational outfall management and monitoring plan will include details of measures for the achievement of twenty percent biodiversity net gain comprising river units within or outside of the Order limits.
- 6.1.9 Up to 84m of water vole habitat (wet ditch) will be created in relation to the construction of the outfall and direct impacts to ditch habitat and river habitat (River Cam).
- <u>6.1.10</u> This is outlined in Appendix C which sets out the strategy for river <u>and reedbed</u> unit gain incorporating water vole habitat creation.

Licenses and permits

- 6.1.11 Works to construct the treated effluent discharge outfall at the River Cam will be under a Natural England conservation licence in respect of water vole habitat at the River Cam and in the parallel ditch (see Appendix C).
- 6.1.12 The conservation licence permits intentional damage or destruction of water vole burrows, and/or disturbance to water voles occupying burrows, by use of the mitigation method known as 'displacement', prior to carrying out lawful development works.

Deleted: in order to

Deleted: <#>A Biodiversity Net Gain Audit Survey and Report will be undertaken both at the end of construction and at the end of a 5-year aftercare period for new landscape planting and habitat creation. The purpose of this will be to review the delivery of the habitat creation and determine whether BNG has occurred. This will include the extent of the landscape masterplan. ¶

Deleted: Plan 39

Deleted: ¶

A Biodiversity Net Gain Audit Survey and Report will be undertaken both at the end of construction and at the end of a 5-year aftercare period for new habitat creation. The purpose of this will be to review the delivery of the habitat creation and determine whether BNG has occurred. This will include the extent of the ditches created for the water vole compensation.



6.1.13 For the purposes of the licence, 'displacement' means cutting vegetation back to bare earth, followed, where appropriate, by a destructive search of the burrows. The cutting of vegetation to bare earth must take place and be completed during the period 15 February to 15 April. Water draw-down/removal may be used in parallel with vegetation cutting, where appropriate.

This licence may only be relied upon where mitigation works include creation or enhancement of alternative compensatory habitat, such that there will be a demonstrable net conservation gain for water voles.

Mitigation measures during construction and temporary works

- 6.1.14 Requirement 8 (code of construction practice) of the draft DCO (App Doc Ref 2.1) states that each phase must be undertaken in accordance with the code of construction practice in so far as it relates to the works proposed in the relevant phase. The CoCP Part A and B (Appendix 2.1 & 2.2, App Doc Ref 5.4.2.1 & 5.4.2.2) and associated management plans specify the range of measures to avoid and minimise impacts that may occur in construction. The CoCP Part B contains a series of location specific measures relating to the safeguarding of habitats and wildlife. The CoCPs provide information on avoidance and protection of retained habitats, reinstatement planting and replacement of planting should it die, become damaged or diseased within five years after completion of construction.
- 6.1.15 For BNG and temporary works where habitats are retained and or reinstated for the Waterbeach pipeline, treated effluent and storm pipelines and outfall to the River Cam, transfer tunnel, existing Cambridge WWTP, Requirement 8 (code of construction practice) of the draft DCO (App Doc Ref 2.1) will apply for habitat reinstatement measures and monitoring for five years post-construction.
- 6.1.16 The CoCP requires that the Principal Contractor(s) appointed by The Applicant produce a Construction Environmental Management Plan (CEMP) before works associated with each part of the Proposed Development commence. This will contain the detailed commitments derived from the measures set out in the CoCP and approved as part of the requirements of the DCO. Implementation of these plans is intended to avoid and minimise loss of habitat and or diminishing the quality of retained habitats within the Scheme Order Limits.
- 6.1.17 It is requirement that the CoCP and associated plans (including monitoring) are implemented during construction.
- 6.1.18 Section 7.2 (Ecology and Nature Conservation) and 5.14 (Watercourses/drainage channels) of the CoCP Part A, contains a series of control measures relating to the safeguarding of habitats and wildlife. Sections relevant to avoiding the loss of habitat or reinstating habitats are:
 - Section 5.14 (Other Watercourses/Drainage Channels) requires temporarily
 affected shallow ditches to be reinstated promptly once pipeline crossings
 have been completed. Deeper/larger ditches will be crossed using trenchless
 crossing techniques with negligible impact to water levels or flows in the ditch.

Deleted: During the construction phase,

Deleted: t

Deleted: (Appendix 2.1, App Doc Ref 5.4.1.2

Deleted:

Deleted: t

Deleted: d



- Section 7.2 (Tree/Hedge removal) Reinstatement planting will be undertaken in the first available planting season following construction. Species mixes will match or improve on the existing hedgerow. Hedgerow planting will be of native species of British origin and appropriate for the local area. Any planting as part of the scheme which dies or becomes seriously damaged or diseased within five years after completion of construction will be replaced in the first available planting season with stock of the same species and size as that originally planted unless otherwise agreed with the Local Planning Authority. This will ensure that reinstated hedges reach the desired target condition.
- 6.1.19 Section 3 (Site Specific Measures) of the CoCP Part B, contains site specific measures relevant to avoiding the loss of habitat, reinstating, and management of habitats such as:
 - Reinstatement and planting of ditches, invasive non-native species
 management, translocation of plant material from the ditches and reedbed on
 the River Cam to the new ditches created in the area within the Work. No 39,
 of the Treated effluent and storm pipelines and outfall to the River Cam.

Reinstatement of hedgerows and trees on a like for like basis on the Waterbeach pipeline.

The CoCP Part B contains a series of location specific measures relating to the safeguarding of habitats and wildlife. Annex 1 of the CoCP Part B details the approach to avoiding habitat loss and reinstating habitats. It includes limits to the crossing widths through the retained hedge and ditch within the LERMP area to 2 (Nos) 8m section in construction, reducing to 3m each once the LERMP and landscape masterplan are implemented. Net gain strategy – river and reedbed units

- 6.1.20 Compensatory habitat indicated in Works No. 39 (as shown on Works Plan Sheet 2

 (App Doc Ref 4.3) will also provide a BNG function. BNG for the mitigation and compensation due to the proposed outfall at the River Cam is secured through Requirement 10(6)(e) of the draft DCO (App Doc Ref 2.1), which states that the detailed operational outfall management and monitoring plan will include details of measures for the achievement of twenty percent biodiversity net gain comprising river units within or outside of the Order limits.
- 6.1.21 This is outlined in Appendix C which sets out the strategy for river and reedbed unit gain. This will involve the creation of additional extents of ditch habitat within the Scheme Order Limits and the creation or enhancement of fiver habitat through funding offsite habitat creation/restoration initiatives (preferably on the River Cam or within the Cam Lower Operational Catchment). This will either be from a supplier of BNG units or the habitat creation will be funded directly to generate the units.

Generating high distinctiveness river units within the Scheme Order Limits is not viable due to the constrained nature of the River Cam in this area.

Deleted: <#>Section 7.2 (Ecology and Nature Conservation) states that hedgerow removed for temporary works should, where possible, be retained and used for reinstatement purposes. In the case of the land required for the Proposed WWTP, the most species rich and to be removed should be translocated to elsewhere in the proposed development. ¶

Deleted: ¶

A Biodiversity Net Gain Audit Survey and Report will be undertaken both at the end of construction and at the end of a 5-year aftercare period for new reinstated planting and ditches. The purpose of this will be to review the delivery of the reinstatement and determine whether BNG has occurred. This will include all reinstated areas temporarily affected by crossings of ditches and hedgerows. ¶

Licenses and permits¶

Works to construct the treated effluent discharge outfall at the River Cam will be under a Natural England conservation licence in respect of water vole habitat at the River Cam and in the parallel ditch (see Appendix C). ¶ The conservation licence permits intentional damage or destruction of water vole burrows, and/or disturbance to water voles occupying burrows, by use of the mitigation method known as 'displacement', prior to carrying out lawful development works. ¶

For the purposes of the licence, 'displacement' means cutting vegetation back to bare earth, followed, where appropriate, by a destructive search of the burrows. The cutting of vegetation to bare earth must take place and be completed during the period 15 February to 15 April. Water draw-down/removal may be used in parallel with vegetation cutting, where appropriate. ¶

This licence may only be relied upon where mitigation works include creation or enhancement of alternative compensatory habitat, such that there will be a demonstrable net conservation gain for water voles. ¶

Deleted: A requirement within Schedule 2 Requirement 11 of the DCO commits tThe Applicant to delivering a strategy to provide a minimum of 20% gain on river units (Appendix C). ...

Deleted: additional extents of

Deleted: within the local authority area

Deleted: credits



7 Monitoring and Management

- 7.1.1 Biodiversity Metric 3.0 requires the consideration of long-term delivery of the measures to achieve net gain.
- 7.1.2 The LERMP (Appendix 8.14, App Doc Ref 5.4.8.14) forms the main mechanism for delivering net gain, the LERMP focuses on the delivery of long-term management and monitoring of created or enhanced habitats within the landscape masterplan/proposed WWTP. This includes detailed management and maintenance information for years 1-5 (including frequency and timing of measures) with a commitment to review maintenance and management regimes every five years. This will be secured through Schedule 2 Requirement 11 of the Draft DCO (App Doc Ref 2.1) for the proposed waste water treatment plant (WWTP) which requires the Applicant to implement the 30-year Landscape Masterplan and the Landscape Ecology and Recreational Management Plan (LERMP) (Appendix 8.14, App Doc Ref 5.4.8.14).
- 7.1.3 For river units the mechanism for delivery is not yet confirmed, however Requirement 10(6)(e) of the Draft DCO (App Doc Ref 2.1) sets out that the Detailed Operational Outfall Management and Monitoring Plan must accord with measures set out in the Outline Outfall Management and Monitoring Plan (App Doc Ref 5.4.8.24) and must include details of measures for the achievement of 20% BNG in river units within or outside of the Order limits as outlined in Appendix C of this report.
- 7.1.4 For habitat created as part of the water vole compensation, the Natural England conservation licence will place an ongoing obligation on The Applicant to monitor the habitat for a period of five years and to ensure that the habitat is suitable for its intended purpose. However, for BNG purposes this will need to be managed for a minimum of 30 years. This will be ensured in the same way as the river units from the River Cam as outlined above.
- 7.1.5 The Outfall Management and Monitoring Plans (OMMPs) will also provide a monitoring programme for habitats (ditches and reedbed) listed in the Outline River and Reedbeds Units Net Gain Strategy (Appendix C). The OMMPs are detailed in the Outline Outfall Management and Monitoring Plan (App Doc Ref 5.4.8.24).
- 7.1.6 Schedule 2 Requirement 8 of the Draft DCO (App Doc Ref 2.1) secures BNG for the Waterbeach pipeline, treated effluent and storm pipelines, the transfer tunnel, and the existing Cambridge WWTP.
- 7.1.7 Table 7-1 summarises the various elements of the Proposed Development and how The Applicant intends to secure and monitor features contributing to BNG over the operational lifetime of 30 years.

Deleted: enforced by the DCO requirements.

Deleted: a requirement within Schedule 2 of the DCO commits The Applicant to achieve 20% river unit BNG.



Table 7-1: Summary of future monitoring mechanisms to implement and monitor created and reinstated habitats as part of the Proposed Development

Aspect of Proposed Development	Habitat types	Monitoring	Duration of monitoring	Approving mechanism	Secured by
Habitat creation	Various (see	As set out within Section 4 of	30 years	A detailed landscape	Schedule 2
as part of the	LERMP	the LERMP_(Indicative		ecological and recreational	Requirement 11
Landscape	(Appendix 8.14,	Creation, Management, and		management plan	of the Draft
Masterplan	App Doc Ref	Maintenance Plan) (Appendix		('detailed LERMP') has to	DCO (App Doc
	5.4.8.14, Figure	8.14, App Doc Ref 5.4.8.14)		be submitted to and	Ref 2.1)
	3.9 and Figure			approved by the relevant	
	<u>3.10</u>)			planning authority prior to	
				the start of works	
Land temporarily	Reinstated	CoCP Part A (Appendix 2.1,	5 years	A construction	Schedule 2
required for	hedgerow	App Doc Ref 5.4.2.1) Section		<u>environmental</u>	Requirement 8
construction of	Reinstated ditch	7.2 requirements		management plan for the	of the Draft
Waterbeach	Various other	CoCP Part B (Appendix 2.2, App		phase is to be submitted to	DCO (App Doc
pipeline, transfer	<u>habitats</u>	Doc Ref 5.4.2.2) Section 3.1,		and approved by the	Ref 2.1)
tunnel, treated		3.3, 3.4 and 3.5 requirements.		relevant planning authority	
effluent pipelines					
Land required for	River	CoCP Part A Section 7.2	5 years	A construction	Schedule 2
the outfall and	Ditch	<u> </u>		<u>environmental</u>	Requirement 8
river bank	Reedbed	5.4.2.1) requirements		management plan for the	of the Draft
protection works	Grassland	CoCP Part B (Appendix 2.2, App		phase is to be submitted to	DCO (App Doc
	Various other	Doc Ref 5.4.2.2) Section 3.1,		and approved by the	Ref 2.1)
	<u>habitats</u>	3.3, 3.4 and 3.5 requirements.		relevant planning authority	
	•	Section 7 outline of the outline			
		Outfall Management and		A detailed construction	
				outfall management and	

Deleted: Landscape, Ecological and Recreational Management Plan (Deleted:)

Deleted: in particular Deleted: the LERMP

Deleted: requirement to implement approved LERMP

Deleted: s

Deleted: requirement to implement the CoCP

Deleted: CoCP Part A and Part B requirements (Appendix 2.1, App Doc Ref 5.4.2.1, Appendix 2.2, App Doc Ref 5.4.2.2)


Deleted: Schedule 2 requirement to implement the CoCP¶

Deleted: and

Deleted: Part B

Deleted: (Appendix 2.1, App Doc Ref 5.4.2.1, Appendix 2.2, App Doc Ref 5.4.2.2)

Deleted: Mixed scrub





Aspect of Proposed Development	Habitat types	Monitoring	Duration of monitoring	Approving mechanism	Secured by
		Monitoring Plan (App Doc Ref 5.4.8.23)		monitoring plan to be submitted to and approved by the relevant planning authority prior to the start of works. A detailed operation outfall management and monitoring plan to be submitted to and approved by the relevant planning authority prior to	
Ditch creation for water vole habitat mitigation	Wet ditch	Conservation Licence specifications (Water Vole Natural England Ghost Licence Method Statement, Appendix 8.22, App Doc Ref 5.4.8.22) and as set out within section 7 of the outline Outfall Management and Monitoring Plan (App Doc Ref 5.4.8.24)	30 years for BNG (5 years for licence condition)	the start of operation. A construction environmental management plan for the phase is to be submitted to and approved by the relevant planning authority A conservation licence must be in place prior to the start of works.	Schedule 2 Requirement 10 of the Draft DCO (App Doc Ref 2.1)
Measures specified in <u>the</u> Outline River <u>and</u> Reedbed Units Net	Offsite river units	Section 7 of the outline Outfall Management and Monitoring Plan (App Doc Ref 5.4.8.24)	Expected to be 30 years for	A detailed construction outfall management and monitoring plan to be submitted to and	Schedule 2 Requirement 10(6)(e) of the

Deleted: Schedule 2 requirement to obtain the Conservation Licence and deliver habitat creation in accordance with the condition of the licence.


Deleted: Schedule 2 requirement that places an obligation on The Applicant to provide a gain of 20% for river units.

Deleted: s

Deleted: Through a detailed monitoring plan prepared post consent as per commitment in Appendix C

Deleted: Schedule 2 requirement that places an obligation on The Applicant to provide a gain of 20% for river units.

Deleted: s





Aspect of Proposed Development	Habitat types	Monitoring	Duration of monitoring	Approving mechanism	Secured by
Gain Strategy			created	approved by the relevant	Draft DCO (App
(Appendix C)			habitat	planning authority.	Doc Ref 2.1)
				A detailed operation outfall	
				management and	
				monitoring plan to be	
				submitted to and	
				approved by the relevant	
				planning authority prior to	
				the start of operation.	
Measures	Ditches	Section 7 of the outline Outfall	Expected	A detailed construction	<u>Schedule 2</u>
specified in the	Reedbed	Management and Monitoring	to be 30	outfall management and	Requirement 10
Outline River <u>and</u>		Plan <u> (App Doc Ref 5.4.8.24)</u>	years for	monitoring plan to be	of the Draft
Reedbed Units Net			created	submitted to and	DCO (App Doc
Gain Strategy			habitat	approved by the relevant	Ref 2.1)
(Appendix C)				planning authority prior to	
				the start of works.	
				A detailed operation outfall	
				management and	
				monitoring plan to be	
				submitted to and	
				approved by the relevant	
				planning authority prior to	
				the start of operation.	

Deleted: Schedule 2 requirement that places an obligation on The Applicant to provide a gain of 20% for river units.

Deleted: s



7.2 BNG Audit reporting

7.2.1 The Applicant is looking to clarify further how the monitoring and management of

BNG habitats will be secured through the Draft DCO (App Doc Ref 2.1). The Applicant will confirm this at Deadline 3

Deleted: The audit report is a voluntary commitment (good practice) and not mandatory. It will be proportionate to the requirements of this BNG design stage report with the timeframes limited to end of construction and at the end of a five year aftercare period for new habitat creation and reinstatement. The audit report is expected to $% \left(1\right) =\left(1\right) \left(1\right) =\left(1\right) \left(1\right) \left(1\right)$ will be provided to the LPA at the end of construction to demonstrate that activities from this BNG design stage report have been completed. It will include a statement to confirm the final biodiversity units delivered and whether this meets the projected units, a statement on whether all indicators relating to the BNG Principles have been met, and a statement as to whether remedial measures are required to deliver BNG commitments and how these will be implemented and reported. The BNG audit report will cover all habitats within the Scheme Order Limits and report on areas covered in Table 7-1 above and under draft DCO (App Doc Ref 2.1) Requirements 8, 10, 11.

Deleted: <#>¶

There will be a separate further requirement to provide a BNG Report inclusive of audit findings to demonstrate the delivery of the 20 percent net gain. This will require the provision of an updated BNG Report prior to the start of operation and at year 5 of operation.

Deleted: ¶



8 Glossary

8.1.1 The following terms are used in relation to BNG, these are based on the terminology and descriptions used in the User Guide and Technical Supplement for Biodiversity Metric 3.0.

Term	Definition
Baseline value	This refers to the pre-development biodiversity value which is the biodiversity value when development permission is granted (on application or on appeal). In this case this would be at the point where the Development Consent Order (DCO) is granted.
Condition	The BNG metric calculations require that all land parcels undergo a condition assessment. This prescribed process is carried out by assessing a number of criteria, as defined in the habitat condition assessment sheets in the Technical Supplement for Biodiversity Metric 3.0. The criteria are habitat-specific, and are assessed as being either Good, Moderate, or Poor.
Distinctiveness	In the Biodiversity Metric 3.0 habitats are assigned to distinctiveness bands based on the following criteria: Total remaining amount of this habitat type in England (rarity) Proportion of habitat protected in Site of Special Scientific Interest (SSSI) (where less of this habitat type is protected in SSSI's, it is considered of higher distinctiveness) UK Priority Habitat Status (Priority Habitats are generally classed as High or Very High distinctiveness) European Red List Categories. Each habitat type is classified in the metric as being of Low, Medium, High or Very High distinctiveness.
Post- development value	The post-development biodiversity value of the onsite habitat is the projected value of the onsite habitat at the time the development is completed. This value can only be accepted if The Applicant can demonstrate that the gain will be maintained for at least 30 years after creation. This is through one of three options: a planning condition, a planning obligation, or a conservation covenant.
Trading rules	The metric includes rules in relation to replacement of existing habitat with a new habitat. These are termed trading rules whereby the replacement of lost habitat should be on a "like for like" or "like for better" basis in terms of distinctiveness, condition, and total units. The plan should include new or restored habitats that aim to achieve a higher distinctiveness and/or condition than the habitat to be lost.



References

(n.d.).

- British Standards Institute. (2021). BS8683 Process for designing and implementing biodiversity net gain.
- CIEEM. (2021, July). Biodiversity Net Gain Report and Audit Templates. Retrieved from CIEEM: https://cieem.net/resource/biodiversity-net-gain-report-and-audit-templates/
- CIEEM. (2021). *Biodiversity Net Gain Report and Audit Templates.* Winchester, UK: Chartered Institute of Ecology and Environmental Management.
- CIEEM, CIRIA, IEMA . (2016). Biodiversity net gain. Good practice principles for development.
- CIRIA. (2019). Good Practice Principles for the assessment and delivery of BNG. Part A a Practical Guide. CIRIA c776a. Retrieved from https://cieem.net/wpcontent/uploads/2019/02/Biodiversity-Net-Gain-Principles.pdf
- DEFRA. (2021, October 22). 25 Year Environment Plan. Retrieved from Policy Paper: https://www.gov.uk/government/publications/25-year-environment-plan
- Defra. (2022). Consultation on Biodiversity Net Gain Regulations and Implementation. Retrieved from https://consult.defra.gov.uk/defra-net-gain-consultation-team/consultation-on-biodiversity-net-gain-regulations/supporting_documents/Consultation%20on%20Biodiversity%20Net%20Gain%20 Regulations%20and%20Implementation_January2022.pdf
- GCP. (2022). Greater Cambridge Local Plan. Retrieved from Emerging plans and guidance: https://www.greatercambridgeplanning.org/emerging-plans-and-guidance/greater-cambridge-local-plan/
- GCP. (2022). North East Cambridge Area Action Plan. Retrieved from Emerging plans and guidance: https://www.greatercambridgeplanning.org/emerging-plans-and-guidance/north-east-cambridge-area-action-plan/
- Greater Cambridge Shared Planning. (2022, February). *Greater Cambridge Biodiversity*Supplementary Planning Document. Retrieved from

 https://www.greatercambridgeplanning.org/media/2316/gcsp-biodiversity-planning-doc.pdf
- Ministry Housing, Community & Local Government. (2021, March 27). National Planning Policy Framework. Retrieved from Gov.UK: https://www.gov.uk/government/publications/national-planning-policy-framework--2
- Ministry of Housing, Community & Local Government. (2021, February). *Planning for sustainable growth in the Oxford-Cam Arc.* Retrieved from https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/962455/Spatial_framework_policy_paper.pdf
- Natural England. (2021). Biodiversity Metric 3.0 Calculation Tool.



- Natural England. (2021, July 7). *Biodiversity Metric 3.1*. Retrieved from Biodiversity Metric 3.1: http://publications.naturalengland.org.uk/publication/6049804846366720
- Natural England. (2022, April 12). Biodiversity Metric 3.0 Calculation Tool (Macro Enabled),.

 Retrieved from Biodiversity Metric 3.0:

 http://nepubprod.appspot.com/publication/5850908674228224
- Natural England. (2022, April 12). *Biodiversity Metric 3.0 habitat condition assessment sheets with instructions*. Retrieved from http://nepubprod.appspot.com/publication/5850908674228224
- Natural England. (2022). *The Biodiversity Metric 3.1 (JP039) Webpage.* Retrieved from http://publications.naturalengland.org.uk/publication/6049804846366720.
- Panks et al. (2021). Biodiversity metric 3.0: Auditing and accounting for biodiversity Technical Supplement.
- Panks et al. (2021, July 7). Biodiversity metric 3.0: Auditing and accounting for biodiversity User Guide. Natural England. Retrieved from Natural England: http://nepubprod.appspot.com/publication/5850908674228224
- SCDC & CCC. (2020, November). Greater Cambridge Green Infrastructure Opportunity Mapping.

 Retrieved from https://www.greatercambridgeplanning.org/media/1400/greater-cambridge-green-infrastructure-opportunity-mapping-baseline-report-nov2020.pdf
- SCDC. (2021). *Doubling Nature Strategy*. Retrieved from https://www.scambs.gov.uk/media/16668/digital-final-doubling-nature-strategy.pdf
- UK Parliament. (2021). Environment Act 2021. Retrieved from https://www.legislation.gov.uk/ukpga/2021/30/contents/enacted
- Wildlife Trust for Bedfordshire, Cambridgeshire & Northamptonshire. (2021, March). The Cambridge Nature Network. Retrieved from Wildlife Trust for Bedfordshire, Cambridgeshire & Northamptonshire: https://www.wildlifebcn.org/sites/default/files/2021-05/CambridgeNatureNetworkStage3ReportFINAL%28lowres%29 0.pdf




Appendices





Appendix A: BNG Figures




A.1 Figure A.1 Baseline Habitats






















A.2 Figure A.2 Proposed Habitats























A.3 Figure A.3 Map of the High and Medium Distinctiveness Baseline Habitats
























A.4 Figure A.4 Map of Retained Habitats

















Cambridge Waste Water Treatment Plant Relocation Project Biodiversity Net Gain (BNG) Report



Appendix B: Landscape Masterplan





Appendix C: Outline River and Reedbed Units Net Gain Strategy



1 Background

- 1.1.1 The Applicant is committed to achieving at least a 20% BNG, in river units and this strategy sets out how to achieve this and also how to avoid trading down of the 'Reedbeds' and 'Other rivers and streams' habitats.
- 1.1.2 This strategy presents the opportunity to create new habitats as part of the Proposed Development and also factors in emerging opportunities that are likely to arise for purchasing river units by funding off-site habitat restoration/enhancement and or creation.
- 1.1.3 CWWTPRP will adopt a staged approach to the approval of DCO requirements enabling requirements to be approved prior to the commencement of the relevant stage of works. This approach will be governed by Schedule 2 Requirement 10 of the Draft DCO (App Doc Ref 2.1) which requires the production of a detailed operational outfall management and monitoring plan (OMMP) prior to works commencing within the area of the proposed River Cam outfall (Works No. 32 as shown on Works Plan Sheet 2 of the Work Plans (App Doc Ref 4.3) [AS-150]) and for the OMMP to detail measures for 20% BNG comprising river units within or outside of the Order limits.
- 1.1.4 The OMMPs will provide details of habitat creation, monitoring and maintenance
 measures for habitats (ditches and reedbed). The OMMPs are detailed in the Outline
 Outfall Management and Monitoring Plan (App Doc Ref 5.4.8.24).

Deleted: Appendix C: Outline River and Reedbed Units Net Gain Strategy¶

Deleted: gain

Deleted: or off-site habitat

Deleted: that could be implemented

Deleted: A key reason for maintaining this flexibility of approach (while still committing to 20% river unit BNG) is that river unit credits are not currently available on the market, but are likely to be in the near future.

Deleted: by the inclusion of a requirement within

Deleted: a detailed written scheme for BNG River Unit delivery prior to the commencement of the works at the proposed outfall (Work Area 32).



2 BNG River and Reedbed Units Required

- 2.1.1 Although it is currently predicted that the Proposed Development will achieve more than 20% gain in all non-river habitat types (excluding the trading down reedbed proposals below), the river unit gain will be 3.49%. The loss of river units and reedbed habitat units will occur at the proposed outfall location on the River Cam as a result of increased riparian encroachment.
- 2.1.2 To achieve a 20% BNG on river units, this could be delivered by the following:
 - A minimum of 0.04 high distinctiveness river units to be delivered on the River Cam (or a river/watercourse in Cambridgeshire that falls within the Cam Lower Operational Catchment); and
 - The creation of 261m stretch of ditch (which will contain standing water for at least four months of the year) within area Works No. 39 (as shown on Works Plan Sheet 2 (App Doc Ref 4.3) [AS-150]), which will generate 2.01 river units.
- 2.1.3 To achieve an overall BNG and resolve the trading down for reedbed habitats, the loss of reedbed habitat units will be minimised as far as possible (e.g. by reducing the extent of the proposed outfall) and the creation of 0.0245ha of reedbeds within the created wet ditches in area Works No. 39.
- 2.1.4 The area within Works No. 39 has been identified for the delivery of on-site river units and to avoid trading down in reedbed habitat units, as shown on. This area has been identified for BNG river unit opportunities using information obtained from the existing ecological baseline surveys. This area is also desirable as it would link to a habitat type used by water voles.

2.2 Results – Wet Ditch Creation

- 2.2.1 The landscape masterplan is focused on landscape and ecological mitigation suitable for land required for the proposed WWTP and access road (east of Horningsea Road), which is characterised by free-draining soils and a ground level of 9-10 meters AOD. The ground water levels within this location are up to five_metres below ground level. There are existing ditches within the proposed WWTP landscape masterplan area which are dry for most of the year, except for the retained ditch to the east which is incorporated in the landscape masterplan.
- 2.2.2 The only proposed ditches (in the form of swales) in the landscape masterplan are to provide temporary storage of surface water from the access road.
- 2.2.3 There are no suggestions for further surface water features within the landscape masterplan for river unit BNG; these have been dismissed as any channels created would:
 - need to be very deep (and present a safety concern in the context of the other objectives of the LERMP),

Formatted: Heading 1,AW Heading 1,~SectionHeading,L1,Chapter,Chapter head,CH,. (1.0),Do Not Use,Heading 1 - chapter,H1,H11,H12,Top Level,1 ghost,g,Outline1,ghost,h1,HEADING 1,t,Chapter Heading,Heading 1 - Chapter Heading,Headline,Section Heading,level 1,LetHead1

Deleted: h

Deleted: 4.30

Formatted: No underline, Font color: Auto

Deleted: In order

Deleted: is required

Deleted: 3
Deleted: BNG

Deleted: to deliver on 'high distinctiveness'

Formatted: No underline, Font color: Auto

Formatted: Font color: Auto

Formatted: Not Highlight

Deleted: 1.75 BNG units delivered via the creation of at least 227m of ditches which hold water all year.

Formatted: No underline, Font color: Auto

Formatted: No underline, Font color: Auto, English (United States). Pattern: Clear

Formatted: AW body text, Indent: Left: 0 cm, First line:

0 cm

Field Code Changed

Deleted: 5

Deleted: with the exception of

Cambridge Waste Water Treatment Plant Relocation Project Biodiversity Net Gain (BNG) Report $\underline{-}$ Appendix \underline{C}




- would not maximise connectivity to existing wet ditches as much as other locations could, and
- may require lining.
- 2.2.4 It is recommended that an additional length of wet ditch is created within the Scheme Order Limits to achieve the 20% net gain in river units. This is also desirable as it would perform a wider biodiversity function and could be designed to benefit species such as water voles that are present within the Scheme Order Limits.
- 2.2.5 The area within Works No. 39 has been identified for the delivery of on-site river units and avoid trading down in reedbed habitat units, as shown on

Deleted: Area

Deleted: This area has been identified for BNG river units opportunities using information obtained from the existing ecological baseline surveys. This area is also desirable as it would link to a habitat type used by water voles.

Field Code Changed





Deleted: Figure 2 Indicative Alignment of Proposed Ditch Features

Figure 1 Indicative Alignment of Proposed Ditches,



2.2.6 There is a wet ditch at the northern margin of the field in area Works No. 39. The wet ditch is approximately 1 to 1.5 meters deep and 1.5m wide bank to bank as shown in Photo 1, It is connected to the River Cam downstream of Baits Bite Lock and on visits throughout the year has remained wet.



Deleted: Photo 1

pipelines are proposed.



Photo 1 Existing ditch along northern boundary of area Works No. 39

- 2.2.7 The indicative proposal is to create approximately 345m of wet ditch connected to the existing wet ditch along the northern boundary of Works No., 39 as shown on. The separation between the existing ditch and proposed ditches will allow access in the event that vehicular access is required for reactive or long-term maintenance e.g., to remove fallen debris from nearby trees or de-silting.
- 2.2.8 The 345m indicative alignment of the ditch shown in Figure 1 would contribute towards a 20% net gain in river units and provide approximately:
 - 84m of ditch creation for water vole mitigation, and
 - 261m ditch creation for 20% BNG in river units, 62m of which is proposed to include 0.0245ha reedbed habitat creation (62m ditch up to 5m wide to include a 4m wide area of reedbed (as shown on Figure 2) to resolve the trading down in reedbed habitat units.

Deleted: Area

Deleted: 11
Deleted: Area

Field Code Changed

Deleted: Ditch A is approx. 16m, as is the distance between Ditch A and B to

Deleted: proposed length

Deleted: wet

Deleted: feature

Deleted: Figure 2

Deleted: the

Formatted: Font color: Auto

Deleted: 227m of ditch to ensure a 20% gain in river units and also the 84m of ditch creation for water vole mitigation....

Formatted: Indent: Left: 2.25 cm, No bullets or numbering

Cambridge Waste Water Treatment Plant Relocation Project Biodiversity Net Gain (BNG) Report $\underline{{\sf -Appendix}\;C}$






Figure 2. Indicative Cross-section of Proposed Ditches

Formatted: Font: 9 pt
Formatted: Caption



Connection to mitigation proposals for the Proposed Development

Water vole mitigation

2.2.9 A proportion of the wet ditches proposed are also part of the mitigation proposed as part of the Proposed Development for water vole mitigation under licence which requires the project to create and maintain ditches for compensation water vole habitat adjacent to existing habitat at this location. It is expected that 84m of ditch would be required for this purpose.

Public Right of Way Temporary Diversion

2.2.10 A temporary diversion of an existing public right of way is proposed during construction of the outfall and associated pipelines as shown in Figure 1, The proposed wet ditches have sought to avoid the path diversion and would be fenced appropriately to avoid people or dogs accessing the ditch area. The right of way diversion will not encroach within 10m of the ditch bank top.

2.3 Results - High distinctiveness river units

- 2.3.1 Opportunities to enhance other sections of the River Cam within the Draft Scheme Order Limits to compensate for the loss of the high distinctiveness river units were investigated. Due to the nature of the stretch of the River Cam within the Draft Scheme Order Limits, enhancement is heavily constrained due to existing uses (public access, boating, angling, etc.).
- 2.3.2 Therefore, the following options are available to deliver the required high distinctiveness' river units:
 - Partnership Project/s: A partnership approach with planned project/s with local stakeholder organisations or landowners whereby those organisations deliver the BNG on behalf of AWS and maintain the land; and
 - Purchasing BNG river units.

Deleted: for

Deleted: Figure 1

Deleted: <#>A requirement within Schedule 2 of the Draft DCO requires a detailed written scheme for delivery, management and monitoring of the proposed BNG river unit ditches required to provide the 1.75 river units prior to the commencement of the works at the proposed outfall (Work Area 32).¶

Deleted: in order to

Deleted: 0.03

Deleted: River unit credits are not currently available on the market, but are likely to be in the near future. A requirement within Schedule 2 of the Draft DCO requires a detailed written scheme for the 0.03 BNG high distinctiveness river unit delivery prior to the commencement of the works at the proposed outfall (Work Area 32).

Formatted: Indent: Left: 1.27 cm, No bullets or numbering



3 Value of Post-Development Habitats

The post-development habitats including ditch and reedbed habitats outlined here in Appendix C (but excluding the high distinctiveness river units to be delivered off-site) have been calculated as having a predicted value of:

- 700.80 habitat biodiversity units,
- 80.52 hedgerow biodiversity units and
- 14.57 river biodiversity units.


When compared to the baseline, this equates to a predicted percentage change of:

- +42.27% in habitat biodiversity units,
- +28.55% in hedgerow biodiversity units and
- +20.05% in river biodiversity units.

Formatted: Heading 1,AW Heading 1,~SectionHeading,L1,Chapter,Chapter head,CH,. (1.0),Do Not Use,Heading 1 - chapter,H1,H11,H12,Top Level,1 ghost,g,Outline1,ghost,h1,HEADING 1,t,Chapter Heading,Heading 1 - Chapter Heading,Headline,Section Heading,level 1,LetHead1



Appendix D: Metric – Detailed Summary (excluding ditch and reedbed habitats proposed in Appendix C)





Appendix E: Summary Pre-development Baseline Habitat Units

	Habitats and	areas		Distinctiveness	Condition	Strategic significance	Suggested	Ecological baseline
Ref	Broad habitat	Habitat type	Area (hectares)	Distinctiveness	Condition	Strategic significance	action to address habitat losses	Total habitat units
1	Cropland	Cereal crops	145.3674	Low	N/A - Agricultural	Within area formally identified in local strategy	Same distinctiveness or better habitat required	334.35
2	Urban	Developed land; sealed surface	26.7861	V.Low	N/A - Other	Within area formally identified in local strategy	Compensation Not Required	0.00
3	Urban	Developed land; sealed surface	0.4984	V.Low	N/A - Other	Within area formally identified in local strategy	Compensation Not Required	0.00
4	Grassland	Floodplain Wetland Mosaic (CFGM)	2.0073	High	Moderate	Within area formally identified in local strategy	Same habitat required	27.70
5	Urban	Introduced shrub	0.0412	Low	Poor	Within area formally identified in local strategy	Same distinctiveness or better habitat required	0.09
6	Woodland and forest	Lowland mixed deciduous woodland	0.0069	High	Good	Within area formally identified in local strategy	Same habitat required	0.14



	Habitats and	l areas		Distinctiveness	Condition	Strategic significance	Suggested	Ecological baseline
Ref	Broad habitat	Habitat type	Area (hectares)	Distinctiveness	Condition	Strategic significance	action to address habitat losses	Total habitat units
7	Woodland and forest	Lowland mixed deciduous woodland	0.0948	High	Poor	Within area formally identified in local strategy	Same habitat required	0.65
8	Heathland and shrub	Mixed scrub	1.1355	Medium	Good	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	15.67
9	Heathland and shrub	Mixed scrub	0.1535	Medium	Moderate	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	1.41
10	Heathland and shrub	Mixed scrub	0.3368	Medium	Poor	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	1.55
11	Grassland	Modified grassland	1.0025	Low	Good	Within area formally identified in local strategy	Same distinctiveness or better habitat required	6.92
12	Grassland	Modified grassland	0.0078	Low	Moderate	Within area formally identified in local strategy	Same distinctiveness or better habitat required	0.04




	Habitats and	areas		Distinctiveness	Condition	Strategic significance	Suggested	Ecological baseline
Ref	Broad habitat	Habitat type	Area (hectares)	Distinctiveness	Condition	Strategic significance	action to address habitat losses	Total habitat units
13	Grassland	Modified grassland	12.315	Low	Poor	Within area formally identified in local strategy	Same distinctiveness or better habitat required	28.32
14	Woodland and forest	Other coniferous woodland	0.0814	Low	Poor	Within area formally identified in local strategy	Same distinctiveness or better habitat required	0.19
15	Grassland	Other neutral grassland	0.4904	Medium	Good	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	6.77
16	Grassland	Other neutral grassland	2.7454	Medium	Moderate	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	25.26
17	Grassland	Other neutral grassland	2.9847	Medium	Poor	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	13.73
18	Urban	Developed land; sealed surface	1.3523	V.Low	N/A - Other	Within area formally identified in local strategy	Compensation Not Required	0.00



	Habitats and	l areas		Distinctiveness	Condition	Strategic significance	Suggested	Ecological baseline
Ref	Broad habitat	Habitat type	Area (hectares)	Distinctiveness	Condition	Strategic significance	action to address habitat losses	Total habitat units
19	Woodland and forest	Other woodland; broadleaved	0.0251	Medium	Good	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	0.35
20	Woodland and forest	Other woodland; broadleaved	0.0309	Medium	Moderate	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	0.28
21	Woodland and forest	Other woodland; broadleaved	0.465	Medium	Poor	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	2.14
22	Woodland and forest	Other woodland; mixed	0.6272	Medium	Poor	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	2.89
23	Lakes	Ponds (Non- Priority Habitat)	0.0031	Medium	Poor	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	0.01
24	Wetland	Reedbeds	0.0122	High	Good	Within area formally identified in local strategy	Same habitat required	0.25



	Habitats and	l areas		Distinctiveness	Condition	Strategic significance	Suggested	Ecological baseline
Ref	Broad habitat	Habitat type	Area (hectares)	Distinctiveness	Condition	Strategic significance	action to address habitat losses	Total habitat units
25	Wetland	Reedbeds	0.0065	High	Moderate	Within area formally identified in local strategy	Same habitat required	0.09
26	Sparsely vegetated land	Ruderal/Ephemeral	9.9706	Low	Poor	Within area formally identified in local strategy	Same distinctiveness or better habitat required	22.93
27	Urban	Vacant/derelict land/ bareground	0.3241	Low	Poor	Within area formally identified in local strategy	Same distinctiveness or better habitat required	0.75
28	Heathland and shrub	Bramble scrub	0.023	Medium	Poor	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	0.11
29	Grassland	Modified grassland	0	Low	Good	Within area formally identified in local strategy	Same distinctiveness or better habitat required	0.00
30	Grassland	Other neutral grassland	0	Medium	Good	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	0.00





	Habitats and	Habitats and areas			Condition	Strategic significance	Suggested	Ecological baseline
Ref	Broad habitat	Habitat type	Area (hectares)	Distinctiveness	Condition	Strategic significance	action to address habitat losses	Total habitat units
31	Grassland	Other neutral grassland	0	Medium	Good	Within area formally identified in local strategy	Same broad habitat or a higher distinctiveness habitat required	0.00
		Total area	208.90				Total units	492.58




Appendix F: Summary Pre-development Baseline Hedgerow Units

	UK Habitats - existing	habitats	Habitat distinctiveness	Habitat condition	Strategic significance	Suggested	Ecological baseline
Baseline ref	Hedgerow type	Length KM	Distinctiveness	Condition	Strategic significance	action to address habitat losses	Total hedgerow units
1	Line of trees	0.0146	Low	Good	Within area formally identified in local strategy	Same distinctiveness band or better	0.10
2	Line of trees	0.1087	Low	Moderate	Within area formally identified in local strategy	Same distinctiveness band or better	0.50
3	Line of trees	0.939	Low	Poor	Within area formally identified in local strategy	Same distinctiveness band or better	2.16
4	Line of trees (Ecologically valuable)	0.1397	Medium	Moderate	Within area formally identified in local strategy	Like for like or better	1.29
5	Native Hedgerow	3.3958	Low	Moderate	Within area formally identified in local strategy	Same distinctiveness band or better	15.62
6	Native Hedgerow	0.735	Low	Poor	Within area formally identified in local strategy	Same distinctiveness band or better	1.69
7	Native Hedgerow - Associated with bank or ditch	0.2738	Medium	Moderate	Within area formally identified in local strategy	Like for like or better	2.52



	UK Habitats - existing	habitats	Habitat distinctiveness	Habitat condition	Strategic significance	Suggested	Ecological baseline
Baseline ref	Hedgerow type	Length KM	Distinctiveness	Condition	Strategic significance	action to address habitat losses	Total hedgerow units
8	Native Hedgerow - Associated with bank or ditch	1.7829	Medium	Poor	Within area formally identified in local strategy	Like for like or better	8.20
9	Native Hedgerow with trees	0.1721	Medium	Moderate	Within area formally identified in local strategy	Like for like or better	1.58
10	Native Hedgerow with trees - Associated with bank or ditch	0.5978	High	Moderate	oderate Within area formally identified in local strategy		8.25
11	Native Species Rich Hedgerow	0.1427	Medium	Moderate	Within area formally identified in local strategy	Like for like or better	1.31
12	Native Species Rich Hedgerow with trees	0.6748	High	Good	Within area formally identified in local strategy	Like for like or better	13.97
13	Native Species Rich Hedgerow with trees - Associated with bank or ditch	0.0001	V.High	Good	Within area formally identified in local strategy	Like for like	0.00
14	Native Species Rich Hedgerow	0.3478	Medium	Good	Within area formally identified in local strategy	Like for like or better	4.80





	UK Habitats - existing I	habitats	Habitat distinctiveness	Habitat condition	Strategic significance	Suggested	Ecological baseline
Baseline ref	Hedgerow type	Length KM	Distinctiveness	Condition	Strategic significance	action to address habitat losses	Total hedgerow units
15	Native Hedgerow	0.0737	Low	Good	Within area formally identified in local strategy	Same distinctiveness band or better	0.51
16	Native Hedgerow	0.0602	Low	Poor Within area formally identified in local strategy		Same distinctiveness band or better	0.14
17	Line of Trees - Associated with bank or ditch		Low			Same distinctiveness band or better	
	Total area	9.46				Total units	62.64

Cambridge Waste Water Treatment Plant Relocation Project Biodiversity Net Gain (BNG) Report



Appendix G: Summary Pre-development Baseline River Units

<u>Existing</u>	Existing river type			Habitat conditio n	Strategic significance	Watercours e encroachme nt	Riparian encroachme nt	Suggeste	Ecologic al baseline
Baselin e ref	River type	Lengt h KM	<u>Distinctivene</u> <u>ss</u>	Conditio n	Strategic significance	Extent of encroachme nt	Extent of encroachme nt	<u>d action</u>	Total river units
1	Other Rivers and Streams	0.07	<u>High</u>	<u>Fairly</u> <u>Poor</u>	Within Local Plans	<u>Major</u>	<u>Moderate</u>	<u>Restore</u>	<u>0.31</u>
2	Other Rivers and Streams	0.497	<u>High</u>	<u>Fairly</u> <u>Poor</u>	Within Local Plans	<u>Major</u>	<u>Moderate</u>	<u>Restore</u>	2.19
<u>3</u>	Other Rivers and Streams	0.03	<u>High</u>	<u>Fairly</u> <u>Poor</u>	Within Local Plans	<u>Major</u>	<u>Moderate</u>	<u>Restore</u>	0.13
<u>4</u>	<u>Ditches</u>	<u>1.536</u> <u>7</u>	<u>Medium</u>	<u>Good</u>	Within Local Plans	<u>Major</u>	<u>Major</u>	<u>Restore</u>	<u>7.95</u>
<u>5</u>	<u>Ditches</u>	<u>0.038</u> <u>3</u>	Medium	Moderat <u>e</u>	Within Local Plans	<u>Major</u>	<u>Major</u>	<u>Restore</u>	0.13
<u>6</u>	<u>Ditches</u>	0.825	Medium	<u>Poor</u>	Within Local Plans	<u>Major</u>	<u>Major</u>	<u>Restore</u>	<u>1.42</u>
	Total Length	3.00						Total units	12.13

eleted: ¶	
Page Break	



Appendix H: Summary Post-development Habitat Units

			Distinctiveness	Condition	Strategic significance	Temporal mult	iplier	Difficulty multipliers	
Broad Habitat	Proposed habitat	Area (hectares)	Distinctiveness	Condition	Strategic significance	Standard or adjusted time to target condition	Final time to target conditio n/years	Final difficulty of creation	Habitat units delivered
Cropland	Cereal crops	44.3399	Low	N/A - Agricultural	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	3	Low	91.64
Urban	Developed land; sealed surface	29.0043	V.Low	N/A - Other	Within area formally identified in local strategy	Standard time to target condition applied	2	Medium	0.00
Urban	Developed land; sealed surface	0.02	V.Low	N/A - Other	strategy condition applied Within area formally identified in local strategy condition applied		2	Medium	0.00
Urban	Introduced shrub	0.0101	Low	Poor	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	3	Low	0.02
Woodland and forest	Other woodland; broadleaved	23.3348	Medium	Poor	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	7	Low	83.65



			Distinctiveness	Condition	Strategic significance	Temporal mult	iplier	Difficulty multipliers	
Broad Habitat	Proposed habitat	Area (hectares)	Distinctiveness	Condition	Strategic significance	Standard or adjusted time to target condition	Final time to target conditio n/years	Final difficulty of creation	Habitat units delivered
Heathland and shrub	Mixed scrub	0.45	Medium	Moderate	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	7	Low	3.23
Heathland and shrub	Mixed scrub	0.1518	Medium	Good	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	12	Low	1.37
Grassland	Modified grassland	3.8333	Low	Good	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	9	Low	19.19
Grassland	Other neutral grassland	52.9773	Medium	Moderate	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	7	Low	379.81
Woodland and forest	Other woodland; broadleaved	0	Medium	Poor	Within area formally identified in local strategy	Check details- Delay in starting habitat in	7	Low	0.00




			Distinctiveness	Condition	Strategic significance	Temporal mult	iplier	Difficulty multipliers	
Broad Habitat	Proposed habitat	Area (hectares)	Distinctiveness	Condition	Strategic significance	Standard or adjusted time to target condition	Final time to target conditio n/years	Final difficulty of creation	Habitat units delivered
						required condition?			
Lakes	Ponds (Non- Priority Habitat)	0.1665	Medium	Poor	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	3	Low	0.69
Sparsely vegetated land	Ruderal/Ephemeral	0.2069	Low	Poor	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	3	Low	0.43
Urban	Vacant/derelict land/ bareground	0.1931	Low	Poor	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	3	Low	0.40
Cropland	Cereal crops	0	Low	N/A - Agricultural	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	3	Low	0.00
Urban	Developed land; sealed surface	0.0176	V.Low	N/A - Other	Within area formally identified in local strategy	Standard time to target	2	Medium	0.00



			Distinctiveness	Condition	Strategic significance	Temporal mult	iplier	Difficulty multipliers	
Broad Habitat	Proposed habitat	Area (hectares)	Distinctiveness	Condition	Strategic significance	Standard or adjusted time to target condition	Final time to target conditio n/years	Final difficulty of creation	Habitat units delivered
						condition applied			
Grassland	Modified grassland	0	Low	Moderate	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	6	Low	0.00
Grassland	Other neutral grassland	0	Medium	Moderate	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	7	Low	0.00
Lakes	Ponds (Non- Priority Habitat)	0	Medium	Moderate	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	5	Low	0.00
Heathland and shrub	Bramble scrub	0.0177	Medium	Poor	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	3	Low	0.07
Grassland	Modified grassland	0	Low	Good	Within area formally identified in local strategy	Check details- Delay in starting	9	Low	0.00



			Distinctiveness	Condition	Strategic significance	Temporal mult	iplier	Difficulty multipliers	
Broad Habitat	Proposed habitat	Area (hectares)	Distinctiveness	Condition	Strategic significance	Standard or adjusted time to target condition	Final time to target conditio n/years	Final difficulty of creation	Habitat units delivered
						habitat in required condition?			
Grassland	Other neutral grassland	0	Medium	Good	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	12	Low	0.00
Grassland	Other neutral grassland	0	Medium	Good	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	12	Low	0.00
Wetland	Reedbeds	0.002	High	Moderate	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	9	Medium	0.01
Urban	Developed land; sealed surface	0	V.Low	N/A - Other	Within area formally identified in local strategy	Standard time to target condition applied	2	Medium	0.00
Urban	Developed land; sealed surface	0	V.Low	N/A - Other	Within area formally identified in local strategy	Standard time to target condition applied	2	Medium	0.00






			Distinctiveness	Condition	Strategic significance	Temporal multi	iplier	Difficulty multipliers	
Broad Habitat	Proposed habitat	Area (hectares)	Distinctiveness	Condition	Strategic significance	Standard or adjusted time to target condition	Final time to target conditio n/years	Final difficulty of creation	Habitat units delivered
Grassland	Other neutral grassland	0.2704	Medium	Poor	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	4	Low	1.08
Grassland	Other neutral grassland	0	Medium	Poor	Within area formally identified in local strategy	Standard time to target condition applied	2	Low	0.00
	Total area	155.00						Total units	581.59



Deleted: ¶


Appendix I: Summary Post-development Hedgerow Units

-	Proposed habits	ats	Habitat distinctiveness	Habitat condition	Strategic significance	Temporal mu	<u>ltiplier</u>	Difficulty risk multipliers	Hadaa
Baseline ref	Habitat type	<u>Length</u> <u>km</u>	<u>Distinctiveness</u>	Condition	Strategic significance	Standard or adjusted time to target condition	Final time to target condition/years	Final difficulty of creation	Hedge units delivered
1	<u>Native</u> <u>Hedgerow</u>	0.8655	Low	<u>Moderate</u>	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	7	<u>Low</u>	3.10
2	<u>Native</u> <u>Hedgerow</u>	0.0224	Low	Poor	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	<u>3</u>	Low	0.05
<u>3</u>	Native Hedgerow - Associated with bank or ditch	0.1587	<u>Medium</u>	<u>Moderate</u>	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	<u>Z</u>	Low	<u>1.14</u>





-	Proposed habita	ats_	Habitat distinctiveness	Habitat condition	Strategic significance	Temporal mu	<u>ltiplier</u>	Difficulty risk multipliers	Hadaa
Baseline ref	Habitat type	<u>Length</u> <u>km</u>	<u>Distinctiveness</u>	Condition	Strategic significance	Standard or adjusted time to target condition	Final time to target condition/years	Final difficulty of creation	Hedge units delivered
<u>4</u>	Native Hedgerow with trees	<u>5.1418</u>	<u>Medium</u>	<u>Moderate</u>	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	12	Low	30.85
<u>5</u>	Native Species Rich Hedgerow	0.0597	<u>Medium</u>	<u>Poor</u>	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	<u>3</u>	Low	0.25
<u>6</u>	Line of Trees	0.1027	Low	<u>Moderate</u>	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	<u>22</u>	Low	0.22
7	Line of Trees - Associated with bank or ditch	0.2036	Low	<u>Moderate</u>	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	<u>22</u>	Low	0.43





-	Proposed habita	ats .	Habitat distinctiveness	Habitat condition	Strategic significance	Temporal mu	<u>ltiplier</u>	Difficulty risk multipliers	Under
Baseline ref	Habitat type	<u>Length</u> <u>km</u>	<u>Distinctiveness</u>	Condition	Strategic significance	Standard or adjusted time to target condition	Final time to target condition/years	Final difficulty of creation	Hedge units delivered
8	Line of Trees (Ecologically Valuable)	0.1397	<u>Medium</u>	<u>Moderate</u>	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	22	Low	<u>0.59</u>
<u>9</u>	Native Hedgerow with trees - Associated with bank or ditch	0.012	<u>High</u>	<u>Moderate</u>	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	12	Low	<u>0.11</u>
<u>10</u>	Line of Trees - Associated with bank or ditch	0.8291	Low	<u>Moderate</u>	Within area formally identified in local strategy	Check details- Delay in starting habitat in required condition?	<u>22</u>	<u>Low</u>	<u>1.74</u>
_	<u>Total length</u>	<u>7.54</u>	_	_	_	_	_	Total units	<u>38.46</u>



Appendix J: Summary Post-development River Units

Post-development river habitat creation

Proposed habitats	d	Habitat distinctiveness	Habitat condition	Strategic significance	Temporal i	multiplier	Difficulty multipliers	Watercourse encroachment	Riparian encroachment	
River type	Length km	Distinctiveness	Condition	Strategic significance	Standard or adjusted time to target condition	Final time to target condition/years	Final difficulty of creation	Extent of encroachment	Extent of encroachment	River units delivered
Ditches	0.12	Medium	Good	Delivery within Local Plans	Standard time to target condition applied	10	Low	Major	Major	0.43
Ditches	0.01	Medium	Poor	Delivery within Local Plans	Standard time to target condition applied	1	Low	Major	Major	0.02
Ditches	0.084	Medium	Moderate	Delivery within Local Plans	Standard time to target condition applied	5	Low	No Encroachment	No Encroachment	0.65
Total length	0.21								Total units	1.10



Post-development riparian encroachment

Basel ine habit ats	Propos ed distinctiveness and condition		ness and		Habitat distinctiv eness	Habit at condi tion	Strateg ic signific ance	Tempo multipl		Difficult y multiplie rs	Waterco urse encroach ment	Riparian encroach ment	
Basel ine habit at	Type (Pre- popula ted can be overrid den)	Distinctiv eness moveme nt	tinctiv ion move	Len gth KM	Distinctiv eness	Condi tion	Strateg ic signific ance	Stand ard or adjus ted time to target condi tion	Final time to target condition /years	Final difficulty of enhance ment	Extent of encroach ment	Extent of encroach ment	River units delive red
Othe r River s and Strea ms	Other Rivers and Stream s	High - High	Fairly Poor - Fairly Poor	0.07	High	Fairly Poor	Deliver y within Local Plans	Stand ard time to target condi tion applie d	1	Medium	Major	Major	0.27
			Total length	0.07								Total units	0.27



Get in touch

You can contact us by:



Emailing at info@cwwtpr.com



Calling our Freephone information line on **0808 196 1661**



Writing to us at Freepost: CWWTPR

You can view all our DCO application documents and updates on the application on The Planning Inspectorate website:

https://infrastructure.planninginspectorate.gov.uk/projects/eastern/cambridge-waste-water-treatment-plant-relocation/

