

Cambridge Waste Water Treatment Plant Relocation Project
Anglian Water Services Limited

Statement of Common Ground: The Emergency Services

Application Document Reference: 7.14.5
PINS Project Reference: WW010003

Document Control

Document title Statement of Common Ground between Anglian Water Services Limited and East of England Ambulance Service, Cambridgeshire Fire and Rescue and Cambridgeshire Police

Version No. 1

Date Approved

Date 1st Issued 1 November 2023

Version History

Version	Date	Author	Description of change
1	01.11.23	-	First draft to reflect submission of Relevant Representations and Emergency Services Technical Working Group
2	19.02.24	-	Updated for final agreement at Deadline 5
3	19.03.24	-	Updated to reflect discussions and agreements following the ISH4

Contents

1	Introduction.....	1
1.1	Purpose of this document.....	1
1.2	Approach to the SoCG.....	1
3	Documents considered in this SoCG	2
4.1	Access to site and within site	3
4.2	Notification of traffic closures and management of communications.....	4
4.3	Fire Safety	5
4.4	Health and Wellbeing.....	6
4.5	Other Safety considerations	6
5	Agreement on this SoCG	8
	Appendix 1.....	11
	Table 1.1 Schedule of engagement undertaken to date with the Emergency Services.....	

1 Introduction

1.1 Purpose of this document

- 1.1.1 This Statement of Common Ground (“SoCG”) is submitted as part of an application by Anglian Water Services Limited (“The Applicant”) for a Development Consent Order (DCO) under the Planning Act 2008 (‘the Application’) for the Cambridge Waste Water Treatment Plant Relocation Project (CWWTPR).
- 1.1.2 The Applicant is proposing to build a modern, low carbon waste water treatment for Greater Cambridge on a new site area north of the A14 between Fen Ditton and Horningsea within the Cambridge drainage catchment area, to replace the plant on Cowley Road, hereafter referred to as the existing Cambridge Waste Water Treatment Plant.
- 1.1.3 This SoCG has been prepared by The Applicant and East of England Ambulance Service NHS Trust, Cambridgeshire Fire and Rescue and Cambridgeshire Police (“The Emergency Services”) to identify matters agreed and matters currently outstanding. Any reference to ‘the parties’ means the Applicant and the Emergency Services.
- 1.1.4 To date, the Applicant has consulted and engaged with the Emergency Services, as set out in Section 2 and in Table 1.1: Schedule of engagement in Appendix 1.

1.2 Approach to the SoCG

- 1.2.1 The SoCG will evolve as the DCO application progresses to submission and through examination. It is structured as follows
- Section 2 confirms the pre-application consultation undertaken to date between the Applicant and the Emergency Services.
 - Section 3 identifies the relevant documents on which the agreements recorded in this SoCG were reached.
 - Section 4 provides a summary of matters that have been agreed and not agreed and which are under discussion.

Agreed	indicates where the issue has been resolved and is recorded in Green and marked “ Low ”
Under Discussion	indicates where these issues or points will be the subject of on-going discussion whenever possible to resolve or refine the extent of disagreement between the parties and is recorded in Amber and marked “ medium ”
Not Agreed	indicates a final position and is recorded in Red and marked high

- Section 5 includes the signatures of all parties to confirm their agreement that this is an accurate record of issues and discussions as at the date of this SoCG.

1.3 Status of this SoCG

- 1.3.1 This version 3 of the SoCG represents the position between the Applicant and the Emergency Services as 28 March 2024, and represents the final position between the Parties.
- 1.3.2 A Principle Areas of Disagreement (PAD) will be updated and submitted to the Examining Panel during the examination to reflect where agreement is yet to be reached.

2 Consultation and engagement

- 2.1.1 East of England Ambulance Service NHS Trust, Cambridgeshire Police and the Cambridgeshire Fire and Rescue Service, were identified as Consultees Consulted under Section 42 of Planning Act 2008.
- 2.1.2 A statutory consultation was undertaken with the Emergency Services set out in Section 42 of the 2008 Act. The consultees listed in Appendix 6.1.15 and 6.1.32 are referred to as the 'Section 42 consultees'.
- 2.1.3 The Applicant has engaged with the Emergency Services concerning the project through informal engagement and the creation of Technical Working Groups (TWGs) following the site selection decision and prior to commencement of the statutory Section 42 consultation.
- 2.1.4 All Section 42 consultees were formally notified of the Section 42 consultation on 24 February 2022 and were given a deadline of 27 April 2022 (allowing for more than the required statutory minimum of a 28-day consultation period).
- 2.1.5 The Section 42 consultation ran in parallel to phase three community consultation, which involved consultation on the Preliminary Environmental Information Report (PEIR). The Emergency Services were consulted on the PEIR.
- 2.1.6 Ongoing engagement to discuss consultation responses and key issues continue to take place through the TWG and stakeholder meetings as set out in Appendix 1, Table 1.1 - Schedule of Engagement.
- 2.1.7 For further information on the pre-application consultation process please see the Consultation Report (App Doc Ref 6.1).

3 Documents considered in this SoCG

- 3.1 In reaching common ground on the matters covered in this SoCG, the parties referred to the following documents.
 - a) Code Of Construction Management Plan (CoCMP) Part A and Part B (App Doc Ref 5.4.2.1 and 5.4.2.1) [REP5-050 and REP5-052]
 - b) Community Liaison Plan (App Doc Ref 7.8) [REP-4-078]
 - c) Design and Access Statement (App Doc Ref 7.6) [AS-168]
 - d) Health Impact Assessment (Chapter 12 App Doc Ref 5.2.12) [REP5-034]
 - e) Major Accidents and Disasters (Chapter 21 App Doc Ref 5.2.21) [REP5-048]
 - f) Outline Decommissioning Strategy (Appendix 2.3 App Doc Ref 5.4.2.3) [AS-051]
 - g) Traffic and Access Assessment (Chapter 19 App Doc Ref 5.2.19) [REP5-078]

4 Summary and status of engagement

4.1 Access to site and within site

- 4.1.1 Following the site selection, initial design stages included development of access options for how the site would be accessed both during and construction and once operational.
- 4.1.2 Site access options were assessed against a variety of economic, environmental, safety and social and strategic factors and through preliminary consultation with the Local Highway Authority (Cambridgeshire County Council) and Highways England. This is outlined in the Design and Access statement (App Doc Ref 7.6) 4.1.2.
- 4.1.3 The Assessment of traffic and transport is set out in the Environmental Statement Traffic and Access Chapter 19 (App Doc Ref 5.4.19.1 and 5.4.19.2) and Chapter 19 appendices for Transport Assessment (Ref 5.4.19.3).
- 4.1.4 In addition, a series of management plans have been produced to demonstrate how traffic and access would be managed during the construction and operation of the proposed development including Construction Traffic Management Plan (CTMP) (App Doc Ref 5.4.19.3), Workers Travel Plan, Construction Workers Travel Plan – (App Doc Ref 5.4.19.1 – 5.4.19.9) and CoCMP Parts A and B (App Doc Ref 5.4.2.1 and App Doc Ref 5.4.2.2).

Table 4.1 details the summary and status of agreement between the Applicant and the emergency services

Statement/document on which agreement is sought.	Status	Comments
The CTMP (App Doc Ref 5.4.19.3) sets out the commitment to manage vehicle routes and timings to ensure that construction access points are clearly known to users of the roads. Section 5.2 includes information about the temporary access points and construction road signage. The assessment approach based on a worst-case scenario and mitigation proposals are agreed.	Low	Agreed
The potential impact the development may have in terms of delays in response times due to increased traffic has been assessed and is acceptable.	Low	Agreed
The Design and Access Statement (App Doc Ref 7.6) for the proposed wastewater treatment plant outlines the access, internal access and egress for emergency services.	Low	The parties have agreed the proposed design for access and egress for the site. The design shows the required internal roads are at least two vehicles

wide and have a 360 degree access. It's agreed that any additional recommendations will be incorporated from the Building Control Consultation.

Furthermore the wastewater treatment plant would be constructed to building standards and Requirement 7 in accordance with the design code. The Applicant will, as a statutory requirement, consult with Cambridgeshire County Council before discharge and adhere to fire services comments under Section 45 and 46 of the Fire Safety Order.

Peak Construction Assumptions have been assessed and are acceptable.

Low

Agreed

4.2 Notification of traffic closures and management of communications.

- 4.2.1 During construction, there may be a requirement for short term road and lane closures (and associated diversion routes) for specific construction activities, although these should be kept to a minimum. These will be carefully managed to avoid the working hours of the main site, ideally night-time lane closures, and will be planned to minimise the impact on road users.
- 4.2.2 The Outline CTMP (App Doc Ref 5.4.19.7) has been developed and reflects consultation responses received as part of the statutory consultation and the relevant Technical Working Groups (TWGs) and sets out the detailed management measures, procedures and best practices required for managing the impact of construction traffic on the local and strategic road networks during the construction period.
- 4.2.3 The Outline Community Liaison Plan (App Ref Doc 7.8), which will be developed through consultation with the community and approved by the relevant local authority(s) and the relevant local planning authority and will be put in place prior to construction. The plan will set out the approach to engaging with the community during the construction to make sure the community is informed of activities and developments relating to construction.

Table 4.2 details the summary and status of agreement on other document

Statement/document on which agreement is sought.	Status	Comments
<p>The Outline CTMP (App Doc Ref 5.4.19.7) sets out how the impact of construction traffic on the local and strategic road networks during the construction period will be managed.</p> <p>The Outline Community Liaison Plan (App Doc Ref 7.8), section 6.2 outlines the variety of channels that will be used to communicate with stakeholders and the community during the construction to make sure the community are informed of road closures during construction.</p>	Low	<p>Emergency Services have raised the matter of planned road closures, emergency access how they will be communicated during construction. The parties continue to discuss if the proposals for communications within the Community Liaison Plan are acceptable and agreed.</p> <p>A separate section specifically for the Emergency Services has been suggested. The proposal is that this would be within the COCP Part A and that additional wording is added to paragraph 3.1.10 as follows: The Applicant will continue The Emergency Services TWG or an equivalent forum to provide advance notification of proposed road traffic diversion routes, traffic closures, excavation details and programme, any abnormal load movements and any other similar construction activities that have the potential to impact the Emergency Services in undertaking their normal duties.</p>
Potential for Emergency Services to use any road closure in Emergency	Low	National Highways has confirmed (meeting date 23 January 2024) that the Emergency Services are typically allowed access to a road closure in order to gain emergency access. This is always however subject to liaison with the principle contractor and the engagement of a gateman to ensure this is safe to accommodate.

4.3 Fire Safety

4.3.1 The matter of specific measures for Fire Safety was raised in the Emergency Services TWG meeting on 18 September 2023 and in discussion with the Cambridgeshire Fire and Rescue Service.

Table 4.3 details the summary and status of agreement on fire safety

Statement/document on which agreement is sought.	Status	Comments
Fire safety in relation to the battery storage for the solar panels on site.	Low	The Fire Service have agreed to review plans of the layout and provide details of what might be covered in an Outline battery fire safety management plan.
The site will be constructed in consideration for fire appliance access and site firefighting provision will be provided in accordance with the service requirements of the service.	Low	Agreed. The site will be constructed in consideration for fire appliance access and site firefighting provision will be provided in accordance with the requirements of the service.'
Any buildings on site will be passed through the fire service for consultation in relation to fire safety matters prior to building works commencing.	Low	The parties have agreed that any buildings on site will be passed through the fire service for consultation in relation to fire safety matters prior to building works commencing.

4.4 Health and Wellbeing

4.4.1 The matter of the impact of population increases and overall health and wellbeing was raised in the TWG on 27 October 2023. It was noted that additional temporary construction workforce and would be sourced from outside of the local area.

Table 4.4 details the summary and status of agreement on other safety consideration

Statement/document on which agreement is sought.	Status	Comments
The management of health and wellbeing of the workforce will be managed by the employment by the Applicant of an occupational nurse and the use of occupational health assessments.	Low	The communication and management of this will be part of the commitments to the Emergency Services TWG referenced above to be included within the CoCP Part A.

4.5 Other Safety considerations

4.5.1 The matter of the design of the safety features for the enhancement of the A14 bridge was raised in the Emergency Services TWG meeting on 18 September 2023. It was noted that suicide prevention measures may be required and the use of a curved barrier feature.

Table 4.5 details the summary and status of agreement on other safety consideration

Statement/document on which agreement is sought.	Status	Comments
Design and protective measures of the parapet design for the A14 bridge at the detailed design stage.	Low	<p>The Applicant proposes to amend the current highway design proposals for the A14 overbridge to provide a bridge parapet on the western side of the bridge that is suitable for use as a shared use facility used by mounted equestrians. The highway design drawings have been amended to show a 1.8m high parapet (the current design replaces the existing 1.1m high with a 1.5m parapet).</p> <p>This proposal is agreed with National Highways, the Highway Authority and the Horningsea Greenway team.</p>
<p>Safety measures and excavation safety and communications for timing of deep excavation work.</p> <p>Familiarisation visits will be offered to emergency service workers to support emergency planning when appropriate.</p>	Low	<p>The Applicant will have an Emergency Rescue Plan in place before any deep excavation work is undertaken. This plan will be shared with the Emergency Services as part of the commitments to the Emergency Services TWG referenced above to be included within the CoCP Part A.</p>
Potential incidents involving Abnormal Indivisible Loads (AIL) on the Strategic Road Network.	Low	<p>It is agreed that in the event of any incident involving an AIL leading to a long term closure of a prescribed route, the Police would manage the diversion and take over the incident as they have control of the network in such instances.</p>

5 Agreement on this SoCG

This Statement of Common Ground has been jointly agreed by:

Name: Mark Malcolm

Signature: 

Position: Programme Director Major Infrastructure

On behalf of: Anglian Water Services Limited

Date:

Name: Zoe May

Signature: 

Position: Head of Business Relationships

On behalf of: East of England Ambulance Service NHS Trust

Date: 06 February 2024

Name:

Signature:

Position:

On behalf of: Cambridge Fire and Rescue Service

Date:

Name:

Signature:

Position:

On behalf of: Cambridgeshire Police

Date:

Appendix 1

Table 1.1: Schedule of engagement undertaken to date with the Emergency Services

Comments from EEAST made in response to Phase 2 - Scoping Consultation.	Letter received 17 November 2021
Discussed anti-social behaviour at the proposed new site with the police and district council community officer.	Meeting with Cambridgeshire Police (and South Cambridgeshire District Council) 26 January 2022
Agreement for need to enter into a SoCG to ensure legitimate issues and concerns raised by EEAST are addressed and recorded eg: ensure road closures and construction programme is fully understood and the potential impact of major accidents or disasters.	Meeting 7 March 2023
Issues Discussed: <ul style="list-style-type: none"> • Review of Access plan • River Crossings • Junction Capacity • A14 Closure • Diversions • Permanent access • Statement(s) of common ground – SoCG • Other matters • Battery storage • Emergency response meetings • Timings 	Emergency Services Technical Working Group (TWG) meeting 18 September 2023
Issues Discussed: <ul style="list-style-type: none"> • General SoCG points and timing for Deadline 1 • Community Liaison Plan (CLP) • Fire safety plan/ battery management plan • Deep excavation process of tunnels • EEAST'S Relevant Representations • Abnormal Loads 	Emergency Services TWG 27 October 2023
Issues Discussed <ul style="list-style-type: none"> • <u>Firefighting provision</u> • <u>Consultation in relations to Fire Safety Matters prior to building works commencing</u> • <u>Deep excavation work</u> • <u>Engagement to support emergency planning</u> 	<u>Discussion (Cambridgeshire fire and Rescue only)</u> <u>12 December 2023</u>
Issues Discussed <ul style="list-style-type: none"> • Review of statement and amendments • Occupational health provision for construction workers 	Discussion (East of England Ambulance Service NHS Trust only) 6 February 2024

Get in touch

You can contact us by:



Emailing at info@cwwtpr.com



Calling our Freephone information line on **0808 196 1661**



Writing to us at **Freepost: CWWTPR**

You can view all our DCO application documents and updates on the application on The Planning Inspectorate website:

<https://infrastructure.planninginspectorate.gov.uk/projects/eastern/cambridge-waste-water-treatment-plant-relocation/>